# Perpetual Pavement Demonstration

September 12, 2007

Cedar Road from Brainard Rd. to Lander Rd.

# Cuyahoga County Engineer's Presenters:

Brian Driscoll, P.E. – Chief Highway Design Engineer

► Thomas Sotak, P.E. – Area Construction Engineer

► E. Todd Zima – Project Engineer

Cedar Road Reconstruction and Widening

From Brainard Rd. to Lander Rd.

► In the Cities of Lyndhurst, Mayfield Heights, and Pepper Pike

- Design and Construction Managed by the Cuyahoga County Engineer's Office
- Plans Prepared by DLZ
- Design Assistance Provided by Flexible Pavements of Ohio
- ► Contractor: Burton Scot Contractors, LLC
- ▶ Bid Amount: \$5,160,899.00

Approximately 0.7 Miles of Full-Depth Full-Width "Perpetual Pavement" Between Brainard Rd. and Lander Rd.

Some Composite Pavement West of Brainard

- Some Composite Pavement on Brainard
- Some Composite Pavement on Lander

► New Lane Configuration Varies and Isn't Really Important Here

- Project Also Includes:
  - Sanitary Sewer
  - Storm Sewers and Culverts
  - Sidewalk
  - Traffic Signals

Let's Talk About How Perpetual Pavement Works!

►OK, Why Not Concrete Pavement?

► OK, Why Not Conventional Full-Depth Flexible Pavement?

OK, We Decided to Use A Perpetual Pavement Design! What Next?

- DLZ Provided a Conventional Full-Depth Flexible Pavement Design
- Used All the Regular Parameters:
  - Current ADT (22676)
  - Design ADT (23421)
  - Trucks 5%
  - B:C Ratio 2:1
  - Directional Distribution (57% Eastbound)
  - Mr 7200 PSI (From Geotechnical Report)
  - CBR 6 (From Geotechnical Report)
  - G.I. 8 to 11 (From Geotechnical Report)

► Conventional Pavement Design (Cont.)

▶ Put all the Above in a Blender

 Or, Follow the Design Guidelines in Section 200 and 400 of the ODOT Pavement Design & Rehabilitation Manual

Conventional Pavement Design (Cont.)

► The Result: Design Structural Number: 4.5

```
■ 448 AC Surface 1.25" x 0.35 = 0.44
```

- 448 AC Intermediate 1.75" x 0.35 = 0.61
- 302 Bitum. Agg. Base 9" x 0.35 = 3.15
- 304 Aggregate Base
  6" x 0.14 = 0.84
- Total Pavement Structure 18" = 5.04

OK, Finally Let's Talk About Perpetual Pavement!

We had DLZ Talk To Flexible Pavements of Ohio

Flexible Pavements of Ohio Turned to Their Own Experts to Provide a Perpetual Pavement Design

- ► The Resulting Perpetual Pavement Design:
  - 1.5" 442 AC Surface Course, 12.5 mm Superpave Type A (446), PG 70-22M
  - 1.75" 442 AC Intermediate Course, 19mm Superpave Type A (446), PG 70-22M
  - 4.75" 302 Bit. Agg. Base, PG 64-22 Compacted to 93% Minimum Density
  - 4" 302 Bit. Agg. Base, PG 64-22 Designed at 3% Air Voids, Compacted to 94% Minimum Density
  - 6" 304 Aggregate Base
  - TOTAL PAVEMENT STRUCTURE = 18"

► OK, Got It So Far?

▶ But Can I Afford the "Good Stuff"?

Flexible Pavements of Ohio Estimated Perpetual Pavement to Be 10% More Than Conventional Full-Depth Flexible Pavement

#### Cost of Perpetual Pavement

\$ 1,864
φ 1,00 <del>4</del>
\$131,040
\$ 1,864
\$275,652
\$ 3,792
\$232,035
\$ 23,667
\$167,998
\$ 33,078
\$ 43,264
\$1,035,934

- ► Total Bid Price = \$5,160,899.00
- ► Total Cost of Perpetual Pavement = \$1,036,000.00\*
- So a 10% Premium for Perpetual Pavement Means We Paid About \$100,000 More.
- **>** \$5,160,899/\$5,060,899 = 102%
- ► Therefore, We Can Assume That We Paid a 2% Premium Over Total Cost of Project.

▶ Just For Fun, Compare to Conventional Full-Depth Flexible

•	Item 448 1-1/4" Surface	\$ 92,040
•	Item 407 Tack for Int.	\$ 1,864
•	Item 448 1-3/4" Intermediate	\$114,660
	Item 407 Tack for Int.	\$ 1,864
li <u>w</u> iil.	Item 302 9" Bit. Agg. Base	\$561.700 **

Item 408 Prime Coat

Item 304 Agg. Base

Item Spl. Geotextile Fabric

Item 204 Subgrade Compaction

\$ 43,264

\$ 23,667

\$167,998

\$ 33,078

■ TOTAL \$1,040,135

- ▶ What About --- Gulp! --- CONCRETE??
- Our Minimum Thickness Would Be 10"
- ▶ Burton Scot Bid \$42.50 / sy for 9" RCP
- ▶ On Crocker-Stearns (10" RCP), Low Bidder = \$39.50 / sy
- ► Average of All Crocker-Stearns Bidders = \$47.00 / sy

Cost of Concrete

TOTAL

```
    Item 451 10" RCP $1,055,808
    Item 304 6" Agg. Base $ 167,993
    Item Spl. Geotextile Fabric $ 33,078
    Item 204 Subgrade Compaction $ 43,264
```

\$1,300,143

**>** \$1,300,143 / \$1,035,934 = 125%

- ► Thomas P. Sotak, P.E.
- ► Area Construction Engineer

- Testing
  - Plans Called for Item 302 Base Course To Be Placed With a Density Requirement
  - County Had No Experience Testing for Density Due to Use of Item 448 on County Jobs
  - Flexible Pavements of Ohio Suggested Use of ODOT SS 1055 for Both Base Courses and Intermediate / Surface Courses

**►** Other Considerations

Both Surface and Intermediate Courses Utilize
 PG 70-22M Binder

 Normal ODOT Specification (442.04) Calls for PG 64-22 Intermediate Course

- Other Considerations (Cont.)
  - Subgrade Preparation
  - Utility Issues
  - Maintenance of Traffic Elevated Pavement Placement Temperatures

