



Power Tools

Magnetic Drill Press

Champion Cutting Tools

MegaBrute Magnetic Drill Press



- Weighs 61 lbs
- Magnetic Strength 4,400 lbs
- Cutter capacity: 4" diameter x 3" depth Built in fluid reservoir
- Reversible Speed Handle
- #3 Morse Taper Spindle
- 4 Speed Motor: 110/175/245/385
- Includes safety strap

Part #	Magnetic Strength	Cutter Cap.	Cutter Arbor	Vertical Travel	Speed
CRB65E	4000 lbs.	4" Dia. X 3" Depth	3/4" Arbor	11-1/2"	110 / 175 / 245/ 385 RPM

MidiBrute Magnetic Drill Press



- Standard arbor for the RB45
- #2 Morse taper fits directly into RB45 and allows the use of 3/4" shank cutters up to 2" depth
- For use with XL100, XL200, CT150 and CT200 annular cutters

Part #	Magnetic Strength	Cutter Cap.	Cutter Arbor	Vertical Travel	Speed
CRB45	3300 lbs.	2" dia. X 2" Depth	3/4"	8"	450 / 250 RPM

MightiBrute Magnetic Drill Press



- Weighs only 33 lbs. • Magnetic Strength 3,370 lbs.
- Cutter capacity: 2-1/8" diameter x 2" depth • Quick change cutter arbor
- 2 Speed Motor: 450/300 RPM • Includes safety chain

Part #	Magnetic Strength	Cutter Cap.	Cutter Arbor	Vertical Travel	Speed
CAC50	3370 lbs	2-1/8" Dia. X 2" Depth	3/4" Quick Change	8"	450 / 300 RPM



Power Tools

Magnetic Drill Press

Champion Cutting Tools

MiniBrute Magnetic Drill Press



- Weighs 23 lbs
- Magnetic Strength 2,200 lbs
- Cutter capacity: 1-3/8" diameter x 2" depth
- Standard external fluid reservoir
- Quick change cutter arbor
- 1 Speed Motor: 600 RPM
- Easy to maneuver
- Same capacity as machines weighing much more
- Convenient cooling and less fill ups than arbor reservoir
- Annular cutters changed quickly for use with twist drills
- Great for use with carbide tipped annular cutters
- Includes safety chain

Part #	Magnetic Strength	Cutter Cap.	Max S&D Bits	Vertical Travel	Speed
CAC35	2200 lbs	1-3/8" Dia x 2" Depth	3/4"	3-1/8"	600 RPM

Magnetic Drill Press Accessories

Champion Cutting Tools

AC35 Drill Chuck



- 1/2" drill chuck for AC35, 1/2"-20 internal thread drill chuck
- Requires AC35-461220 for mounting to AC35 motor

Part #	Description
CAC35-1220	1/2" Drill chuck fo AC35, 1/2"-20 Internal thread drill chuck Requires AC35-461220 for mounting to AC35 motor.

AC35 Drill Chuck Adaptor

- Adaptor that allows the AC35-451220 to be mounted to the AC35 motor

Part #	Description
CAC35-461220	Adaptor for AC35-451120



Power Tools

Magnetic Drill Press Accessories

Champion Cutting Tools

AC3502-M Arbor



- Optional traditional set screw arbor for AC35
- 3/4" hole diameter
- For use with 1" and 2" depth of cut - XL100, XL200, CT150STK and CT200STK cutters

Part #	Description
CAC3502-M	Optional set screw arbor for AC35

Adaptors

- Optional arbor for RB65E
- #3 morse taper shank, 3/4" hole diameter
- For use with XL100, XL200, XL300, CT150, CT200, CT300, CT400, CT150STK, CT200STK from 2-5/16" to 4" diameter which have a 1-1/4" diameter

Part #	Shank	Hole Dia.
CRB635	#3 Morse Taper	3/4"

Arbors



- Included with the RB65E
- #3 morse taper shank, 3/4" hole diameter
- For use with all 3/4" shank annular cutters up to 2-1/4" diameter

Part #	Shank	Hole Dia.
CRB632	#3 Morse Taper	1-1/4"
CRB634	#3 Morse Taper	1-1/4"



Power Tools

Magnetic Drill Press Accessories

Champion Cutting Tools

Drill Chuck Adaptor



- 1/2" drill chuck and adaptor for AC50 magnetic drill press
- 3/4" weldon shank threaded to 1/2" drill chuck

Part #	Size
QX1234	1/2"

Drill Chucks



- Optional 1/2" drill chuck for RB65E
- #3 morse taper shank arbor to Jacobs taper mounted drill chuck

Part #	Shank	Drill Chuck
CRB6512	#3 Morse Taper	3/4"

Quick Change Tapping collets

Part #	Tap Size
CRB935	1/2" NPT

1/2" Specialty Drill

Dewalt

DW120K Right Angle Drill Kit (13mm)



- Three speed ranges offer versatility of matching the appropriate speed to the application. 400/900 rpm for right angle drilling and 600 rpm for straight drilling
- Die-cast metal gear housing for jobsite durability and tool reliability
- 5-position side handle offers improved control and versatility in all drilling applications
- 360° right angle attachment improves access to confined areas for increased productivity
- Triple gear reduction provides increased torque and reduces gear stress

PART #	Chuck	Amps	RPM	Watts	Kit Box	Mechanical Clutch	Cap in Wood Auger Bit	Cap in Steel Twist Bit	Cap in Steel Hole Saw	Weight
DW120K	1/2"	7.0 Amps	400 / 600 / 900 rpm	580 W	Yes	NO	1-1/2"	1/2"	5"	9.7 lbs.



Power Tools

1/2" Specialty Drill

Dewalt

DW124K 1/2" (13mm) Stud & Joist Drill Kit



- 100% ball-bearing construction provides durability and longer tool life
- Mechanical-slip clutch in low gear to provide control of reactionary torque
- Adjustable front handle and 2-position side handle provide maximum leverage and control
- Mechanically controlled 2-speed to match rpm/torque to application requirement
- Triple gear reduction provides increased torque and reduces gear stress
- 21" overall length provides greater control and leverage

PART #	Chuck	Amps	RPM	Watts	Kit Box	Mechanical Clutch	Cap in Wood Auger Bit	Cap in Steel Twist Bit	Cap in steel hole Saw	Weight
DW124K	1/2"	11.5 Amps	300 / 1200 rpm	850 W	Yes	Yes	1-1/2"	1/2"	5"	13.5 lbs.

DW130V 1/2" (13mm) Spade Handle Drill



- Variable speed reversible switch reduces air bubbles when mixing mud and offers greater control when drilling
- 0-550 RPM provides increased torque for drilling and mud mixing
- 9.0 AMPS, 120V motor provides enough power for any job site application
- 7.5 lbs. (3.4 kg) increases user productivity and decreases user fatigue
- Soft grip handle for increased comfort
- 2-position rear spade handle and 3-position side handle gives greater control for all drilling and mixing applications

PART #	Chuck	Amps	RPM	Watts	Kit Box	Mechanical Clutch	Cap in Wood Auger Bit	Cap in Steel Twist Bit	Cap in Steel Hole Saw	Weight
DW130V	1/2"	9.0 Amps	0 - 550 RPM	600 W	No	No	1-1/2"	1/2"	3"	7.5 lbs.



Power Tools

1/2" Specialty Drill

Dewalt

DW140 1/2" (13mm) End Handle Drill



- 100% ball-bearing construction provides durability and longer tool life
- Die-cast metal gear housing for jobsite durability and tool reliability
- 3-position auxiliary side handle for greater control in all drilling applications
- Triple gear reduction provides increased torque and reduces gear stress
- D-handle design is ideal for drilling applications where added pressure is needed

PART #	Chuck	Amps	RPM	Watts	Kit box	Mechanical Clutch	Cap in Wood Auger Bit	Cap in Steel Twist Bit	Cap in Steel Hole Saw	Weight
DW140	1/2"	7.0 Amps	600 rpm	580 W	No	No	1-1/2"	1/2"	1-1/2"	7.0 lbs.

DWD460K 1/2" (13mm) VSR Stud & Joist Drill Kit with Clutch and Bind-Up Control®



- DEWALT's Perform & Protect™ line of Power Tools is designed to provide a high level of one or more of the following: control, dust containment, or low vibration, without sacrificing performance.
- E-Clutch detects reactionary torque caused by a bind-up or stall and reduces speed to a manageable level until control is regained, a Perform & Protect™ Control Feature
- Mechanical clutch in low speed delivers increased gear protection
- 11.0 Amp heavy duty DEWALT built motor for increased power and performance in high torque applications
- 2 variable speed ranges: 0-330 / 0-1300 RPM to match appropriate speed to the application
- Metal gear housing for jobsite durability and increased reliability
- Adjustable front handle and 2-position side handle provide maximum leverage and control
- 100% ball-bearing construction provides durability and longer tool life

PART #	Chuck	Amps	RPM	Watts	Kit Box	Mechanical Clutch	Cap in Wood Auger Bit	Cap in Steel Twist Bit	Cap in Steel Hole Saw	Weight
DWD460K	1/2"	11 Amps	0-330 / 0-1300 rpm	1015 W	Yes	Yes and Bind-Up Control	1-1/2"	1/2"	5"	11.7 lbs.



Power Tools

1/2" Specialty Drill

Milwaukee

ME0302-20 1/2" Magnum Drill 0-850 RPM with All Metal Chuck & Quik-Lok Cord



- Powerful 8.0-amp motor: Delivers up to 850 RPM with variable speed control and reverse
- GRIP-LOK™ chuck: All-metal, single-sleeve keyless chuck with hardened jaws for high grip strength and reduced slippage
- 360° Locking Side Handle: Produces maximum maneuverability and control
- QUIK-LOK® Cord: 8-ft. 3-wire grounded rubber cord provides easy storage and field replacement

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME0302-20	8	0 - 850	Single Sleeve w/ Spindle Lock	1-1/2"	2"	5.6 lbs

ME1107-6 1/2" D-Handle Drill 0-500 RPM



- Powerful 7.0-amp motor: Delivers up to 500 RPM, with trigger speed control and reverse
- Torque: Offers 1/2" capacity in steel
- Heavy-duty keyed chuck with holder: Provides an industrial hold during drilling and fastening
- QUIK-LOK® Cord: 8-ft. 3-wire grounded rubber cord provides easy storage and field replacement

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME1107-6	7	0 - 500	Keyed	1-1/2"	1/2"	6.8 lbs

ME1250-1 1/2" D-Handle Drill 0-1000 RPM



- Powerful 7.0-amp motor: Delivers up to 1000 RPM, with trigger speed control and reverse
- Torque: Offers 1/2" capacity in steel
- Heavy-duty keyed chuck with holder: Provides an industrial hold during drilling and fastening
- 8-ft. fixed rubber cord: Durable construction for longer tool life

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME1250-1	7	0 - 1000	Keyed	1-1/2"	1/2"	6.5 lbs



Power Tools

1/2" Specialty Drill

Milwaukee

ME1610-1 1/2" Compact Drill 650 RPM



- Powerful 7.0-amp motor: Delivers up to 650 RPM with reverse
- Torque: Offers 1/2" capacity in steel
- Heat-treated gears: Helical-cut for quiet performance
- 8-ft. 2-wire fixed rubber cord: Durable construction for longer tool life

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME1610-1	7	650	Keyed	1-1/2"	1/2"	11.2 lbs

ME1630-1 1/2" Compact Drill 900 RPM



- Powerful 7.0-amp motor: Delivers up to 900 RPM with reverse
- Torque: Offers 1/2" capacity in steel
- Heat-treated gears: Helical-cut for quiet performance
- 8-ft. 2-wire fixed rubber cord: Durable construction for longer tool life

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME1630-1	7	900	Keyed	1-1/2"	1/2"	11.2 lbs

ME1660-6 1/2" Compact Drill 450 RPM



Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME1660-6	7	450	Keyed	1-1/2"	1/2"	11.4 lbs



Power Tools

1/2" Specialty Drill

Milwaukee

ME1675-6 1/2" Hole Hawg Drill 300/1200 RPM



- Powerful 7.5-amp motor: Delivers 300 RPM - 1,200 RPM with reverse
- Selffeed Bit Capacity: Handles up to a 4-5/8" bit
- Reinforced nylon resin casing: Provides durability and a reduced weight with greater heat dissipation and resistance to chemicals

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME1675-6	7.5	300 / 1200	Keyed	1-1/2"	1/2"	11.5 lbs

ME1676-6 1/2" Hole Hawg Drill 300/1200 RPM Kit



- Powerful 7.5-amp motor: Delivers 300 RPM - 1,200 RPM with reverse
- Selffeed Bit Capacity: Handles up to a 4-5/8" bit
- Reinforced nylon resin casing: Provides durability and a reduced weight with greater heat dissipation and resistance to chemicals

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME1676-6	7.5	300 / 1200	Keyed	1-1/2"	1/2"	11.5 lbs



Power Tools

1/2" Specialty Drill

Milwaukee

ME1680-20 1/2" Super Hawg



- Powerful 13.0-amp motor: Delivers 450 RPM - 1,750 RPM with a clutch in low gear
- Roto-Lok® handle: Features 90° left-right rotations for maximum comfort in all applications
- Reinforced nylon resin casing: Provides durability and less weight than metal with greater heat dissipation and resistance to chemicals

Part#	Amps	RPM	Chuck Type	Clutch	Cap in Wood	Cap in Steel	Weight
ME1680-20	13	450 / 1750	Keyed	Yes Low Speed	Self Feed 4-5/8", Hole Saw 6"	1/2"	14.7 lbs

ME1680-21 1/2" Super Hawg with Carrying Case



Part#	Amps	RPM	Chuck Type	Clutch	Cap in Wood	Cap in Steel	Weight
ME1680-21	13	450 / 1750	Keyed	Yes Low Speed	Self Feed 4-5/8", Hole Saw 6"	1/2"	14.7 lbs

ME3002-1 1/2" D-Handle Right Angle Drill Kit



- Powerful 7-amp motor: Delivers trigger speed control in two ranges – 0-600/0-900 RPM – plus reverse
- Torque: Offers 1/2" capacity in steel
- Heavy-duty 1/2" keyed chuck with holder: Provides an industrial hold during drilling and fastening
- Versatile: Handles up to a 2-9/16" Selffeed bit
- Unrestricted Access: Head and handle swivel 360°

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME3002-1	7	0 - 600	Keyed	Auger 1-1/2", Self Feed 3-5/8"	1/2"	10.3 lbs



Power Tools

1/2" Specialty Drill

Milwaukee

ME3102-6 1/2" D-Handle Right Angle Drill Kit



- Powerful 7-amp motor: Delivers trigger speed control in two ranges – 0-335/0-750 RPM – plus reverse
- Torque: Offers 1/2" capacity in steel
- Heavy-duty 1/2" keyed chuck with holder: Provides an industrial hold during drilling and fastening
- Versatile: Handles up to a 2-9/16" Selffeed bit
- Unrestricted Access: Head and handle swivel 360°

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME3102-6	7	0 - 500	Keyed	Auger 1-1/2", Self Feed 3-5/8"	1/2"	10.3 lbs

1/2" VSR Drills

Dewalt

DW235G 1/2" (13mm) VSR Drill



- Helical-cut steel, heat-treated steel gears for long life and durability
- Metal gear housing for jobsite durability and increased reliability
- Two-finger, rubber trigger for increased comfort
- 360° side handle for greater control and versatility

PART #	Chuck	Amps	RPM	Watts	Keyless Chuck	Cap in Wood Spade Bit	Cap in Wood Auger Bit	Cap in Steel Twist Bit	Cap in Steel Hole Saw	Weight
DW235G	1/2"	7.8 Amps	0 - 850 rpm	600 W	No	1-1/2"	1-1/8"	1/2"	2"	4.2 lbs.



Power Tools

1/2" VSR Drills

Dewalt

DW246 1/2" (13mm) VSR Drill with Keyless Chuck



- Single-sleeve keyless chuck with spindle lock provides greater bit retention and tool-free convenience
- Triple gear reduction provides increased torque and reduces gear stress
- Rubber grip and two-finger trigger for increased comfort and greater control
- Metal gear housing for jobsite durability and increased reliability
- Helical-cut steel, heat-treated steel gears for long life and durability
- 360° side handle for greater control and versatility

PART #	Chuck	Amps	RPM	Watts	Keyless Chuck	Cap in Wood Spade Bit	Cap in Wood Auger Bit	Cap in Steel Twist Bit	Cap in Steel Hole Saw	Weight
DW246	1/2"	7.8 Amps	0 - 600 rpm	600 W	Yes	1-1/2"	1-1/2"	1/2"	2-3/4"	4.4 lbs.

DWD210G 1/2" (13mm) VSR Pistol Grip Drill



- 10.0 Amp motor delivers increased drilling performance
- Patented DEWALT built motor design generates 50% more power with increased overload protection for added durability
- 0-1200 RPM, variable speed reversing switch for increased versatility
- Soft grip handle and two-finger trigger for increased comfort and greater control
- 360° locking side handle with soft grip for greater control and versatility
- Metal gear housing for jobsite durability and increased reliability

PART #	Chuck	Amps	RPM	Watts	Keyless Chuck	Cap in Wood Spade Bit	Cap in Wood Auger Bit	Cap in Steel Twist Bit	Cap in Steel Hole Saw	Weight
DWD210G	1/2"	10 Amps	0 - 1200 rpm	980 W	No	1-1/2"	1-1/2"	1/2"	2"	4.9 lbs.



Power Tools

1/2" VSR Drills

Dewalt

DWD215G 1/2" (13mm) VSR Mid-Handle Grip Drill With Keyless Chuck



- 10.0 Amp motor delivers increased drilling performance
- Patented DEWALT built motor design generates 50% more power with increased overload protection for added durability
- 1/2 in. All-metal single-sleeve ratcheting keyless chuck with automatic spindle lock provides greater bit retention and tool-free convenience
- Mid-handle grip design with soft grip provides increased balance and comfort
- 0-1200 RPM, variable speed reversing switch for increased versatility
- 360 degree locking side handle with soft grip for greater control and versatility
- Metal gear housing for jobsite durability and increased reliability

PART #	Chuck	Amps	RPM	Watts	Keyless Chuck	Cap in Wood Spade Bit	Cap in Wood Auger Bit	Cap in Steel Twist Bit	Cap in Steel Hole Saw	Weight
DWD215G	1/2"	10 Amps	0 - 1200 rpm	980 W	Yes	1-1/2"	1-1/2"	1/2"	2"	5.2 lbs.

Bosch

B1013VSR 1/2" High-Speed Drill



6.5 Amp all ball bearing motor, 0-850 RPM

Heavy duty keyed chuck

Variable speed trigger with reversing switch provides greater control during drilling start up and also helps free up bound bits

Two finger trigger design and lock-on button provides easy operation

Ergonomic handle with soft grip provides increased comfort

Precision cut steel gears

Magnesium front housing provides maximum control in tough applications

For increased durability provides maximum control in tough applications

Extra long 8' rubber cord with 3-prong grounded plug

360° auxiliary handle with optional depth gauge

Part #	Amps	Chuck Size	Torque
B1013VSR	6.5	1/2"	373 in-lb



Power Tools

1/2" VSR Drills

Bosch

B1034VSR 1/2" High-Torque Drill



- 8.0 Amp all ball bearing motor, 0 to 550 RPM
- Heavy duty, keyed chuck
- Variable speed, soft grip trigger, with reversing switch — for greater control
- Two finger trigger design and lock-on button — for ease of operation
- Ergonomic handle with soft grip — for increased comfort
- Precision cut steel gears
- Magnesium front housing — for increased durability
- Extra long 8 Ft. rubber cord with 3-prong grounded plug
- 360° auxiliary handle with optional depth gauge

Part #	Amps	Chuck Size	Torque
B1034VSR	8	1/2"	767 in-lb

Milwaukee

ME0200-20 3/8" Magnum Drill, 0-1200 RPM



- Powerful 7.0-amp motor: Delivers up to 1200 RPM with variable speed control and reverse
- Heavy-duty keyed chuck with holder: Provides an industrial hold during drilling and fastening
- 360° Locking Side Handle: Produces maximum maneuverability and control
- 8-ft. 3-wire fixed rubber cord: Durable construction for longer tool life

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME0200-20	7	0 - 1200	Keyed	1-1/2"	1/2"	4.2 lbs

ME0234-6 1/2" Magnum Drill 0-950 RPM



- Powerful 5.5-amp motor: Delivers up to 950 RPM, with trigger-speed control and reverse
- Heavy-duty keyed chuck with holder: Provides an industrial hold during drilling and fastening
- QUIK-LOK® Cord: 8-ft. 3-wire grounded rubber cord provides easy storage and field replacement
- Exclusive brush cartridge system: Changes brushes in less than one minute, and includes a spare set of brushes

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME0234-6	5.5	0 - 950	Keyed	1-1/2"	2"	4.8 lbs



Power Tools

1/2" VSR Drills

Milwaukee

ME0299-20 1/2" Magnum drill 0-850 RPM



- Powerful 8.0-amp motor: Delivers up to 850 RPM with variable-speed control and reverse
- Heavy-duty keyed chuck with holder: Provides an industrial hold during drilling and fastening
- 360° Locking Side Handle: Produces maximum maneuverability and control
- 8-ft. 3-wire fixed rubber cord: Durable construction for longer tool life

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME0299-20	8	0 - 850	Keyed	1-1/2"	2"	5.4 lbs

ME0300-20 1/2" Magnum Drill 0-850 RPM



- Powerful 8.0-amp motor: Delivers up to 850 RPM with variable speed control
- Heavy-duty keyed chuck with holder: Provides an industrial hold during drilling and fastening
- 360° Locking Side Handle: Produces maximum maneuverability and control
- 8-ft. 3-wire fixed rubber cord: Durable construction for longer tool life

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME0300-20	8	0-850	Keyed	1-1/2"	2"	5.4 lbs

1/4" VSR Drills

Milwaukee

ME0101-20 1/4" Magnum Drill, 0-4000 RPM with Quik-Lok Cord



- Powerful 7.0-amp motor: Delivers up to 4000 RPM with variable-speed control and reverse
- Heavy-duty keyed chuck with holder: Provides an industrial hold during drilling and fastening
- QUIK-LOK® Cord: 8-ft. 3-wire grounded rubber cord provides easy storage and field replacement

Part#	Amps	RPM	Chuck Type	Cap in Wood	Cap in Steel	Weight
ME0101-20	7	0 - 4000	Keyed	1-1/4"	1/4"	3.8 lbs



Power Tools

1-1/4" Specialty Drill

Milwaukee

ME2404-1 MIL DRILL 1-1/4 REV 250 RPM #3



- Powerful 10.0-amp motor: Delivers up to 250 RPM with reverse
- Torque: Offers 1-1/4" capacity in steel
- Heat-treated gears: Helical-cut for quiet performance
- 8-ft. fixed rubber cord: Durable construction for longer tool life

Part#	Amps	RPM	Chuck Type	Cap in Steel	Weight
ME2404-1	10	250	Keyed	1-1/4"	23.8 lbs

3/4" Specialty Drill

Milwaukee

ME1854-1 3/4" Large Drill 350 RPM



- Powerful 10.0-amp motor: Delivers up to 350 RPM with reverse
- Torque: Offers 3/4" capacity in steel
- Heat-treated gears: Helical-cut for quiet performance
- 8-ft. fixed rubber cord: Durable construction for longer tool life

Part#	Amps	RPM	Chuck Type	Cap in Steel	Weight
ME1854-1	10	350	Keyed	1/2"	19 lbs

3/8" Specialty Drill

Bosch

B1132VSR 3/8" Right-Angle Drill



- Heavy-duty keyed chuck – for increased durability
- Low profile design – for drilling in tight spaces
- Paddle type switch – for easy actuation and ease of use
- Variable speed dial – provides the ability to adjust for specific applications

Part #	Amps	RPM
B1132VSR	3.8	0 - 1300



Power Tools

3/8" Specialty Drill

Milwaukee

ME0370-20 3/8" Close Quarter Angle Drill



- .5-amp motor: Produces up to 1300 RPM with reverse
- Metal frame gear train: Provides longer service life
- Textured palm grip: Offers comfort, control and reduces slippage
- Angle cord exit: Keeps the durable 8-ft. fixed rubber cord out of the work area

Part#	Amps	RPM	Chuck Type	Weight
ME0370-20	3.5	0 - 1300	Keyed	4.25 lbs

3/8" VSR Drills

Dewalt

DW222 3/8" (10mm) VSR Drill with Keyless Chuck



- Helical-cut steel, heat-treated steel gears for long life and durability
- Single-sleeve keyless chuck with spindle lock provides greater bit retention and tool-free convenience
- Two-finger, rubber trigger for increased comfort

PART #	Chuck	Keyless Chuck	Amps	RPM	Watts	Cap in Wood Spade Bit	Cap in Wood Hole Saw	Cap in Steel Twist Bit	Weight
DW222	3/8"	Yes	6.7 Amps	0 - 1200 rpm	520 W	1-1/4"	2-1/8"	3/8"	3.3 lbs.

DWD112 3/8" (10mm) VSR Pistol Grip Drill with Keyless Chuck



- 8.0 Amp motor delivers high performance in heavy-duty applications
- 3/8" all-metal ratcheting keyless chuck for greater bit retention
- 0-2,500 RPM, VSR trigger for versatility in drilling and fastening applications
- Soft grip handle design offers increased gripping surface and comfort
- All ball-bearing construction provides greater durability and longer tool life

PART #	Chuck	Keyless Chuck	Amps	RPM	Watts	Cap in Wood Spade Bit	Cap in wood Hole Saw	Cap in Steel Twist Bit	Weight
DWD112	3/8"	yes	8.0 Amps	0 - 2500 rpm	650 W	1"	1-1/8"	3/8"	4.1 lbs.



Power Tools

3/8" VSR Drills

Bosch

B1030VSR 3/8" High-Speed Drill



- 7.5 Amp all ball bearing motor, 0-2100 RPM
- Heavy duty, keyed chuck
- Variable speed trigger with reversing switch provides greater control during drilling start up and helps free up bound bits
- Two finger trigger design and lock-on button provides easy operation
- Ergonomic handle with soft grip provides increased comfort
- Precision cut steel gears
- Magnesium front housing provides increased durability
- Extra long 8' rubber cord with 3-prong grounded plug
- 360° auxiliary handle with optional depth gauge

Part #	Amps	Chuck Size	Torque
B1030VSR	7.5	3/8"	215 in-lb

Diamond Coring Motors

Milwaukee

ME4096 Diamond Coring Motor 450/900 RPM 20 Amp with Clutch



- Two speeds: 450 and 900 rpm
- 20 amp motor
- Clutch protection protects gears and motor
- Built-in water swivel

Part#	Amps	RPM	Motor Protection	1-1/4" - 7	Plug Type	Max Cap	Weight
ME4096	20	450 / 900	Clutch	Spindle	L5-20P	10"	24 lbs



Power Tools

Electric Clutch Drill

Dewalt

DWD220 1/2" VSR Pistol Grip Drill with E-Clutch Anti-Lock Control



- DEWALT's Perform & Protect™ line of Power Tools is designed to provide a high level of one or more of the following: control, dust containment, or low vibration, without sacrificing performance.
- E-Clutch® System shuts the tool off when a stall is detected, reducing reactionary torque in bind-up situations, a Perform & Protect™ Control Feature
- 10.5 Amp motor delivers increased drilling performance
- Patented DEWALT built motor design generates 50% more power with increased overload protection for added durability
- 0-1200 RPM, variable speed reversing switch for increased versatility
- Soft grip handle and two-finger trigger for increased comfort and greater control
- Metal gear housing for jobsite durability and increased reliability

PART #	Chuck	Amps	RPM	Watts	Keyless Chuck	E-Clutch	Cap in Wood Spade Bit	Cap in wood Auger Bit	Cap in Steel Twist Bit	Cap in Steel Hole Saw	Weight
DWD220	1/2"	10.5 Amps	0 - 1200 rpm	1100 W	No	Yes	1-1/2"	1-1/2"	1/2"	2"	4.9 lbs.

Impact Wrench

Milwaukee

ME9070-20 1/2" Impact Wrench with Rocker Switch and Detent Pin Socket Retention



- Powerful 7.0 amp motor: Produces 300 ft-lbs of torque and 1800 RPM for maximum productivity
- AC/DC rocker switch: Enables quick selection of forward and reverse
- Detent pin: Provides secure retention of sockets and adapters
- 8-ft. fixed rubber cord: Durable construction for longer tool life

Part#	Amps	Anvil	Torque	RPM	IPM	Weight
ME9070-20	7	1/2" Pin Detent	300 ft-lbs	1800	2600	6 lbs



Power Tools

Impacts

Dewalt

DW292 1/2" (13mm) Impact Wrench with Detent Pin Anvil



- 345 ft-lbs of deliverable torque in forward and reverse
- 1/2" detent pin anvil
- AC/DC forward/reverse rocking switch
- Soft grip handle for increased comfort
- Ball bearing construction for increased durability

PART #	Amps	RPM	Torque	IPM	Anvil Type	Length	Weight
DW292	7.5 Amps	2100 rpm	345 ft-lbs	2700 ipm	Detent Pin	11-1/4"	7.0 lbs.

DW294 3/4" (19mm) Impact Wrench with Detent Pin Anvil



- 345 ft-lbs of deliverable torque in forward and reverse
- 3/4" detent pin anvil
- AC/DC forward/reverse rocking switch
- Soft grip handle for increased comfort
- Ball bearing construction for increased durability

PART #	Amps	RPM	Torque	IPM	Anvil Type	Length	Weight
DW294	7.5 Amps	2100 rpm	345 ft-lbs	2700 ipm	Detent pin	11-1/4"	7.0 lbs.

DW297 3/4" (19mm) Impact Wrench



- Easy forward or reverse, can run on AC or DC current
- Ball bearing construction for increased durability
- 434 ft-lbs of deliverable torque in forward and reverse
- Externally replaceable brushes allow for quick repairs on the jobsite

PART #	Amps	RPM	Torque	IPM	Anvil Type	Length	Weight
DW297	7.5 Amps	1600 rpm	434 ft-lbs	1800 ipm	Detent Pin	13"	11.0 lbs.



Power Tools

Magnetic Drill Press

Milwaukee

ME4206-1 Adjustable Position Electromagnetic Drill Press with 3/4" Motor



- Powerful 11.5-amp motor: Engineered for the toughest applications, delivering 350 RPM
- Dual-Mount Gear Case/Reverse Mount: Permits tight quarter drilling
- 3/4" Capacity: Taps up to 1-inch, 14-threaded holes
- Maximum force: Develops up to 1670 pounds of drill point pressure with a 1-inch steel plate
- Solid state electronic switching: Offers faster, smoother and quieter switching for a longer product lifespan
- Line Lockout: Prevents tool from operating if voltage is restored to an interrupted line

Part#	Amps	RPM	Drill Point Pressure	Drill Cap.	Tap Cap.	Weight
ME4206-1	12.5	0 - 350	1630 / 1670 lbs	3/4"	1"-14	70 lbs

ME4210-1 Fixed Position Electromagnetic Drill Press with 3/4" Motor



- Powerful 12.5-amp motor: Engineered for the toughest applications, delivering 350 RPM
- Dual-Mount Gear Case/Reverse Mount: Permits tight quarter drilling
- 3/4" Capacity: Taps up to 1-inch-14 threaded holes
- Maximum force: Develops up to 1670 pounds of drill point pressure with a 1-inch steel plate
- Solid state electronic switching: Offers faster, smoother and quieter switching for a longer product lifespan
- Line Lockout: Prevents tool from operating if voltage is restored to an interrupted line

Part#	Amps	RPM	Drill Point Pressure	Drill Cap.	Tap Cap.	Weight
ME4210-1	12.5	0 - 350	1630 / 1670 lbs	3/4"	1"-14	62 lbs



Power Tools

Magnetic Drill Press

Milwaukee

ME4270-21 Compact Electromagnetic Drill Press Kit



- Powerful 9.0-amp, 1.1 max HP motor: Maneuvers easily and conveniently
- Lightweight design: Only 26.5 pounds, with a comfortable carrying handle
- Superior capacity: Cuts up to 1-½-in. diameter holes through 2-in. steel with annular cutters, or ½-in. diameter holes, 4-¼-in. deep with twist drill bits
- Strong two-coil magnet: Engineered to stay in place with 2,300 of dead-lift force
- Flexible feed handle: Switch between two feed handle positions without using tools
- Accessible and comfortable operation: Simple two-button control panel, unobstructed by feed handle.

Part#	Amps	RPM	Drill Point Pressure	Drill Cap.	Weight
ME4270-21	9	450	750 lbs	1/2"	26.5 lbs

Magnetic Drill Press Bases

Milwaukee

ME4203 Electromagnetic Drill Press Base, Adjustable Position



- 120 Volt AC only, 12.5 amp max. rating
- 11 inch drill travel
- Adjustable position, variable speed base
- For use on any flat ferrous material, 1/2 inch and thicker

Part#	Height	Width	Length	Drill Travel	Adj. Base	Weight
ME4203	17-1/4"	4-1/4"	11"	11"	Yes	49 lbs



Power Tools

Magnetic Drill Press Motors

Milwaukee

ME4262-1 3/4" Motor for Electromagnetic Drill Press



- Powerful 11.5-amp motor: Engineered for the toughest applications, delivering 350 RPM
- Dual-Mount Gear Case/Reverse Mount: Permits tight quarter drilling
- 3/4" Capacity: Taps up to 1-inch, 14-threaded holes
- Maximum force: Develops up to 1670 pounds of drill point pressure with a 1-inch steel plate

Part#	Amps	RPM	Drill Point Pressure	Drill Cap.	Tap Cap.	Weight
ME4262-1	11.5	0 - 350	1630 / 1670 lbs	3/4"	1"-14	21 lbs

ME4297-1 No. 3 MT Motor for Electromagnetic Drill Press



- Powerful 11.5-amp motor: Engineered for the toughest applications, delivering 250/500 RPM
- Dual-Mount Gear Case/Reverse Mount: Permits tight quarter drilling
- 1-1/4" Capacity: Taps up to 1-inch, 14-threaded holes
- Maximum force: Develops up to 1600 pounds of drill point pressure with a 1-inch steel plate

Part#	Amps	RPM	Drill Point Pressure	Drill Cap.	Tap Cap.	Weight
ME4297-1	11.5	0 - 500 / 0 - 250	1530 / 1600 lbs	1-1/4"	1"-14	23 lbs

Screwdrivers

Dewalt

DW252 4,000 rpm Lightweight VSR Drywall Scrugun



- Depth-sensitive, "set and forget" nosepiece for consistent fastener depth
- Two-finger, rubber trigger for increased comfort
- Hi-speed transmission for production drywall hanging
- Lightweight with excellent ergonomics
- Helical-cut steel, heat-treated steel gears for long life and durability

PART #	Amps	RPM	Clutch	Torque	Max Fastener Size	Weight
DW252	6.0 Amps	0 - 4000 rpm	Standard	60 in-lbs.	#8	2.8 lbs.



Power Tools

Screwdrivers

Dewalt

DW255 5,300 rpm High Speed VSR Drywall Scrugun



- Depth-sensitive, "set and forget" nosepiece for consistent fastener depth
- Two-finger, rubber trigger for increased comfort
- Hi-speed transmission for production drywall hanging
- Lightweight with excellent ergonomics
- Helical-cut steel, heat-treated steel gears for long life and durability

PART #	Amps	RPM	Clutch	Torque	Max Screw Size	Weight
DW255	6.0 Amps	0 - 5300 rpm	Standard	60 in-lbs.	#8	2.9 lbs.

DW260K 2,500 rpm Lightweight VSR All-Purpose Scrugun Kit



- High-power, multi-purpose kit for self-drilling fasteners in steel, deck/subfloor installation and drywall applications
- Depth-sensitive, "set and forget" nosepiece for consistent fastener depth
- Two-finger, rubber trigger for increased comfort
- Helical-cut steel, heat-treated steel gears for long life and durability
- Excellent ergonomics

PART #	Amps	RPM	Clutch	Torque	Max Screw Size	Weight
DW260K	6.2 Amps	0 - 2500 rpm	Standard	132 in-lbs.	#12	3.2 lbs.

DW267 2,000 rpm VSR VERSA-CLUTCH™ Scrugun



- Helical-cut steel, heat-treated steel gears for long life and durability
- High power motor for metal fastening applications
- Versa-Clutch® torque adjustment system "dials in" the proper torque needed to efficiently drive fasteners without stripping or breaking fastener
- Rubber grip and two-finger trigger for increased comfort and greater control
- Metal nose and gear case for durability on the job
- Excellent ergonomics offers less user fatigue

PART #	Amps	RPM	Clutch	Torque	Max Screw Size	Weight
DW267	6.5 Amps	0 - 2000 rpm	Vers-Clutch System	164 in-lbs.	#14	3.7 lbs.



Power Tools

Screwdrivers

Dewalt

DW268 2,500 rpm VSR VERSA-CLUTCH™ Scrugun



- Helical-cut steel, heat-treated steel gears for long life and durability
- High power motor for metal fastening applications
- Versa-Clutch® torque adjustment system "dials in" the proper torque needed to efficiently drive fasteners without stripping or breaking fastener
- Rubber grip and two-finger trigger for increased comfort and greater control
- Metal nose and gear case for durability on the job
- Excellent ergonomics offers less user fatigue

PART #	Amps	RPM	Clutch	Torque	Max Screw Size	Weight
DW268	6.5 Amps	0 - 2500 rpm	Vers-Clutch System	132 in-lbs.	#14	3.7 lbs.

DW269 1,000 rpm VSR VERSA-CLUTCH™ Scrugun



- Helical-cut steel, heat-treated steel gears for long life and durability
- High power motor for metal fastening applications
- Versa-Clutch® torque adjustment system "dials in" the proper torque needed to efficiently drive fasteners without stripping or breaking fastener
- Rubber grip and two-finger trigger for increased comfort and greater control
- Metal nose and gear case for durability on the job
- Excellent ergonomics offers less user fatigue

PART #	Amps	RPM	Clutch	Torque	Max Screw Size	Weight
DW269	6.5 Amps	0 - 1000 rpm	Vers-Clutch System	344 in-lbs.	#14	3.7 lbs.

DW272 4,000 rpm VSR Drywall Scrugun



- Metal gear housing for jobsite durability and increased reliability
- Depth-sensitive, "set and forget" nosepiece for consistent fastener depth
- Rubber grip and two-finger trigger for increased comfort and greater control
- Helical-cut steel, heat-treated steel gears for long life and durability
- Lightweight with excellent ergonomics

PART #	Amps	RPM	Clutch	Torque	Max Screw Size	Weight
DW272	6.3 Amps	0 - 4000 rpm	Standard	81 in-lbs.	#8	3.1 lbs.



Power Tools

Screwdrivers

Dewalt

DW276 2,500 rpm VSR All-Purpose Screwgun



- Helical-cut steel, heat-treated steel gears for long life and durability
- High torque for deck building, drywall and heavy gauge steel stud framing
- Metal gear housing for jobsite durability and increased reliability
- Depth-sensitive, "set and forget" nosepiece for consistent fastener depth
- Rubber grip and two-finger trigger for increased comfort and greater control
- Excellent ergonomics

PART #	Amps	RPM	Clutch	Torque	Max Screw Size	Weight
DW276	6.5 Amps	0 - 2500 rpm	Standard	132 in-lbs.	#14	3.6 lbs.

Bosch

BSG450 4500 RPM Drywall Screwgun



- Compact ergonomic design- contoured grip increases comfort and control to drive screws all day
- Posi-Lok™ Nose Piece design retains depth setting when removed and eliminates time consuming depth readjustments
- Plastic gear housing provides lightweight design
- Strong bit tip magnet maximizes control when driving long screws
- Variable speed trigger with forward-reverse lever for increased control
- Lock-on button for extended-use applications
- Belt clip frees up hands for other important tasks

Part #	Amps	RPM	In-Lb. Torque
BSG450	7	4500	106

Milwaukee

ME6580-20 Adjustable Clutch Screwdriver



- Powerful 6.5-amp motor: Delivers up to 1,200 RPM of driving power
- Multi-position clutch: Easily adjusts from 10 to 140 in-lbs of torque
- All metal gearcase and diaphragm: Provides high durability
- Ergonomic grip and two-finger trigger: Optimize user comfort and balance
- QUIK-LOK® Cord: 10-ft. 2-wire grounded rubber cord provides easy storage and field replacement

Part#	Amps	RPM	Clutch	Drive Size	Weight
ME6580-20	6.5	0 - 2500	Adjustable	1/4" Hex	3.6 lbs



Power Tools

Screwdrivers

Milwaukee

ME6742-20 Drywall Screwdriver



- Powerful 6.5-amp motor: Delivers up to 4,000 RPM with variable-speed control
- Ramp-off depth locator: Provides easy, no-slip depth adjustments
- Ergonomic grip and two-finger trigger: Optimize user comfort and balance
- 10-ft. 2-wire fixed rubber cord: Durable construction for longer tool life

Part#	Amps	RPM	Clutch	Drive Size	Weight
ME6742-20	6.5	0 - 4000	Yes - Snap Action	1/4" Hex	3.5 lbs

ME6780-20 Metal Fastening Adjustable Clutch Screwdriver



- Powerful 6.5-amp motor: Delivers up to 2,500 RPM of driving power and 140 in-lbs of torque
- 21-position clutch: Provides maximum fastening control with minimum reaction force
- Ergonomic grip and two-finger trigger: Optimize user comfort and balance
- 10-ft. 2-wire fixed rubber cord: Durable construction for longer tool life

Part#	Amps	RPM	Clutch	Drive Size	Weight
ME6780-20	6.5	0 - 1200	Adjustable	1/4" Hex	3.6 lbs

ME6790-20 Self Drill Fastener Screwdriver



- Powerful 6.5-amp motor: Delivers up to 2,500 RPM with variable-speed control and reverse
- Ramp-off depth locator: Provides easy, no-slip depth adjustments
- Ergonomic grip and two-finger trigger: Optimize user comfort and balance
- 10-ft. 2-wire fixed rubber cord: Durable construction for longer tool life

Part#	Amps	RPM	Clutch	Drive Size	Weight
ME6790-20	6.5	0 - 2500	Yes-Snap Action	1/4" Hex	3.7 lbs



Power Tools

Screwdrivers

Milwaukee

ME6791-21 Remodelers Screwdriver Kit with Quik-Lok Cord



- Powerful 6.5-amp motor: Delivers up to 2,500 RPM with variable-speed control and reverse
- Two ramp-off depth locators: Provide easy, no-slip depth adjustments
- Ergonomic grip and two-finger trigger: Optimize user comfort and balance
- QUIK-LOK® Cord: 10-ft. 2-wire grounded rubber cord provides easy storage and field replacement

Part#	Amps	RPM	Clutch	Drive Size	Weight
ME6791-21	6.5	0 - 2500	Yes-Snap Action	1/4" Hex	3.7 lbs

VSR Drill

Dewalt

DW160V 3/8" (10mm) VSR Right Angle Drill



- Compact right-angle design for easy access in tight places
- Paddle switch for convenient one-handed operation
- Chuck is shielded to protect workpiece from chuck teeth in confined areas
- 100% ball-bearing construction provides durability and longer tool life
- Double gear reduction increases torque performance and decreases gear stress

PART #	Chuck	Amps	RPM	Watts	Keyless Chuck	Cap in Wood Spade Bit	Cap in Wood Hole Saw	Cap in Steel Twist Bit	Weight
DW160V	3/8"	4.0 Amps	0 - 1200 rpm	200W	No	1-1/8"	1-1/8"	3/8"	3.75 lbs.

DW217 1/4" (6mm) VSR Drill



- Helical-cut steel, heat-treated steel gears for long life and durability
- Metal gear housing for jobsite durability and increased reliability
- Rubber grip and two-finger trigger for increased comfort and greater control
- Designed for small diameter holes in light-gauge steel.

PART #	Chuck	Amps	RPM	Watts	Keyless Chuck	Cap in wood Spade Bit	Cap in Wood Hole Saw	Cap in Steel Twist Bit	Weight
DW217	1/4"	6.7 Amps	0 - 4000 rpm	510 W	No	3/4"	N/A	1/4"	3.2 lbs.



Power Tools

Auto-Feed Screwdrivers

Senco

3" Corded Collated Screwdriver System



The powerful SENCO DS300-AC is designed for high-volume, high-speed screw applications. With the built-in extension you can adjust the tool to the proper height to speed productivity and save your back and knees. The DS300-AC has corded power to drive 1 1/4" to 3" screws into even the toughest materials.

- Powerful 3300 RPM high-torque AC motor
- Length adjustment design - drive screws from a comfortable standing position
- Easy depth of drive screw adjustment
- Quick release for easy bit access
- Super-tough drive bits
- Reverse switch to back out driven screws
- Comes complete with tool, two spare drive bits, nose pieces and carrying case
- 1-year limited warranty

Part #	Amps	RPM	Torque
DS300-AC	5.2	3300	80 in-lbs

Table of Contents

Categorized Listing

Power Tools	1	ME1854-1 3/4" Large Drill 350 RPM	16
Magnetic Drill Press	1	3/8" Specialty Drill	16
Champion Cutting Tools	1	Bosch	16
MegaBrute Magnetic Drill Press	1	B1132VSR 3/8" Right-Angle Drill	16
MidiBrute Magnetic Drill Press	1	Milwaukee	17
MightiBrute Magnetic Drill Press	1	ME0370-20 3/8" Close Quarter Angle Drill	17
MiniBrute Magnetic Drill Press	2	3/8" VSR Drills	17
Magnetic Drill Press Accessories	2	Dewalt	17
Champion Cutting Tools	2	DW222 3/8" (10mm) VSR Drill with Keyless Chuck	17
AC35 Drill Chuck	2	DWD112 3/8" (10mm) VSR Pistol Grip Drill with Keyless	17
AC35 Drill Chuck Adaptor	2	Bosch	18
AC3502-M Arbor	3	B1030VSR 3/8" High-Speed Drill	18
Adaptors	3	Diamond Coring Motors	18
Arbors	3	Milwaukee	18
Drill Chuck Adaptor	4	ME4096 Diamond Coring Motor 450/900 RPM 20 Amp with	18
Drill Chucks	4	Electric Clutch Drill	19
Quick Change Tapping collets	4	Dewalt	19
1/2" Specialty Drill	4	DWD220 1/2" VSR Pistol Grip Drill with E-Clutch Anti-Lock	19
Dewalt	4	Impact Wrench	19
DW120K Right Angle Drill Kit (13mm)	4	Milwaukee	19
DW124K 1/2" (13mm) Stud & Joist Drill Kit	5	ME9070-20 1/2" Impact Wrench with Rocker Switch and Detent Pin	19
DW130V 1/2" (13mm) Spade Handle Drill	5	Impacts	20
DW140 1/2" (13mm) End Handle Drill	6	Dewalt	20
DWD460K 1/2" (13mm) VSR Stud & Joist Drill Kit with Clutch and Pin	6	DW292 1/2" (13mm) Impact Wrench with Detent Pin Anvil	20
Milwaukee	7	DW294 3/4" (19mm) Impact Wrench with Detent Pin Anvil	20
ME0302-20 1/2" Magnum Drill 0-850 RPM with All Metal Chuck & Pin	7	DW297 3/4" (19mm) Impact Wrench	20
ME1107-6 1/2" D-Handle Drill 0-500 RPM	7	Magnetic Drill Press	21
ME1250-1 1/2" D-Handle Drill 0-1000 RPM	7	Milwaukee	21
ME1610-1 1/2" Compact Drill 650 RPM	8	ME4206-1 Adjustable Position Electromagnetic Drill Press with 3/4"	21
ME1630-1 1/2" Compact Drill 900 RPM	8	ME4210-1 Fixed Position Electromagnetic Drill Press with 3/4"	21
ME1660-6 1/2" Compact Drill 450 RPM	8	ME4270-21 Compact Electromagnetic Drill Press Kit	22
ME1675-6 1/2" Hole Hawg Drill 300/1200 RPM	9	Magnetic Drill Press Bases	22
ME1676-6 1/2" Hole Hawg Drill 300/1200 RPM Kit	9	Milwaukee	22
ME1680-20 1/2" Super Hawg	10	ME4203 Electromagnetic Drill Press Base, Adjustable	22
ME1680-21 1/2" Super Hawg with Carrying Case	10	Magnetic Drill Press Motors	23
ME3002-1 1/2" D-Handle Right Angle Drill Kit	10	Milwaukee	23
ME3102-6 1/2" D-Handle Right Angle Drill Kit	11	ME4262-1 3/4" Motor for Electromagnetic Drill Press	23
1/2" VSR Drills	11	ME4297-1 No. 3 MT Motor for Electromagnetic Drill Press	23
Dewalt	11	Screwdrivers	23
DW235G 1/2" (13mm) VSR Drill	11	Dewalt	23
DW246 1/2" (13mm) VSR Drill with Keyless Chuck	12	DW252 4,000 rpm Lightweight VSR Drywall Scrugun	23
DWD210G 1/2" (13mm) VSR Pistol Grip Drill	12	DW255 5,300 rpm High Speed VSR Drywall Scrugun	24
DWD215G 1/2" (13mm) VSR Mid-Handle Grip Drill With Keyless	13	DW260K 2,500 rpm Lightweight VSR All-Purpose Scrugun	24
Bosch	13	DW267 2,000 rpm VSR VERSA-CLUTCH™ Scrugun	24
B1013VSR 1/2" High-Speed Drill	13	DW268 2,500 rpm VSR VERSA-CLUTCH™ Scrugun	25
B1034VSR 1/2" High-Torque Drill	14	DW269 1,000 rpm VSR VERSA-CLUTCH™ Scrugun	25
Milwaukee	14	DW272 4,000 rpm VSR Drywall Scrugun	25
ME0200-20 3/8" Magnum Drill, 0-1200 RPM	14	DW276 2,500 rpm VSR All-Purpose Scrugun	26
ME0234-6 1/2" Magnum Drill 0-950 RPM	14	Bosch	26
ME0299-20 1/2" Magnum drill 0-850 RPM	15	BSG450 4500 RPM Drywall Screwgun	26
ME0300-20 1/2" Magnum Drill 0-850 RPM	15	Milwaukee	26
1/4" VSR Drills	15	ME6580-20 Adjustable Clutch Screwdriver	26
Milwaukee	15	ME6742-20 Drywall Screwdriver	27
ME0101-20 1/4" Magnum Drill, 0-4000 RPM with Quik-Lok	15	ME6780-20 Metal Fastening Adjustable Clutch Screwdriver	27
1-1/4" Specialty Drill	16	ME6790-20 Self Drill Fastener Screwdriver	27
Milwaukee	16	ME6791-21 Remodelers Screwdriver Kit with Quik-Lok Cord	28
ME2404-1 MIL DRILL 1-1/4 REV 250 RPM #3	16	VSR Drill	28
3/4" Specialty Drill	16		
Milwaukee	16		

Table of Contents

Categorized Listing

Dewalt	28
DW160V 3/8" (10mm) VSR Right Angle Drill	28
DW217 1/4" (6mm) VSR Drill	28
Auto-Feed Screwdrivers	29
Senco	29
3" Corded Collated Screwdriver System	29

Table of Contents

Alphabetized Listing

1			
1/2" Specialty Drill	4-11		
1/2" VSR Drills	11-15		
1/4" VSR Drills	15		
1-1/4" Specialty Drill	16		
3			
3" Corded Collated Screwdriver System	29		
3/4" Specialty Drill	16		
3/8" Specialty Drill	16-17		
3/8" VSR Drills	17-18		
A			
AC35 Drill Chuck	2		
AC35 Drill Chuck Adaptor	2		
AC3502-M Arbor	3		
Adaptors	3		
Arbors	3		
Auto-Feed Screwdrivers	29		
B			
B1013VSR 1/2" High-Speed Drill	13		
B1030VSR 3/8" High-Speed Drill	18		
B1034VSR 1/2" High-Torque Drill	14		
B1132VSR 3/8" Right-Angle Drill	16		
Bosch	13-14, 16, 18, 26		
BSG450 4500 RPM Drywall Screwgun	26		
C			
Champion Cutting Tools	1-4		
D			
Dewalt	4-6, 11-13, 17, 19-20, 23-26, 28		
Diamond Coring Motors	18		
Drill Chuck Adaptor	4		
Drill Chucks	4		
DW120K Right Angle Drill Kit (13mm)	4		
DW124K 1/2" (13mm) Stud & Joist Drill Kit	5		
DW130V 1/2" (13mm) Spade Handle Drill	5		
DW140 1/2" (13mm) End Handle Drill	6		
DW160V 3/8" (10mm) VSR Right Angle Drill	28		
DW217 1/4" (6mm) VSR Drill	28		
DW222 3/8" (10mm) VSR Drill with Keyless Chuck	17		
DW235G 1/2" (13mm) VSR Drill	11		
DW246 1/2" (13mm) VSR Drill with Keyless Chuck	12		
DW252 4,000 rpm Lightweight VSR Drywall Scrugun	23		
DW255 5,300 rpm High Speed VSR Drywall Scrugun	24		
DW260K 2,500 rpm Lightweight VSR All-Purpose Scrugun Kit	24		
DW267 2,000 rpm VSR VERSA-CLUTCH™ Scrugun	24		
DW268 2,500 rpm VSR VERSA-CLUTCH™ Scrugun	25		
DW269 1,000 rpm VSR VERSA-CLUTCH™ Scrugun	25		
DW272 4,000 rpm VSR Drywall Scrugun	25		
DW276 2,500 rpm VSR All-Purpose Scrugun	26		
DW292 1/2" (13mm) Impact Wrench with Detent Pin Anvil	20		
DW294 3/4" (19mm) Impact Wrench with Detent Pin Anvil	20		
DW297 3/4" (19mm) Impact Wrench	20		
DWD112 3/8" (10mm) VSR Pistol Grip Drill with Keyless Chuck	17		
DWD210G 1/2" (13mm) VSR Pistol Grip Drill	12		
DWD215G 1/2" (13mm) VSR Mid-Handle Grip Drill With Keyless	13		
DWD220 1/2" VSR Pistol Grip Drill with E-Clutch Anti-Lock Control	19		
DWD460K 1/2" (13mm) VSR Stud & Joist Drill Kit with Clutch and	6		
E			
Electric Clutch Drill	19		
I			
Impact Wrench	19		
		Impacts	20
M			
		Magnetic Drill Press	1-2, 21-22
		Magnetic Drill Press Accessories	2-4
		Magnetic Drill Press Bases	22
		Magnetic Drill Press Motors	23
		ME0101-20 1/4" Magnum Drill, 0-4000 RPM with Quik-Lok Cord	15
		ME0200-20 3/8" Magnum Drill, 0-1200 RPM	14
		ME0234-6 1/2" Magnum Drill 0-950 RPM	14
		ME0299-20 1/2" Magnum drill 0-850 RPM	15
		ME0300-20 1/2" Magnum Drill 0-850 RPM	15
		ME0302-20 1/2" Magnum Drill 0-850 RPM with All Metal Chuck &	7
		ME0370-20 3/8" Close Quarter Angle Drill	17
		ME1107-6 1/2" D-Handle Drill 0-500 RPM	7
		ME1250-1 1/2" D-Handle Drill 0-1000 RPM	7
		ME1610-1 1/2" Compact Drill 650 RPM	8
		ME1630-1 1/2" Compact Drill 900 RPM	8
		ME1660-6 1/2" Compact Drill 450 RPM	8
		ME1675-6 1/2" Hole Hawg Drill 300/1200 RPM	9
		ME1676-6 1/2" Hole Hawg Drill 300/1200 RPM Kit	9
		ME1680-20 1/2" Super Hawg	10
		ME1680-21 1/2" Super Hawg with Carrying Case	10
		ME1854-1 3/4" Large Drill 350 RPM	16
		ME2404-1 MIL DRILL 1-1/4 REV 250 RPM #3	16
		ME3002-1 1/2" D-Handle Right Angle Drill Kit	10
		ME3102-6 1/2" D-Handle Right Angle Drill Kit	11
		ME4096 Diamond Coring Motor 450/900 RPM 20 Amp with Clutch	18
		ME4203 Electromagnetic Drill Press Base, Adjustable Position	22
		ME4206-1 Adjustable Position Electromagnetic Drill Press with	21
		ME4210-1 Fixed Postion Electromagnetic Drill Prss with 3/4" Motor	21
		ME4262-1 3/4" Motor for Electromagnetic Drill Press	23
		ME4270-21 Compact Electromagnetic Drill Press Kit	22
		ME4297-1 No. 3 MT Motor for Electromagnetic Drill Press	23
		ME6580-20 Adjustable Clutch Screwdriver	26
		ME6742-20 Drywall Screwdriver	27
		ME6780-20 Metal Fastening Adjustable Clutch Screwdriver	27
		ME6790-20 Self Drill Fastener Screwdriver	27
		ME6791-21 Remodelers Screwdriver Kit with Quik-Lok Cord	28
		ME9070-20 1/2" Impact Wrench with Rocker Switch and Detent	19
		MegaBrute Magnetic Drill Press	1
		MidiBrute Magnetic Drill Press	1
		MightiBrute Magnetic Drill Press	1
		Milwaukee	7-11, 14-19, 21-23, 26-28
		MiniBrute Magnetic Drill Press	2
P			
		Power Tools	1-29
Q			
		Quick Change Tapping collets	4
S			
		Screwdrivers	23-28
		Senco	29
V			
		VSR Drill	28