

Air Filtration

Jet Tools

AFS-1000B 1000 CFM Air Filtration System 3 Speed with Remote Control



Two-Filter System with Air Diffuser disperses outgoing air into a broader pattern Disposable Electrostatic Outer Filter attracts more dust particles than standard filters Inner Pocket Filter is removable for easy cleaning Easy Grip Handles allow easy portability of unit Four Eye Bolts let you hang unit from shop ceiling

| Part # | Cycles per Hour(20' x 20' x 8') | Inner Filter Efficiency | Speeds | Timer Settings | Motor |
|---------|------------------------------------|----------------------------|------------------|----------------|--------|
| 708620B | 19.58 | 1 | 556 / 702 / 1044 | 2/4/8 | 1/5 HP |

AFS-2000 1700CFM Air Filtration System 3-Speed with Remote Control



Three-Filter System with Air Diffuser disperses outgoing air into a broader pattern Disposable Electrostatic Outer Filter attracts more dust particles than standard filters Inner Pocket Filter is removable for easy cleaning Adjustable Exhaust directs the air where you want it for optimal circulation Easy Grip Handles allow easy portability of unit

| Part # | Cycles per Hour(20' x 20' x 8') | Inner Filter Efficiency | Speeds | Timer Settings | Motor |
|--------|------------------------------------|----------------------------|---------------|----------------|--------|
| 708615 | 31.91 | 1 | 800/1200/1700 | 2/4/8 | 1/3 HP |

Inner Filter for AFS-1000B



| Part # |
|--------|
| 708733 |

Inner Filter for AFS-2000



| Part # | |
|--------|--|
| 708723 | |



Air Filtration

Jet Tools

Washable Electrostatic Filter for AFS-2000



| Part # |
|--------|
| 708724 |

Washable Electrostatic Outer Filter for AFS-1000B



Part # 708732

Powermatic Tools

PM1200 Air Filtration System 1/4HP 1Ph 115V



- Two-filter system traps particles as small as 1 micron
- Remote control operates on radio frequency for wider range of effectiveness
- Timer has nine settings, for up to nine hours of continuous operation
- Inner filter has fine mesh pockets for high efficiency, can be blown clean
- Electrostatic outer filter is disposable
- Diffusion filter disperses exhausted air
- Four eye bolts allow suspension from shop ceiling
- Indicator lights up after 200 hours to remind user to replace filters
- Three blower speeds to modify air flow
- Filter guards install and remove easily without tools for quick access to filters
- Two carry handles for portability
- Fully enclosed motor has overload protection for long service life.

| Part # | Inner Filter Efficiency | Speeds | Timer Setting |
|-----------|-------------------------|----------------|---------------|
| PM1791330 | 85% | 547, 706, 1196 | 1 to 9 hours |

Air Filtration Accessories Delta Machinery

Pleated Outer Pre-Filter



| Part # | Fits | Micron |
|---------|-----------------------|--------|
| D50-858 | AP200, 50-860, 50-875 | 5 |



Air Filtration Accessories

Delta Machinery

Three Pocket Inner Filter



| Part # | Fits | Micron |
|---------|-----------------------|--------|
| D50-859 | AP200, 50-860, 50-875 | 1 |

Dust Collection Accessories

Delta Machinery

2-1/4" to 1-1/2" Reducer



| Part # | |
|---------|--|
| D49-220 | |

30 Micron Dust Bag



| Part # | Micron | Fits |
|---------|--------|--------|
| D50-831 | 30 | 50-850 |

4" - 2-1/4" Adapter



| Part # | |
|---------|--|
| i ait m | |
| DEU 103 | |

4" Plastic Splice



| Part # | |
|---------|--|
| D50-457 | |

4" Steel Hose Clamp



| Part # | |
|---------|--|
| D50-495 | |



Dust Collection Accessories

Delta Machinery

4" x 10 Feet Hose



| Part # | |
|---------|--|
| D50-530 | |

4" x 20 feet Hose



| Part # |
|---------|
| DE0 531 |

4"-5" Quick Dsiconnect



| Part # | |
|---------|--|
| D50-196 | |

5" to 4" Reducer



| Part # | |
|---------|--|
| D50-479 | |

Biesemeyer Dust Collection Kit



- Clear Lexan® provides the operator with a view of the entire work area from all angles
- Use with 78-960 or 78-955 BIESEMEYER® T-SQUARE® systems to provide dust collection capability to table saws

| Part # |
|---------|
| D78-966 |

Disposable bottom Bags



| Part # | fits | Qty |
|---------|---------------|-----|
| D50-721 | 50-720, AP400 | 12 |



Dust Collection Accessories

Delta Machinery

Dust Hood



| Part # | For |
|---------|------------|
| D50-359 | 12" Planer |
| D50-446 | 22-580 |

Plastic Bags



| Part # | Mil | Fits | Qty |
|---------|-----|-----------------|-----|
| D50-364 | 6 | 50-850, 50-850A | 2 |
| D50-365 | 6 | 50-851 | 2 |

Jet Tools

115V RF Remote Control for Dust Collector



Radio frequency transmitter allows remote on/off control of your dust collector without the need for a straight line of sight

Simply plug in your dust collector to the transmitter for instant remote control, no wiring needed Works with all Dust Collection units 1-3/4 HP and smaller (115V ONLY)

| Part # | |
|---------|--|
| 708636C | |

2 Micron Canister Filter Kit for DC-100VX & DC-1200VX

| Part # Incudes | |
|----------------|---|
| 708639B | Canister Filter and 5 Clear Plastic Collection Bags |

30 Micron Collector Bag for DC-1100VX, DC-1200VX



| Part # | |
|--------|--|
| 708699 | |



Dust Collection Accessories

Jet Tools

Collector Bag for DC-1100VX & DC-1200VX 30 Micron Units

| Part # |
|---------|
| 708699/ |

Replacement 30 Micron Filter Bag for DC-650



| Part # | |
|--------|--|
| 700605 | |

Snap In Collector Bag for DC-650 30 Micron

| Part # |
|--------|
| 708697 |

Dust Collector

General International

Down Draft Table 1/2HP 1Ph 110V



- Rubber grommets to hold and protect the workpiece.
- Provides a higher level of safety and convenience by collecting dust at the source.
- Special design for heavy and finish sanding, routing and chop saw applications.
- Collects dust that would otherwise stay in the work area.
- Low noise level.
- Industrial strength steel cabinet with three foldable dust curtains.
- A shop vacuum or dust collector can be used to clean out the dust collection tray

| Part # | CFM | Filtration Cap. | Overall Dimensions |
|------------|------|-----------------|--------------------|
| G10-700 M1 | 1250 | 5 Micron | 34" x20" x 34-1/8" |



Dust Collector

General International

Dust Collector 1-1/2HP 1Ph 110/220V



- Totally enclosed, fan cooled, permanently lubricated motor. Designed for industrial applications with a continuous duty rating.
- Heavy-duty construction, mounted on four swivel casters, allowing total mobility and stability.
- Safety switch with key. Unit cannot be started when key is removed from the switch.
- Precision spin-balanced impeller for smooth operation and minimal noise.
- Reusable clear plastic collector bag for improved dust collection efficiency.
- 5" heavy-duty PVC hose between body of fan and collector.
- Collector body mounted on 3 heavy-duty rods.
- Equipped with 2 micron filter bag. (Not included on "CF" canister filter model).
- · Quick-release bag clamps with metal straps.
- Intake screen prevents larger pieces from jamming in the impeller.

| Part # | Inlet Dia. | # of Ports | Bag Dia. |
|-------------|------------|------------|----------|
| G10-105A M1 | 6" | 1 | 20" |

Dust Collector 2 Stage 3HP 1Ph 220V



- Efficient collection and separation of large chips which drop into the collector drum before reaching the impeller.
- The filter bag filters out the remaining dust to 5 microns.
- With the cyclone fitted to your own standard drums there is no need to empty from a collection bag into a disposal container. Simply set the drum, with a lid, out for disposal
- (where permitted).
- Equipped with a 5 micron filter bag (not included with "CF" canister filter model).
- 118? (3000 mm) overall height.

Two piece caster mounted 50 gallon (60 U.S. gallon) drums sold separately (item #10-820).

Model 10-810CF only

Canister filter equipped with crank handle / internal shaker for easy filter cleaning without removing bag.

| Part # | Airflow Cap. | Inlet dia. | Bag Dia. |
|------------|--------------|--------------|-----------|
| G10-810 M1 | 2800 CFM | 1@8" or 4@4" | 24" x 71" |



Dust Collector

General International

Dust Collector 2 Stage 3HP 3Ph 220V



- Efficient collection and separation of large chips which drop into the collector drum before reaching the impeller.
- The filter bag filters out the remaining dust to 5 microns.
- With the cyclone fitted to your own standard drums there is no need to empty from a collection bag into a disposal container. Simply set the drum, with a lid, out for disposal
- (where permitted).
- Equipped with a 5 micron filter bag (not included with "CF" canister filter model).
- 118? (3000 mm) overall height.

Two piece caster mounted 50 gallon (60 U.S. gallon) drums sold separately (item #10-820).

Model 10-810CF only

Canister filter equipped with crank handle / internal shaker for easy filter cleaning without removing bag.

| Part # | Airflow Cap. | Inlet dia. | Bag Dia. |
|------------|--------------|--------------|-----------|
| G10-810 M2 | 2800 CFM | 1@8" or 4@4" | 24" x 71" |

Dust collector 5HP 1Ph 220V

- Heavy-duty design with a continuous duty rating, for industrial applications.
- Totally enclosed, fan cooled, permanently lubricated motor.
- Heavy-duty base with eight swivel casters for smooth movement around the shop.
- Magnetic safety switch.
- Equipped with heavy-duty collection bags made from extra thick, transparent, recyclable plastic and 2 micron filter bags to trap fine sawdust (not included on "CF" canister filter model).
- · Extremely durable heavy-duty steel impeller.
- Quick-release bag clamps for fast and easy bag changes.

| Part # | Inlet Dia. | CFM | Bag Dia. |
|------------|--------------|------|----------|
| G10-510 M1 | 1@9" or 4@4" | 3980 | 24" |

Portable Down Draft Table



- 4? dust port connects to your shop dust collector to capture sanding dust right on your bench top.
- Internal baffles for stable maximum
- capacity airflow.
- Includes six adjustable stops to secure your workpiece to the table.
- Sturdy steel frame and lightweight design for easy storage and portability.

Recommended dust collector requirements: Use a minimum

3/4 HP /700 CFM dust collector.

Results may vary based on usage and the amount/type of dust generated by the operation being performed.

| Part # | Dust Port Dia. | Table Size | Overall Dimensions |
|------------|----------------|-------------------|----------------------------|
| G10-715 M1 | 4" | 35-1/2" x 18-1/2" | 39-1/4" x 20-1/2" x 9-1/2" |



Dust Collector Accessories

General International

Dust Collector Floor Sweep Adapter



| Part # |
|---------|
| G10-078 |

Dust Collector Accessories

General International

Dust Collector Remote Control



| Part # | Voltage |
|----------|---------|
| G10-150R | 115V |
| G10-220R | 220V |

Dust Collectors

General International

Dust Collector 1HP 1Ph 110V



- Totally enclosed, fan cooled, permanently lubricated motor. Designed for industrial applications with a continuous duty rating.
- · Heavy-duty construction, mounted on four swivel casters, allowing total mobility and stability.
- Safety switch with key. Unit cannot be started when key is removed from the switch.
- Precision aluminum spin-balanced impeller for smooth operation and minimal noise.
- Reusable clear plastic collector bag for improved dust collection efficiency.
- 5" heavy-duty PVC hose between body of fan and collector.
- Collector body mounted on 3 heavy-duty support rods.
- Washable with 2 micron filter bag (not included on "CF" canister filter model).
- Quick-release bag clamps with metal straps.
- Intake screen prevents larger pieces from jamming in the impeller.

| Part # | Inlet Dia. | # of Ports | Bag Dia. |
|------------|------------|------------|----------|
| G10-005 M1 | 4" | 1 | 15" |



Dust Collectors

General International

Portable Dust Collector 1HP 1Ph 110V



- Powerful 1 HP motor features sealed bearings and shaft for quiet, long-lasting operation.
- Dust hood rotates 360°.
- Support arm extends up to 12".
- Wide dust hood captures chips, dust and debris.
- Comfort grip carrying handle for easy portability to place the unit where you need it.
- Flexible 4" x 6' (1.8 m) collection hose included.
- Adjustable multi-position steel support arm to accommodate a variety of different machines or applications.

| Part # | Inlet Dia. | Hose Size | Filtration Cap. |
|------------|------------|-----------|-----------------|
| G10-050 M1 | 4" | 4" x 6' | 30 Micron |

Jet Tools

DC-1100VX-CK Dust Collector 1.5HP 1Ph 115/230V 2-Micron Cansiter Kit



Vortex Cone improves chip separation and collector bag packing efficiency Eliminates premature filter clogging for sustained performance Single-stage design for economical and quiet operation Industrial controls designed for years of trouble-free use

Quick-connect collection bags with elastic band for fast, easy installation and removal

| Part # | Style | Air Flow @ 4" | # of Air Inlets | Efficiency | Static Pressure |
|---------|----------|---------------|-----------------|------------|-----------------|
| 708659K | Canister | 1100 CFM | 1 @ 6" 2 @ 4" | 2 Micron | 10-1/2 Wc. |

Powermatic Tools

PM1300TX Dust Collector 1-3/4HP 1Ph 115/230V



| Part # | Air Flow @ 6" | # of Air Inlets | Efficiency | Filter Bag Length |
|------------|---------------|-----------------|------------|-------------------|
| PM1791078K | 1064 CFM | 3 | 30 Micron | 48" |
| PM1791079K | 1064 CFM | 3 | 2 Micron | 26" |



Dust Collectors

Powermatic Tools

PM1900TX-BK1 Dust Collector 3HP 1Ph 230V 30 Micron Bag Filter Kit



- TurboCone improves chip separation and collector bag packing efficiency
- The cone eliminates premature filter clogging for sustained performance
- Remote-controlled digital timer can be programmed for up to 99 minutes
- All-metal duct construction for rigidity and improved air flow
- 30-micron filter bags for improved capture of fine dust particles
- The large impeller is powered by a 3HP motor for peak performance
- Triple 4" dust ports allow for several hoses to be attached at the same time
- Cloth collection bags with view window use a snap ring for rapid installation/removal
- 10 cubic feet collection bag capacity reduces number of bag changes.
- Tall filter bags require less cleaning due to the larger surface area
- Four swivel casters for easy maneuverability

| Part # | Air Flow @ 4" | Air Flow @ 8" | # of Air Inlets | Efficiency | Bag Dia. |
|------------|---------------|---------------|-----------------|------------|----------|
| PM1792071K | 234 CFM | 1754 | 4 | 30 Micron | 20" |

PM1900TX-BK3 Dust Collector 3HP 3Ph 230/460V 30 Micron Bag Filter Kit



- TurboCone improves chip separation and collector bag packing efficiency
- The cone eliminates premature filter clogging for sustained performance
- All-metal duct construction for rigidity and improved air flow
- 30-micron filter bags for improved capture of fine dust particles
- The large impeller is powered by a 3HP motor for peak performance
- Triple 4" dust ports allow for several hoses to be attached at the same time
- Cloth collection bags with view window use a snap ring for rapid installation/removal
- 10 cubic feet collection bag capacity reduces number of bag changes.
- Tall filter bags require less cleaning due to the larger surface area
- Four swivel casters for easy maneuverability

| Part # | Air Flow @ 4" | Air Flow @ 8" | # of Air Inlets | Efficiency | Bag Dia. |
|------------|---------------|---------------|-----------------|------------|----------|
| PM1792073K | 234 CFM | 1754 | 4 | 30 Micron | 20" |



Dust Collectors

Powermatic Tools

PM1900TX-CK1 Dust Collector 3HP 1Ph 230V 2-Micron Canister Kit



- TurboCone improves chip separation and collector bag packing efficiency
- The cone eliminates premature filter clogging for sustained performance
- Remote-controlled digital timer can be programmed for up to 99 minutes
- All-metal duct construction for rigidity and improved air flow
- 2-micron canister filters offer over six times filtering surface area of standard bags
- The large impeller is powered by a 3HP motor for peak performance
- Triple 4" dust ports allow for several hoses to be attached at the same time
- Collection bags use a snap ring for rapid installation/removal
- 10 cubic feet collection bag capacity reduces number of bag changes.
- Tall filter bags require less cleaning due to the larger surface area
- Four swivel casters for easy maneuverability

| Part # | Air Flow @ 4" | Air Flow @ 8" | # of Air Inlets | Efficiency | Bag Dia. |
|------------|---------------|---------------|-----------------|------------|----------|
| PM1792072K | 236 CFM | 1782 | 4 | 2 Micron | 20" |

Delta Machinery

Production Stock Feeder



| Part # | Motor | # of Speeds | Rollers | |
|---------|-----------|-------------|---------|--|
| D36-850 | 1/4HP 1Ph | 4 | 3 | |

Powermatic Tools

Power Feeders



| Part # | Motor | Speeds |
|------------|----------------|--------|
| PM1790800K | 1HP 3Ph 230V | 4 |
| PM1790807K | 1Hp 1Ph 230V | 4 |
| PM1790810K | 1Hp 3Ph 460V | 4 |
| PM1790811K | 1Hp 3Ph 230V | 4 |
| PM1790812K | 1Hp 1Ph 115V | 4 |
| PM1790818 | 1/4Hp 1Ph 115V | 4 |
| | PM1790837 | |



General International

Hoverpad Pneumatic Mobile Base



The HoverPad pneumatic mobile base is a general-purpose flat base (less than one inch thick) onto which any load can be placed and easily moved.

- Customizable May be cut to fit almost any size exactly.
- Effortless motion Heavy objects move freely on a cushion of air.
- Zero rollback Stays exactly where parked.
- Safe Greater footprint and stability than wheels No tipping.
- Requirements Standard com-pressed air and a smooth floor.

To prevent rocking when parked, the Hoverpad is itself pliant and also has four pliant rubber feet which compress and prevent rocking for the vast majority of cases.

The flow control allows adjustable lift from 1/8? to 1/2?. The load is movable as soon as it lifts.

The HoverPad will fly over smooth, hard, airtight surfaces. Flatness doesn't matter, but smoothness is critical. Test by applying a suction cup to the floor – if it sticks even slightly, it will work.

| Part # | Size |
|---------|-----------|
| G10-824 | 18" x 24" |
| G10-929 | 29" x 29" |

Universal Mobile Bases Part # Expands From 708118 18" x 18" to 24" x 24" 708119 24" x 24" to 34" x 34"

Table of Contents

Categorized Listing

| Woodworking Machinery | 1 |
|---|--------------|
| Air Filtration | 1 |
| Jet Tools | 1 |
| AFS-1000B 1000 CFM Air Filtration System 3 Speed with Rem | iot é |
| AFS-2000 1700CFM Air Filtration System 3-Speed with Remot | e 1 |
| Inner Filter for AFS-1000B | 1 |
| Inner Filter for AFS-2000 | 1 |
| Washable Electrostatic Filter for AFS-2000 Washable Electrostatic Outer Filter for AFS-1000B | 2 |
| Powermatic Tools | 2 |
| PM1200 Air Filtration System 1/4HP 1Ph 115V | 2 |
| Air Filtration Accessories | 2 |
| Delta Machinery | 2 |
| Pleated Outer Pre-Filter | 2 |
| Three Pocket Inner Filter | 3 |
| Dust Collection Accessories | 3 |
| Delta Machinery | 3 |
| 2-1/4" to 1-1/2" Reducer | 3 |
| 30 Micron Dust Bag | 3 |
| 4" - 2-1/4" Adapter | 3 |
| 4" Plastic Splice | 3 |
| 4" Steel Hose Clamp | 3 |
| 4" x 10 Feet Hose 4" x 20 feet Hose | 4 |
| 4"-5" Quick Dsiconnect | 4 |
| 5" to 4" Reducer | 4 |
| Biesemeyer Dust Collection Kit | 4 |
| Disposable bottom Bags | 4 |
| Dust Hood | 5 |
| Plastic Bags | 5 |
| Jet Tools | 5 |
| 115V RF Remote Control for Dust Collector 2 Micron Canister Filter Kit for DC-100VX & DC-1200VX | 5 5 |
| 30 Micron Collector Bag for DC-1100VX, DC-1200VX | 5 |
| Collector Bag for DC-1100VX & DC-1200VX 30 Micron Units | 6 |
| Replacement 30 Micron Filter Bag for DC-650 | 6 |
| Snap In Collector Bag for DC-650 30 Micron | 6 |
| Dust Collector | 6 |
| General International | 6 |
| Down Draft Table 1/2HP 1Ph 110V | 6 |
| Dust Collector 1-1/2HP 1Ph 110/220V | 7 |
| Dust Collector 2 Stage 3HP 1Ph 220V | 7 |
| Dust Collector 2 Stage 3HP 3Ph 220V Dust collector 5HP 1Ph 220V | 8 8 |
| Portable Down Draft Table | 8 |
| Dust Collector Accessories | 9 |
| General International | 9 |
| Dust Collector Floor Sweep Adapter | 9 |
| Dust Collector Remote Control | 9 |
| Dust Collectors | 9 |
| General International | 9 |
| Dust Collector 1HP 1Ph 110V | 9 |
| Portable Dust Collector 1HP 1Ph 110V | 10 |
| Jet Tools | 10 |
| DC-1100VX-CK Dust Collector 1.5HP 1Ph 115/230V 2-Micron | |
| Powermatic Tools | 10 |
| PM1300TX Dust Collector 1-3/4HP 1Ph 115/230V PM1900TX-BK1 Dust Collector 3HP 1Ph 230V 30 Micron Bag | 10 |
| PM1900TX-BK1 Dust Collector 3HP 1PH 230V 30 Micron PM1900TX-BK3 Dust Collector 3HP 3Ph 230/460V 30 Micron | |

| PM1900TX-CK1 Dust Collector 3HP 1Ph 230V 2- | -Micron Canistel2 |
|---|-------------------|
| Delta Machinery | 12 |
| Production Stock Feeder | 12 |
| Powermatic Tools | 12 |
| Power Feeders | 12 |
| General International | 13 |
| Hoverpad Pneumatic Mobile Base | 13 |
| Jet Tools | 13 |
| Universal Mobile Bases | 13 |

Table of Contents

Alphabetized Listing

| 1 | | |
|---|--|------------|
| | 115V RF Remote Control for Dust Collector | 5 |
| 2 | | |
| _ | 2 Micron Canister Filter Kit for DC-100VX & DC-1200VX | 5 |
| | 2-1/4" to 1-1/2" Reducer | 3 |
| 3 | | |
| J | 30 Micron Collector Bag for DC-1100VX, DC-1200VX | 5 |
| | 30 Micron Dust Bag | 3 |
| 4 | <u> </u> | |
| 4 | 4" - 2-1/4" Adapter | 3 |
| | 4" Plastic Splice | 3 |
| | 4" Steel Hose Clamp | 3 |
| | 4" x 10 Feet Hose | 4 |
| | 4" x 20 feet Hose | 4 |
| | 4"-5" Quick Dsiconnect | 4 |
| 5 | | |
| • | 5" to 4" Reducer | 4 |
| A | | |
| | | ote 1 |
| | AFS-1000B 1000 CFM Air Filtration System 3 Speed with Remote AFS-2000 1700CFM Air Filtration System 3-Speed With | |
| | Air Filtration | 1-2 |
| | Air Filtration Accessories | 2-3 |
| В | | 20 |
| | Biesemeyer Dust Collection Kit | 4 |
| _ | • | - |
| C | | 0 |
| _ | Collector Bag for DC-1100VX & DC-1200VX 30 Micron Units | 6 |
| D | | |
| | DC-1100VX-CK Dust Collector 1.5HP 1Ph 115/230V 2-Micron | 10 |
| | • | 2-5, 12 |
| | Disposable bottom Bags | 4 |
| | Down Draft Table 1/2HP 1Ph 110V | 6 |
| | Dust Collection Accessories Dust Collector | 3-6 6-8 |
| | Dust Collector 1-1/2HP 1Ph 110/220V | 7 |
| | Dust Collector 1HP 1Ph 110V | 9 |
| | Dust Collector 2 Stage 3HP 1Ph 220V | 7 |
| | Dust Collector 2 Stage 3HP 3Ph 220V | 8 |
| | Dust collector 5HP 1Ph 220V | 8 |
| | Dust Collector Accessories | 9 |
| | Dust Collector Floor Sweep Adapter | 9 |
| | Dust Collector Remote Control | 9 |
| | Dust Collectors | 9-12 |
| | Dust Hood | 5 |
| G | | |
| | General International 6 | -10, 13 |
| Н | | |
| | Hoverpad Pneumatic Mobile Base | 13 |
| ı | • | |
| • | Inner Filter for AFS-1000B | 1 |
| | Inner Filter for AFS-2000 | 1 |
| J | | |
| J | Jet Tools 1-2, 5-6, | 10 12 |
| Р | | 10, 13 |
| | | _ |
| | Plastic Bags Plastic Outer Pro Filter | 5 |
| | Pleated Outer Pre-Filter PM1200 Air Filtration System 1/4HP 1Ph 115V | 2 |
| | PM1200 Air Filtration System 1/4HP 1Ph 115V PM1300TX Dust Collector 1-3/4HP 1Ph 115/230V | 10 |
| | PM1900TX-BK1 Dust Collector 3HP 1Ph 230V 30 Micron Bag | 11 |

| PM1900TX-BK3 Dust Collector 3HP 3Ph 230/460V 30 Micro | on Bag 11 |
|---|---------------|
| PM1900TX-CK1 Dust Collector 3HP 1Ph 230V 2-Micron Ca | nister Kitl 2 |
| Portable Down Draft Table | 8 |
| Portable Dust Collector 1HP 1Ph 110V | 10 |
| Power Feeders | 12 |
| Powermatic Tools | 2, 10-12 |
| Production Stock Feeder | 12 |
| R | |
| Replacement 30 Micron Filter Bag for DC-650 | 6 |
| S | |
| Snap In Collector Bag for DC-650 30 Micron | 6 |
| T | |
| Three Pocket Inner Filter | 3 |
| U | |
| Universal Mobile Bases | 13 |
| W | |
| Washable Electrostatic Filter for AFS-2000 | 2 |
| Washable Electrostatic Outer Filter for AFS-1000B | 2 |
| Woodworking Machinery | 1-13 |