

DUTCH INDUSTRIES QUALITY FOR GENERATIONS

DUTCH INDUSTRIES INGENUITY. NORTH AMERICAN QUALITY.

Producers know and trust us to deliver the hardest working and most effective agricultural products in the industry, because we listen to what they need, then deliver the right solution. We've been doing it since 1952.

After producers explained their challenges handling manure under a variety of extreme weather and field conditions, we designed a manure spreader addressing their biggest concerns: affordability, load capacity, ease of use, maintenance, maneuverability, spread consistency and uniformity. This is the result.



BIOSPREADER 7020PT TESTED. TRIED. TRUSTED.

OVER

400

hours of testing

OVER

or 1200

loads on a variety of farms from poultry to cattle

REPRESENTS

7.5

years of average use (160 loads/ year for a 200 cattle operation)





WHAT PRODUCERS SAY

I find the 7020PT is superior to the leading competitors in many ways important to me such as handling large pieces of frozen material, minimal adjusting, a consistent quality spread and a much heavier and robust design.

TYLER SMITH

Approximately 1,200 Cattle

MAX CAPACITY

12 ton capacity, can be towed with smaller (130 hp) tractors ideal for any size operation.

Tested max capacity: estimated 450 cubic ft (362 bushels)

Estimated mass: 12 tons/24,000 lbs

S324.1 Heaped 355 cubic ft (285 bushels)

S324.1 Struck 237 cubic ft (190.5 bushels)

ADJUSTABLE CHAIN SPEED

Hydraulic-run for easier changes to application rate or to slow feed to the beaters. Uses less horsepower.

GREATER DURABILITY

Stronger, thicker beaters, tougher paddles, and abrasion-resistant replaceable steel teeth protects flighting.

CONSISTENT, UNIFORM FIELD FINISH

Extra paddles below flighting ensure consistency and improve spread.

QUALITY TIRES

Higher quality tires than the implement tires competition offers for less compaction and flats.

LOADS EASIER Lower profile makes it swift and easy to load with a skid steer. CLEANING COMPLETE Empties loads completely with no leftovers to clean out later.

over tough terrain. Superior structural

integrity handles extreme impacts.

BETTER MANEUVERABILITY

Longer, better-balanced hitch

provides tighter turning radius

LOW MAINTENANCE
Zinc base with powder coated

finish means easier cleaning.

in corrals and restricted spaces.

: INCREASED VISIBILITY

Through front bars allowing

for swift gate adjustment.

STEADY AS SHE GOES.

INNOVATIVE VERTICAL BEATER SYSTEM DELIVERS ROCK-STEADY PERFORMANCE, UNIFORM SPREAD AND CLEANER DISCHARGE.


We listened to what producers said would improve performance and utility in a manure spreader. Many features are a direct result of their input: lower sides for easier loading, longer hitch for a smaller turning radius and reduced overall size so it could be towed by a smaller tractor or truck to name a few.

But our biggest advances are the smallest to see. Tough, thick, gauge steel construction, more reinforcement and shock absorption for key areas like beaters and gearboxes. Extra and wider paddles added to the vertical stack to improve consistency and uniform distribution. We also made the beater system easily detachable so you can use the trailer for other applications for your specific operation.

The BioSpreader easily manages bales so you can use it to quickly spread bedding.

After hundreds of hours of testing in the field, BioSpreader is setting the new gold standard.

HEAVY DUTY EVERYTHING Heavier gauge steel and robust construction for more durable, trouble-free performance. VERSATILE ----Can also be used as a forage wagon and bedding spreader. Special isolator couplers cushion gearbox from shocks and jerks when starting up beaters. It also absorbs impact from when rocks and frozen material hit the system. Extends both gearbox and tractor life.





WHAT PRODUCERS SAY

The beaters, spikes, spike mounts and lower paddles are heavier and more robust allowing me to spread in frozen conditions which I currently can't do.
There's too much auger fighting and bent spikes and paddles.

SCOTT GEHLEN

Approximately 135 Cattle





| | Overall Length | Overall Height | Overall Width | Overall Inside Width | Hitch Height | Loading Height | Box Inside Length | Box Inside Height |
|-----------------------------------|-------------------|-------------------|------------------|----------------------------|-----------------|-------------------|-------------------------|-------------------------|
| Dimensions in inches. | Α | В | С | D | E | F | G | Н |
| Walking Axle 550/45 22.5 Tires | 321.0 | 118.5 | 127.0 | 72.5 | 19.0 | 74.8 | 196.5 | 33.0 |
| Single Axle 750/45 22.5 Tires | 321.0 | 116.2 | 143.5 | 72.5 | 16.8 | 72.5 | 196.5 | 33.0 |







WHAT PRODUCERS SAY

I like the spread quality of the 7020PT over the leading competitors when spreading chicken manure. It's more uniform with a wider spread.

SCOTT GEHLEN

Cattle & Chicken Manure Spreader

MORE AFFORDABLE MORE EFFICIENT

Producer comments include discovering they can purchase two BioSpreaders for around the same price or less than a single, larger unit from the competition. Lighter and more agile, they move faster on the highway and from field to field, saving time over the larger units requiring larger tractors.

See the BioSpreader in action at BioSpreader.com

CONTACT DETAILS

HEAD OFFICE

Dutch Industries Ltd.

P.O. Box 568 - 500 Portico Drive Pilot Butte, SK, Canada SOG 3ZO

1.800.663.8824 306.781.4820 **Fax** 306.781.4877

sales@dutchopeners.com

BioSpreader.com





CANADIAN TERRITORY MANAGERS

Northern Alberta & British Columbia

A.J. Dumais Cell 780.632.1919 ajdumais@dutchopeners.com

Southern Alberta

Terence Peatman Cell 403.501.1998 tpeatman@dutchopeners.com

Northern Saskatchewan & Northern Manitoba

Wayne Nickel Cell 306.921.7715 wnickel@dutchopeners.com

Southern Saskatchewan & Southern Manitoba

Jason Steinley Cell 306.551.7171 jsteinley@dutchopeners.com

USA TERRITORY MANAGERS

USA Eastern

Tom Wible - ND, SD, MT, WI, NE, IA, MN, MO, WY, CO Cell 605.360.4385 twible@dutchopeners.com

USA Western

Terence Peatman - WA, OR, ID Cell 403.501.1998 tpeatman@dutchopeners.com