

***nVH Italia srl***<sup>®</sup>

---

*Herbal extracts manufacturers*





## A MANUFACTURING CENTER FOR YOUR PRODUCTION

**NVH Italia Srl** is a fast-growing company founded in 2006 by professional technicians with 20 years experience in herbal extracts manufacturing. Our range of products includes:

- 🌿 Extracts for the nutraceutical market (fluid, soft, dry, granulated **HRD®**, extruders **IFS®**).
- 🌿 Extracts for the food market: spray-dried and granulated fruits and vegetables, easily soluble in water.

Our offer list is constantly expanding because we are herbal extract manufacturers, able to evaluate needs and requests of the market.



## PRODUCTION SITES

**NVH** main production site is located in Lauria (PZ), South of Italy. It's spread over 3000 square meters and it's equipped with innovative and customised plants, developed to perform both big productions and pilot productions, supporting our **R&D Division** ([www.evraitalia.it](http://www.evraitalia.it)).

### DRYING POWDERS SYSTEM

🌿 Spray Dryer Niro Lab – Pilota	Evaporation capacity: 3 l / h = 1 kg / h = 20 kg / die of dry powder
🌿 Fluid Bed Dryer Mod. Glatt	Drying capacity: 50 kg / h = 1.000 kg /die of granulated powder
🌿 Industrial Spray Dryer	Evaporation capacity: 50 l / h = 15 kg / h = 300 kg / die of dry powder
🌿 Continuous Processing Extruder	Starting from 500 kg/ die of dry powder
🌿 Drying Cabinet	Drying capacity: 100 kg / die of dry powder



The second production site is located in Caslino al Piano (CO), North of Italy. It's dedicated to small batches, mixing of semi-processed products and packaging. Caslino factory includes a 500 square meters warehouse, since it's the main distribution site of the Company. In Caslino there is also the commercial, logistic and scientific divisions.

## R & D AND QUALITY

In all our production sites we have internal laboratories suitable both to Quality Control and development of new functional ingredients. **NVH** total technician equipment consist of 2 HPLCs, one gas-chromatography, two spectrophotometers and several lab instruments for standard test like ash and loss on drying.

In our site located in Lauria there is also a complete lab for microbiological analysis.



**AlmaRid<sup>®</sup>**  
Anticholesterol



**Citricoos<sup>®</sup>**  
Weight Management



**GrapeAll<sup>®</sup>**  
Cardiovascular Health



**GojiRED<sup>®</sup>**  
Antioxydant



**BroccOX<sup>®</sup>**  
Antioxydant



**SOLANRED<sup>®</sup>**  
Multivitamineral



**FucALG<sup>®</sup>**  
Weight management



**GingeSOL<sup>®</sup>**  
Anti-inflammatory



**ECHINOBLE<sup>®</sup>**  
Anti-inflammatory





**Thermogenic**



**SaffrOXY®**  
Mood swing & disquiet



**BalmEX®**  
Relaxing




**SagEX®**  
Menopause



**RosmarEX®**  
Antimicrobial



**CoffeatAly®**  
Weight management



**CaffTOP®**  
Tonic & energetic blend



**mindTo®**  
Relaxing  
beadlets



**Vegan Top®**  
Vegan Blend Diet



**FULL  
TRACEABILITY**



**SOLAR  
ENERGY**



**QUALIFIED  
SUPPLIERS**



**ALL REC**



Azienda con certificazione Bio  
n° IT BIO 005 T598  
IT BIO 005 T 501



**MADE IN  
ITALY**



Registro numero 14894-A



**ARMOURED  
PROCESS**



**VEGAN**



**GLUTEN  
FREE**

## IFS<sup>®</sup> INSTANT FAST SOLUBLE EXTRUDERS & HRD<sup>®</sup> HIGH RESOLUTION DYNAMIC GRANULATED EXTRACTS

IFS extruders & HRD granulated extracts are specifically developed for the following applications:

Beverages

Sachets

Instant drinks

Soluble tablets

Bars

Granulated extracts and extruders obtained with this technology are INSTANTLY and COMPLETELY SOLUBLE and they have an extremely homogeneous particle size achieved through FLUID BED GRANULATION and CONTINUOUS PROCESSING EXTRUDER.

The extraction process is performed using source water under high pressure and low temperature, between 45°C and 50°C, in order to preserve all active compounds and homogeneous dimension of particles.

Granulated extracts and extruders obtained with this technology are instantly and completely water soluble ( more than 1 g extract/200 ml water ). They have a very homogeneous particle size ( which can be settled according to particular requests ) and they provide better glide than standard dry extracts ( free-flowing powders ). These particular characteristics make these products highly suitable for functional products like beverages ( due to extreme water solubility ), capsules and tablets, since they are easily compressible and give excellent glide. The particular extraction process can preserve a high number of active constituents ( suitable for CLAIMS in food supplementes labelling ).

**IFS<sup>®</sup>** extruders and **HRD<sup>®</sup>** granulated extracts include a wide range of herbal extracts belonging mainly to the European tradition.

## IFS® INSTANT FAST SOLUBLE EXTRUDERS



EXTRACT	BOTANICAL NAME
Acerola	<i>Malpighia punicifolia</i>
Aloe vera	<i>Aloe vera</i>
Aniseed	<i>Pimpinella anisum</i>
Artichoke	<i>Cynara scolymus</i>
Bilberry	<i>Vaccinium myrtillus</i>
Bitter Orange	<i>Citrus aurantium</i>
Blackcurrant	<i>Ribes nigrum</i>
Chamomile	<i>Matricaria chamomilla</i>
Fennel	<i>Foeniculum vulgare</i>
Ginger	<i>Zingiber officinalis</i>
Green Tea	<i>Camellia sinensis</i>
Guarana	<i>Paullinia cupana</i>
Hibiscus	<i>Hibiscus sabdariffa</i>
Lemon	<i>Citrus limonum</i>
Lemon Balm	<i>Melissa officinalis</i>
Papaya	<i>Carica papaya</i>
Passion Fruit	<i>Passiflora incarnata</i>
Peppermint	<i>Mentha piperita</i>
Pineapple	<i>Ananas sativus</i>
Pomegranate	<i>Punica granatum</i>
Raspberry	<i>Rubus idaeus</i>
Sweet Orange	<i>Citrus sinensis</i>





## HRD® GRANULATED EXTRACTS



EXTRACT	BOTANICAL NAME
Aloe Vera D/E 20:1	<i>Aloe vera</i>
Aniseed D/E 4:1	<i>Pimpinella anisum</i>
Aronia D/E 4:1	<i>Aronia melanocarpa</i>
Artichoke 2% Cynarin	<i>Cynara scolymus</i>
Artichoke 2.5% Chlorogenic acid	<i>Cynara scolymus</i>
Ash D/E 4:1	<i>Fraxinus excelsior</i>
Bilberry $\geq 1.0\%$ Anthocyanins calc.as cyanidin 3-O-glucoside	<i>Vaccinium myrtillus</i>
Birch D/E 4:1	<i>Betula pendula</i>
Blackcurrant D/E 4:1	<i>Ribes nigrum</i>
BROCCOX®	<i>Brassica oleracea</i>
CAFFTOP®	Mix
Chamomile D/E 4:1	<i>Matricaria chamomilla</i>
Citrus Aurantium D/E 4:1	<i>Citrus aurantium</i>
Coneflower Purple D/E 4:1	<i>Echinacea purpurea</i>
Cranberry 1% PACs	<i>Vaccinium macrocarpon</i>
Dandelion D/E 4:1	<i>Taraxacum officinale</i>
Devil's Claw 1% Harpagoside (HPLC)	<i>Harpagophytum procumbens</i>
Fennel D/E 4:1	<i>Foeniculum vulgare</i>
FUCALG®	<i>Fucus vesiculosus</i>
GINGESOL®	<i>Zingiber officinalis</i>
Goji D/E 4:1	<i>Lycium barbarum</i>
Grape Seeds	<i>Vitis vinifera</i>
Green Coffee 10% Chlorogenic acid	<i>Coffea arabica</i>
Green Tea D/E 4:1	<i>Camellia sinensis</i>
Guarana D/E 4:1	<i>Paullinia cupana</i>
Hawthorn $>0,5\%$ Flavonoids	<i>Crataegus oxyacantha</i>
Hawthorn D/E 4:1	<i>Crataegus oxyacantha</i>
Hibiscus D/E 4:1	<i>Hibiscus sabdariffa</i>
Hop D/E 4:1	<i>Humulus lupulus</i>
Horsetail D/E4:1	<i>Equisetum arvense</i>
Java Tea D/E 4:1	<i>Orthosiphon stamineus</i>
Lemon Balm D/E 4:1	<i>Melissa officinalis</i>
Mallow D/E 4:1	<i>Malva sylvestris</i>
Marigold D/E 4:1	<i>Calendula officinalis</i>
Maté 4% Caffeine	<i>Ilex paraguayensis</i>
Papaya (fermented fruit)	<i>Carica papaya</i>
Peppermint D/E 4:1	<i>Mentha piperita</i>
Pineapple D/E 4:1	<i>Ananas sativus</i>
Propolis $\geq 10.0\%$ Tot. polyphenols as galangine - $\geq 2.0\%$ Tot. flav.as quercetin	<i>Propolis dec.</i>
Propolis $\geq 2.5\%$ Tot. polyphenols as galangine - $\geq 0,5\%$ Tot. flav. as quercetin	<i>Propolis dec.</i>
Red Poppy D/E 4:1	<i>Papaver rhoeas</i>
Rooibos Tea D/E 4:1	<i>Aspalatus linearis</i>
Rosehip 20% Ascorbic acid	<i>Rosa canina</i>
Rosemary 2% Rosmarinic acid	<i>Rosmarinus officinalis</i>
Sage D/E 4:1	<i>Salvia officinalis</i>
White Willow 3% Salicine	<i>Salix alba</i>



































## food EXTRACTS











Spray dried fruits and vegetables in powder and granulated ( fluid bed ) easily soluble in water











































FRUITS	VEGETABLES	ORGANIC LINE (ON DEMAND)
Acerola	Asparagus	Organic Apple
Apple	Artichoke	Organic Apricot
Apricot	Broccoli	Organic Bilberry
Banana	Black Radish	Organic Peach
Blackcurrant	Beetroot	Organic Pear
Blood Orange	Celery	Organic Raspberry
Bilberry	Carrot	Organic Strawberry
Cranberry	Fennel	
Elderberry	Garlic	
Fig	Liquorice	
Grapefruit	Onion	
Kiwi	Peppermint	
Lemon	Red Eggplant	
Lime	Rosemary	
Mango	Sage	
Melon	Thyme	
Cherry		
Orange		
Papaya		
Passion Fruit		
Peach		
Pear		
Pineapple		
Pomegranate		
Plum		
Raspberry		
Red Grape		
Strawberry		
Tangerine		

Selected **DRY, FLUID** and **SOFT EXTRACTS** standardized in their naturally occurring main constituents, suitable to respect and preserve the phytocomplex.








































DRY EXTRACT	RATIO / ASSAY	BOTANICAL NAME	
Absinth	D/E 4:1	<i>Artemisia absinthium</i>	
Açaí	D/E 4:1	<i>Euterpe oleraceae</i>	
Açaí	10% Polyphenols	<i>Euterpe oleraceae</i>	
Acerola	6% Vitamin C (natural)	<i>Malpighia punicifolia</i>	
Acerola	17% Vitamin C (natural)	<i>Malpighia punicifolia</i>	
Acerola	25% Vitamin C (added)	<i>Malpighia punicifolia</i>	
Agrimony	D/E 4:1	<i>Agrimonia eupatoria</i>	
Alfa Alfa	D/E 4:1	<i>Medicago sativa</i>	
ALMARID®	ALMARID®	<i>Malus domestica</i>	
Aloe Vera	D/E 200:1 < 0.1% Aloine	<i>Aloe vera</i>	
Aloe Vera	D/E 100:1 < 0.1% Aloine	<i>Aloe vera</i>	
Aloe Vera	10% Barbaloina	<i>Aloe vera</i>	
Angelica	D/E 4:1	<i>Angelica archangelica</i>	
Aniseed	D/E 4:1 - SOLUBLE	<i>Pimpinella anisum</i>	
Aniseed	D/E 4:1	<i>Pimpinella anisum</i>	
Aniseed	0.5% Essential oil	<i>Pimpinella anisum</i>	
Aronia	D/E 4:1	<i>Aronia melanocarpa</i>	
Aronia	2% PACs	<i>Aronia melanocarpa</i>	
Artichoke	D/E 4:1 - SOLUBLE	<i>Cynara scolymus</i>	
Artichoke	2% Cynarin	<i>Cynara scolymus</i>	
Artichoke	2.5% Cynarin	<i>Cynara scolymus</i>	
Artichoke	2.5% Chlorogenic acid	<i>Cynara scolymus</i>	
Artichoke	5% Chlorogenic acid	<i>Cynara scolymus</i>	
Artichoke	13% Chlorogenic acid	<i>Cynara scolymus</i>	
Ash Common	D/E 4:1 - SOLUBLE	<i>Fraxinus excelsior</i>	
Ash Common	D/E 4:1	<i>Fraxinus excelsior</i>	
Ash Common	5% Chlorogenic acid	<i>Fraxinus excelsior</i>	
Astragalus	16% Polysaccharides	<i>Astragalus membranaceus</i>	
Astragalus	70% Polysaccharides	<i>Astragalus membranaceus</i>	
BALMEX®	BALMEX®	<i>Melissa officinalis</i>	
Bamboo	70% Silica	<i>Bambusa spp</i>	
Bankcress	D/E 4:1	<i>Sisymbrium officinale</i>	
Basil	D/E 4:1	<i>Ocimum basilicum</i>	
Bean	D/E 4:1	<i>Phaseolus vulgaris</i>	
Bearberry	10% Hydroquinone der. calc. as anhydrous arbutin	<i>Arctostaphylos uva-ursi</i>	
Bilberry	D/E 4:1	<i>Vaccinium myrtillus</i>	
Bilberry	1% Anthocyanins calc.as cyanidin 3-O-glucoside	<i>Vaccinium myrtillus</i>	
Bilberry	2.5% Anthocyanins calc.as cyanidin 3-O-glucoside	<i>Vaccinium myrtillus</i>	
Bilberry	15% Anthocyanins calc.as cyanidin 3-O-glucoside	<i>Vaccinium myrtillus</i>	
Bilberry	25% Anthocyanins calc.as cyanidin 3-O-glucoside	<i>Vaccinium myrtillus</i>	
Birch	D/E 4:1 - SOLUBLE	<i>Betula alba</i>	
Birch	D/E 4:1	<i>Betula alba</i>	
Birch	1% Flavonoids calculated as hyperoside	<i>Betula alba</i>	
Birch	2.5% Flavonoids calculated as hyperoside	<i>Betula alba</i>	
Bitter Orange	6% Synephrine	<i>Citrus aurantium</i>	
Bitter Orange	10% Synephrine	<i>Citrus aurantium</i>	
Blackcurrant	D/E 4:1 - SOLUBLE	<i>Ribes nigrum</i>	
Blackcurrant	D/E 4:1	<i>Ribes nigrum</i>	
Blackcurrant	1% Anthocyanins	<i>Ribes nigrum</i>	
Blackcurrant	5% Anthocyanins	<i>Ribes nigrum</i>	

DRY EXTRACT	RATIO / ASSAY	BOTANICAL NAME	
Blackcurrant	7% Anthocyanins	<i>Ribes nigrum</i>	
Blackcurrant	1% Flavonoids tot. calc. as rutoside	<i>Ribes nigrum</i>	
Blackcurrant	5% Flavonoids tot. calc. as rutoside	<i>Ribes nigrum</i>	
Blackcurrant	5-10% GLA - 20% Linolenic acid	<i>Ribes nigrum</i>	
Black Radish	D/E 4:1	<i>Armoracia rusticana</i>	
Bladderwrack	0.1% Total iodine	<i>Fucus vesiculosus</i>	
Bladderwrack	0.05% Total iodine	<i>Fucus vesiculosus</i>	
Boldo	0.05% Boldina	<i>Peumus boldus</i>	
Boswellia	65% Boswellic acid	<i>Boswellia serrata</i>	
Broccoli	D/E 4:1 - SOLUBLE	<i>Brassica oleracea</i>	
Broccoli	0.3 - 0.5% Sulforafane	<i>Brassica oleracea</i>	
Buckthorn	7.7-9% Glucofrangulins calc. as glucofrangulin A	<i>Rhamnus frangula</i>	
Buckthorn	16% Glucofrangulins calc. as glucofrangulin A	<i>Rhamnus frangula</i>	
Burdock	D/E 4:1	<i>Arctium lappa</i>	
Burdock	2% Fructans calculated as inulin	<i>Arctium lappa</i>	
Burdock	20% Fructans calculated as inulin	<i>Arctium lappa</i>	
Butcher's Broom	5% Total ruscogenins calc. as ruscogenin	<i>Ruscus aculeatus</i>	
Butcher's Broom	10% Total ruscogenins calc. as ruscogenin	<i>Ruscus aculeatus</i>	
CAFFTOP®	CAFFTOP®	Mix	
Californian Poppy	D/E 4:1	<i>Eschscholtzia californica</i>	
Californian Poppy	0.35% Total alkaloids calculated as protopine	<i>Eschscholtzia californica</i>	
Californian Poppy	0.8% Total alkaloids calculated as protopine	<i>Eschscholtzia californica</i>	
Californian Poppy	2% Total flavonoids calculated as rutine	<i>Eschscholtzia californica</i>	
Camu Camu	D/E 4:1 - SOLUBLE	<i>Myrciaria dubia</i>	
Camu Camu	D/E 4:1	<i>Myrciaria dubia</i>	
Capsicum	D/E 4:1	<i>Capsicum annuum</i>	
Capsicum	0,5% Capsaicinoids calculated as capsaicin	<i>Capsicum annuum</i>	
Capsicum	2% Capsaicinoids calculated as capsaicin	<i>Capsicum annuum</i>	
CAPSIRED®	CAPSIRED®	<i>Capsicum annuum</i>	
Caraway	D/E 4:1	<i>Carum carvi</i>	
Carrot	D/E 4:1	<i>Daucus carota</i>	
Cascara sagrada	10% Total hydroxanthracene der. calc. as cascarioside A	<i>Rhamnus purshiana</i>	
Cascara sagrada	20% Total hydroxanthracene der. calc. as cascarioside A	<i>Rhamnus purshiana</i>	
Cat's Claw	0.5% Total oxindole alkaloids	<i>Uncaria tomentosa</i>	
Cat's Claw	2.5% Total oxindole alkaloids	<i>Uncaria tomentosa</i>	
Centaury	D/E 4:1	<i>Centaurea erythraea</i>	
Centella	3% Total triterpen derivatives	<i>Centella asiatica</i>	
Centella	D/E 4:1	<i>Centella asiatica</i>	
Centella	2% Total triterpen derivatives	<i>Centella asiatica</i>	
Chamomile	D/E 4:1	<i>Matricaria chamomilla</i>	
Chamomile	D/E 4:1 - SOLUBLE	<i>Matricaria chamomilla</i>	
Chamomile	0.3% Apigenin	<i>Matricaria chamomilla</i>	
Chamomile	1% Apigenin	<i>Matricaria chamomilla</i>	
Chaste Berry	D/E 4:1	<i>Vitex agnus-castus</i>	
Chaste Berry	0.5% Agnuside	<i>Vitex agnus-castus</i>	
Cherry	D/E 4:1	<i>Prunus avium</i>	
Chrysanthellum Americanum	D/E 4:1	<i>Chrysanthellum americanum</i>	
Cinnamon	D/E 4:1 - SOLUBLE	<i>Cinnamomum zeylanicum</i>	
Cinnamon	D/E 4:1	<i>Cinnamomum zeylanicum</i>	
CITRICOOS®	CITRICOOS®	<i>Citrus bergamia</i>	
Citrus Bioflavonoids	50% Bioflavonoids	<i>Citrus spp</i>	
Citrus Bioflavonoids	60% Bioflavonoids	<i>Citrus spp</i>	
























































DRY EXTRACT	RATIO / ASSAY	BOTANICAL NAME	
Cocoa	6% Theobromine	<i>Theobroma cacao</i>	
COFFEATALY®	COFFEATALY®	<i>Coffea spp</i>	
Coneflower	0.6% Echinacoside	<i>Echinacea angustifolia</i>	
Coneflower	1% Echinacoside	<i>Echinacea angustifolia</i>	
Coneflower	4% Echinacoside	<i>Echinacea angustifolia</i>	
Coneflower Purple	D/E 4:1 - SOLUBLE	<i>Echinacea purpurea</i>	
Coneflower Purple	2% Total polyphenols	<i>Echinacea purpurea</i>	
Coneflower Purple	4% Total polyphenols	<i>Echinacea purpurea</i>	
Coriander	D/E 4:1	<i>Coriandrum sativum</i>	
Corn	D/E 4:1	<i>Zea mais</i>	
Couch Grass	D/E 4:1	<i>Agropyron repens</i>	
Cranberry	D/E 4:1 - SOLUBLE	<i>Vaccinium macrocarpon</i>	
Cranberry	1% PAC's	<i>Vaccinium macrocarpon</i>	
Cranberry	10% PAC's	<i>Vaccinium macrocarpon</i>	
Cranberry	30% PAC's	<i>Vaccinium macrocarpon</i>	
Damiana	D/E 4:1	<i>Turnera diffusa</i>	
Dandelion	D/E 4:1	<i>Taraxacum officinale</i>	
Dandelion	D/E 4:1 - SOLUBLE	<i>Taraxacum officinale</i>	
Dandelion	2% Flavonoids calculated as rutine	<i>Taraxacum officinale</i>	
Dandelion	2% Fructans calculated as inulin	<i>Taraxacum officinale</i>	
Dandelion	2% Inulin - SOLUBLE	<i>Taraxacum officinale</i>	
Dandelion	20% Fructans calculated as inulin	<i>Taraxacum officinale</i>	
Desmodium	D/E 4:1	<i>Desmodium adscendens</i>	
Devil's Claw	1.5% Harpagoside	<i>Harpagophytum procumbens</i>	
Devil's Claw	2% Harpagoside	<i>Harpagophytum procumbens</i>	
Drosera	D/E 4:1 - SOLUBLE	<i>Drosera rotundifolia</i>	
Drosera	D/E 4:1	<i>Drosera rotundifolia</i>	
ECHINOBLE ®	ECHINOBLE ®	<i>Mix</i>	
Eldelberry	0.3% Flavonoids	<i>Sambucus nigra</i>	
Eldelberry	D/E 4:1	<i>Sambucus nigra</i>	
Eldelberry	6% Anthocyanins	<i>Sambucus nigra</i>	
Eldelberry	15% Anthocyanins	<i>Sambucus nigra</i>	
Eleutherococcus	0.4% Eleutheroside	<i>Eleutherococcus senticosus</i>	
Eleutherococcus	0.8% Eleutheroside	<i>Eleutherococcus senticosus</i>	
Eucalyptus	D/E 4:1 - SOLUBLE	<i>Eucalyptus globulus</i>	
Eucalyptus	D/E 4:1	<i>Eucalyptus globulus</i>	
Everlasting	D/E 4:1	<i>Helichrysum stoechas</i>	
Eyebright	D/E 4:1	<i>Euphrasia officinalis</i>	
Fennel	D/E 4:1 - SOLUBLE	<i>Foeniculum vulgare</i>	
Fennel	D/E 4:1	<i>Foeniculum vulgare</i>	
Fennel	0.5% Essential oil - SOLUBLE	<i>Foeniculum vulgare</i>	
Fenugreek	D/E 4:1	<i>Trigonella foenum-graecum</i>	
Fenugreek	20% Saponins	<i>Trigonella foenum-graecum</i>	
Feverfew	0.5% Parthenolide	<i>Tanacetum parthenium</i>	
Fig	D/E 4:1	<i>Ficus Carica</i>	
Fumitory	D/E 4:1	<i>Fumaria officinalis</i>	
Garlic	1% Alliin	<i>Allium sativum</i>	
Gentian	D/E 4:1	<i>Gentiana lutea</i>	
Ginger	D/E 4:1 - SOLUBLE	<i>Zingiber officinalis</i>	
Ginger	5% Gingerols	<i>Zingiber officinalis</i>	
Ginkgo	3% Flavonol glycosides - < 5 ppm Ginkgolic acid	<i>Ginkgo biloba</i>	

DRY EXTRACT	RATIO / ASSAY	BOTANICAL NAME
Ginkgo	6% Flav. glycosides - <= 5 ppm Ginkgolic acid	<i>Ginkgo biloba</i>
Ginkgo	24% Flav. glycosides - 6% Terp. lactones - < 5 ppm Ginkgolic acid	<i>Ginkgo biloba</i>
Ginseng	2% Total ginsenosides calculated as ginsenoside RG1	<i>Panax ginseng</i>
Ginseng	5% Total ginsenosides calculated as ginsenoside RG1	<i>Panax ginseng</i>
Ginseng	10% Total ginsenosides calculated as ginsenoside RG1	<i>Panax ginseng</i>
GINGESOL®	GINGESOL®	<i>Zingiber officinalis</i>
Goat's Rue	D/E 4:1	<i>Galega officinalis</i>
GOJIREO®	GOJIREO®	<i>Lycium barbarum</i>
Goji	D/E 4:1 - SOLUBLE	<i>Lycium barbarum</i>
Goji	40% Polysaccharides	<i>Lycium barbarum</i>
Golden Root	1% Salidroside - 3% Rosavin	<i>Rhodiola rosea</i>
Golden Root	1% Salidroside	<i>Rhodiola rosea</i>
Golden Root	3% Salidroside	<i>Rhodiola rosea</i>
Goldenrod	D/E 4:1	<i>Solidago virgaurea</i>
Grape	5% Polyphenols	<i>Vitis vinifera</i>
Grape	10% Polyphenols	<i>Vitis vinifera</i>
Grape	20% Polyphenols	<i>Vitis vinifera</i>
Grape	95% Procyanidins	<i>Vitis vinifera</i>
GRAPEALL®	GRAPEALL®	<i>Vitis vinifera</i>
Grapefruit	D/E 4:1	<i>Citrus grandis</i>
Grapefruit	45% Bioflavonoids	<i>Citrus grandis</i>
Greater Plantain	D/E 4:1	<i>Plantago major</i>
Green Coffee	10% Chlorogenic acid - SOLUBLE	<i>Coffea arabica</i>
Green Coffee	45% Chlorogenic acid - < 2% Caffeine	<i>Coffea arabica</i>
Green Coffee	50% Chlorogenic acid - < 2% Caffeine	<i>Coffea arabica</i>
Green Coffee	50% Chlorogenic acid - < 0.3% Caffeine	<i>Coffea arabica</i>
Green Tea	50% Tot. polyphenols - 30% Tot. catechins - 10% EGCG	<i>Camellia sinensis</i>
Green Tea	98% Tot. polyphenols - 70% Tot. catechins - 40% EGCG - < 0.5% Caff.	<i>Camellia sinensis</i>
Griffonia	20% L-5-Hydroxy tryptophan	<i>Griffonia simplicifolia</i>
Grindelia	D/E 4:1	<i>Grindelia robusta</i>
Grindelia	0.3% Hyperoside	<i>Grindelia robusta</i>
Guaranà	2.5% Caffeine	<i>Paullinia cupana</i>
Guaranà	10% Caffeine - SOLUBLE	<i>Paullinia cupana</i>
Gymnema	25% Gymnemic acid	<i>Gymnema sylvestre</i>
Hawkweed	D/E 4:1 - SOLUBLE	<i>Hieracium pilosella</i>
Hawkweed	0.4% Total flavonoids calculated as vitexin	<i>Hieracium pilosella</i>
Hawthorn	D/E 4:1 - SOLUBLE	<i>Crataegus oxyacantha</i>
Hawthorn	0.5% Vitexin	<i>Crataegus oxyacantha</i>
Hawthorn	1.5% Vitexin	<i>Crataegus oxyacantha</i>
Hawthorn	1.8% Vitexin	<i>Crataegus oxyacantha</i>
Hawthorn	1.8% Vitexin + + 8% PACs (cyanidine)	<i>Crataegus oxyacantha</i>
Hibiscus	D/E 4:1	<i>Hibiscus sabdariffa</i>
Hibiscus	10% Citric acid	<i>Hibiscus sabdariffa</i>
Hop	D/E 4:1 - SOLUBLE	<i>Humulus lupulus</i>
Hop	D/E 4:1	<i>Humulus lupulus</i>
Hop	0.4% Total flavonoids calculated as rutoside	<i>Humulus lupulus</i>
Horsechestnut	3-4% Triterpene saponins calculated as escin	<i>Aesculus hippocastanum</i>
Horsechestnut	18 - 22% Triterpene saponins calculated as escin	<i>Aesculus hippocastanum</i>
Horsetail	D/E 4:1 - SOLUBLE	<i>Equisetum arvense</i>
Horsetail	D/E 4:1	<i>Equisetum arvense</i>
Horsetail	1% Silica	<i>Equisetum arvense</i>
Horsetail	2% Silica	<i>Equisetum arvense</i>
Iceland Moss	D/E 4:1	<i>Cetraria islandica</i>

DRY EXTRACT	RATIO / ASSAY	BOTANICAL NAME	
Indian Fig	D/E 4:1	<i>Opuntia ficus indica</i>	
Ivy	D/E 4:1	<i>Hedera helix</i>	
Java tea	D/E 4:1 - SOLUBLE	<i>Orthosiphon stamineus</i>	
Java tea	D/E 4:1	<i>Orthosiphon stamineus</i>	
Java tea	0.1% Sinensetin	<i>Orthosiphon stamineus</i>	
Juniper	D/E 4:1	<i>Juniperus communis</i>	
Kola	10% Caffeine	<i>Cola nitida</i>	
Lavender	D/E 4:1 - SOLUBLE	<i>Lavandula officinalis</i>	
Lavender	D/E 4:1	<i>Lavandula officinalis</i>	
Lemon Balm	D/E 4:1	<i>Melissa officinalis</i>	
Lemon Balm	D/E 4:1 - SOLUBLE	<i>Melissa officinalis</i>	
Lemon Balm	0.8% Rosmarinic acid	<i>Melissa officinalis</i>	
Lemon Balm	2% Rosmarinic acid	<i>Melissa officinalis</i>	
Lemon Balm	4% Rosmarinic acid	<i>Melissa officinalis</i>	
Lemon Balm	8-10% Total hydroxycinnamic der. as rosmarinic acid	<i>Melissa officinalis</i>	
Lemon fruit	D/E 4:1	<i>Citrus medica var. Limonum</i>	
Lespedeza	4% Total flavonoids calculated as rutine	<i>Lespedeza capitata</i>	
Linden	D/E 4:1 - SOLUBLE	<i>Tilia cordata</i>	
Linden	D/E 4:1	<i>Tilia cordata</i>	
Linseed	D/E 4:1	<i>Linum usitatissimum</i>	
Linseed	25-30% Alpha-linolenic acid - 10% Linoleic acid	<i>Linum usitatissimum</i>	
Liquorice	8-10% Glycyrrhizic acid	<i>Glycyrrhiza glabra</i>	
Liquorice	> 15% Glycyrrhizic acid	<i>Glycyrrhiza glabra</i>	
Maca	0.6% Glucosinolates	<i>Lepidium meyenii</i>	
Maca	D/E 4:1	<i>Lepidium meyenii</i>	
Mallow	D/E 4:1 - SOLUBLE	<i>Malva sylvestris</i>	
Mallow	D/E 4:1	<i>Malva sylvestris</i>	
Marigold	D/E 4:1	<i>Calendula officinalis</i>	
Marshmallow	D/E 4:1	<i>Althaea officinalis</i>	
Mate	4% Caffeine	<i>Ilex paraguayensis</i>	
Mate	8% Caffeine	<i>Ilex paraguayensis</i>	
Meadowsweet	D/E 4:1	<i>Spiraea ulmaria</i>	
Meadowsweet	0.20% Salicylic acid	<i>Spiraea ulmaria</i>	
Melilot	1% Cumarin	<i>Melilotus officinalis</i>	
Melilot	2% Cumarin	<i>Melilotus officinalis</i>	
Melilot	17% Cumarin	<i>Melilotus officinalis</i>	
Milk Thistle	D/E 4:1	<i>Silybum marianum</i>	
Milk Thistle	2% Silymarin	<i>Silybum marianum</i>	
Milk Thistle	10% Silymarin	<i>Silybum marianum</i>	
Milk Thistle	25% Silymarin	<i>Silybum marianum</i>	
Milk Thistle	30% Silymarin	<i>Silybum marianum</i>	
Milk Thistle	80% Silymarin	<i>Silybum marianum</i>	
Millet	D/E 4:1	<i>Panicum miliaceum</i>	
MINDTO®	MINDTO®	<i>Valeriana officinalis</i>	
Mullein	D/E 4:1	<i>Verbascum thapsus</i>	
Nettle	D/E 4:1	<i>Urtica dioica</i>	
Nettle	1% Silica	<i>Urtica dioica</i>	
Olive	6% Oleuropeine	<i>Olea europaea</i>	
Olive	12% Oleuropeine	<i>Olea europaea</i>	
Orange	D/E 4:1 - SOLUBLE	<i>Citrus sinensis</i>	
Papaya	D/E 4:1	<i>Carica papaya</i>	
Passion Flower	D/E 4:1	<i>Passiflora incarnata</i>	



DRY EXTRACT	RATIO / ASSAY	BOTANICAL NAME	
Passion Flower	1% Total flavonoids calculated as vitexin	<i>Passiflora incarnata</i>	
Passion Flower	2.5% Total flavonoids calculated as vitexin	<i>Passiflora incarnata</i>	
Peppermint	D/E 4:1 - SOLUBLE	<i>Mentha piperita</i>	
Peppermint	D/E 4:1	<i>Mentha piperita</i>	
Peppermint	0.5% Essential oil	<i>Mentha piperita</i>	
Pineapple	250 GDU/g Enzyme activity calculated as bromelin	<i>Ananas sativus</i>	
Pineapple	0.3% Bromelin	<i>Ananas sativus</i>	
Pollen	D/E 4:1 - SOLUBLE	<i>Pollen</i>	
Pollen	D/E 4:1	<i>Pollen</i>	
Propolis	D/E 4:1 - SOLUBLE	<i>Propolis Dec.</i>	
Propolis	D/E 4:1	<i>Propolis Dec.</i>	
Propolis	2.5% Total flavonoids calculated as galangine (HPLC)	<i>Propolis Dec.</i>	
Pumpkin	D/E 4:1	<i>Cucurbita maxima</i>	
Red Poppy	D/E 4:1 - SOLUBLE	<i>Papaver rhoeas</i>	
Red Poppy	D/E 4:1	<i>Papaver rhoeas</i>	
Red Rice Yeast	0,4% Total monacolins calculated as monacolin K	<i>Oryza sativa</i>	
Red Rice Yeast	1,5% Total monacolins calculated as monacolin K	<i>Oryza sativa</i>	
Red Rice Yeast	3% Total monacolins calculated as monacolin K	<i>Oryza sativa</i>	
Red Rice Yeast	5% Total monacolins calculated as monacolin K	<i>Oryza sativa</i>	
Rhubarb	5% Hydroxyanthracene derivates calculated as rhein	<i>Rheum officinale</i>	
Rooibos	D/E 4:1	<i>Aspalatus linearis</i>	
Rosehip	D/E 4:1 - SOLUBLE	<i>Rosa canina</i>	
Rosehip	5-10% Vitamin C - SOLUBLE	<i>Rosa canina</i>	
Rosehip	10% Vitamin C	<i>Rosa canina</i>	
Rosehip	70% Vitamin C	<i>Rosa canina</i>	
ROSMAREX®	ROSMAREX®	<i>Rosmarinus officinalis</i>	
Rosemary	D/E 4:1 - SOLUBLE	<i>Rosmarinus officinalis</i>	
Rosemary	D/E 4:1	<i>Rosmarinus officinalis</i>	
Rosemary	5% Rosmarinic acid	<i>Rosmarinus officinalis</i>	
Rosemary	10% Carnosic acid	<i>Rosmarinus officinalis</i>	
SAFFROXY®	SAFFROXY®	<i>Crocus sativus</i>	
SAGEX®	SAGEX®	<i>Salvia officinalis</i>	
Sage	D/E 4:1	<i>Salvia officinalis</i>	
Sage	D/E 4:1 - SOLUBLE	<i>Salvia officinalis</i>	
Sage	2.5% Rosmarinic acid	<i>Salvia officinalis</i>	
Saw Palmetto	40-45% Fatty acids	<i>Serenoa repens</i>	
Saw Palmetto	85-95% Fatty acids	<i>Serenoa repens</i>	
Senna	6% Hydroxyanthracene glyc. calc. as sennoside B	<i>Cassia angustifolia</i>	
Senna	20% Hydroxyanthracene glyc. calc. as sennoside B	<i>Cassia angustifolia</i>	
SOLANRED®	SOLANRED®	<i>Solanum aethiopicum</i>	
Soy	10% Total isoflavones	<i>Glycine max</i>	
Soy	40% Total isoflavones	<i>Glycine max</i>	
Spinach	D/E 4:1	<i>Spinacia oleracea</i>	
Spiny Restharrow	D/E 4:1	<i>Ononis spinosa</i>	
St. John's Wort	0.3% Total hypericins calculated as hypericin	<i>Hypericum perforatum</i>	
Tamarind	D/E 4:1	<i>Tamarindus indica</i>	
Thyme	D/E 4:1 - SOLUBLE	<i>Thymus serpyllum</i>	
Thyme	D/E 4:1	<i>Thymus serpyllum</i>	
Thyme	0.5% Essential oil	<i>Thymus serpyllum</i>	
Thyme	D/E 4:1 - SOLUBLE	<i>Thymus vulgaris</i>	
Thyme	D/E 4:1	<i>Thymus vulgaris</i>	
Thyme	0.5% Essential oil	<i>Thymus vulgaris</i>	
True Star Anise	D/E 4:1	<i>Illicium verum</i>	

DRY EXTRACT	RATIO / ASSAY	BOTANICAL NAME	
Turmeric	D/E 4:1	<i>Curcuma longa</i>	
Turmeric	30% Total curcuminoids as curcumin	<i>Curcuma longa</i>	
Turmeric	95% Total curcuminoids as curcumin	<i>Curcuma longa</i>	
Valerian	0.42% Sesquiterpenic acid calc. as valerenic acids	<i>Valeriana officinalis</i>	
Valerian	0.8% Sesquiterpenic acid calc. as valerenic acids	<i>Valeriana officinalis</i>	
VEGANTOP®	VEGANTOP®	Mix	
Walnut	D/E 4:1	<i>Juglans regia</i>	
Watercress	D/E 4:1	<i>Nasturtium officinale</i>	
White Horehound	D/E 4:1	<i>Marrubium vulgare</i>	
White Willow	3% Salicin - SOLUBLE	<i>Salix alba</i>	
White Willow	3% Salicin	<i>Salix alba</i>	
White Willow	15% Salicin	<i>Salix alba</i>	
White Willow	30% Salicin	<i>Salix alba</i>	
Wild Pansy	D/E 4:1	<i>Viola tricolor</i>	
Witch Hazel	5% Tannins	<i>Hamamelis virginiana</i>	
Witch Hazel	10% Tannins	<i>Hamamelis virginiana</i>	

FLUID EXTRACT	BOTANICAL NAME
Absinth 20°	<i>Artemisia absinthium</i>
Acerola 30°	<i>Malpighia punicifolia</i>
Agrimony 20°	<i>Agrimonia eupatoria</i>
Aloe 20°	<i>Aloe vera</i>
Anis 30°	<i>Pimpinella anisum</i>
Artichoke 20°	<i>Cynara scolymus</i>
Ash 20°	<i>Fraxinus excelsior</i>
Asparagus 20°	<i>Asparagus officinalis</i>
Bankcress 20°	<i>Sisymbrium officinale</i>
Bearberry 20°	<i>Arcotostaphylos uva-ursi</i>
Bilberry 20° - 1% Total anthoc. expressed as anthocyanindins	<i>Vaccinium myrtillus</i>
Birch 20°	<i>Betula alba</i>
Bitter Orange 20°	<i>Citrus aurantium</i>
Blackcurrant 20°	<i>Ribes nigrum</i>
Bladderwrack 40° - 0.010-0.020% Total iodine	<i>Fucus vesiculosus</i>
Boldo 20°	<i>Peumus boldus</i>
Boswellia Serrata min. 5 % Boswellic acid	<i>Boswellia serrata</i>
Buckthorn 20° 1.5-2.0% Cascaroside A	<i>Rhamnus purshiana</i>
Buckthorn 20° - 0.4-0.8% Glucofranguline A	<i>Rhamnus frangula</i>
Burdock 20°	<i>Arctium lappa</i>
Butcher's Broom 30°	<i>Ruscus aculeatus</i>
Californian Poppy 30°	<i>Eschscholtzia californica</i>
Capsicum 50°	<i>Capsicum annuum</i>
Cat's Claw 60°	<i>Uncaria tomentosa</i>
Centaur 20°	<i>Erythraea centaureum</i>
Centella 30°	<i>Centella asiatica</i>
Chamomille 30°	<i>Matricaria chamomilla</i>
Cherry 30°	<i>Prunus avium</i>
Chestnut 20°	<i>Castanea sativa</i>
Chicory 20°	<i>Cichorium intybus</i>
Common Milkwort 20°	<i>Polygala vulgaris</i>
Coneflower 50°	<i>Echinacea angustifolia</i>
Coneflower Purple 50°	<i>Echinacea purpurea</i>
Coriander 50°	<i>Coriandrum sativum</i>
Corn 20°	<i>Zea mais</i>
Couch Grass 20°	<i>Agropyron repens</i>
Cypress 30°	<i>Cupressus sempervirens</i>
Damiana 30°	<i>Turnera aphrodisiaca</i>
Dandelion 20°	<i>Taraxacum officinale</i>
Dang Quai 30°	<i>Angelica sinensis</i>
Devil's Claw 20°	<i>Harpagophytum procumbens</i>
Dock 20°	<i>Rumex crispus</i>
Drosera 20°	<i>Drosera rotundifolia</i>
Elderberry 40°	<i>Sambucus nigra</i>
Elecampane 20°	<i>Inula helenium</i>
Eucalyptus 20°	<i>Eucalyptus globulus</i>
Everlasting 20°	<i>Helichrysum italicum</i>
Fennel 30°	<i>Foeniculum vulgare</i>
Fenugreek 30°	<i>Trigonella foenum-graecum</i>
Fig 30°	<i>Ficus carica</i>
Fireweed 20°	<i>Epilobium angustifolium</i>



## FLUID EXTRACT

## BOTANICAL NAME

Fumitory 30°	<i>Fumaria officinalis</i>
Garcinia Cambogia 20°	<i>Garcinia cambogia</i>
Garden Angelica 30°	<i>Angelica archangelica</i>
Gentian 20°	<i>Gentiana lutea</i>
Ginger 50°	<i>Zingiber officinale</i>
Ginkgo Biloba 30°	<i>Ginkgo biloba</i>
Ginseng 50°	<i>Panax ginseng</i>
Goat's Rue 20°	<i>Galega officinalis</i>
Golden Rod 20°	<i>Solidago virgaurea</i>
Grape 30°	<i>Vitis vinifera</i>
Greater Plantain 20°	<i>Plantago major</i>
Green Tea 30°	<i>Camelia sinensis</i>
Grindelia 20°	<i>Grindelia robusta</i>
Guaranà 50°	<i>Paullinia cupana</i>
Gymnema Sylvestre 30°	<i>Gymnema sylvestre</i>
Hawthorn 30°	<i>Crataegus oxyacantha</i>
Hop 30°	<i>Humulus lupulus</i>
Horehound 30°	<i>Marrubium vulgare</i>
Horse Chestnut (bark) 30°	<i>Aesculus hyppocastanum</i>
Horse Chestnut (seed) 30°	<i>Aesculus hyppocastanum</i>
Horse Radish 30°	<i>Raphanus sativus</i>
Horsetail 20°	<i>Equisetum arvense</i>
Hyssop 20°	<i>Hyssopus officinalis</i>
Iceland Moss 20°	<i>Cetraria islandica</i>
Ivy 30°	<i>Hedera helix</i>
Java Tea 20°	<i>Orthosiphon stamineus</i>
Juniper 40°	<i>Juniperus communis</i>
Kola Nut 30°	<i>Cola nitida</i>
Lady'S Mantle 20°	<i>Alchemilla vulgaris</i>
Lavender 50°	<i>Lavandula officinalis</i>
Lemon Balm 30°	<i>Melissa officinalis</i>
Lespedeza 30°	<i>Lespedeza capitata</i>
Linden 30°	<i>Tilia cordata</i>
Liquorice 20°	<i>Glycyrrhiza glabra</i>
Mallow 30°	<i>Malva sylvestris</i>
Marigold 20°	<i>Calendula officinalis</i>
Marshmallow 20°	<i>Althaea officinalis</i>
Matè 50°	<i>Ilex paraguariensis</i>
Meadosweet 20°	<i>Spirae ulmaria</i>
Melilot 30°	<i>Melilotus officinalis</i>
Milk Thistle 50°	<i>Silybum marianum</i>
Mouse Ear Hawkeed 30°	<i>Hieracium pilosella</i>
Mullein 30°	<i>Verbascum thapsus</i>
Nettle 20°	<i>Urtica dioica</i>
Oat 25°	<i>Avena sativa</i>
Olive 20°	<i>Olea europaea</i>
Parsley 20°	<i>Carum petroselinum</i>
Passion Flower 20°	<i>Passiflora incarnata</i>
Pellitory 20°	<i>Parietaria officinalis</i>
Peppermint 40°	<i>Mentha piperita</i>
Pine 20°	<i>Pinus pumilio</i>



## FLUID EXTRACT

## BOTANICAL NAME

Pineapple 40°	<i>Ananas sativus</i>
Pollen 30°	<i>Pollen</i>
Propolis 80°	<i>Propolis dec.</i>
Rathany 30°	<i>Krameria triandra</i>
Red Bilberry 20°	<i>Vaccinium vitis-idaea</i>
Red Cinchona 30°	<i>Cinchona succirubra</i>
Red Poppy 20°	<i>Papaver rhoeas</i>
Rhodiola 30°	<i>Rhodiola rosea</i>
Rosehip 50°	<i>Rosa canina</i>
Rosemary 30°	<i>Rosmarinus officinalis</i>
Sabal 40°	<i>Serenoa repens</i>
Sage 30°	<i>Salvia officinalis</i>
Sarsaparilla 30°	<i>Smilax medica</i>
Schisandra 30°	<i>Schizandra chinensis</i>
Senna 20°	<i>Cassia angustifolia</i>
Siberian Ginseng 20°	<i>Eleutherococcus senticosus</i>
St. John'S Wort 20°	<i>Hypericum perforatum</i>
Sweet Orange 20°	<i>Citrus aurantium</i>
Thorny Resthar 30°	<i>Ononis spinosa</i>
Thyme 20°	<i>Thymus vulgaris</i>
Turmeric 50°	<i>Curcuma longa</i>
Valerian 20°	<i>Valeriana officinalis</i>
Vervain 30°	<i>Verbena officinalis</i>
Watercress 20°	<i>Nasturtium officinale</i>
White Willow 20°	<i>Salix alba</i>
Wild Pansy 30°	<i>Viola tricolor</i>
Wild Thyme 20°	<i>Thymus serpyllum</i>
Witch Hazel 30°	<i>Hamamelis virginiana</i>
Yarrow 20°	<i>Achillea millefolium</i>





SOFT EXTRACT	BOTANICAL NAME
Agrimony	<i>Agrimonia eupatoria</i>
Aniseed	<i>Pimpinella anisum</i>
Artichoke	<i>Cynara scolymus</i>
Ash Common	<i>Fraxinus excelsior</i>
Bankcress	<i>Sisymbrium officinale</i>
Bearberry	<i>Arctostaphylos uva-ursi</i>
Birch	<i>Betula alba</i>
Blackcurrant	<i>Ribes nigrum</i>
Burdock	<i>Arctium lappa</i>
Californian Poppy	<i>Eschscholtzia californica</i>
Caraway	<i>Carum carvi</i>
Cascara Sagrada	<i>Rhamnus purshiana</i>
Cat's Claw	<i>Uncaria tomentosa</i>
Centaury	<i>Centaurea erythraea</i>
Centella	<i>Centella asiatica</i>
Chamomile	<i>Matricaria chamomilla</i>
Coneflower	<i>Echinacea angustifolia</i>
Coneflower Purple	<i>Echinacea purpurea</i>
Coriander	<i>Coriandrum sativum</i>
Corn	<i>Zea mais</i>
Couch Grass	<i>Agropyron repens</i>
Damiana	<i>Turnera diffusa</i>
Dandelion	<i>Taraxacum officinale</i>
Devil's Claw	<i>Harpagophytum procumbens</i>
Drosera	<i>Drosera rotundifolia</i>
Eldelberry	<i>Sambucus nigra</i>
Eucalyptus	<i>Eucalyptus globulus</i>
Fennel	<i>Foeniculum vulgare</i>
Gentian	<i>Gentiana lutea</i>
Ginger	<i>Zingiber officinalis</i>
Goat's Rue	<i>Galega officinalis</i>
Goldenrod	<i>Solidago virgaurea</i>
Grape	<i>Vitis vinifera</i>
Greater Plantain	<i>Plantago major</i>
Green Coffee	<i>Coffea arabica</i>
Grindelia	<i>Grindelia robusta</i>
Guaranà	<i>Paullinia cupana</i>
Hawkweed	<i>Hieracium pilosella</i>
Hawthorn	<i>Crataegus oxyacantha</i>
Hibiscus	<i>Hibiscus sabdariffa</i>
Hop	<i>Humulus lupulus</i>
Horsechestnut	<i>Aesculus hippocastanum</i>
Horsetail	<i>Equisetum arvense</i>
Java Tea	<i>Orthosiphon stamineus</i>
Lemon Balm	<i>Melissa officinalis</i>
Linden	<i>Tilia cordata</i>
Liquorice	<i>Glycyrrhiza glabra</i>
Mallow	<i>Malva Sylvestris</i>
Marigold	<i>Calendula officinalis</i>
Marshmallow	<i>Althaea officinalis</i>
Mate	<i>Ilex paraguayensis</i>



## SOFT EXTRACT

## BOTANICAL NAME

Meadowsweet

*Spiraea ulmaria*

Melilot

*Melilotus officinalis*

Millet

*Panicum miliaceum*

Nettle

*Urtica dioica*

Olive

*Olea europaea*

Passion Flower

*Passiflora incarnata*

Peppermint

*Mentha piperita*

Red Poppy

*Papaver rhoeas*

Rosehip

*Rosa canina*

Rosemary

*Rosmarinus officinalis*

Sage

*Salvia officinalis*

Thyme

*Thymus vulgaris*

Valerian

*Valeriana officinalis*

White Willow

*Salix alba*



**nVH Italia srl**<sup>®</sup>

*Your partner from beginning to end*

Via Cellini, 16/A - 22071 - Cadorago - Co - Italy

Phone +39 031 905071 | Fax +39 031 904869

email [info@nvhextracts.com](mailto:info@nvhextracts.com)

web [www.nvhextracts.com](http://www.nvhextracts.com)