

F.LLI POSIO SPA 1808

LAMIERE PIANE NERE, LUCIDE E ZINCATE				
SPESSORE mm	PESO kg/mq	formato mm/kg		
		1000x2000	1250x2500	1500x3000
0,3	2,36	4,72		
0,4	3,14	6,28		
0,5	3,93	7,86		
0,6	4,71	9,42	14,70	
0,8	6,28	12,60	19,70	28,30
1	7,85	15,70	24,50	35
1,2	9,42	18,80	29,50	42
1,5	11,80	23,60	36,70	53
1,8	14,10	28,20	44,20	64
2	15,70	31,40	49	71
2,5	19,60	39,30	61	88
3	23,60	47,10	73	106
4	31,40	62,80	98	141
5	39,20	78,50	123	176
6	47,10	94,20	147	212
8	62,80	126	196	282
10	78,50	157	245	353
12	94,20	188,40	294	424
15	117,75	235,50	368	530
20	157,00	314	491	706
25	196,25	392,50	613	883
30	235,50	471	736	1060
40	314,00	628	981	1413
50	392,50	785	1227	1766



F.LLI POSIO SPA 1808

LAMIERE STRIATE

SPESSORE mm	PESO kg/mq	formato mm/kg		
		1000x2000	1250x2500	1500x3000
2,5	22,20	44	69	99
3	28,60	58	89	128
4	36,50	73	114	164
5	44,30	89	138	199
6	52,10	104	163	234
8	67,80	136	212	305
10	83,60	167	261	376




Figura 1 LAMIERE STRIATE

LAMIERE BUGNATE

SPESSORE mm	formato mm/kg		
	1000x2000	1250x2500	1500x3000
2,5	43	67	
3,0	52	83	119
4,0	69	107	154
5,0	86	133	190





Figura LAMIERE BUGNATE



F.LLI POSIO SPA 1808

LAMIERE ZINCATE GRECATE 600- H55 COLLABORANTE SPESS.10/10 Kg/m 47,10




Figura 2 LAMIERE ZINCATE GRECATE 600-55 COLLABORANTE, PER SOLAI

LAMIERE INOX			
SPESSORE mm	formato mm/kg		
	1000x2000	1250x2500	1500x3000
1	16	25	36
1,2	19,20	30	43,20
1,5	24	37,5	54
2	32	50	72
3	48	75	108
4	64	100	144
5	80	125	180
6	96	150	216

LAMIERE GRECATE ZINCATE E PREVERNICIATE				
SPESSORE mm	formato mm/kg			
	930X4000	930X5000	930X6000	930X7000
6/10	24	29	34	39

- disponibili LAMIERE FORATE INOX, ZINCATE E GREZZE