




LAWN TRACTORS & ZERO TURNS

2021



WELCOME TO THE PREMIUM MOWER EXPERIENCE.



When you are looking for a lawn tractor or zero turn mower, there are many manufacturers from which to choose. But if you focus on what's important - dependability, quality of cut and having the best looking lawn in the neighbourhood - your decision will be easy... Simplicity®.



CONTENTS

The Dealer Experience	04
The Simplicity® Difference	05
Regent™ Lawn Tractors	06
Broadmoor™ Lawn Tractor	12
Conquest™ Lawn Tractor	14
Regent™ RD Lawn Tractors	16
Courier™ Zero Turns	20
Tractor Specifications	28
Zero Turn Specifications	30
Tractor Accessories	32
Zero Turn Accessories	35



THE DEALER EXPERIENCE



MAKING THE RIGHT DECISION.

Not sure what type of mower you need? Your Simplicity® dealer can help. Need someone to deliver your tractor or zero turn? Your Simplicity dealer will deliver it to your home. Need a little training on how to use your new mower? Your Simplicity dealer can show you what you need to know. Most importantly, by purchasing a Simplicity through your local dealer, you will not only be getting a premium mowing experience, but your own trusted mowing advisor.

- Expert advice
- Product selection help
- Test drives
- Trustworthy service technicians
- Parts availability
- Product pick-up and delivery
- Seasonal maintenance
- Accepts Trade-Ins*
- Attachment expertise



*Participating dealers may vary.

THE SIMPLICITY® DIFFERENCE

Simplicity® Tractors and Zero Turn mowers are built to last with durable components - all-steel hoods and seat decks, long-life engines, transmissions and serviceable arbor and shaft assemblies. Designed with the operator in mind, Simplicity Mowers offer ergonomic, easy-to-use controls and innovative features to make your mowing experience even more enjoyable.



LAWN STRIPING

Our Free Floating™ mower deck is the pinnacle of performance which all others attempt to achieve. Attached by the pivoting front axle, the mowing deck follows even the slightest contours in your lawn, resulting in a scalp-free velvety cut. The full-width rear rollers lay the grass down in the direction the mower is traveling to create striping patterns.



SUPERIOR TRACTION WITH ACT™

Automatic Controlled Traction™ will supply extra power to both rear tyres when one tyre starts to slip. The ACT™ feature helps you avoid getting stuck and keeps you moving forward when performing jobs in your garden.



CENTRE CUT™ MOWER DECK

The CentreCut™ mower deck offers options to change the mower deck configuration depending on grass circumstances and personal preferences. Available on Regent™ SLT275 and Courier™ SZT275.

CENTRE CUT™ Convertible Rear Discharge Deck



HYDROSTATIC TRANSMISSION

All Simplicity lawn tractors feature a pedal-operated hydrostatic transmission system that allows you to keep both hands on the steering wheel while adjusting your speed and direction with the two foot pedals.



SUSPENSION SYSTEM™

Taking your mowing comfort to the next level, Simplicity® owners can enjoy a smoother ride with suspension while still achieving a premium cut**.



This exclusive tractor technology utilises front and rear springs to reduce the impact of rough terrain felt by the operator. Depending on the tractor model, there are two suspension options available:

- Rear Suspension (on Regent™ SLT260)
- Front and Rear Suspension (on Regent™ RD SRD360, Courier™ SZT250, SZT275 and SZT350)

SUSPENSION COMFORT SYSTEM™

The Conquest™ and Broadmoor™ Lawn Tractors offer a complete comfort package - the Suspension Comfort System™ - comprised of suspension, a high-speed transmission and a comfortable mesh seat.



**Results of suspension depend on lawn conditions.

REGENT™ LAWN TRACTORS



SLT110

Our Regent™ Lawn Tractor range delivers excellent all round cutting performance with the highest level of user comfort and signature Simplicity® styling.

These Regent™ lawn tractors are powered by reliable Briggs & Stratton® engines and feature integrated bumpers and a stylish dashboard panel. Rugged mower decks and durable cast-iron front axles ensure long life and performance.



FRAME HUNG MOWER DECK
With 4 deck support wheels and a washout port for easy cleaning.



STEEL BUMPER & LED LIGHTS
The steel bumper adds extra durability to the lawn tractor while the powerful LED headlights light your path.



DURABLE FRONT AXLE
Rugged, pivoting cast iron front axle for long lifetime.



STEERING WHEEL
With colour-coded controls on the dashboard.

DESIGNED TO **PERFORM.**
MADE TO LAST.

QUICK SPECIFICATIONS

	REGENT™ SLT110	REGENT™ SLT210SE
Power		
Engine Model	Briggs & Stratton Intek™ Series 7200 V-Twin	Briggs & Stratton Intek™ Series 7220 V-Twin
Engine Features	OHV	OHV
Cylinders	2	2
Transmission		
Type	Tuff-Torq® K46 Hydrostatic	Tuff-Torq® K46 Hydrostatic
Mower		
Cutting Width	107 cm (42")	117 cm (46")
Mower Deck Type	Stamped Steel, Frame Hung	Stamped Steel, Frame Hung
Seat	Mid-back seat	Mid-back, premium seat



KEY FEATURES SLT110 / SLT210SE

- Frame Hung mower deck with 4 support wheels
- Hydrostatic transmission
- Cast iron front axle
- Tight turning radius of 36cm
- LED headlights
- Electric blade engagement
- Colour-coded controls
- Manual height of cut
- Integrated steel bumper
- Cruise control
- Mower deck washout port



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton Intek™ engines provide consistent starting and guarantees durable performance.

For all accessories see page 32.

REGENT™ LAWN TRACTORS

FOLLOW
THE LEADER.



The stand out feature of the Regent™ SLT260 is its comfort enhancing rear suspension. This suspension system not only delivers great levels of user comfort but also allows increased mowing productivity.

User convenience is further enhanced by the Quick-Hitch™ system, which allows quick, tool-less removal of the mower deck.



BRIGGS & STRATTON® ENGINE

Designed to deliver world-class endurance and power, the Briggs & Stratton Professional Series™ Engine comes fully featured. Enhanced power, easy starting, smooth and quiet operation, and professional results are just a few of them.

WITH REAR SUSPENSION



FREE FLOATING™ MOWER DECK
Simplicity's signature Free Floating™ mower deck allows the deck to follow the contours of your lawn giving a scalp-free cut. The full-width rear rollers provide a smooth finish allowing you to create stripes.



ELECTRIC HEIGHT OF CUT
Easily adjust the cutting height with the simple touch of a switch. The electric height of cut lets you choose from 3,8 to 10,2 cm.



QUICK HITCH™ DECK REMOVAL
Easily remove the mower deck without tools. Remove the deck for cleaning or blade sharpening, or use it to mount an attachment.



REAR SUSPENSION
The SLT260 features unique rear suspension which makes you mow faster and keeps the ride comfortable.

LIMITED LIFETIME WARRANTY
ON FABRICATED DECK

See operator's manual or dealer for complete warranty details.



QUICK SPECIFICATIONS

REGENT™ SLT260

Power

Engine Model	Briggs & Stratton Professional Series™ 8230 V-Twin
Engine Features	OHV
Cylinders	2

Transmission

Type	Tuff-Torq® K46 Hydrostatic
------	----------------------------

Mower

Cutting Width	122cm (48")
Mower Deck Type	Fabricated Steel, Free Floating™
Suspension	Rear Suspension
Seat	Mid-back, premium seat

KEY FEATURES SLT260

- Durable fabricated 122 cm steel Free Floating™ mower deck and full-width rear rollers
- Rear suspension
- Hydrostatic transmission
- Cast iron front axle
- Tight turning radius of 36cm
- Electric blade engagement
- Electric height of cut
- Quick Hitch™ mower deck removal system
- Cruise control
- Clock, hour and maintenance meter
- Premium, mid-back seat



For all accessories see page 32.

REGENT™ LAWN TRACTORS



The Regent SLT275™ offers the ultimate in user comfort and cutting flexibility. The convertible rear discharge deck delivers maximum versatility. It is easy to convert the mower deck into 3 different cutting modes (depending on the grass conditions). Choose from mulching, full rear discharge and 50:50 mulching/rear discharge modes.

CENTRECUT™

Convertible Rear Discharge Deck

FOR MORE INFORMATION ON THE CENTRECUT™ SYSTEM SEE PAGE 25.



CENTRECUT™ MOWER DECK
The 122 cm rugged fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.



HIGH COMFORT SEAT
The adjustable, mid-back, premium seat provides ride comfort and stability.



See operator's manual or dealer for complete warranty details.

MASTER THE CONTOURS OF YOUR LAWN.



QUICK SPECIFICATIONS

REGENT™ SLT275

Power

Engine Model	Briggs & Stratton Professional Series™ 8230 V-Twin
Engine Features	OHV
Cylinders	2

Transmission

Type	Tuff-Torq® K46 Hydrostatic
------	----------------------------

Mower

Cutting Width	122cm (48")
Mower Deck Type	CentreCut™ Fabricated Steel, Frame Hung
Seat	Mid-back, premium seat



BRIGGS & STRATTON® ENGINE

Designed to deliver world-class endurance and power, the Briggs & Stratton Professional Series™ Engine comes fully featured. Enhanced power, easy starting, smooth and quiet operation, and professional results are just a few of them.

KEY FEATURES

- Durable fabricated 122 cm steel Frame Hung mower deck with 4 support wheels
- Convertible rear eject CentreCut™ mower deck
- Hydrostatic transmission
- Cast iron front axle
- Tight turning radius of 36cm
- Mid-back premium seat
- Electric blade engagement
- Manual height of cut
- Cruise control
- Clock, hour and maintenance meter
- Mower deck washout port

For all accessories see page 33.

BROADMOOR™ LAWN TRACTOR

RUGGED
DURABILITY.
EXCEPTIONAL
PERFORMANCE.



The Broadmoor™ lawn tractor represents the perfect combination of high-performance and user comfort. With the unique Free Floating™ fabricated steel mower deck, a new rear suspension system and a breathable ergonomic mesh seat, mowing the lawn will never feel like a chore again.

**LIMITED LIFETIME
WARRANTY**
ON FABRICATED DECK

See operator's manual or dealer for complete warranty details.

WITH ELECTRIC POWER STEERING



HIGH SPEED TRANSMISSION
The Tuff Torq® high speed transmission offers a hydrostatic drive for an automotive-like feel and allows you to operate the machine at higher speeds.



CONTROL PANEL
The panel includes push button starting, fuel gauge and maintenance reminders providing a premium experience.



ACT™
With Automatic Controlled Traction™ (ACT), drive power is continuously supplied to both rear tyres maintaining superior traction and lessening turf damage.



FABRICATED MOWER DECK
The 122 cm rugged fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.

QUICK SPECIFICATIONS

BROADMOOR™ SYT410

Power	
Engine Model	Briggs & Stratton Professional Series™ 8260 V-Twin with push button start
Engine Features	OHV, EFM
Cylinders	2
Transmission	
Type	Tuff-Torq® K62 High Speed Hydrostatic with ACT™
Mower	
Cutting Width	122cm (48")
Mower Deck Type	Fabricated Steel, Free Floating™, Full-width rear rollers
Suspension	SCS™ Rear Suspension with Mesh Seat



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton Professional Series™ V-Twin engine features Electronic Fuel Management (EFM) providing consistent, automotive-style starting and proven performance.



ELECTRONIC FUEL MANAGEMENT
STARTING MADE SIMPLE.

KEY FEATURES SYT410

- Free Floating™ mower deck with full-width rear rollers
- Automatic Controlled Traction™
- Durable welded steel frame
- Electric power steering
- Cast-iron pivoting front axle
- Turning radius of 59cm
- Quick Hitch™ mower deck removal system
- Electric height-of-cut adjustment
- LED headlights
- Cruise control
- Ergonomic mesh seat

WITH REAR SUSPENSION



The exclusive rear suspension reduces the impact felt at faster speeds.

For all accessories see page 33.

CONQUEST™ LAWN TRACTOR

ENGINEERED FOR MAXIMUM PERFORMANCE.

The Simplicity Conquest™ combines all the latest innovation and comfort features, plus the power and performance of the Briggs & Stratton Commercial Turf Series™ V-Twin engine. The full instrumentation dash board enhances the operator's perfect mowing experience.

WITH ELECTRIC POWER STEERING



HIGH SPEED TRANSMISSION

The Tuff Torq® high speed transmission offers a hydrostatic drive for an automotive-like feel and allows you to operate the machine at higher speeds. The exclusive Suspension Comfort System™ provides stability and driving comfort, even at high speeds.



ACT™

With Automatic Controlled Traction™ (ACT) and Differential Lock, drive power is continuously supplied to both rear tyres maintaining superior traction and lessening turf damage.



DELUXE INSTRUMENT PANEL

An intuitive dash system which includes a deluxe instrument panel complete with push button start, fuel gauge and maintenance reminders provides the operator an optimum mowing experience.



SCS SYSTEM

The exclusive Suspension Comfort System™, complete with rear shock absorbers, provides 25% less impact felt than a tractor without suspension, giving you more comfort at a consistent speed. Results of suspension depend on lawn conditions.



QUICK SPECIFICATIONS

CONQUEST™ SYT510

Power

Engine Model	Briggs & Stratton Commercial Turf Series™ 8270 V-Twin with push button start
Engine Features	OHV, EFM, Cyclonic Air Filter
Cylinders	2

Transmission

Type | Tuff-Torq® K66 High Speed Hydrostatic with ACT™

Mower

Cutting Width	127 cm (50")
Mower Deck Type	Stamped Steel, Free Floating™, Full-width rear rollers
Suspension	SCS™ Rear Suspension with Mesh Seat



BRIGGS & STRATTON® ENGINE

The premium Briggs & Stratton Commercial Turf Series™ V-Twin engine features an Integrated Cyclonic Air Filter, Oil Filter and Pressure Lubrication.

KEY FEATURES SYT510

- Automatic Controlled Traction™
- Differential lock provides increased traction
- Durable Tuff-Torq® high speed transmission
- Free Floating™ mower deck and full-width rear rollers
- Intuitive dashboard - full instrumentation
- SCS™ Rear Suspension with Mesh Seat
- Electric mower deck-lift system
- Quick Hitch™ deck removal system
- Electric height-of-cut
- LED headlights
- Electric power steering



ELECTRONIC FUEL MANAGEMENT
STARTING MADE SIMPLE.

WITH PUSH BUTTON START

For all accessories see page 34.

www.simplicitymfg.com

REGENT™ RD LAWN TRACTORS WITH COLLECTOR

BRING PREMIUM PERFORMANCE TO YOUR LAWN.



SRD210

The Simplicity® Regent RD range has set new standards for efficiency and comfort. The range consists of three models all equipped with a Tuff-Torq® hydrostatic transmission system delivering the smoothest ride. The premium seat adds extra comfort to the cutting experience.

All tractors are powered by high performance Briggs & Stratton® engines. The stylish hood and dashboard panel provides the operator a premium mowing experience.



HIGH COMFORT SEAT
The adjustable, mid-back, premium seat provides ride comfort and stability.



STYLISH CONTROL PANEL
The dashboard contains a fuel and hour meter. The maintenance reminder makes this machine interactive.



HEIGHT-OF-CUT
The manual height-of-cut allows for easy adjustment between 7 possible positions ranging from 4.5 to 9.0 cm.



MOWER BLADES
Simplicity® blades produce high-volume air flow that mulches, bags or discharges clippings to perfection.



SRD310

QUICK SPECIFICATIONS

REGENT™ RD SRD210

Power

Engine Model	Briggs & Stratton Intek™ Series 7220 V-Twin
Engine Features	OHV
Cylinders	2

Transmission

Type	Tuff-Torq® K46 Hydrostatic
------	----------------------------

Mower

Cutting Width	96 cm (38")
Mower Deck Type	Stamped Steel, Frame Hung
Seat	Mid-back, premium seat

REGENT™ RD SRD310

Engine Model	Briggs & Stratton Professional Series™ 8270 V-Twin
Engine Features	OHV
Cylinders	2

Type	Tuff-Torq® K46 Hydrostatic
------	----------------------------

Cutting Width	107cm (42")
Mower Deck Type	Stamped Steel, Frame Hung
Seat	Mid-back, premium seat

KEY FEATURES SRD210 / SRD310

- Frame Hung mower deck with support wheels
- Hydrostatic transmission
- 36cm turning radius
- Large 350 litre collection bag
- Cast iron front axle
- Easily removable all-steel hood
- 11 litre fuel tank
- Cruise control
- Electric blade engagement
- Mechanical deck attachment lift
- LED headlights
- Integrated steel bumper
- Washout port



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton Intek™ engine provides consistent starting and guarantees durable performance.

REGENT™ RD LAWN TRACTORS WITH COLLECTOR



The Regent™ RD SRD360 combines all the latest innovation and comfort features to bring the next level of outstanding performance. Experience new levels of user comfort with the exclusive Suspension System™ and high comfort seat.



SPEED CONTROL
Infinite driving speed control. Change your speed quickly and easily.



STYLISH CONTROL PANEL
This deluxe panel shows you the needs of your machine. The dash contains a fuel meter and hourmeter. The maintenance reminder makes this machine interactive.



HIGH COMFORT SEAT
The adjustable, mid-back, premium seat provides ride comfort and stability.



STEEL BUMPER & LED LIGHTS
The steel bumper adds extra durability to the lawn tractor while the powerful LED headlights light your path.

QUICK SPECIFICATIONS

REGENT™ RD SRD360

Power

Engine Model	Briggs & Stratton Professional Series™ 8270 V-Twin
Engine Features	OHV
Cylinders	2

Transmission

Type	Tuff-Torq® K46 Hydrostatic
------	----------------------------

Mower

Cutting Width	107 cm (42")
Mower Deck Type	Stamped Steel, Frame Hung
Suspension	Front and Rear Suspension
Seat	Mid-back, premium seat

KEY FEATURES SRD360

- Frame hung mower deck with 4 support wheels
- Hydrostatic transmission
- Large 350 litre collection bag
- Cast iron front axle
- Cruise control
- Large 22" tyres
- Electric blade engagement
- 11 litre fuel tank
- Front wheel ball bearing
- Premium, mid-back seat
- LED headlights
- Integrated steel bumper
- Suspension System™



BRIGGS & STRATTON® ENGINE

The Briggs & Stratton Professional Series™ 8270 engine features an oil filter and pressure lubrication.



SUSPENSION SYSTEM™

The exclusive Suspension System™, complete with front and rear shock absorbers, provides 25% less impact felt than a tractor without suspension, giving you more comfort at a consistent speed*.



WITH FRONT AND REAR SUSPENSION



For all accessories see page 34.

* Results of suspension depend on lawn conditions.

COURIER™ ZERO TURNS



The SZT105 brings a whole new level of performance to the comprehensive Courier™ zero turn range. Designed for maximum garden access, this compact zero turn mower gets to places other zero turns cannot go. It's compact size makes it easy to navigate even the tightest parts of your lawn and takes up less space when in storage.



See operator's manual or dealer for complete warranty details.



USER COMFORT GUARANTEED

A compact zero turn with high levels of comfort. A big seat with armrests and lot's of legroom.



HEIGHT-OF-CUT POSITIONS

Easily choose your preferred cutting height with help of the foot operated deck lift mechanism.



COMPACT DESIGN

The high quality 91 cm compact mower deck is the smallest in it's class and delivers unparalleled garden access.



FABRICATED MOWER DECK

The fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.



COMPACT
& EASY TO
NAVIGATE

QUICK SPECIFICATIONS

COURIER™ SZT105

Power

Engine Model	Briggs & Stratton Intek™ Series 7200 V-Twin
Engine Features	OHV
Cylinders	2

Transmission

Type	Hydro-Gear® EZT®
------	------------------

Mower

Cutting Width	91 cm (36")
Mower Deck Type	Fabricated Steel, Frame Hung



BRIGGS & STRATTON® ENGINE
The Briggs & Stratton Intek™ engines provide consistent starting and guarantees durable performance.

KEY FEATURES SZT105

- Fabricated steel mower deck
- Hydrostatic transmission
- Powerful Briggs & Stratton engine
- 11 litre fuel tank
- Foot operated mower deck lift
- Comfortable mid-back seat with armrests
- Twin-lever steering controls with tracking adjustment for comfortable operation
- Cargo bed* optional
- Electric blade engagement
- Integrated parking brake



For all accessories see page 35.

* 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.

COURIER™ ZERO TURNS

EXCELLENT CUTTING
COMFORT & UTILITY.



The Courier™ 100 Series zero turns are the perfect choice for the serious home owner. With a 107 cm or 117 cm stamped steel deck these zero turn mowers will cut your lawn beautifully. To top it off you will also save time and effort with the optional cargo bed*. All Courier™ zero turns are equipped with a comfortable seat with armrests.



STEERING LEVER TRACKING ADJUSTMENT
Adjusting the steering levers so that your zero turn tracks straight.



COMFORTABLE SEAT
Mid-back seat with armrests for more comfort while mowing.



REMOVABLE FLOOR PLATE
Quick and easy access to deck maintenance points are guaranteed with the removable floor plate.



HEIGHT-OF-CUT POSITIONS
Easily choose your preferred cutting height with help of the foot operated deck lift mechanism.



QUICK SPECIFICATIONS

COURIER™ SZT110		COURIER™ SZT150	
Power			
Engine Model	Briggs & Stratton Intek™ Series 7200 V-Twin	Briggs & Stratton Intek™ Series 7220 V-Twin	
Engine Features	OHV	OHV	
Cylinders	2	2	
Transmission			
Type	Hydro-Gear® EZT®	Hydro-Gear® EZT®	
Mower			
Cutting Width	107 cm (42")	117 cm (46")	
Mower Deck Type	Stamped Steel, Frame Hung	Stamped Steel, Frame Hung	



BRIGGS & STRATTON® ENGINE
The Briggs & Stratton V-Twin engines provide durable and proven performance.



KEY FEATURES SZT110 / SZT150

- Stamped steel mower decks
- Powerful Briggs & Stratton Intek™ engines
- Foot operated mower deck lift
- Hydro-Gear® EZT® transmission
- Comfortable mid-back seat with armrests
- Electric blade engagement
- Twin-lever steering controls with tracking adjustment for comfortable operation
- 11 litre fuel tank
- Optional cargo bed*
- Integrated parking brake

For all accessories see page 35.

* 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.

COURIER™ ZERO TURNS

THE ZERO TURN
THAT DOES
SO MUCH
MORE!



Along with the exclusive Suspension System™ and commercially-inspired features such as fabricated steel mower decks, pivoting front axles with shocks and a convertible rear discharge deck with Eliminator® blades (SZT275 only), the Courier™ 200 Series also brings new levels of utility to the lawn through an integrated rear cargo bed**. Having both front and rear suspension on the 200 Series ensures a very comfortable ride and increased mowing speed.



WITH FRONT AND REAR SUSPENSION

QUICK SPECIFICATIONS

COURIER™ SZT250

Power

Engine Model	Briggs & Stratton Professional™ Series 8270 V-Twin
Engine Features	OHV
Cylinders	2

Transmission

Type	Hydro-Gear® EZT®
------	------------------

Mower

Cutting Width	122 cm (48")
Mower Deck Type	Fabricated Steel, Frame Hung
Suspension	Front and Rear
Seat	Premium, mid-back seat

COURIER™ SZT275

Engine Model	Briggs & Stratton Professional™ Series 8270 V-Twin
Engine Features	OHV
Cylinders	2

Type	Hydro-Gear® EZT®
------	------------------

Cutting Width	122 cm (48")
Mower Deck Type	CentreCut™ Fabricated Steel, Frame Hung
Suspension	Front and Rear
Seat	Premium, mid-back seat



BRIGGS & STRATTON® ENGINE
The Briggs & Stratton Professional Series™ 8270 engine features an oil filter and pressure lubrication.

The CentreCut™ mower deck offers options to change the mower deck configuration depending on grass circumstances. This heavy duty fabricated steel mower deck is standard equipped with Eliminator®* mulching blades, providing superior cutting performance and more versatility. In all cutting modes, the rear discharge deck provides trimming edges on both sides of the deck preventing from clippings being blown into flowerbeds or pavement.

CENTRE CUT™

Convertible Rear Discharge Deck



FOR LONG GRASS / FIRST CUT
Use the rear discharge mower deck configuration.

INCLUDED



FOR NORMAL GRASS CONDITIONS / ONGOING CUTS
Use the rear discharge mower deck configuration with the half-height mulching baffle.

INCLUDED



FOR SUPERIOR MULCHING PERFORMANCE
Use the rear discharge mower deck configuration with full-height mulching baffle. The full-height mulching baffle can be ordered separately.

OPTIONAL

KEY FEATURES SZT250 / SZT275

- Front and rear suspension
- Centered rear rollers on SZT250
- CentreCut™ rear discharge deck with Eliminator®* blades and half-height mulch baffle on SZT275
- Briggs & Stratton engines with 11 litre fuel tanks
- Foot operated mower deck lift
- Premium mid-back seat with armrests
- Twin-lever steering controls with tracking adjustment
- Cargo bed** included
- Electric blade engagement
- Integrated parking brake
- Large 20" rear tyres

LIMITED LIFETIME WARRANTY
ON FABRICATED DECK

See operator's manual or dealer for complete warranty details.

For all accessories see page 35.

* Eliminator® is a registered trademark of Fisher Barton.
** 22,7 kg. capacity, do not overload; do not carry passengers.
See operator's manual for details.

COURIER™ ZERO TURNS

PROFESSIONAL INSPIRATION FOR PREMIUM PERFORMANCE.



More than just a zero turn mower with a great quality cut, the integrated cargo bed* along with other great features makes the Courier™ SZT350 a versatile workhorse in a category of its own.

WITH FRONT AND REAR SUSPENSION



CARGO BED*

On-the-go versatility and convenience for working in the garden.



FRONT AND REAR SUSPENSION

Having both front and rear suspension ensures a very comfortable ride and increased mowing speed.



FABRICATED MOWER DECK

The 132 cm rugged fabricated mower deck with reinforced top, side skirts, corners and a steel front edge ensures durability and a quality cut for years to come.



PROFESSIONAL TRANSMISSION

Hydro-Gear® ZT-2800® Transaxles providing tough and smooth operation.



LIMITED LIFETIME WARRANTY ON FABRICATED DECK



QUICK SPECIFICATIONS

COURIER™ SZT350

Power

Engine Model	Briggs & Stratton Professional Series™ 8270 V-Twin
Engine Features	OHV
Cylinders	2

Transmission

Type | Hydro-Gear® ZF2800®

Mower

Cutting Width	132 cm (52")
Mower Deck Type	Fabricated Steel, Frame Hung
Suspension	Front and Rear
Seat	Premium, mid-back seat



BRIGGS & STRATTON® ENGINE
The Briggs & Stratton Professional Series™ 8270 engine features an oil filter and pressure lubrication.

KEY FEATURES SZT350

- Fabricated steel mower deck
- Front and rear suspension
- Centered rear rollers
- Hydrostatic transmission
- Powerful Briggs & Stratton engines
- 11 litre fuel tank
- Foot operated mower deck lift
- Premium mid-back seat with armrests
- Twin-lever steering controls with tracking adjustment for comfortable operation
- Cargo bed* included
- Electric blade engagement
- Integrated parking brake
- Large 20" rear tyres



For all accessories see page 35.

* 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.

SPECIFICATIONS TRACTORS

TRACTOR	REGENT™ SLT110	REGENT™ SLT210SE	REGENT™ SLT260	REGENT™ SLT275 REAR DISCHARGE
Power				
Engine	Briggs & Stratton Intek™ Series 7200 V-Twin OHV	Briggs & Stratton Intek™ Series 7220 V-Twin OHV	Briggs & Stratton Professional Series™ 8230 V-Twin OHV	Briggs & Stratton Professional Series™ 8230 V-Twin OHV
Cylinders	2	2	2	2
Starting	Electric, Key Start	Electric, Key Start	Electric, Key Start	Electric, Key Start
Fuel Capacity (litre)	15	15	15	15
Transmission				
Brand	Tuff-Torq® K46	Tuff-Torq® K46	Tuff-Torq® K46	Tuff-Torq® K46
Type	Hydro	Hydro	Hydro	Hydro
Speed Fwd. (km/h)	0 - 7,7	0 - 6,9	0 - 8,2	0 - 8,2
Speed Rev. (km/h)	0 - 5,2	0 - 4,4	0 - 5,4	0 - 5,4
ACT™	-	-	-	-
Chassis				
Frame	Steel	Steel	Steel	Steel
Front Axle	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Front Tyres (inch)	15 x 6	15 x 6	15 x 6	15 x 6
Rear Tyres (inch)	20 x 8	22 x 10	22 x 9,5	22 x 9,5
Turning Radius (cm)	36	36	36	36
Power Steering	-	-	-	-
Seat	Mid-Back, Adjustable	Premium Mid-Back, Adjustable	Premium Mid-Back, Adjustable	Premium Mid-Back, Adjustable
Suspension	-	-	Rear	-
Mower				
Cutting Width	42" (107cm)	46" (117cm)	48" (122cm)	48" (122cm)
Mower Deck	Frame Hung	Frame Hung	Free Floating™	Frame Hung, Rear Eject
Mower Deck Type	Stamped Steel	Stamped Steel	Fabricated Steel	Fabricated Steel
Mower Deck Lift	Mechanical	Mechanical	Mechanical	Mechanical
Blade Engagement	Electric	Electric	Electric	Electric
Support Wheels/Rear Rollers	4 Support Wheels	4 Support Wheels	Full-Width Rollers	4 Support Wheels
Mower Deck Removal	Frame Mounted	Frame Mounted	Quick Hitch™	Quick Hitch™
Blades	2	3	3	3
Cutting Height (cm)	3,8 - 10,2	3,8 - 10,2	3,8 - 10,2	3,8 - 10,2
Cutting Height Positions	7 / Manual	7 / Manual	Infinite / Electric	7 / Manual
Collector Capacity (l)	-	-	-	-
Washout Port	Standard	Standard	Standard	Standard
Dimensions				
Length x Width* x Height (cm)	185 x 134 x 111	185 x 149 x 117	185 x 150 x 117	185 x 123 x 117
Wheel Base (cm)	125	125	125	125
Weight (kg)	211	223	265	256
Features				
Headlights	Standard (LED)	Standard (LED)	Standard (LED)	Standard (LED)
Cruise Control	Yes	Yes	Yes	Yes
Hour Meter	-	Yes	Yes	Yes
Maintenance Monitor	-	-	Yes	Yes
Fuel Gauge	Sight gauge in seat deck	Sight gauge in seat deck	Sight gauge in seat deck	Sight gauge in seat deck
Mulch Kit/Plug	-	-	-	-
Warranty**	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited

* Measured with deflector down.

** Applies to residential use only. See operator's manual for complete warranty details (www.simplicitymfg.com).

THE POWER TO PERFORM.

BROADMOOR™ SYT410	CONQUEST™ SYT510	REGENT™ RD SRD210	REGENT™ RD SRD310	REGENT™ RD SRD360
Briggs & Stratton Professional Series™ 8260 V-Twin OHV, EFM 2 Electric, Push Button Start 16	Briggs & Stratton Commercial Turf Series™ 8270 V-Twin OHV, EFM 2 Electric, Push Button Start 16	Briggs & Stratton Intek™ Series 7220 V-Twin OHV 2 Electric, Key Start 11	Briggs & Stratton Professional Series™ 8270 V-Twin OHV 2 Electric, Key Start 11	Briggs & Stratton Professional Series™ 8270 V-Twin OHV 2 Electric, Key Start 11
Tuff-Torq® K62 High Speed Hydro with ACT™ 0 - 9,7 0 - 6,1 Yes	Tuff-Torq® K66 High Speed Hydro with ACT™ 0 - 9,3 0 - 5,9 Yes + Differential Lock	Tuff-Torq® K46 Hydro 0 - 7,7 0 - 4,5 -	Tuff-Torq® K46 Hydro 0 - 7,7 0 - 4,5 -	Tuff-Torq® K46 Hydro 0 - 7,7 0 - 4,5 -
Steel Cast Iron 16 x 6,5 22 x 10 59 Electric High-Back Mesh, Adjustable SCS™ - Rear	Steel Cast Iron 16 x 6,5 23 x 10,5 59 Electric High-Back Mesh, Adjustable SCS™ - Rear	Steel Cast Iron 15 x 6 22 x 10 36 - Premium Mid-Back, Adjustable -	Steel Cast Iron 15 x 6 22 x 9,5 36 - Premium Mid-Back, Adjustable -	Steel Cast Iron 15 x 6 22 x 9,5 36 - Premium Mid-Back, Adjustable Front and Rear
48" (122cm) Free Floating™ Fabricated Steel Mechanical Electric Full-Width Rollers Quick Hitch™ 3 3,2 - 10,2 Infinite / Electric - Standard	50" (127cm) Free Floating™ Stamped Steel Electric Electric Full-Width Rollers Quick Hitch™ 3 3,8 - 10,2 Infinite / Electric - Standard	38" (96cm) Frame Hung Stamped Steel Mechanical Electric 2 Support Wheels Frame Mounted 2 4,5 - 9,0 7 / Manual 350 Standard	42" (107cm) Frame Hung Stamped Steel Mechanical Electric 4 Support Wheels Frame Mounted 2 4,5 - 9,0 7 / Manual 350 Standard	42" (107cm) Frame Hung Stamped Steel Mechanical Electric 4 Support Wheels Frame Mounted 2 4,5 - 9,0 7 / Manual 350 Standard
198 x 150 x 119 131 328	198 x 152 x 122 131 352	260 x 102 x 121 125 276	260 x 114 x 123 125 291	260 x 114 x 123 125 291
Standard (LED) Yes Yes Yes Yes, electronic in dash - 3-Year Limited	Standard (LED) Yes Yes Yes Yes, electronic in dash - 3-Year Limited	Standard (LED) Yes Yes - Yes, electronic in dash Included 3-Year Limited	Standard (LED) Yes Yes - Yes, electronic in dash Included 3-Year Limited	Standard (LED) Yes Yes - Yes, electronic in dash Included 3-Year Limited

SPECIFICATIONS ZERO TURNS

ZERO TURN	COURIER™ SZT105	COURIER™ SZT110	COURIER™ SZT150
Power			
Engine	Briggs & Stratton Intek™ Series 7200 V-Twin OHV	Briggs & Stratton Intek™ Series 7200 V-Twin OHV	Briggs & Stratton Intek™ Series 7220 V-Twin OHV
Cylinders	2	2	2
Starting	Electric, Key Start	Electric, Key Start	Electric, Key Start
Fuel Capacity (litre)	11	11	11
Transmission			
Brand	Hydro-Gear® EZT®	Hydro-Gear® EZT®	Hydro-Gear® EZT®
Speed Fwd. (km/h)	0 - 8,0	0 - 9,0	0 - 9,0
Speed Rev. (km/h)	0 - 4,0	0 - 4,0	0 - 4,0
Chassis			
Frame	Steel	Steel	Steel
Front Axle	Steel Fixed	Steel Fixed	Steel Fixed
Tyres Front/Rear (inch)	11 x 4 / 18 x 6,5	11 x 6 / 18 x 8,5	11 x 6 / 18 x 8,5
Turning Radius (cm)	0	0	0
Seat	Mid-Back, Adjustable with Armrests	Mid-Back, Adjustable with Armrests	Mid-Back, Adjustable with Armrests
Suspension	-	-	-
Mower			
Cutting Width	36" (91cm)	42" (107cm)	46" (117cm)
Mower Deck	Frame Hung	Frame Hung	Frame Hung
Mower Configuration	Side Discharge	Side Discharge	Side Discharge
Mower Deck Type	Fabricated Steel	Stamped Steel	Stamped Steel
Deck / Attachment Lift	Mechanical	Mechanical	Mechanical
Blade Engagement	Electric	Electric	Electric
Rear Rollers	-	-	-
Mower Deck Removal	Frame Mounted	Frame Mounted	Frame Mounted
Blades	2	2	3
Cutting Height (cm)	3,8 - 11,4	4,2 - 9,6	3,8 - 11,0
Cutting Height Positions	10 / Manual	10 / Manual	13 / Manual
Washout Port	Standard	Standard	Standard
Dimensions			
Length x Width* x Height (cm)	178 x 125 x 107	187 x 134 x 101	187 x 149 x 101
Wheel Base (cm)	112	112	112
Weight (kg)	231	238	231
Features			
Cargo Bed**	Optional	Optional	Optional
Deck Support Wheels	-	2	2
Hourmeter	Yes	Yes	Yes
Fuel Gauge	-	-	-
Mulch Kit/Plug	-	-	-
Warranty***	3-Year Limited	3-Year Limited	3-Year Limited

* Measured with deflector down.

** 22,7 kg. capacity, do not overload; do not carry passengers. See operator's manual for details.

*** Applies to residential use only. See operator's manual for complete warranty details (www.simplicitymfg.com).

THE POWER TO PERFORM.

COURIER™ SZT250	COURIER™ SZT275	COURIER™ SZT350	ZERO TURN
Briggs & Stratton Professional Series™ 8270 V-Twin OHV 2 Electric, Key Start 11	Briggs & Stratton Professional Series™ 8270 V-Twin OHV 2 Electric, Key Start 11	Briggs & Stratton Professional Series™ 8270 V-Twin OHV 2 Electric, Key Start 11	Power Engine Cylinders Starting Fuel Capacity (litre)
Hydro-Gear® EZT® 0 - 11,0 0 - 4,0	Hydro-Gear® EZT® 0 - 11,0 0 - 4,0	Hydro-Gear® ZT-2800® 0 - 12,0 0 - 4,0	Transmission Brand Speed Fwd. (km/h) Speed Rev. (km/h)
Steel Steel Pivoting 11 x 6 / 20 x 10 0 Premium Mid-Back, Adjustable with Armrests Front and Rear	Steel Steel Pivoting 11 x 6 / 20 x 10 0 Premium Mid-Back, Adjustable with Armrests Front and Rear	Steel Steel Pivoting 11 x 6 / 20 x 10 0 Premium Mid-Back, Adjustable with Armrests Front and Rear	Chassis Frame Front Axle Tyres Front/Rear (inch) Turning Radius (cm) Seat Suspension
48" (122cm) Frame Hung Side Discharge Fabricated Steel Mechanical Electric Centered rear roller Frame Mounted 3 3,8 - 11,0 13 / Manual Standard	48" (122cm) Frame Hung Rear Eject Fabricated Steel Mechanical Electric - Frame Mounted 3 3,8 - 11,0 13 / Manual Standard	52" (132cm) Frame Hung Side Discharge Fabricated Steel Mechanical Electric Centered rear roller Frame Mounted 3 3,8 - 11,0 13 / Manual Standard	Mower Cutting Width Mower Deck Mower Configuration Mower Deck Type Deck / Attachment Lift Blade Engagement Rear Rollers Mower Deck Removal Blades Cutting Height (cm) Cutting Height Positions Washout Port
187 x 148 x 105 112 296	187 x 125 x 105 112 306	187 x 167 x 105 112 329	Dimensions Length x Width* x Height (cm) Wheel Base (cm) Weight (kg)
Included 2 Yes Yes, in tank - 3-Year Limited	Included 2 Yes Yes, in tank Half height mulch baffle included 3-Year Limited	Included 2 Yes Yes, in tank - 3-Year Limited	Features Cargo Bed** Deck Support Wheels Hourmeter Fuel Gauge Mulch Kit/Plug Warranty***

ACCESSORIES

REGENT™ SLT110 – 2691481

DECK 1696767

Description	Part#	Requires	Part#
Mulchkit	1696374YP		
Twin Bag Collector	1695592		
Weight Carrier, Rear	1694922SM	Weight, 33lbs, 15 kg	1691319SM
Weight, 33lbs, 15 kg	1691319SM		
Dozer Blade, 42"	1696092	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Snow Thrower, Single Stage, 42"	1696423	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Tyre Chains, 20" x 8" Tyres	1690163SM		

REGENT™ SLT210SE – 2691683

DECK 1696798

Description	Part#	Requires	Part#
Mulchkit with Eliminator® Blades*	1696910		
Triple Bag Collector	1695776	Turbo Fan	1695642
Turbo Fan	1695642		
Weight Carrier, Rear	1694922SM	Weight, 33lbs, 15 kg	1691319SM
Weight, 33lbs, 15 kg	1691319SM		
Wheel Weights (needs 2)	1690555SM		
Dozer Blade, 42"	1696092	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Snow Thrower, Single Stage, 42"	1696423	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Tyre Chains, 22" x 10" Tyres	1695092SM		
Notched Mulching Blades	1760646YP		

REGENT™ SLT260 – 2691684

DECK 1696947

Description	Part#	Requires	Part#
Mulchkit with Eliminator® Blades*	1696909		
Triple Bag Collector	1696462	Turbo Fan	1696750
Turbo Fan	1696750		
Weight Carrier, Rear	1694922SM	Weight, 33lbs, 15 kg	1691319SM
Weight, 33lbs, 15 kg	1691319SM		
Wheel Weights (needs 2)	1690555SM		
Dozer Blade, 42"	1696092	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Snow Thrower, Single Stage, 42"	1696423	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Tyre Chains, 22" x 10" Tyres	1695092SM		
Notched Mulching Blades	1760647YP		

* Eliminator® is a registered trademark of Fisher Barton.

REGENT™ SLT275 — 2691685**DECK 1697168**

Description	Part#	Requires	Part#
Full-height Mulching Baffle	1696907		
Weight Carrier, Rear	1694922SM	Weight, 33lbs, 15 kg	1691319SM
Weight, 33lbs, 15 kg	1691319SM		
Wheel Weights (needs 2)	1690555SM		
Dozer Blade, 42"	1696092	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Snow Thrower, Single Stage, 42"	1696423	Weight Carrier	1694922SM
		Weights	1691319SM
		Tyre Chains	1695092SM
Tyre Chains, 22" x 10" Tyres	1695092SM		
Notched Mulching Blades	1760647YP		

The SLT275 does not have a collection bag (Rear Eject Deck). Notched mulching blades are included as standard.

BROADMOOR™ SYT410 — 2691689

Description	Part#	Requires	Part#
Mulchkit with Eliminator® Blades*	1696909		
Triple Bag Collector	1696358	Deck Boot Adapter	1696672
Turbo Fan	1696750		
Weight Carrier, Front	1694155SM	Weight, 33lbs, 15 kg	1691319SM
Weight Carrier, Rear	1696323YP	Weight, 33lbs, 15 kg	1691319SM
Wheel Weights, 14 kg (needs 2)	1696352YP		
Dozer Blade, 42"	1695939	Wheel Weights, 14 kg	1696352YP
		Tyre Chains	1695092SM
Tyre Chains, 22" x 10" Tyres	1695092SM		



SLT260

ACCESSORIES

CONQUEST™ SYT510 – 2691690

Description	Part#	Requires	Part#
Mulchkit with Eliminator® Blades*	1696398		
Triple Bag Collector	1696358	Turbo Fan	1696450
		Turbo Hitch Group	1696356
Weight Carrier, Rear	1696323YP	Weight, 33lbs, 15 kg	1691319SM
Weight Carrier, Front	1694155SM	Weight, 33lbs, 15 kg	1691319SM
Wheel Weights (needs 2)	1693160SM		
Dozer Blade, 42"	1695939	Hitch Kit	1694147
		Hitch Sub Frame Kit	1695195
		Wheel Weights	1693160SM
		Tyre Chains	1690095SM
Snow Thrower, Dual Stage, 42"	1695360	Hitch Sub Frame Kit	1695196
		Weight Carrier, Rear	1696323YP
		Weight	depends on size
		Tyre Chains	1690095SM
Tyre Chains, 23" x 10.5" Tyres	1690095SM		

REGENT™ RD SRD210 – 2691686

Description	Part#	Requires	Part#
Rear Deflector Chute	1688033		
Tyre Chains, 22" x 10" Tyres	1695092SM		
Wheel Weights (needs 2)	1696352YP		
Mulch Kit	885644YP		

REGENT™ RD SRD310 – 2691687

Description	Part#	Requires	Part#
Rear Deflector Chute	1688033		
Wheel Weights (needs 2)	1696352YP		
Mulch Kit	885959YP		

REGENT™ RD SRD360 – 2691688

Description	Part#	Requires	Part#
Rear Deflector Chute	1688033		
Tyre Chains, 22" x 9.5" Tyres	1695092SM		
Mulch Kit	885959YP		



* Eliminator® is a registered trademark of Fisher Barton.

COURIER™ SZT105 — 2691691

Description	Part#	Requires	Part#
Mulch Kit	1697102		
Twin Bag Collector	1697100	Deck Boot Adapter	1697101
Cargo Bed	1696711		
Cargo Bed Rhino Grips (pair)	1687855YP		
Cargo Bed Rhino Grips with Ratchet (pair)	1687856YP		
Light Kit	1697104		

COURIER™ SZT110 — 2691692

Description	Part#	Requires	Part#
Mulch Kit	1696374YP		
Cargo Bed	1696711		
Cargo Bed Rhino Grips (pair)	1687855YP		
Cargo Bed Rhino Grips with Ratchet (pair)	1687856YP		
Light Kit	1697104		

COURIER™ SZT150 — 2691693

Description	Part#	Requires	Part#
Mulch Kit with Eliminator® Blades*	1696910		
Twin Bag Collector	1696673	Deck Adaptor Kit	1696671
Cargo Bed	1696711		
Cargo Bed Rhino Grips (pair)	1687855YP		
Cargo Bed Rhino Grips with Ratchet (pair)	1687856YP		
Notched Mulching Blades	1760646YP		
Light Kit	1697104		

COURIER™ SZT250 — 2691694

Description	Part#	Requires	Part#
Mulch Kit with Eliminator® Blades*	1696909		
Twin Bag Collector	1696673	Deck Adaptor Kit	1696672
Cargo Bed Rhino Grips (pair)	1687855YP		
Cargo Bed Rhino Grips with Ratchet (pair)	1687856YP		
Notched Mulching Blades	1760646YP		
Light Kit	1697104		

COURIER™ SZT275 — 2691695


Description	Part#	Requires	Part#
Full-height Mulching Baffle	1696907		
Cargo Bed Rhino Grips (pair)	1687855YP		
Cargo bed Rhino Grips with Ratchet (pair)	1687856YP		
Notched Mulching Blades	1760646YP		
Light Kit	1697104		

The SZT275 does not have a collection bag (Rear Eject Deck). Notched mulching blades are included as standard.

COURIER™ SZT350 — 2691696

Description	Part#	Requires	Part#
Mulch Kit with Eliminator® Blades*	1696908		
Twin Bag Collector	1696673	Turbo Fan	1696768
Cargo Bed Rhino Grips (pair)	1687855YP		
Cargo Bed Rhino Grips with Ratchet (pair)	1687856YP		
Notched Mulching Blades	1760646YP		
Light Kit	1697104		

ACCESSORIES



Not all accessories shown in this catalogue may be available in your country.
Please contact your dealer for further details.



Double bag collector



Triple bag collector



Mulch kit



Single stage snow thrower



Dual stage snow thrower



Wheel weights



Tyre chains



Dozer blade



Rhino Grip Set



Mulch Plug



Weight carriers front / rear



Light Kit


CONQUER
THE CONTOURS
OF YOUR
LAWN.





www.simplicitymfg.com

YOUR SIMPLICITY® DEALER:



BRIGGS & STRATTON NETHERLANDS BV SCHEPERSWEG 4C 6049 CV HERTEN THE NETHERLANDS tel: +31 (0)475 408 383 fax: +31 (0)475 408 384

BRIGGS & STRATTON, LLC. COPYRIGHT © 2021.
 WE RESERVE THE RIGHT TO DISCONTINUE MODELS OR CHANGE SPECIFICATIONS WITHOUT NOTICE. NO LIABILITY CAN BE ACCEPTED FOR PRINTING ERRORS. 01/2021EUEN