Husqvarna

HUSQVARNA 135R

Versatile brushcutter, perfect for homeowners. Easy starting with Smart Start® recoil system and fuel pump. The X-Torq® engine provide raw power and excellent fuel economy. Comes with double harness, easy loading semi automatic trimmer head and grass knife.





Standard double harness Standard harness for lighter brushcutters.



Grass bevel gear Bevel gear designed with high torque and the cutting equipment parallell to the ground for best cutting performance



Adjustable handle bar Adjustable and ergonomically designed handlebar for best comfort.



X-Torq® engine The X-Torq® engine design reduces harmful exhaust emissions by up to 75% and increases fuel efficiency by up to 20%.



Fuel pump designed for easy starting.



Auto return stop switch

When the machine is turned off, the stop button automatically returns to start position for trouble free start.

Additional features

Combi-guard

The cutting attachment combi-guard can be used with either a grass blade or a trimmer head.

Tap 'n Go trimmer head Twin line cutting system with Tap 'n Go for quick line feed. **Comfortable handle** Comfortable handle design.

Technical data

Ligine specification		
Cylinder displacement	34.6 cm ³ / 2.1 cu.inch	
Cylinder bore	38 mm / 1.5 inch	
Cylinder stroke	30.5 mm / 1.2 inch	
Power output	1.4 kW	
Maximum power speed	8400 rpm	

Husqvarna Support Site - HUSQVARNA 135R

UITSIE- HUSQVARNA ISSR
0.6 lit / 20.3 fl oz
435 g/kWh
0.3 mm / 0.01 "
2900 rpm
Champion RCJ6Y
0.5 mm / 0 "
3800 rpm (±120 rpm)
2.9/2.5 m/s ²
98 dB(A)
113 dB(A)
1:1.4
35 °
T35 M12
Multi 300-3
Standard double harness
6.8 kg / 15 lbs
1483 mm / 58.4 inch
28 mm / 1.1 "
1834x324x310x114 mm / 72.2x12.8x12.2x4.5 inch

Standard equipment



537 33 16-01 - Combi guards

For trimmer heads and grass blades.



578 44 64-01 - Trimmer head T35

Exclusively designed by Husqvarna the T35 trimmer head features a semi-automatic cord feed system which we also call Tap'n go. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine. The machine does not need to be turned off or released from the harness while feeding is taking place.



578 44 45-01 - Grass knife 3-tooth

For dense, and heavy grass, but not for woody growth. Perfect to use when clearing undergrowth.



503 89 01-02 - Support cup

Prevents the blade from digging into ground. Two versions. One rotates with the blade and the other runs on bearings for extended life.

13/02/2015



Designed for lighter brush cutters and trimmers. Adjustable, padded shoulder straps. Simple and effective quick release on chest.

Accessories



578 44 76-01 Trimmer head \$35

Trimmer head with manual cord feed. The cord is fed manually by the user when pushing the cord feed button and pulling the cord.



537 21 63-01 - Harness Standard

578 44 66-01 Trimmer head T35X Exclusively designed by Husgvarna the T35X trimmer head features a semi-automatic cord feed system "Tap'n go" and ball bearing resting surface. Features developed for users with high demands on durability and minimized downtime. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine.



578 44 93-01 **Tri-Cut** For coarser grass and terrain

with stones. Highly visible, replaceable plastic flails, safe for use around trees and bushes.



578 44 49-01 Grass knife 3-tooth

For dense, and heavy grass, but not for woody growth. Perfect to use when clearing undergrowth.



578 44 49-01 Grass knife 3-tooth

For dense, and heavy grass, but not for woody growth. Perfect to use when clearing undergrowth.



578 44 47-01 Grass knife 4-tooth

For dense, coarse grass, but not for woody growth.



578 44 68-01 Trimmer head T45X

Exclusively designed by Husqvarna the T45X trimmer head features a semi-automatic cord feed system "Tap'n go" and ball bearing resting surface. Features developed for users with high demands on durability and minimized downtime. The trimmer line is fed automatically when the head is pushed into the ground. This means that the user always controls when the line is fed and the line can be fed while working with the machine.



578 44 78-01 Trimmer head Trimmy SII

Trimmer head with manual cord feed. The cord is fed manually by the user when pushing the cord feed button and pulling the cord.