



HUSQVARNA 536Li XP®

For professionally oriented users who want a lightweight, high performance chainsaw. Perfect for carpenters, contractors, tree care workers and olive farmers. Features excellent ergonomics, high performance and high chainspeed.



Li-ion power

The Li-ion battery provides long lasting power and top class performance.

savE™

Choose savE™ for maximum runtime.



Intuitive key pad

The key pad is very easy to operate.



Efficient brushless motor

Our in-house developed, advanced brushless motor is 25 % more efficient than a standard brush motor. This means that the motor provides a high and consistent torque.



High chain speed

High chain speed for fast, smooth cutting



Petrol performance

The 36V Li-ion battery pack provides an equally high power, reliable operation and long lifetime as petrol-driven machines - without any direct emissions. Also, you get as much done on a single charge, as you would manage on one tank of petrol.

Additional features

Flip-up tank cap

The flip-up tank cap is easy to open.

Retained bar nuts

The retaining function prevents losing the bar nuts.

Low maintenance

No refilling of fuel, less parts to serve and an electronically controlled drive system means less downtime and low operation costs.

Inertia chain brake

Effective inertia-activated chain brake.

One battery fits all

The 36V Li-ion battery pack is designed for demanding, long lasting professional use. It fits all our handheld machines, which allows you to quickly switch the same battery between a trimmer, blower, chainsaw and hedge trimmer and keep working.

Gear up for nonstop operation

Our battery accessories allow you to carry on and get the job done as quickly and efficiently as possible.

Technical data

Battery

Battery type	Li-Ion
Battery voltage	36 V
Cells per battery	20
Battery model name	--
Number of batteries included	--
Battery charger model name	--
Motor type	BLDC (brushless)

Lubricants

Oil tank volume	0.2 lit / 0.42 US pint
Oil pump type	Automatic

Vibration & noise data

Equivalent vibration level (ahv, eq) front / rear handle	2.5/2.8 m/s ²
Sound pressure level at operators ear	93 dB(A)
Sound power level, guaranteed (LWA)	106 dB(A)

Cutting equipment

Chain pitch	3/8", 1/4"
Recommended bar length, min-max	25-35 cm / 10"-14"
Chain speed at max power	20 m/s / 65.62 fts

Overall dimensions

Weight (excl. battery and cutting equipment)	2.6 kg / 5.29 lbs
--	-------------------

Logistical Data

Product size, LxWxH	430x255x230 cm / 169.29x100.39x90.55 inch
Packaging size, LxWxH	480x260x280 mm / 18.9x10.24x11.02 inch

Standard equipment



501 95 95-52 - PIXEL 3/8" MINI Laminated Small bar mount

The gentle curve and small nose radius reduce the risk of kickback and facilitate good cutting control. Bars are epoxy coated to protect against scratches and corrosion.



501 84 23-52 - Saw chain PIXEL H38 3/8" MINI Pitch 1,1 mm

H38 is made for small saws and have chamfer-chisel cutters. It is a low-vibration/low-kickback chain. This chain is ideal for homeowners or consumer but also commercial users such as arborists. Designed for use on electric and on small gasoline-powered saws.


Accessories



966 73 03-01



501 95 95-45



578 10 68-45



501 84 23-45

Battery BLi110

The Li-ion battery provides long lasting power and top class performance.

PIXEL 3/8" MINI Laminated Small bar mount

The gentle curve and small nose radius reduce the risk of kickback and facilitate good cutting control. Bars are epoxy coated to protect against scratches and corrosion. Available in 3/8 inch pitch in lengths 10 inch to 16 inch.

PIXEL 3/8" MINI TechLite Small bar mount

Our new lighter TechLite™ bar with superb rigidity is the first of its kind on the market. Compared to our regular solid bars, the TechLite™ bar is up to 20% lighter and has almost 25% better rigidity. The superior rigidity has been achieved by using bonding materials over the entire surface as supposed to previous techniques. The bar is also less susceptible to bending and returns to its original shape when subjected to high loads. Gives you less strain, increased efficiency and gain a higher productivity without compromising on the quality of the cutting equipment or user safety.

Saw chain PIXEL H38 3/8" MINI Pitch 1,1 mm

H38 is made for small saws and have chamfer-chisel cutters. It is a low-vibration/low-kickback chain. This chain is ideal for homeowners or consumer but also commercial users such as arborists. Designed for use on electric and on small gasoline-powered saws.



501 84 23-45
Saw chain PIXEL
H38 3/8" MINI Pitch
1,1 mm

H38 is made for small saws and have chamfer-chisel cutters. It is a low-vibration/low-kickback chain. This chain is ideal for homeowners or consumer but also commercial users such as arborists. Designed for use on electric and on small gasoline-powered saws.



501 84 23-52
Saw chain PIXEL
H38 3/8" MINI Pitch
1,1 mm

H38 is made for small saws and have chamfer-chisel cutters. It is a low-vibration/low-kickback chain. This chain is ideal for homeowners or consumer but also commercial users such as arborists. Designed for use on electric and on small gasoline-powered saws.