

Material Safety Data Sheet

Infosafe No™ YSY3B Issue Date : January 2015 ISSUED by PLESSJAL

Product Name : **EASIPOL**

Classified as hazardous

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name EASIPOL
Product Code LP06
Company Name Peerless Jal Pty Ltd (ABN 53 006 489 345)
Address 10-12 Raglan Street Preston
Victoria 3072 Australia
Telephone/Fax Number Tel: (03) 9416 6700
Fax: (03) 9416 8516
Email sales@peerlessjal.com
Recommended Use For use on linoleum, sealed wood floors and furniture.
Other Information The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising from or in any way connected with the handling, storage, use or disposal of the material.

2. HAZARDS IDENTIFICATION

Hazard Classification Classified as hazardous
HAZARDOUS SUBSTANCE.
DANGEROUS GOODS.

Classified as Hazardous according to criteria of National Occupational Health & Safety Commission, Australia (NOHSC).
Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Risk Phrase(s) Classified as hazardous
R10 Flammable.
R22 Harmful if swallowed.
R36 Irritating to eyes.
R38 Irritating to skin.

Safety Phrase(s) S2 Keep out of reach of children.
S24 Avoid contact with skin.
S25 Avoid contact with eyes.
S37 Wear suitable gloves.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Characterization Liquid

Ingredients	Name	CAS	Proportion	Hazard Symbol	Risk Phrase
	Micro, macro and polyethylene waxes	N/A	10-60 %		
	Dyes and thickeners	N/A	0-10 %		
	Anti slip agents	N/A	0-10 %		
	Mineral spirits	8042-75-5	82%		

4. FIRST AID MEASURES

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration and call a doctor.
Ingestion If swallowed, do NOT induce vomiting. Give a glass of water. If poisoning occurs, contact a doctor or the Poisons Information Centre, Phone 13 11 26.
Skin Remove contaminated clothing and wash affected area with soap and water.
Eye Hold eyelids open and flood with water for at least 15 minutes and see a doctor.

5. FIRE FIGHTING MEASURES

Specific Hazards Extinguish small fires with Foam, Dry Chemicals or CO2.

Material Safety Data Sheet

infosafe
CS: 1.9.606

Page: 2 of 3

Infosafe No™ YSY3B Issue Date : January 2015 ISSUED by PLESSJAL

Product Name : **EASIPOL**

Classified as hazardous

Hazchem Code

Can readily form flammable mixtures at or above Flashpoint (30°C).
Firefighters must use self-contained breathing apparatus in confined or poorly ventilated spaces. Cool intact storage drums with water spray.
3[Y]E

6. ACCIDENTAL RELEASE MEASURES

Spills & Disposal Eliminated all ignition sources. Remove leaking containers to detached area. Cover with absorbent material and dispose to an approved Hazardous waste facility.

7. HANDLING AND STORAGE

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards TLV 100ppm max recommended (White Spirits).
Engineering Controls Ventilation: Air circulation from open doors or windows is adequate, especially in high ceiling buildings such as gymnasiums and stadiums. In small poorly ventilated or enclosed areas, mechanical extraction ventilation or an approved organic vapour respirator is recommended.
Personal Protective Equipment Avoid contact with skin and eyes. Splash proof goggles, coveralls, and viton gloves are recommended when handling. In confined poorly ventilated area an approved organic respirator is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Liquid
Appearance Yellow/Orange thixotropic dispersion with solvent odour.
Boiling Point 147 - 199°C (@ 760mm Hg)
Solubility in Water Insoluble
Specific Gravity 0.810 ± 0.005
Vapour Pressure Not determined
Viscosity Semi paste
Volatile Component 10.0 - 11.0%
Flash Point 30°C (closed cup)
Flammability Flammable liquid.
Keep away from heat, sparks or naked flames.
Flammable Limits - Lower 0.9% (for white spirits)
Flammable Limits - Upper 7.0% (for white spirits)

10. STABILITY AND REACTIVITY

11. TOXICOLOGICAL INFORMATION

Inhalation Concentrated vapour of solvent may cause headaches and dizziness and in severe cases uncoordination.
Ingestion Harmful, may cause lung damage. Ingestion can result in vomiting and depression.
Skin Slightly irritating due to defatting nature. Prolonged or repeated exposure may lead to dermatitis.
Eye A severe eye irritant.

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

14. TRANSPORT INFORMATION

Material Safety Data Sheet

infosafe
CS: 1.9.606

Page: 3 of 3

Infosafe No™ YSY3B Issue Date : January 2015 ISSUED by PLESSJAL

Product Name : **EASIPOL**

Classified as hazardous

Transport Information	Classified as dangerous goods according to the Transport of Dangerous Goods (ADG) Code.
U.N. Number	1993
Proper Shipping Name	FLAMMABLE LIQUID, N.O.S.
DG Class	3
Hazchem Code	3[Y]E
Special Precautions for User	Correct Shipping Name: Flammable Liquid, N.O.S. (Contains: White Spirits)
Packaging Method	3.8.3RT1
Packing Group	III
Storage and Transport	Store in well-ventilated areas. Store away from heat, ignition sources and strong oxidizing agents. Transport in accordance with 'The Australian Code for the Transport of Dangerous Goods by Rail or Road', for class 3 chemicals.
EPG Number	3A1
IERG Number	14
UN Number (Road Transport)	1993

15. REGULATORY INFORMATION

Regulatory Information	Classified as hazardous HAZARDOUS SUBSTANCE. SCHEDULED POISON.
Poisons Schedule	Classified as Hazardous according to criteria of National Occupational Health & Safety Commission, Australia (NOHSC). Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). S5
Hazard Category	Harmful, Irritant

16. OTHER INFORMATION

Technical Contact Point	Technical Department 10-12 raglan Street Preston VIC 3072 Tel: (03)9416 6700 Fax: (03)9416 8516
Other Information	ID No.: LP06-06 ...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.