

Material Safety Data Sheet

Infosafe No™ YSY50 Issue Date : January 2015 ISSUED by PLESSJAL

Product Name : **SAFESEAL STRIPPER**

Classified as hazardous

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Chemical Product and Company Identification Tel: (03)9416 6700 (BH)
Fax: (03)9416 8516
Web: www.peerlessjal.com.au
email: sales@peerlessjal.com.au

Product Name SAFESEAL STRIPPER

Product Code ST22

Company Name Peerless Jal Pty Ltd (ABN 53 006 489 345)

Address 10-12 Raglan Street Preston
Victoria 3072 Australia

Telephone/Fax Number Tel: (03) 9416 6700
Fax: (03) 9416 8516

Email sales@peerlessjal.com

Recommended Use To remove aged or dirty SAFESEAL from unglazed terracotta, terrazzo, concrete, brick and slate flooring.

Other Information The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising from or in any way connected with the handling, storage, use or disposal of the material.

2. HAZARDS IDENTIFICATION

Hazard Classification Classified as hazardous
HAZARDOUS SUBSTANCE.
NON-DANGEROUS GOODS.

Classified as Hazardous according to criteria of National Occupational Health & Safety Commission, Australia (NOHSC).
Not Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Characterization Liquid

Ingredients	Name	CAS	Proportion	Hazard Symbol	Risk Phrase
	Aromatic Petroleum Solvents	N/A	10-60 %		
	TOLUENE	108-88-3	10-60 %		
	Non-ionic Surfactant.	N/A	0-10 %		

4. FIRST AID MEASURES

Inhalation Remove to fresh air and seek medical advice. If not breathing give artificial respiration and seek urgent medical advice.

Ingestion If swallowed, do NOT induce vomiting. Give a glass of water and immediately contact a Doctor or the Poisons Information Centre. Phone 13 1126.

Skin Remove contaminated clothing, (launder before re-use) and wash affected area with soap & water.

Eye Hold eyelids open and flood with water for at least 15 minutes & see a Doctor.

Advice to Doctor Treat symptomatically for toluene poisoning.
Consult Poisons Information Centre.

5. FIRE FIGHTING MEASURES

Specific Hazards Extinguish small fires with Foam, Dry Chemical or CO2.
Can readily form flammable mixtures at or above Flash Point (4°C).
Fire fighters must use self-contained breathing apparatus in confined or poorly ventilated spaces. Cool intact storage drums with water spray.

Material Safety Data Sheet

Infosafe No™ YSY50 Issue Date : January 2015 ISSUED by PLESSJAL

Product Name : **SAFESEAL STRIPPER**

Classified as hazardous

Hazchem Code 3[Y]E

6. ACCIDENTAL RELEASE MEASURES

Spills & Disposal Do not empty into drains.
Spills- Eliminate all ignition sources. Remove leaking containers to detached area. Cover spill with absorbent material and pick up to sealable container for disposal to an approved hazardous waste facility.

7. HANDLING AND STORAGE

Conditions for Safe Storage Store in well-ventilated area. Store away from heat or ignition sources strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards TLV 100ppm for toluene.
LD50 (Human) 50mg / Kg for toluene.

Engineering Controls Ventilation: If ventilation is not sufficient to maintain airborne vapours below the exposure limit, mechanical explosion proof extraction ventilation, or an approved organic vapour respirator is required.

Personal Protective Equipment Avoid contact with skin and eyes. Do not breath vapour. Splash proof goggles, coveralls, viton gloves are recommended when handling. In confined poorly ventilated areas an approved organic vapour respirator must be worn.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Liquid

Appearance Water white liquid with aromatic solvent odour.

Boiling Point 110 - 115°C (@ 760mm Hg)

Solubility in Water Insoluble

Specific Gravity 0.895 ± 0.005

Vapour Pressure Not applicable.

Volatile Component Approx. 94 - 95%

Flash Point 4°C

Flammability Highly flammable.
Keep away from heat, sparks or naked flames and other sources of ignition. No smoking.
Take precautionary measures against static discharges.

Flammable Limits - Lower 1.2% (for toluene)

Flammable Limits - Upper 7.1% (for toluene)

10. STABILITY AND REACTIVITY

11. TOXICOLOGICAL INFORMATION

Inhalation Harmful by inhalation. Prolonged exposure to vapours may cause somnolence and narcosis.

Ingestion Harmful if swallowed. Tends to break into foam if patient vomits. Aspiration into lungs may lead to chemical pneumonitis.

Skin Mildly irritating due to defatting natures. Prolonged and repeated contact may lead to dermatitis.

Eye Mildly irritating to the eyes.

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

14. TRANSPORT INFORMATION

Material Safety Data Sheet

infosafe
CS: 1.9.606

Page: 3 of 3

Infosafe No™ YSY50 Issue Date : January 2015 ISSUED by PLESSJAL

Product Name : **SAFESEAL STRIPPER**

Classified as hazardous

Transport Information	Classified according to the Transport of Dangerous Goods (ADG) Code and the Standards for the Uniform Scheduling of Drugs and Poisons.
U.N. Number	1993
DG Class	3
Hazchem Code	3[Y]E
Special Precautions for User	Correct Shipping Name: FLAMMABLE LIQUID N.O.S. (Contains: Toluene and Petroleum Distillates)
Packing Group	II
UN Number (Road Transport)	1993
Other Information	This MSDS summarises our best knowledge of health and safety hazard information of the product and how to safely handle and use the product.

15. REGULATORY INFORMATION

Regulatory Information	Classified as hazardous HAZARDOUS SUBSTANCE. SCHEDULED POISON.
Poisons Schedule	Classified as Hazardous according to criteria of National Occupational Health & Safety Commission, Australia (NOHSC). Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). S5

16. OTHER INFORMATION

Technical Contact Point	TECHNICAL DEPARTMENT 10-12 RAGLAN STREET, PRESTON, VIC, 3072. Tel: (03)9416 6700 (BH) Fax: (03)9416 8516
Other Information	ID No.: ST22 ...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.