| British name | status | No. Times recorded | comments |
|----------------------|--------|--------------------|---|
| Alpine Swift | rare | 1 | 2003: 1st record |
| American Robin | rare | 1 | 2007: 1st record |
| Arctic Redpoll | rare | 1 | 1996: 1st record |
| Arctic Skua | rare | 9 | records: 1991, 1994 (2), 2004, 2006, 2012, 2013 (2), 2015. |
| Arctic Tern | UC | >60 | recorded in nearly every year 1988 - 2017. |
| Avocet | rare | 1 | 1995: 1st record |
| Bar-tailed Godwit | UC | >35 | recorded in most years 1987 - 2015. |
| Barn Owl | UC | >300 | recorded in most years 1987 - 2017. Increasing. |
| Barnacle Goose | UC | >60 | records: most years 1987 - 2017. |
| Bewick's Swan | UC | >12 | records: 1987-2011 (12 years), then 2016. |
| Bittern | UC | 10 | records: 1987, 1991, 1992, 1998, 2002, 2010-2013, 2015 |
| Black Grouse | rare | 2 | records: 2016 (1st), 2017 (2nd) |
| Black Kite | rare | 1 | record: 2005 (1st) |
| Black Redstart | UC | >150 | recorded in most years 1987 - 2017. |
| Black Stork | rare | 1 | 1995: 1st record |
| Black Tern | UC | >10 | recorded most years 1987 - 2004, 2008, 2009 (2), 2010. |
| Black-headed Gull | common | >10000 | very common resident - under-recorded |
| Black-necked Grebe | UC | 9 | records: 1988, 1990, 1995, 1997, 1999, 2000, 2009, 2013, 2016 |
| Black-tailed Godwit | UC | >40 | recorded in all but four years 1987 - 2017. |
| Black-throated Diver | UC | 2 | records: 1997 & 2001. |
| Blackbird | common | >10000 | very common resident - under-recorded |
| Blackcap | common | >6000 | common migrant breeder |
| Blue Tit | common | >10000 | very common resident - under-recorded |
| Bluethroat | rare | 2 | records: 1996 (1st), 2008 (2nd) |
| Brambling | UC | >250 | winter visitor. |
| Brent Goose | UC | 9 | records: 1989, 1991, 1995, 1997-2000, 2009, 2016. |
| Bullfinch | common | >5000 | common |
| Canada Goose | common | >10000 | very common resident - under-recorded |
| Carrion Crow | common | >10000 | very common resident - under-recorded |
| Caspian Gull | UC | 12 | records: 2015 (3), 2016 (3), 2017 (6). |
| Cetti's Warbler | rare | 1 | record: 2016 (1st). |
| Chaffinch | common | >7500 | common resident |
| Chiffchaff | common | >7500 | common migrant breeder |
| Coal Tit | common | >3000 | common resident |
| Collared Dove | common | >3000 | common |
| Common Buzzard | common | >1000 | now common - increasing |
| Common Crane | UC | 10 | records: 2010 (7th/8th), 2011 (9th), 2017 (10th) |
| Common Gull | common | >10000 | common |
| Common Redpoll | UC | >35 | records: 1985, 2000-2003, 2005, 2007-2008, 2011, 2013, 2016. |
| Common Sandpiper | UC | >750 | migrant breeder |
| Common Scoter | UC | >175 | records: seen almost every year 1987 - 2016. |
| Common Tern | UC | >300 | records: seen almost every year 1987 - 2017 |
| Coot | common | >7500 | common resident |
| Cormorant | common | >2000 | common resident |
| Corn Bunting | UC | 3 | records: 1987, 1988, 1996. |
| Corncrake | rare | 2 | records: 1987, 1992. |
| Crossbill | UC | >100 | common |
| Cuckoo | common | >1500 | migrant breeder |
| Curlew | common | >7500 | common records: 1990 (2), 1991, 1992, 1996, 1999 (2), 2005, |
| Curlew Sandpiper | UC | 9 | 2013. |
| Dartford Warbler | rare | 2 | records: 1989 (1st), 2005 |

| Dipper | common | >3000 | common resident |
|--------------------------|--------|--------|--|
| Dotterel | UC | >20 | records: seen in 13 years 1992 - 2016. |
| Dunlin | UC | >250 | moorland breeder, seen each year. |
| Dunnock | common | >10000 | very common resident - under-recorded |
| Egyptian Goose | UC | >25 | records: seen in 14 years 1987 - 2017. |
| Eider | UC | 10 | records: 1990, 1992, 1993, 1995-1997, 1999-2001, 2008. |
| Feral Pigeon | common | >10000 | very common - under-recorded |
| Fieldfare | common | >5000 | common winter visitor |
| Firecrest | UC | >15 | recorded in 11 years 1988 - 2010, 2013, 2014. |
| Fulmar | rare | 2 | records: 1990, 1993. |
| Gadwall | common | >1000 | common in small numbers |
| Gannet | UC | 11 | records:seen in eight years 1991 - 2017. |
| Garden Warbler | common | >1000 | migrant breeder |
| Garganey | UC | >12 | records: seen in 12 years 1987 - 2016. |
| Glaucous Gull | UC | >10 | recorded in 12 years, 1988 - 2008. |
| Glossy Ibis | rare | 1 | 1997: 1st record |
| Goldcrest | UC | >750 | records: seen each year in small numbers |
| Golden Eagle | rare | 4 | records: 1991-1993, 1997. |
| Golden Oriole | rare | 3 | records: 1992 (1st), 2002, 2009 (plus an escapee). |
| Golden Pheasant | rare | 7 | records: 1993-1999 presumed escapees. |
| Golden Plover | common | >2000 | moorland breeder, seen in large flocks |
| Goldeneye | common | >1000 | now less common |
| Goldfinch | common | >10000 | very common resident - under-recorded |
| Goosander | common | >5000 | common breeder on rivers and lakes. |
| Goshawk | UC | >120 | records: 1987 - 2016 (seen most years). |
| Grasshopper Warbler | UC | >350 | records: seen almost every year 1987 - 2017 |
| Great Black-backed Gull | UC | >500 | records: seen each year 1987 - 2017. |
| Great Crested Grebe | common | >1000 | breeds on lakes and reservoirs. |
| Great Grey Shrike | UC | 11 | records: 2010 (7th/8th), 2011 (9th), 2015 (10th), 2017 (11th) |
| Great Northern Diver | rare | 4 | records: 1991, 1999, 2002, 2014. |
| Great Skua | rare | 1 | 1992: 1st record |
| Great Spotted Woodpecker | common | >4000 | common |
| Great Tit | common | >10000 | very common - under-recorded |
| Great White Egret | UC | 3 | records: 2008 (1st) 2017 (2nd/3rd). |
| Green Sandpiper | UC | >250 | recorded each year 1987 - 2017. Declining. |
| Green Woodpecker | common | >1500 | breeds in woods and copses. |
| Green-winged Teal | rare | 1 | 1996: 1st record |
| Greenfinch | common | >5000 | common |
| Greenshank | UC | >400 | recorded each year 1987 - 2017 (except 2013). resident breeder |
| Grey Heron | common | >5000 | breeds on moorland fringes and farmland - declining. |
| Grey Partridge | common | >1000 | |
| Grey Phalarope | rare | 2 | 2002: 1st record, 2010: 2nd record |
| Grey Plover | UC | >75 | recorded in each year except 1991 and 2004. |
| Grey Wagtail | common | >4000 | common |
| Greylag Goose | common | >10000 | very common - under-recorded |
| Hawfinch | UC | >25 | recorded in 11 years 1987-2017. Influx 2017 |
| Hen Harrier | UC | >250 | records: seen each year in small numbers. |
| Herring Gull | common | >1000 | common |
| Hobby | UC | >350 | records: seen almost every year 1987 - 2017 |
| Honey-buzzard | UC | >10 | records: 1991, 1993 (2), 1996, 1999, 2000 (influx), 2008-2010. |
| Hooded Crow | rare | 1 | records: 1995 (1st) |
| Hoopoe | rare | 4 | records: 1988, 1991, 1995, 2016 |
| House Martin | common | >5000 | migrant breeder |
| House Sparrow | common | >10000 | common in urban areas. |

| Iceland Gull Jack Snipe | rare UC | >20 >200 | recorded in 14 years 1987 - 2001, then 2011, 2017. recorded each year 1987 - 2016. |
|----------------------------|--------------|---------------|--|
| Jackdaw | common | >10000 | resident breeder |
| Jay | common | >5000 | common in woodland in small numbers. |
| Kestrel | common | >5000 | common raptor |
| Kingfisher | common | >3000 | common |
| Kittiwake | UC | >25 | recorded most years 1987 - 2017. |
| Knot | UC | >25 | recorded most years 1989 - 2012, 2014 |
| Lapland Bunting | UC | >30 | recorded in 11 years 1989 - 2016. |
| Lapwing | common | >5000 | common on moorland fringes and farmland. Endangered. |
| Lesser Black-backed Gull | common | >10000 | common |
| Lesser Redpoll | common | >500 | common in gardens adjacent to mooland fringes. |
| Lesser Spotted Woodpecker | UC | >500 | recorded in each year but numbers have crashed. |
| Lesser Whitethroat | UC | >150 | recorded each year, but small numbers |
| Linnet | common | >1000 | common on moorland fringes, farmland. |
| Little Auk | rare | 2 | records: 1989 (1st) and 1995. |
| Little Egret | UC | >80 | 1997: 1st record, then most years since. |
| Little Grebe | common | >1000 | common breeder on rivers, lakes |
| Little Gull | UC | >40 | recorded in 18 years, 1987 - 2014. |
| Little Owl | common | >1000 | common breeder on moorland fringes. |
| Little Ringed Plover | UC | >250 | recorded each year, migrant breeder |
| Little Stint | UC | >10 | recorded in 11 years 1987 - 2004, but not since. |
| Little Tern | UC | 7 | 2008: 7th record |
| Long-eared Owl | UC | >250 | recorded in most years 1987 - 2017. |
| Long-tailed Duck | rare | 3 | records: 1988, 1989, 2003. |
| Long-tailed Tit | common | >6000 | resident common breeder. |
| Magpie | common | >10000 | resident common breeder. |
| Mallard | common | >10000 | resident common breeder. |
| Mandarin Duck | common | >500 | common on rivers and lakes |
| Marsh Harrier | UC | >200 | records: 1987 - 2016 (every year but two) |
| Marsh Tit Meadow Pipit | UC common | >40 >10000 | records: each year 1987-2017 (except 2004). In decline. resident common breeder. |
| · | UC | >200 | recorded in each year 1987 - 2017. |
| Mediterranean Gull Merlin | UC | >200 >750 | moorland breeder, seen each year. |
| Mistle Thrush | common | >1000 | common woodland breeder. |
| Montagu's Harrier | rare | 4 | records: 1996, 2001, 2005, 2013. |
| Moorhen | common | >5000 | common breeder on lakes and rivers |
| Mute Swan | common | >5000 | common breeder on lakes and rivers |
| Night-heron | rare | 4 | records: 1990, 1995, 1998, 2004. |
| Nightingale | rare | 1 | 1991: 1st record |
| Nightjar | UC | >80 | recorded in 16 years 1987 - 2017. |
| Nuthatch | common | >3000 | common in deciduous woodland. |
| Osprey | UC | >300 | recorded each year on migration. Up to 20 annual records |
| Oystercatcher | common | >2000 | common breeder on moorland fringes near lakes. |
| Pectoral Sandpiper | rare | 2 | records: 1987 (1st), 2006 (2nd). |
| Peregrine | UC | >750 | records: seen almost every year 1987 - 2017 |
| Pheasant | common | >10000 | very common - under-recorded |
| Pied Flycatcher | UC | >400 | migrant breeder. |
| Pied Wagtail | common | >4000 | common around farms and at sewage works in winter. |
| Pink-footed Goose | common | >6000 | common skeins overhead number more than 300. |
| Pintail | UC | >150 | records: seen almost every year 1987 - 2017. declining. |
| Pochard | common | >800 | Now a declining species. Winter visitor. |
| Puffin | rare | 2 | records: 1998 (1st) and 2002. |
| Purple Heron | rare | 2 | recorded: 1999 (1st), 2013 (2nd) |

| Purple Sandpiper | rare | 2 | records: 2002 (1st), 2006 (2nd). |
|---|------------|--------|---|
| Quail | UC | >20 | records: 1989, 1992, 1996, 1998 (6), 1999 (2), 2010- |
| | | | 2011, 2013. |
| Raven | UC | >200 | recorded each year. Now increasing in frequency. |
| Red Grouse | common | >10000 | resident on moorland. |
| Red Kite | common | >1000 | Now a common species. |
| Red-backed Shrike | UC | 3 | records: 2001 (1st), 2003, 2004. |
| Red-breasted Merganser | UC | >30 | records: 1987-2007 (except 1994), 2010, 2011, 2014- 2015. |
| Red-crested Pochard | UC | 10 | records: 1992 to 2013 probable escapees. |
| Red-footed Falcon | rare | 2 | 1992: 1st record, 2010: 2nd record. |
| Red-legged Partridge | common | >1000 | common where farmed for sport. |
| Red-necked Grebe | UC | 9 | records: 1988, 1996, 1997-2000, 2008, 2009, 2016. 1999: 1st record |
| Red-necked Phalarope Red-throated Diver | rare UC | 1 9 | records: 1992, 1996, 2004, 2005, 2008-2012, 2015. |
| Redshank | UC | >400 | records: seen almost every year 1987 - 2017. |
| Redstart | common | >750 | breeder. migrant breeder, common in Washburn and Strid |
| Podwing | common | >5000 | Woods. common winter visitor |
| Redwing Reed Bunting | common | >6000 | common moorland breeder. |
| Reed Warbler | UC | | records: seen almost every year 1987 - 2017 |
| | | >175 | records: 2001 (1st), 2013 (2nd) |
| Richard's Pipit | rare | 1 | , , , , , , |
| Ring Ouzel | UC | >200 | recorded every year 1987-2017, mainly on passage. |
| Ring-billed Gull | rare | 4 | records: 1995 (2), 2001 (2). |
| Ringed Plover | UC | >450 | recorded each year but dependent on conditions. |
| Robin | common | >10000 | common |
| Rock Bunting | rare | 1 | records: 2011 (1st). |
| Rock Pipit | UC | >20 | recorded in 13 years 1988 - 2011 |
| Rook | common | >10000 | very common - under-recorded |
| Rose-necked Parakeet | UC | >70 | recorded in 1990 and most years from 1995 - 2017. Increasing. |
| Roseate Tern | rare | 1 | record 2014 (1st) |
| Rough-legged Buzzard | UC | >15 | recorded in 11 years 1987 to 2012. 1994 influx three birds. |
| Ruddy Duck | UC | >10 | records: most years 1987 - 2010. Now rare. |
| Ruddy Shelduck | UC | 3 | records: 2009, 2012, 2016 (probable escapees). |
| Ruff | UC | >300 | recorded in most years 1987 - 2017. |
| Sabine's Gull | rare | 1 | 1987: 1st record |
| Sand Martin | common | >3000 | migrant breeder in sand banks along rivers and in quarries. |
| Sanderling | UC | >90 | recorded in 21 years from 1987 - 2017. |
| Sandwich Tern | UC | 13 | 2008: 10th record, 2009: 11th record, 2011: 12th/13th. |
| Scaup | UC | >30 | records: most years 1987 - 2015 |
| Sedge Warbler | UC | >100 | records: seen almost every year 1987 - 2017 |
| Shag | UC | >20 | recorded: 1988-2001, then 2011-2013. |
| Shelduck | common | >500 | seen each year when meadows are flooded. |
| Shore Lark | rare | 3 | records: 1997, 2002, 2003. |
| Short-eared Owl | UC | >750 | Seen each year, but totals vary. |
| Shoveler | UC | >100 | seen each year, but in small numbers. |
| Siskin | common | >3000 | common in winter and spring. |
| Sky Lark | common | >3000 | moorland breeder. |
| Slavonian Grebe | UC | 10 | records: 1987-1989, 1992, 1994, 1996, 1997, 2004, 2013, 2016. |
| Smew | UC | >15 | records: 1987-1991, 1995-1998, 2002-2003, 2010- 2013. |
| Snipe | common | >3000 | moorland breeder. |
| Snow Bunting | UC | >30 | records: seen in 22 years 1987-2008, 2014, 2016/17. |
| Snow Goose | rare | 4 | records: 1999 all sightings. |
| | | | |

| Song Thrush | common | >5000 | seen in urban areas in small numbers. |
|---------------------------------|----------------|--------|--|
| Sparrowhawk | common | >1000 | common raptor. |
| Spoonbill | rare | 4 | records: 1991, 2007, 2012, 2016. |
| Spotted Crake | rare | 1 | 2009: 1st record |
| Spotted Flycatcher | UC | >300 | migrant breeder |
| Spotted Redshank | UC | 4 | records: 1988, 1990, 2009, 2011. |
| Spotted Sandpiper | rare | 1 | 1990: 1st record |
| Starling | common | >10000 | very common, but declining. |
| Stock Dove | common | >1000 | small numbers on moorland fringes, farms etc. |
| Stonechat | common | >750 | common breeder, but seen in small numbers |
| Storm Petrel | rare | 1 | 2006: 1st record |
| Swallow | common | >7500 | migrant breeder |
| Swift | common | >2000 | migrant breeder, declining. |
| Taiga Bean Goose | UC | 6 | records: 2011 (4th), 2017 (5th/6th). |
| Tawny Owl | common | >750 | common in woodland and urban fringes. |
| Teal | common | >3000 | common |
| Temminck's Stint | rare | 1 | 1993: 1st record |
| Tree Pipit | UC | >200 | records: seen almost every year 1987 - 2017 |
| Tree Sparrow | common | >500 | Increasing number of records. |
| Treecreeper | common | >2000 | common in woodland, but in small numbers. |
| Tufted Duck | common | >5000 | second most common duck on lakes, rivers etc. |
| Turnstone | UC | >250 | recorded in most years 1987 - 2016. |
| Turtle Dove | UC | >15 | recorded in 12 years 1987 - 2016. |
| Twite | UC | >300 | seen each year but numbers have crashed. |
| Two-barred Crossbill | rare | 1 | record: 2008 (1st) |
| Water Pipit | UC | >10 | recorded in 16 years 1990 - 2009. |
| Water Rail | UC | >350 | seen each year, mainly just singles. |
| Waxwing | UC | >550 | major influxes: 2010-2013, then 2016/17. |
| Wheatear | common | >4000 | common on migration. |
| Whimbrel | UC | >150 | recorded each year 1987 - 2016 (except 2013). |
| Whinchat | UC | >200 | seen on migration. |
| White Stork | UC | >15 | records: sightings associated with Harewood House. |
| White-fronted Goose | UC | >12 | records: 1989 - 2008 (11 years), 2013, 2016. |
| White-tailed Eagle | rare | 1 | 2010: 1st record. |
| Whitethroat | common | >2000 | migrant breeder |
| Whooper Swan | UC | >200 | seen on passage. |
| Wigeon | common | >2000 | common winter visitor. |
| Willow Tit | UC | >100 | records: massive decline since 2003. Last records 2014 & 2016. |
| Willow Warbler | common | >10000 | migrant breeder - under recorded |
| Wilson's Phalarope | rare | 1 | record: 1997 (1st). |
| Wood Sandpiper | rare | 4 | records: ?, 1994, 1996, 2011. |
| Wood Warbler | UC | >300 | seen each year but numbers have crashed. |
| Woodcock | common | >500 | woodland bird, mostly seen when displaying at dusk. |
| Woodlark | rare | 2 | 2010: two records (1st/2nd). |
| Woodpigeon | common | >10000 | very common - under-recorded |
| Wren | common | >7500 | very common resident breeder. |
| Wryneck | UC | 7 | records: 1992, 1996, 2002, 2005, 2006, 2010, 2016. |
| Yellow Wagtail | UC | >200 | recorded each year 1987 - 2017. In decline. |
| Yellow-browed Warbler | rare | 5 | records: 1997 (1st), 2012, 2013, 2015 (2). |
| Yellow-legged Gull | UC | >175 | recorded each year 1992 - 2017 |
| Yellowhammer | UC | >500 | once common, now rare. |
| Total species rec | orded 1987-20° | 17 | 260 |
| 10th 0p00100 10001404 1001-2011 | | | |