

Case Hardened Bushes - Precision Ground

Bushes to Suit 4 1/2" Ø & 115 Ø Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B133G114G130	\$130	5.255"	4.513"	5.12"		1V8240	CAT980C,F,G-Bush-A
B133G114G150	\$136	5.258"	4.515"	5.91"	4.3kg	5V1386	CAT950B,E,F-Bush-F
B133G114G184	\$164	5.255"	4.516"	7.22"		1V7001R2900 B,C	CAT983,988B-Bush-K
B140-114-35	\$60	5.506"	4.519"	1.38"		Plain Bush	Ripper
B140-114-67	\$98	5.504"	4.518"	2.63"		9J1914	D11 Ripper
B140-114-70	\$120	5.506"	4.519"	2.75"		3T8458	D11 Ripper
B140-114-112	\$220	5.506"	4.519"	4.41"		D11 Multi Ripper	For 128-6121
B140-114-117	\$240	5.506"	4.519"	4.62"		4T3845	Cat D11N Arm
B135G115X132	\$320	135.23mm	115.39mm	131.8	3.9kg	209-72-53170	17wide groove PC600,800-Bush-I,K
B135F115X150	\$360	135.22mm	115.49mm	149.7	5.74kg	Flange 189.7x8	PC650-6-Bush-J OF8x2

Bushes to Suit 120mm Diameter Shaft

B130F120-45	\$280	130.04mm	120.10mm	45.2mm	kg	Flange 136 x 4	516387 1 Req
B130-120G145	\$320	130.14mm	120.19mm	145.0mm	2.20kg	Volvo	L180 2 Req
B135G120G95	\$215	135.10mm	120.20mm	94.5mm	2.30kg	707-76-12030	WA450,470-Bush-E
B135-120X100	\$230	135.11mm	120.32mm	99.8mm	2.35kg	707-76-12041	425-70-11871 WA500-Bush-BC
B135G120G105	\$220	135.10mm	120.18mm	104.5mm	2.40kg	707-76-12130	WA450,470-Bush-D
B135-120X112	\$220	135.17mm	120.38mm	112.0mm	2.60kg	208-70-61521	PC400-Bush-F Of8
B135G120X112	\$220	135.17mm	120.38mm	112.0mm	2.60kg	Task 2006	Greasable Bush Bf8
B135G120X120	\$310	135.15mm	120.24mm	120.0mm	2.80kg	707-76-12140	WA480,500-Bush-D,E
B135-120X130	\$388	135.15mm	120.36mm	129.7mm	2.98kg	EC700Bush-J Of8	WA500-6-ABC Bf8
B135G120X130	\$390	135.15mm	120.35mm	129.7mm	2.98kg	Volvo	EC700-Bush-K
B135G120X155	\$398	135.15mm	120.36mm	154.8mm	3.65kg	425-70-31830	WA500-6-Bush-J
B135G120X160	\$310	135.20mm	120.37mm	159.8mm	3.77kg	208-70-51410, 31220	PC400-Bush-A
B135G120G175	\$330	135.15mm	120.24mm	175.0mm	4.20kg	424-70-11860	WA380,420-Bush-F
B140-120-72	\$184	140.26mm	120.36mm	71.8mm	2.32kg	4439033	ZX450-Boom / Arm Pin-F
B140-120-90	\$192	140.28mm	120.34mm	89.8mm	2.88kg	4216361	ZX450-Boom Base-F
B140G120X110	\$262	140.25mm	120.35mm	109.8mm	3.50kg	3055205	16wExtGroove ZX450-Bush-A,F
B140G120G120	\$276	140.22mm	120.20mm	120.0mm		236-8561	Cat330DL-Bush-A,F
B140G120X120	\$288	140.25mm	120.24mm	119.9mm		2285621	12wExtGroove Bf8 Cat345B-Bush-F
B140G120X125	\$348	140.22mm	120.34mm	124.8mm		Doosan	16wExtGroove Greasable Bush
B150-120X85	\$388	150.15mm	120.25mm	85.0mm		Type X	Bush
B150-120X205	\$898	150.15mm	120.25mm	205.0mm		Type X	Bush

Suit 4 3/4" Diameter Shaft

B133-121H57	\$120	5.255"	4.750"	2.23"		A2U913-194034	Unhardened Step133.3x4
B133-121-64	\$140	5.255"	4.749"	2.50"		935-2939313	Eimco Step 133.3 x 3

Bushes to Suit 125mm Diameter Shaft

B140-125-90	\$197	140.17mm	125.32mm	89.6mm	2.17kg	421-70-11272, 11872	WA470-Bush-Fx2
B140-125X95	\$230	140.13mm	125.38mm	94.8mm	2.25kg	426-70-11871	WA600-Bush-C
B140-125X130	\$306	140.15mm	125.42mm	129.7mm	3.15kg	425-70-31840	WA500-6-Bush-D,E
B140-125X196	\$340	140.15mm	125.45mm	196.5mm	4.80kg	426-70-11710	WA600-3-Bush-J Bf8
B145F125X93	\$280	145.20mm	125.5 mm	92.6mm		426-70-11482	F160x35 Bf8 WA600-1-Bush-J
B145G125G130	\$340	145.15mm	125.37mm	130.0mm	4.20kg	Task 2019	Lineborers Bush
B150G125G130	\$360	150.15mm	125.37mm	130.0mm	5.50kg	Task 2019	Lineborers Bush
B150-125N150	\$380	150.10mm	125.22mm	150.0mm		Eimco	A2U220-194399 2x30 Pitch
B154-125N150	\$510	154.07mm	125.25mm	150.0mm	7.16kg	Eimco	A2U220-194480 2x30 Pitch



Case Hardened Bushes - Precision Ground

Bushes to Suit 5 inch Ø Shaft

<u>KSet Part No.</u>	<u>Price</u>	<u>Outside</u>	<u>Inside</u>	<u>Length</u>		<u>Manufacture Notes</u>	<u>Locations</u>
	EX GST						
B139G127-127	\$290	5.510"	5.011"	4.98"		Joy	External Groove
B139-127G152	\$200	5.505"	5.010"	6.00"	4.12kg	Caterpillar	Internal Groove
B146G127G105	\$130	5.755"	5.013"	4.13"		1V9143	CAT980C,F,G-Bush-F
B146-127G107	\$140	5.754"	5.009"	4.22"	3.31kg	7K9533 Aftermarket	CAT
B146G127G132	\$160	5.755"	5.014"	5.19"	4.03kg	1V5635 1300Bogger	CAT983,992C-Bush-J
B146-127-140	\$190	5.753"	5.009"	5.50"	4.31kg	7K8115 Aftermarket	CAT983
B146G127-140	\$150	5.756"	5.014"	5.51"	4.38kg	4V8519 4 holes	CAT966-Bush-F
B150G127G132	\$340	150.15mm	5.012"	5.19"	5.10kg	Tesk 2019	Lineborers Bush
B152-127-112	\$220	6.002"	5.011"	4.39"	4.38kg	Forestry Equipment	Plain Bush
B152g127g132	\$220	6.007"	5.013"	5.20"	5.92kg	186-9776	2900 Bottom H Frame



Bushes to Suit 130mm to 6 inch Ø Shaft

<u>KSet Part No.</u>	<u>Price</u>	<u>Outside</u>	<u>Inside</u>	<u>Length</u>		<u>Manufacture Notes</u>	<u>Locations</u>
	EX GST						
B145G130X130	\$420	145.10mm	130.25mm	129.8	3.20kg	EX3500	Greasable Bf8 15w Ext
B150-130-74	\$230	150.17mm	130.27mm	74.0	2.60kg	Tesk 2013	Plain Bush
B150-130-90	\$270	150.17mm	130.27mm	90.0	3.12kg	Tesk 2013 Replaces B150-130-89	Plain Bush
B150G130X145	\$498	150.15mm	130.22mm	145.0	4.83kg	Volvo EC700-Bush-H +/-	EX800-5-Bush-HL
B155G130X110	\$520	155.28mm	130.38mm	110.0	4.68kg	EX1800, EX1900-H,L	4098101
B155G130X145	\$520	155.15mm	130.24mm	145.0	4.83kg	Volvo EC700B-	Bush
B160-130-75	\$250	160.18mm	130.28mm	75.0	4.00kg	Tesk 2013	Plain Bush
B160-130-100	\$378	160.18mm	130.28mm	100.0	5.22kg	Kawasaki Loader	K1d85Z-Bush-F
B160G130X180	\$496	160.18mm	130.28mm	180.0	9.39kg	Tesk 2010	Greasable Bush Bf8
B165F130X149	\$695	165.20mm	130.42mm	149.0	9.70kg	Flange F204.8 N8 209-944-5230	PC800-6-Bush-J
B150-135-90	\$120	150.47mm	134.56mm	90.0	3.12kg	Plain Bush	Not ground
B152-139-108	\$200	6.0085"	5.522"	4.25"		Cat D11 Bush	1294487
B155-140-78	\$290	155.19mm	140.20mm	78.0	2.11kg	Plain Bush	For Sandvik 56037306
B155G140G78	\$290	155.11mm	140.20mm	78.0	2.05kg	Bush Groove offset 6 mm	For Sandvik 56043823
B155-140-88	\$290	155.12mm	140.20mm	88.0	2.38kg	Plain Bush	For Sandvik 56043820
B155-140G135	\$290	155.20mm	140.47mm	135.0	3.55kg	426-70-11890	WA600-Bush-A,B,D,E
B155G140G135	\$320	155.20mm	140.47mm	135.0	3.55kg	426-70-11820	WA600-Bush-L
B155G140N135	\$420	155.19mm	140.34mm	135.0	3.5kg	Tesk 2009	Type J Greasable
B155G140G148	\$400	155.13mm	140.48mm	148.4	3.9kg	426-70-31770	WA600-6-Bush-A,B,C
B155G140X196	\$510	155.15mm	140.45mm	196.5		426-70-11720	WA600-3-Bush-K 2Bf8
B155G140N213	\$594	155.15mm	140.35mm	213.0	5.16kg	426-70-31720	WA600-6-Bush-L,K,J
B155G140N215	\$594	155.15mm	140.35mm	215.0	5.16kg	425-70-11861	WA500-Bush-F
B160G140X100	\$348	160.19mm	140.40mm	100.0	3.53kg	Suit Hitachi	
B160G140X163	\$530	160.20mm	140.50mm	163.8	5.75kg	21N-70-12170	PC1250-Bush-K
B160F140X190	POA	160.34mm	140.50mm	190.0	8.2kg	Flange 230x8 21N-70-32150	PC1250-7-Bush-J
B164-140-90	\$320	164.23mm	140.35mm	90.0	8.2kg	Loader Cat 988 G Cat988 H	Plain Bush
B165G140X120	\$550	165.07mm	140.29mm	120.0	5.36kg	Bush, Greasable	For Sandvik 56025110
B165G140X180g	\$920	165.25mm	140.26mm	180.0	8.46kg	Bush, Greasable	BG00656662
B175F140X193	POA	175.20mm	140.52mm	193.0	13kg	Flange Bush 21N-70-32550	PC1250-8-Bush-J

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Case Hardened Bushes - Precision Ground

Bushes to Suit 150mm Ø Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B165G150X180	\$596	165.15mm	150.30mm	179.9	3.99kg	EX1200 Aftermarket	Greaseable Bush
B170G150G160	\$490	170.21mm	150.23mm	159.8	6.2kg	248-2507 Also suits R3000H	Bearing 992K
B180-150X95	\$494	180.33mm	150.42mm	95.0	g	4454646 7w Centre + Fig 8	EX1900-Bush-J
B180G150X150	\$790	180.30mm	150.38mm	150.0	8.87kg	244-4258	Cat 385 Boom, Barrel Eye
B171-152-59	\$360	6.7545"	6.009"	2.32"	2.31kg	0501-10096	Plain Bush Jug-A-0
B178G152G50	\$290	7.006"	6.006"	2.00"		Type I	Greasable

Bushes to Suit 160mm to Ø Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B175G160X180	\$596	175.15mm	160.30mm	179.9	3.99kg	EX1200 Aftermarket	Greaseable Bush
B180-160-95	\$496	180.15mm	160.42mm	94.6	3.99kg	425-70-31820 Aftermarket	WA500-6-Bush-F
B180-160-98	\$495	180.13mm	160.20mm	98.0	4.10kg	56032101 for Sandvik	Bushing for LH621
B180G160G98	\$499	180.13mm	160.20mm	98.0	4.04kg	56044540 Aftermarket for Sandvik	Bushing for LH621
B180-160G140	\$598	180.29mm	160.42mm	140.2	5.87kg	426-70-11860	WA600-Bush-F
B180G160X146	\$720	180.13mm	160.55mm	145.6	5.80kg	707-76-16030 21N-70-11181	PC1250-Bush-F
B180G160X159	\$740	180.13mm	160.55mm	159.4	7.9kg	21N-70-31160	PC1250-Bush-A
B180F160-177	\$560	180.34mm	160.50mm	176.9	7.4kg	21N-70-31181	PC1250-Bush-F-Boom
B180-160G188	\$590	180.13mm	160.42mm	188.3	9.9kg	426-70-31791	WA600-6-Bush-A
B185G160X149	\$590	185.15mm	160.41mm	150.0	7.8kg	Similar to	4392649 4660859
B185G160X150	\$620	185.25mm	160.40mm	150.0	7.8kg	EX2500 Bkt	4392649 4660859
B185G160X218	\$1194	185.25mm	160.40mm	218.0	11.5kg	LH621	NLC

Bushes to Suit 170mm to 8" Ø Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B190G170X170	\$840	190.40mm	170.42mm	169.9		0726001 EX5500-6 Dump Cyl	4609103
B200G170X140	\$840	200.40mm	170.42mm	139.9		EX1200-Bush-F 40mm Offset Groove	4259297
B195-175-95	\$820	195.15mm	175.35mm	95.0	4.3kg	Concrete	Recyclers
B203-178G187	\$350	8.002"	7.006"	7.36"		Type U	Internal Groove
B200-180G140	\$525	200.20mm	180.46mm	139.6	6.4kg	426-70-31760	WA600-6-Bush-F
B220-200-118	\$280	220. mm	200. *mm	118.0		Type A	Plain Bush
B222-203-220	\$1890	8.761"	8.017"	220.0	10.8kg	Type I for Cat994	For 8X0743
B222-203-280	\$2300	8.761"	8.017"	280.0	13.7kg	Type I for Cat994	For 8X0742



Prices shown are for \$170 Minimum Wholesale Order, Plus freight & GST.

Orders below this amount are Retail, POA and \$120 minimum.

All prices subject to change without notice

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.