

Case Hardened Bushes - Precision Ground

Suit 71mm to 3 inch Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B86G71X50	\$ 92	86.13mm	71.23mm	50.0mm	0.72kg	Hitachi	Zaxis 160-Bush-I
B86G71G50	\$ 72	86.14mm	71.25mm	50.0mm	0.72kg	4409122	ZX200-3-Bush-I
B86G71G65	\$ 78	86.12mm	71.20mm	65.0mm	0.94kg	3072715	EX120-Bush-F (2)
B86G71G70	\$ 82	86.12mm	71.20mm	70.0mm	1.01kg	4443878	ZX120-Bush-F,J (2)
B86G71G84	\$108	86.12mm	71.20mm	84.0mm	1.21kg	Hitachi	Zaxis 160-Bush-HR
B86G71G90	\$ 78	86.12mm	71.20mm	90.0mm	1.30kg	Hitachi	Zaxis 160-Bush-HL
B85-75-38	\$ 52	85.07mm	75.18mm	37.9mm	.38kg	Plain Bush	1x6mm Ext Chamfer
B85F75-38	\$ 68	85.12mm	75.20mm	37.9mm	.41kg	Flange 89 Ø x 4	VOE11082827
B85G75G60	\$ 78	85.05mm	75.15mm	60.0mm	.57kg	Hydraulic Cylinder	Greasable Bush
B85G75X60	\$ 98	85.06mm	75.12mm	60.0mm	.57kg	Kobelco	SK135
B85G75X90	\$127	85.08mm	75.19mm	90.0mm	.86kg	Kobelco	SK135
B90-75-50	\$ 80	90.05mm	75.20mm	50.0mm	.77kg	Plain Bush	Bucket Bush
B90-75X57	\$ 98	90.11mm	75.34mm	57.1mm	.83kg	Komatsu	154-78-14224 Ripper x16 D85A-18
B90-75-60	\$ 86	90.05mm	75.15mm	60.0mm		Tesk 2002	Plain Bush
B90-75G64	\$ 88	90.05mm	75.26mm	64.7mm	.97kg	154-63-42320	Ram/Dozer x 2 D85A-18
B90G75G65	\$ 92	90.05mm	75.18mm	64.7mm	.91kg	154-63-42420	RamEye x 2 D85A-18
B90-75G65	\$ 92	90.10mm	75.18mm	65.0mm	1.01kg	154-78-14223	Komatsu
B90-75G66	\$ 92	90.07mm	75.16mm	65.0mm	1.01kg	WA320	419-70-11871 707-76-75030 Bush-B,C
B90G75G75	\$118	90.05mm	75.15mm	75.0mm	1.12kg	385-1001-0591	Komatsu D85A-18
B90-75G80	\$112	90.09mm	75.19mm	80.0mm	1.21kg	145-63-32660	Bf8 WA300-Bush-J
B90N75G80	\$154	90.14mm	75.24mm	80.0mm	1.21kg	419-70-21810	External helical groove WA320
B90G75G85	\$118	90.06mm	75.18mm	85.0mm	1.27kg	WA300	419-70-11820 WA320-Bush-L,K
B90G75G120	\$128	90.12mm	75.20mm	119.8mm		417-70-31820	WA200-5-Bush-F
B90-75G138	\$128	90.12mm	75.25mm	138 mm		385-1001-8432	385-1001-0591 W120

Heavy Wall Bushes for 75mm Diameter Shaft

B92G75G65	\$ 80	92.07mm	75.25mm	65.0mm	1.10kg	Hydraulic Cylinder	Greasable Bush
B95-75-55	\$ 70	95.05mm	75.15mm	55.0mm	1.15kg	Komatsu	D85A-18 Ripper
B95-75-68	\$ 86	95.01mm	75.10mm	67.9mm	1.43kg	Plain Bush 2016	Static Fit
B95-75-75	\$ 90	95.06mm	75.15mm	75.0mm	1.57kg	Komatsu	D85A-18 Ripper
B95G75G100	\$118	95.10mm	75.15mm	100mm	2.07kg	Greasable Bush	Bushing
B100G75G100	\$154	100.12mm	75.15mm	100 mm	2.90kg	Tesk 2004	Greaseable Bush

Suit 3" Diameter Shaft

B89-76-33	\$ 49	3.504"	3.014"	1.31"		D7G Ripper Group	3J6442
B89-76-37	\$ 54	3.503"	3.006"	1.46"	.49kg	Caterpillar	3J7529
B89-76-39	\$ 63	3.503"	3.004"	1.54"	.51kg	Eimco STEP 3.48"Øx3	A2U913-194036
B89-76T40	\$ 48	3.493"	2.9985"	1.56"	Tpr	CAT950-Bush-B	7J9694
B89-76-49	\$ 64	3.503"	3.004"	1.93"	.63kg	Eimco	A2U913 194037
B89-76-51	\$ 70	3.503"	3.005"	2.00"	.63kg	Line Bore	Straight Bush 2018
B89G76G51	\$ 78	3.502"	3.006"	2.00"	.63kg	Canada 4x5Ø Holes	Plywood Machine
B89G76G53	\$ 48	3.500"	3.006"	2.12"	.66kg	Hydraulic cylinder bush	Greasable
B89-76-57	\$ 74	3.504"	3.006"	2.24"	.70kg	Aftermarket Caterpillar Bearings	KSet
B89-77-57	\$ 56	3.505"	3.020"	2.25"		D7G Ripper Group	3J6167
B89G76G58	\$ 48	3.503"	3.006"	2.27"	.73kg	Bush	4 x 5 Ø holes for 7J9709

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Bushes for 3" Ø Shaft continued next page...

Frequently Asked Questions:
Where in New Zealand can I buy ready-made hardened steel bushes / bushings?
KSet Engineering Pty Ltd has 50,000 bushes in 1,250 different sizes available EX STOCK.
Next Day Delivery to New Zealand

BUSHINGS
Quantity Discounts Available only upon request at point of sale provided all outstanding invoices are settled within 7 Days
Disc. for 6 of any line item \$5 ea
Disc. for 10 of any line item \$8 ea
Disc. for 20 of any line item \$10 ea

Wholesale Prices shown for \$170 Minimum order

Retail: POA \$120 Min order

Plus freight & GST. All prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 3" Diameter Shaft (Continued)

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B89-76-63	\$ 66	3.506"	3.012"	2.50"		Testk	2005
B89G76G63	\$ 92	3.504"	3.006"	2.50"	.79kg	R2900G	Steer Cylinder Bush
B89G76G64	\$ 72	3.506"	3.011"	2.50"		Aftermarket Caterpillar	3 x 6 Ø holes 7J9346
B89-76-70	\$ 80	3.502"	3.004"	2.75"	.88kg	Testk	2011
B89G76G73	\$ 90	3.504"	3.005"	2.85"		Replaces Bronze	8J6536
B89-76G75	\$ 79	3.504"	3.008"	2.97"	.96kg	CAT955 Bkt/Link	7K9573
B89G76G76	\$ 92	3.504"	3.006"	3.00"	.96kg	Testk	Aftermarket Caterpillar Bearings
B89-76G81	\$ 82	3.503"	3.009"	3.18"	1.03kg	CAT966-Bush-C	4V8674
B89-76G83	\$ 82	3.504"	3.006"	3.25"	1.07kg	Case Loader	721-Bush-J,L,K
B89G76G86	\$ 80	3.502"	3.005"	3.39"	1.10kg	Testk	2 x 5 Ø Holes
B89-76G88	\$ 68	3.502"	3.006"	3.48"	1.10kg	Type U Bush	7K9604
B89-76-89	\$ 98	3.507"	3.009"	3.51"	1.10kg	Plain Bush	Suit Cat D11 8P0389
B89G76G89	\$134	3.502"	3.005"	3.50"	1.12kg	Testk	2 x 5 Ø Holes
B89G76G94	\$118	3.504"	3.009"	3.70"	1.19kg	CAT980C,F,G-Bush-L,K	1V9148
B89G76G102	\$174	3.503"	3.006"	4.00"	1.29kg	Caterpillar Compatible	4J6533
B89G76X105	\$182	3.504"	3.006"	4.13"	1.35kg	Atlas Copco	5590 0119 99 5575 7008 92
B89-76G107	\$100	3.504"	3.008"	4.23"	1.36kg	CAT950-Bush-F	8K5757
B89G76X108	\$180	3.503"	3.005"	4.25"	1.35kg	Atlas Copco	5580 0108 24
B89-76G132	\$124	3.505"	3.011"	5.23"	1.68kg	CAT	9mmWide Internal Groove Only 9T8676, 9J7078
B89G76G132	\$129	3.506"	3.011"	5.23"	1.70kg	CAT R1300G	9mm Wide Ext Groove 198-1142
B90G76G76	\$136	3.547"	3.006"	3.00"	1.05kg	Extra Size O.D.	Greasable
B90G76X108	\$218	3.547"	3.005"	4.25"	1.35kg	Extra Size O.D.	Greasable
B95-76-26	\$ 42	3.753"	3.006"	1.00"	0.51kg	Testk	2007 Plain Bush
B95-76-38	\$ 58	3.753"	3.007"	1.50"	0.80kg	Caterpillar D10 Ripper	3J6484
B95G76G51	\$ 70	3.752"	3.004"	2.00"	1.04kg	Cat	5mm wide Int groove, 3 x 4Ø holes 28 Ripper
B95G76G60	\$ 68	3.753"	3.006"	2.37"	1.17kg	Caterpillar	3G5999 = 3.756"x3.013" 3G5999
B95G76G63	\$ 92	3.752"	3.006"	2.50"	1.20kg	Testk	2001 Greasable
B95G76G70	\$124	3.753"	3.006"	2.75"	1.42kg	Hydraulic cylinder bush	Greasable
B95G76G76	\$130	3.752"	3.006"	3.00"	1.51kg	Hydraulic ram bush	Greasable
B95F76G79	\$180	3.7525"	3.0055"	3.11"	1.85kg	Flange 129 Ø x6	Cat 8X6729
B95G76G82	\$106	3.752"	3.006"	3.25"	1.67kg	Hydraulic ram bush	Greasable
B95G76G89	\$124	3.754"	3.006"	3.50"	1.79kg	Hydraulic cylinder bush	Greasable
B95G76G102	\$134	3.752"	3.006"	4.00"	2.04kg	Testk	2001 Greasable
B95G76G120	\$ 76	3.740"	3.000"	4.71"	2.47kg	John Deere	T66214, U43721
B95G76G121	\$162	3.752"	3.006"	4.75"	2.47kg	Hydraulic cylinder bush	Greasable
B95G76X126R	\$280	3.753"	3.008"	4.94"	2.32kg	Atlas Copco	Seal Recess x2 5590 0003 99
B98-76-51	\$ 70	3.879"	3.004"	2.00"	1.24kg	8J7596	Bearing 621/3/7G Hitch
B98G76G54	\$ 62	3.880"	3.005"	2.12"		8D8829	CAT623G Scraper
B98G76G102	\$158	3.877"	3.006"	4.00"		O.S.Testk 2008	Greasable
B100-76-51	\$ 88	100.07mm	3.003"	2.000"	1.26kg	8W4523	0.060 O/S CAT 623G Scraper
B100G76G54	\$ 98	100.02mm	3.005"	2.12"	1.33kg	8W4525	0.060 O/S CAT 623G Scraper
B100-76X75	\$128	100.05mm	3.008"	2.95"	1.89kg	Eimco	A2U913-194150
B100T76X89	\$170	100.05mm	3.009"	3.503"	O.A.L.	Eimco	A2U913-194148
B100-76X144	\$220	100.03mm	3.001"	5.68"		Eimco	Open Helical Groove A2U913-194265
B102G76G76	\$132	4.004"	3.006"	3.00"	2.08 kg	Eimco	A2U913-194265
B102G76G102	\$154	4.004"	3.006"	4.00"	2.78 kg	Hydraulic cylinder bush	Greasable
B102G76G152	\$210	4.004"	3.006"	6.00"	4.35kg	Hydraulic cylinder bush	Greasable
B114G76G96	\$130	4.503"	3.002"	3.78"		Heavy Wall Bush / Boss	Greasable
B133T76R67	\$248	5.255"	3.005"	2.636"	4.66 kg	Eimco	A2U913-194149

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Frequently Asked Questions:
 What does Testk mean ?
 What is a Testk Bush ?
KSet Engineering
 designs and manufactures bushes
 according to popular size
 enquiries and speculated demand
 This process is the reverse of our
 Reverse Engineering origins.
 Testk is KSet reversed.
 A Testk Bush is one that is not
 necessarily a replacement part.

BUSHINGS
 Quantity Discounts Available
 only upon request at point of sale
 provided all outstanding invoices
 are settled within 7 Days
 Disc. for 6 of any line item \$5 ea
 Disc. for 10 of any line item \$8 ea
 Disc. for 20 of any line item \$10 ea

Wholesale Prices
 shown for **\$170**
 Minimum order
Retail: POA
\$120 Min order
 Plus freight & GST. All prices
 subject to change without notice



Case Hardened Bushes - Precision Ground

Bushings to suit 80mm Ø Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B92-79-63	\$ 73	3.628"	3.135"	2.5"	Sample ITR	3G8052
B92-79-64	\$ 77	3.632"	3.139"	2.53"	D10 Lift Arm Bush	3G8052
B92-79-77	\$ 78	3.631"	3.139"	3.03"	D10 Blade Bush	3G8051
B95G79G80	\$ 80	95.20mm	3.138"	3.15"	Precision Ground	Bush
B85-80X70	\$ 120	85.07mm	80.15mm	70.0mm	3125 2388 00	Atlas Copco
B90F80-17	\$ 44	90.00mm	80.19mm	17.0mm	Flange 94x4	D144162 Case
B90-80-20	\$ 44	90.00mm	80.20mm	20.0mm	D144170	Case 590
B90-80-30	\$ 48	90.01mm	80.18mm	29.6mm	114318A1, 192559A1	Case 580
B90-80-50	\$ 88	90.16mm	80.28mm	50.0mm	4196105	Hitachi EX350
B90G80G60	\$ 100	90.06mm	80.15mm	60.0mm	Hydraulic ram, Rod end	Greasable
B90-80-65	\$ 104	90.10mm	80.15mm	65.0mm	Suit Hitachi	Plain Bush
B90-80X70	\$ 130	90.10mm	80.15mm	70.0mm	Testk 2020	NLC
B90-80-80	\$ 120	90.10mm	80.15mm	80.0mm	Matbro	38738
B90G80G80	\$ 124	90.08mm	80.15mm	80.0mm	Popular	Greasable Bush
B90G80G90	\$ 140	90.08mm	80.15mm	90.0mm	Kobelco	SK210-Bush-HR
B90G80G100	\$ 138	90.10mm	80.15mm	100.0mm	Matbro	504227
B90-80X100	\$ 145	90.10mm	80.15mm	100.0mm	Testk 2020	NLC
B90-80G140	\$ 196	90.07mm	80.15mm	140.0mm	Volvo	BML90C Small Z Link
B92G80X84	\$ 140	92.05mm	80.14mm	84.0mm	Hydraulic ram, Rod end	Greasable
B95-80-40	\$ 76	95.15mm	80.25mm	39.9mm	4352398 6 Required	ZX200-Bush-HR-HL
B95-80-44	\$ 88	95.12mm	80.18mm	43.8mm	Komatsu PC200-8-Bush-K 4 required	
B95G80G52	\$ 80	95.13mm	80.20mm	52.4mm	4434036 6.5mm Offset Groove	Hitachi
B95-80-55	\$ 88	95.05mm	80.15mm	55.0mm	4107838	Hitachi
B95-80-65	\$ 104	95.05mm	80.15mm	65.0mm	Hitachi	Excavator Bush
B95G80X65	\$ 122	95.18mm	80.29mm	64.9mm	4409178 12mmOffset	ZX200-3-Bush - J O/Bf8
B95G80X66	\$ 122	95.18mm	80.29mm	64.9mm	4443882 3.5mmOffset	ZX200-3-Bush-K O/Bf8
B95G80X67	\$ 114	95.14mm	80.31mm*	67.0mm	207-70-53150 16mm Ext Groove	Komatsu Of8
B95G80X68	\$ 118	95.12mm	80.20mm	67.0mm	Less Clearance	Testk 2002
B95-80-68	\$ 94	95.10mm	80.19mm	68.0mm	Hitachi	EX200-Bush-J
B95-80-70	\$ 105	95.10mm	80.19mm	70.0mm	Testk	Hitachi
B95G80G70	\$ 102	95.17mm	80.23mm	70.0mm	Cat 325, 330 240-2912 Dimpled	7Y3428
B95G80X70	\$ 136	95.12mm	80.18mm	70.0mm	Caterpillar	CAT320C-Bush-K Of8
B95-80G75G	\$ 108	95.04mm	80.09mm	75.0mm	Komatsu O Ring groove in face	20Y-70-32331
B95G80X75	\$ 122	95.09mm	80.30mm	75.0mm	Komatsu	PC200, 220-Bush-HL
B95-80G78	\$ 70	95.33mm	80.17mm	77.8mm	Komatsu 45HRC	Old 21K-70-12161
B95G80G78	\$ 119	95.10mm	80.28mm	78.0mm	Hydraulic Ram Eye	Greasable Bush
B95G80X78	\$ 128	95.08mm	80.33mm*	78.0mm	707-76-80020	PC220-Bush-HR 2Bf8
B95G80X79	\$ 128	95.12mm	80.20mm	78.0mm	Firmer Fit	Less Clearance
B95G80G80	\$ 122	95.18mm	80.25mm	80.0mm	CAT320C-Bush-HL,J	195-0103
B95G80G81	\$ 122	95.11mm	80.15mm	80.0mm	CAT320D	241-7380
B95M80G80	\$ 118	95.16mm	80.25mm	80.0mm	CAT320C	7Y3427
B95-80X80	\$ 120	95.13mm	80.30mm*	80.0mm	20Y-70-32351	Komatsu 21K-70-12161
B95F80X80	\$ POA	95.13mm	80.15mm	80.0mm	Flange 160x8	Kobelco K909A
B95G80X81	\$ 158	95.12mm	80.20mm	81.0mm	Aftermarket	Cat 240-2913 Of8
B95-80X84	\$ 144	95.10mm	80.18mm	84.0mm	Hyundai Loader	HL757-9-Bush-L,K
B95G80X84	\$ 160	95.11mm	80.29mm	84.8mm	Komatsu	707-76-80470

Bushes for 80mm Diameter Shaft continued next page...

BUSHINGS
Quantity Discounts Available
only upon request at point of sale
provided all outstanding invoices
are settled within 7 Days
Disc. for 6 of any line item \$5 ea
Disc. for 10 of any line item \$8 ea
Disc. for 20 of any line item \$10 ea

Wholesale Prices
shown for **\$170**
Minimum order

Retail: POA
\$120 Min order
Plus freight & GST. All prices
subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 80mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B95-80G85	\$ 98	95.21mm	80.23mm	85.1mm	1.32kg	Cat-345-Bush-I 4I6897	EL200-Bush-J Hitachi
B95G80G85	\$118	95.11mm	80.16mm	85.0mm	1.32kg	241-7379 Australian Aftermarket	Cat320D
B95G80X85	\$170	95.05mm	80.15mm	85.0mm	1.32kg	EX200-Bush-B EL200-Bush-J	SE210-Bush-K,H
B95W80X85	\$ 90	95.20mm	80.30mm	85.0mm	1.32kg	206-70-53150 18w Ext Groove	MHI Sample
B95G80X86	\$144	95.09mm	80.22mm	86.0mm	1.33kg	PC220-Bush-B,C,D,E,G	206-70-55280
B95F80X88	\$210	95.13mm	80.15mm	88.0mm	1.92 kg	Flange 140x8 Custom Bush	Flanged Bush
B95-80X89	\$130	95.16mm	80.29mm	89.0mm	Kobelco	LC12B01763P1	SK350-Bush-I Bf8
B95G80X90	\$150	95.14mm	80.33mm	90.0mm	1.39kg	PC200,220-Bush-K	205-70-67150 Of8
B95G80X91	\$152	95.12mm	80.20mm	90.0mm	1.39kg	Kobelco SK220 "HL", SK330-8 "I"	Of8
B95G80X92	\$138	95.12mm	80.20mm	92.0mm	1.41kg	Geasable Bush	Suit Hitachi
B95-80X95	\$140	95.10mm	80.18mm	94.8mm	1.50kg	Hyundai Loader	HL757-9-Bush-J
B95G80X95	\$170	95.10mm	80.16mm	95.0mm	1.50kg	SK220-Bush-HR	HD700-Bush-HR
B95F80X95	\$196	95.11mm	80.35mm	95.0mm	2 kg	Flange 130x7 205-70-72130	PC220-Bush-J
B95G80G100	\$140	95.09mm	80.16mm	100mm	1.58kg	241-7381 Aftermarket Australian	Cat320D
B95-80X100	\$176	95.11mm	80.18mm	100mm	1.59kg	Samsung	SE210-Bush-J Of8
B95G80X100	\$180	95.13mm	80.16mm	100mm	1.58kg	HD700 "HL"	CAT320C-Bush-HR
B95G80G104	\$154	95.10mm	80.15mm	104mm	1.68kg	CAT 087 5847	325B-Bush-J
B95G80X110	\$200	95.13mm	80.18mm	110mm	1.73kg	Testk 2009	Closed Fig.8 Groove
B95G80X125	\$220	95.13mm	80.18mm	125mm	1.93kg	Komatsu 19w Ext 2x7Ø Holes	205-70-71330 2f8
B98G80X67	\$142	98.13mm	80.20mm	67.0mm		Plus Size PC220-Bush-HL	Of8
B98G80X78	\$178	98.13mm	80.20mm	78.0mm	1.50kg	Plus Size PC220-Bush-HR	Bf8
B98G80X90	\$204	98.13mm	80.20mm	90.0mm	1.70kg	Plus Size PC200, PC220-Bush-K	Of8
B100-80-21	\$ 80	100.00mm	79.97mm	20.7mm	0.46kg	580SLE Trunnion	1986794C1
B100F80-46	\$ 50	100.00mm	80.21mm	46.0mm		Flange 104x4.15	Case D151059
B100G80G50	\$ 85	100.13mm	80.21mm	50.0mm	1.06kg	Testk 2010	Greasable Bush
B100G80G65	\$106	100.12mm	80.20mm	65.0mm	1.38kg	Testk 2016	Greasable Bush
B100-80-80	\$142	100.13mm	80.22mm	80.0mm	1.77kg	Bearing Sleeve NZ Next day+1 to NZ	Plain
B100G80G80	\$148	100.13mm	80.22mm	80.0mm	1.81kg	Testk 2010	Greasable Bush
B100G80X90	\$196	100.13mm	80.21mm	90.0mm	1.98kg	Cobra ZL 50G	Wheel Loader
B100G80X95	\$164	100.13mm	80.21mm	95.0mm	2.09kg	Testk 2010	Bf8
B100G80X100	\$198	100.13mm	80.20mm	100 mm	2.21kg	O.S.Testk 2017	2Bf8
B100G80X110	\$214	100.13mm	80.20mm	110 mm	2.42kg	O.S.Testk	2Bf8
B100G80X139	\$235	100.13mm	80.23mm	139 mm		Samsung	SE210-LC-Bush-J Of8
B105G80X70	\$180	105.13mm	80.17mm	95.0mm	1.98kg	Testk 2018	Bf8
B105G80X95	\$220	105.13mm	80.17mm	95.0mm	2.69kg	Excavator Bush AU	Closed Figure 8
B110G80G70	\$180	110.13mm	80.25mm	70.0mm	3.48kg	Greasable Bush	Mud Bucket
B110F80X95	\$240	110.07mm	80.32mm	95.0mm	3.3 kg	20Y-70-32410 F130x7 SK200	PC220-7-Bush-J
B110F80X96	\$167	110.14mm	80.38mm	95.1mm	3.3 kg	20Y-70-32410 F130x7	Sample
B110G80X100	\$242	110.13mm	80.26mm	99.9mm	3.48kg	O.S.Testk 2007	Greasable Bush
B110G80X110	\$274	110.13mm	80.26mm	110 mm	3.84kg	O.S.Testk 2012	Greasable Bush Bf8
B115G80G96	\$130	115.08mm	80.05mm	96.0mm	4.90kg	Heavy Wall Bush / Boss	Greasable

Prices shown are for \$170 Minimum Wholesale Order, Plus freight & GST.

Orders below this amount are Retail, POA and \$120 minimum.

All prices subject to change without notice

BUSHINGS
Quantity Discounts Available
only upon request at point of sale
provided all outstanding invoices
are settled within 7 Days
Disc. for 6 of any line item \$5 ea
Disc. for 10 of any line item \$8 ea
Disc. for 20 of any line item \$10 ea

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Case Hardened Bushes - Precision Ground

Bushes to suit 3.25" Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B95-83-38	\$ 74	3.752"	3.257"	1.50"	0.53kg	Murchinson	Drill Rig Bush
B95-83-43	\$ 74	3.742"	3.251"	1.68"		Cat One Int Cfr 5x 45°	7J9366
B95-83-46	\$ 74	3.752"	3.256"	1.81"		Plain Bush	for 7K9531
B95-83G54	\$ 52	3.756"	3.260"	2.13"	0.73kg	CAT977 B/Link	for 7J9345
B95-83-69	\$ 64	3.754"	3.255"	2.72"		8J0201	CAT621, CAT623
B95-83-70	\$ 64	3.752"	3.257"	2.75"		7S3863	CAT983
B95G83G73	\$ 82	3.753"	3.257"	2.87"		Case Loader	Greasable Bush
B95F83-78	\$ 74	3.751"	3.255"	3.05"		Flange Bush	105mm x 5.7
B95-83-79	\$ 66	3.755"	3.253"	3.12"	1.11kg	9J9427	CAT623G Scraper
B95G83G83	\$ 70	3.752"	3.261"	3.27"	1.13kg	3G8779	CAT960F, 962G-Bush-L,K
B95G83G95	\$ 66	3.753"	3.261"	3.74"	1.29kg	3G9191	Caterpillar
B95G83G102	\$ 76	3.754"	3.257"	4.00"	1.41kg	Task 2009	Greasable Bush
B97-83-79	\$ 74	3.814"	3.253"	3.12"		9J8318	CAT621, CAT623
B99G83G108	\$ 98	3.879"	3.257"	4.25"	1.53kg	Task 2010	CAT966 Track Loader

Spherical Bearings Caterpillar Compatible

SB130-83G68	\$ 78	130.20mm	3.251"	68.0mm	kg	1531370	Spherical Bearing	CAT
-------------	-------	----------	--------	--------	----	---------	-------------------	-----

Bushes for 85mm Diameter Shaft

B95-85-75	\$ 88	95.05mm	85.15mm	75.0mm		Task 2003	Plain Bush
B95G85G80	\$ 75	95.08mm	85.15mm	80.0mm	0.93kg	Greasable Bush	Plain Bush
B95-85-100	\$110	95.05mm	85.15mm	100 mm	1.15kg	Task 2006	Plain Bush
B95G85X125	\$144	95.10mm	85.25mm	125 mm		Some WA420s	WA420-Bush-L,K
B100G85X48	\$ 96	100.10mm	85.18mm	48.0mm		Kato 900-Bush-HL	097-4200-9000 Bf8
B100F85-50	\$160	100.03mm	85.07mm	50.29	1.09kg	Flange 125x7.47	Sandvik 26433448
B100G85G75	\$130	100.11mm	85.23mm	74.9mm	1.30kg	Komatsu 426-46-33140	WA600-6-Bush-Stg
B100-85G80	\$120	100.10mm	85.20mm	80.0mm	1.35kg	419-70-11890	WA320-Bush-A
B100-85G85	\$126	100.10mm	85.18mm	85.0mm	1.43kg	424-70-11810	WA420,450-J
B100G85G85	\$130	100.10mm	85.20mm	85.0mm	1.42kg	Komatsu	WA420-Bush-L,K
B100N85G85	\$154	100.12mm	85.22mm	84.8mm	1.36kg	423-70-21810	WA380,420-Bush-J
B100G85G95	\$138	100.10mm	85.20mm	95.0mm	1.62kg	Kobelco	RQD DE
B100G85X98	\$190	100.10mm	85.18mm	98.0mm	1.63kg	Kato 900-Bush-HDL	097-4200-8000 Bf8
B100G85G100	\$165	100.07mm	85.12mm	100 mm	1.67kg	424-70-11820	WA420-Bush-L,K
B100G85X105	\$198	100.10mm	85.18mm	105 mm	1.74kg	Kato 800-Bush-J	Open fig 8 groove
B103G85G100	\$190	103.10mm	85.18mm	100 mm		O.S. Task	Greasable Bush
B115G85G96	\$160	115.08mm	85.05mm	96.0mm	3.48kg	Heavy Wall Bush / Boss,	Greasable

Bushes to suit 3 1/2" Diameter Shaft

B101-88-49	\$ 88	3.987"	3.484"	1.93"	.73kg	Caterpillar Aftermarket	5J1193
B101-88-63	\$108	3.986"	3.484"	2.48"	.95kg	D11 Trunion Bushes	88.46 Ø 200-3926
B101-88-64	\$ 64	3.986"	3.501"	2.48"	.95kg	Static Fit	88.93 Ø Sleeve
B99-89N100	\$ 88	3.921"	3.508"	3.94"		2 only	Internal Helical Groove
B100-89-57	\$ 50	3.954"	3.504"	1.69"		Plain Bush	Suit Caterpillar Bearing
B102-89-32	\$ 45	4.005"	3.509"	1.26"		Lineborer	Plain Bush
B102-89-38	\$ 68	4.0055"	3.5095"	1.50"	.57kg	Cat D11R Ripper Cyl (4)	Aftermarket 9J1175
B102F89-43	\$118	4.002"	3.506"	1.69"	.52kg	Flange Bush 120 x 5	A2U913-194032
B102-89-44	\$ 80	4.004"	3.520"	1.75"	.67kg	Caterpillar	Sub for 4J2379

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Bushes for 3.5" Ø Shaft continued next page...

BUSHINGS
Quantity Discounts Available
only upon request at point of sale
provided all outstanding invoices
are settled within 7 Days
Disc. for 6 of any line item \$5 ea
Disc. for 10 of any line item \$8 ea
Disc. for 20 of any line item \$10 ea

Wholesale Prices
shown for \$170
Minimum order

Retail: POA
\$120 Min order

Plus freight & GST. All prices
subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 3 1/2" Diameter Shaft ...Continued

<u>KSet Part No.</u>	<u>Price</u> EX GST	<u>Outside</u>	<u>Inside</u>	<u>Length</u>		<u>Manufacture Notes</u>	<u>Locations</u>
B102-89-49	\$ 90	4.003"	3.507"	1.93"	.77kg	Task	Plain Bush
B102-89-51	\$ 90	4.002"	3.505"	2.00"	.77kg	Task 4V4453 = B102-89-52	Plain Bush
B102-89-55	\$ 96	4.007"	3.513"	2.16"	.80kg	Caterpillar Aftermarket	3T8459
B102-89G64	\$ 94	4.006"	3.510"	2.50"	.95kg	Caterpillar	Internal Groove
B102-89G75	\$ 98	4.002"	3.506"	2.97"	1.15kg	Caterpillar Aftermarket	7K9576
B102-89-76	\$ 84	4.003"	3.518"	3.01"	1.15kg	Caterpillar D11 Blade x 16	IJ5304
B102G89G76	\$ 94	4.003"	3.507"	3.00"	1.15kg	Caterpillar Aftermarket	9J6549 7K9576
B102G89G83	\$102	4.004"	3.510"	3.27"	1.26kg	Caterpillar Aftermarket	3G7624
B102-89G94	\$ 80	4.002"	3.506"	3.70"	1.44kg	Caterpillar Aftermarket	5K7037
B102-89-95	\$ 92	4.003"	3.507"	3.75"		After market	CAT983 7J7887
B102G89G95	\$ 99	4.005"	3.515"	3.75"	1.42kg	Caterpillar Aftermarket	9J7099
B102G89X101	\$130	4.004"	3.505"	4.00"	1.45kg	Task 2010	Greasable BF8
B102G89X108	\$130	4.004"	3.505"	4.25"	1.55kg	Scandinavian	Greasable BF8
B102G89G111	\$ 98	4.007"	3.517"	4.36"	T	CAT-966G-Bush-D	9J7100
B103G89N102	\$180	4.038"	3.506"	4.00"	1.4kg	Hydraulic Cylinder	Joy 100163419
B104G89-27	\$ 48	4.133"	3.503"	1.08"	T	CAT-950-Bush-BR	9K9159
B104-89-52	\$ 98	4.1295"	3.512"	2.05"		CAT Bush	4V4453
B104G89G76	\$ 98	4.129"	3.505"	3.00"		Task 2004	Greasable
B104G89G82	\$ 98	4.128"	3.512"	3.24"	T	CAT-966G-Bush-L,K	4V8520
B104G89G89	\$102	4.129"	3.505"	3.50"		Task 2002	Greasable
B104G89G94	\$105	4.130"	3.510"	3.70"	T	CAT-980C,F,G-Bush-D,E	1V8242
B104G89G102	\$128	4.129"	3.505"	4.00"	1.kg	Task 2001	Greasable
B104G89G110	\$110	4.128"	3.510"	4.33"	U	CAT-950-962-Bush-A	3V2333
B104-89G120	\$110	4.129"	3.510"	4.75"		CAT-966G 972-Bush-A	4V8673
B108-89-46	\$ 88	4.253"	3.507"	1.83"		CAT983 Plain Bearing	4J2379
B108-89-57	\$ 96	4.253"	3.508"	2.24"	1.35kg	CAT983 Plain Bearing	8K7677
B108-89-64	\$ 97	4.253"	3.507"	2.50"		CAT Plain Bearing	5K4787
B108-89-67	\$106	4.253"	3.510"	2.65"	1.60kg	CAT983 Plain Bearing	8K7613
B108G89G81	\$125	4.253"	3.507"	3.18"	1.86kg	Task 2016	Geaseable Bearing
B108-89-101	\$177	4.253"	3.507"	3.98"	2.30kg	Task 2002	Plain Bearing
B110-89X75	\$140	4.332"	3.505"	2.95"	1.88kg	Eimco	A2U130-194277
B112-89-68	\$120	4.412"	3.513"	2.66"	1.92kg	Cat 185-7221 112.06x89.25	980G Bearing
B112G89-148R	\$220	4.415"	3.512"	2.84"		Cat 185-7220 2xRecess 4"x8.8	980G Bearing
B114-89-51	\$ 90	4.501"	3.529"	2.00"	1.58kg	Cat D11 Ripper	Aftermarket for 4T9751
B114G89G57	\$ 98	4.502"	3.508"	2.25"	1.76kg	Task 2003	Greasable
B114-89-64	\$ 98	4.503"	3.507"	2.50"	2.00kg	CAT983	Sub for 7K1513
B114-89-73	\$ 98	4.504"	3.506"	2.87"	2.30kg	Caterpillar NZ Next day +1	Sub for 7J0052
B114-89-76	\$ 98	4.505"	3.508"	3.00"	2.39kg	Task 2009	Plain Bushing
B114-89G85	\$ 98	4.504"	3.517"	3.35"		Caterpillar D9	Sub for 3G6402
B114G89G96	\$130	4.504"	3.502"	3.78"	3.05kg	Heavy Wall Bush/Boss	Greasable
B115G89X114	\$180	4.530"	3.510"	4.50"		Logmax External groove 19wide x 112.7ø	Bf8
B120-89-75	\$120	120.10mm	3.506"	2.95"		Heavy Wall Bush	Plain
B121-89X108	\$170	4.754"	3.508"	4.25"	4.35 kg	Type X Bush	Greasable Bf8
B125-89-80	\$130	125.10mm	3.506"	3.15"		Heavy Wall Bush	Plain

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

BUSHINGS
Quantity Discounts Available only upon request at point of sale provided all outstanding invoices are settled within 7 Days
Disc. for 6 of any line item \$5 ea
Disc. for 10 of any line item \$8 ea
Disc. for 20 of any line item \$10 ea

Wholesale Prices shown for \$170 Minimum order
Retail: POA \$120 Min order
Plus freight & GST. All prices subject to change without notice