

## Cordless Power Tools

### Drill/Drivers

#### Dewalt

#### *DC720KA 18V 1/2" (13mm) Cordless Compact Drill/Driver Kit*



- Compact size: allows users to fit into tight spaces
- Lightweight design (4.8 lbs.) minimizes user fatigue
- 1/2" ratcheting chuck reduces bit slippage
- Dual speed range 0-500/0-1,700 rpm delivers optimal performance
- High performance frameless motor delivers maximum power of 410 unit watts out
- LED worklight provides increased visibility in confined spaces

PART #	Volts	Max Power	# of Speeds	RPM	Chuck Size	Chuck Type	Weight	Charger/Battery
DC720KA	18V	410 UWO	2	0-500 / 0-1700 rpm	1/2"	Plastic Ratcheting	4.8 lbs.	1-Hour Charger / 2 18V

#### *DC730KA 14.4V 1/2" (13mm) Cordless Compact Drill/Driver Kit*



- Compact size: allows users to fit into tight spaces
- Lightweight design (4.3 lbs.) minimizes user fatigue
- 1/2" single sleeve ratcheting chuck reduces bit slippage
- Dual speed range 0-400/0-1,450 rpm delivers optimal performance
- High performance frameless motor delivers maximum power of 300 unit watts out
- LED worklight provides increased visibility in confined spaces

PART #	Volts	Max Power	# of Speeds	RPM	Chuck Size	Chuck Type	Weight	Charger/Battery
DC730KA	14.4V	300 UWO	2	0-400 / 0-1450 rpm	1/2"	Plastic Ratcheting	4.3 lbs.	1-Hour Charger / (2) 14.4V

#### *DC742KA 12V 3/8" (10mm) Cordless Compact Drill/Driver Kit*



- Compact size: allows users to fit into tight spaces
- Lightweight design (3.8 lbs.) minimizes user fatigue
- 3/8" ratcheting chuck reduces bit slippage
- Dual speed range 0-400/0-1,450 rpm delivers optimal performance
- High performance frameless motor delivers maximum power of 200 unit watts out
- LED worklight provides increased visibility in confined spaces

PART #	Volts	Max Power	# of Speeds	RPM	Chuck Size	Chuck Type	Weight	Charger/Battery
DC742KA	12V	200 UWO	2	0-400 / 0-1450 rpm	3/8"	Plastic Ratcheting	3.8 lbs.	Fast Charger / (2) 12V

## Cordless Power Tools

### Drill/Drivers

#### Dewalt

#### *DC750KA 9.6V 3/8" (10mm) Cordless Compact Drill/Driver Kit*



- Heavy-duty 3/8" keyless single sleeve ratcheting chuck for tighter bit gripping ability
- Dual speed range (0-300/0-1100 rpm) that delivers maximum versatility
- 15-position adjustable clutch offers maximum versatility and control
- Rubber grip for maximum comfort when performing applications
- Compact size and lightweight design (3.4 lbs.) allows users to get into tight spaces when performing applications

PART #	Volts	Max Power	# of Speeds	RPM	Chuck Size	Chuck Type	Weight	Charger/Battery
DC750KA	9.6V	130 UWO	2	0-300 / 0-1100 rpm	3/8"	Plastic Ratcheting	3.4 lbs.	1-Hour Charger / (2) 9.6V

#### *DCD710S2 12V MAX\* 3/8" Drill Driver Kit*



- Compact, lightweight design fits into tight areas
- Two speed transmission for optimal speed and torque control
- LED light provides visibility in dark areas
- Belt hook included for portability

PART #	Volts	Max Power	# of Speeds	RPM	Chuck Size	Chuck Type	Weight	Charger/Battery
DCD710S2	12V MAX*	189 UWO	2	0-400 / 0-1500 rpm	3/8"	Plastic Ratcheting	2.4 lbs.	Fast Charger / (2) 12V MAX* Lithium Ion

#### *DCD760B 18V 1/2" (13mm) Cordless Compact Drill/Driver (Tool Only)*



- Lightweight design minimizes user fatigue
- Dual speed range 0-500/0-1700 rpm delivers optimal performance
- LED work light provides increased visibility in confined spaces
- Compact size (8.2") allows users to fit into tight spaces

PART #	Volts	Max Power	# of Speeds	RPM	Chuck Size	Chuck Type	Weight	Charger/Battery
DCD760B	18V	350 UWO	2	0-500 / 0-1700 rpm	1/2"	Plastic Ratcheting	3.0 lbs. (tool only)	Sold Separately

## Cordless Power Tools

### Drill/Drivers

#### Dewalt

#### *DCD760KL 18V 1/2" (13mm) Cordless Compact Li-Ion Drill/Driver Kit*



- Lightweight design (4.0 lbs.) minimizes user fatigue
- Dual speed range 0-500/0-1700 rpm delivers optimal performance
- LED worklight provides increased visibility in confined spaces
- Compact li-ion batteries (DC9181) are compatible with the existing system of DEWALT 18V power tools produced since 1996
- Compact size (8.2") allows users to fit into tight spaces

PART #	Volts	Max Power	# of Speeds	RPM	Chuck Size	Chuck Type	Weight	Charger/Battery
DCD760KL	18V	350 UWO	2	0-500 / 0-1700 rpm	1/2"	Plastic Ratcheting	4.0 lbs.	30-Minute Charger (2) 15V Compact Lithium Ion

#### *DCD790B 20V MAX\* XR Lithium Ion Brushless Compact Drill / Driver (Tool Only)*



- DEWALT brushless motor delivers up to 57% more run time over brushed
- Compact (7.2" front to back), lightweight design fits into tight areas
- High speed transmission delivers 2-speed settings (0-600/0-2,000 RPM) improving speed and torque control across a range fastening and drilling applications
- Ergonomic comfort grip handle provides ideal balance & tool control
- Metal 1/2" ratcheting chuck for superior bit gripping strength
- LED light with 20 second trigger release delay provides increased visibility in dark or confined spaces, LED placement on tool foot eliminates chuck shadows

PART #	Volts	Max Power	# of Speeds	RPM	Chuck Size	Chuck Type	Weight	Charger/Battery
DCD790B	20V MAX*	360 UWO	2	0-600 / 2000 rpm	1/2"	Metal Ratcheting	2.6 lbs. (tool only)	Sold Separately

#### *DCD910KX 12V 1/2" (13mm) Cordless XRP™ Drill/Driver Kit*



- XRP™ extended run-time batteries provide long run-time and battery life
- Patented 3-speed all-metal transmission matches the tool to task for fastest application speed and improved run time
- Heavy-duty 1/2" ratcheting chuck helps prevent bits from slipping and falling out
- LED worklight provides increased visibility in confined spaces
- High power, high efficiency motor delivers 285 unit watts out of max power for superior performance in all drilling and fastening applications
- Best in class length for improved balance and better control

PART #	Volts	Max Power	# of Speeds	RPM	Chuck Size	Chuck Type	Weight	Charger/Battery
DCD910KX	12V	385 UWO	3	0-425 / 0-1200 / 0-1800 rpm	1/2"	Metal Ratcheting	5.25 lbs.	1-Hour Charger / (2) 12V

## Cordless Power Tools

### Drill/Drivers

#### Dewalt

#### *DCD920KX 1/2" (13mm) 14.4V Cordless XRP™ Drill/Driver Kit*



- XRP™ extended run-time batteries provide long run-time and battery life
- Patented 3-speed all-metal transmission matches the tool to task for fastest application speed and improved run time
- Heavy-duty 1/2" ratcheting chuck helps prevent bits from slipping and falling out
- LED worklight provides increased visibility in confined spaces
- High power, high efficiency motor delivers 325 unit watts out of max power for superior performance in all drilling and fastening applications
- Best in class length for improved balance and better control

PART #	Volts	Max Power	# of Speeds	RPM	Chuck Size	Chuck Type	Weight	Charger/Battery
DCD920KX	14.4V	325 UWO	3	0-425 / 0-1200 / 0-1800 rpm	1/2"	Metal Ratcheting	5.7 lbs.	1-Hour Charger / (2) 14.4V XRP™

#### Bosch

#### *BPS31-2A 12V 3/8" Drill Drive Lboxx Kit*



Part #  
BPS31-2A

#### Milwaukee

#### *ME2410-22 12V Cordless Lithium-Ion 3/8" Drill/Driver Kit*



- Powerful Milwaukee® Motor: Drills and fastens up to 35% faster with up to 25% more torque than the competition
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- 2-Speed Metal Gear Box: Select the correct drilling speed for the material and accessory, from 0-400/0-1,500 RPM
- Single Sleeve Ratcheting Chuck: All-metal 3/8" chuck optimizes grip strength and reduces slippage
- Built-in LED Light: Illuminates surfaces for faster, more efficient work

Part#	Voltage	Torque	Chuck Size	Length	Weight
ME2410-22	12V	250 in-lbs	3/8" Metal Single Sleeve	7-3/8"	2.5 lbs



## Cordless Power Tools

### Drill/Drivers

#### Milwaukee

#### *ME2455-20 12V Cordless Lithium-Ion No-Hub Driver*



- Powerful 12-volt motor: Delivers 60 in-lbs and 80 in-lbs of torque for fast installation
- Auto Shut-Off with LED Indicator: Alerts users when torque limit has been achieved
- LED Calibration Indicator: Alerts users when calibration is needed
- 0-750 RPM Drill Mode: Provides increased utility for general drilling and fastening
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger
- On-board fuel gauge: Helps you monitor the charge precisely for less downtime on the job
- Built-in LED light: Illuminates work surfaces in dark locations

Part#	Voltage	Torque	Chuck Size	RPM
ME2455-20	12V	60 / 80 in-lbs	1/4" Hex	0-250 / 0-750 rpm

#### *ME2455-22 12V Cordless Lithium-Ion No-Hub Driver Kit*



- Powerful 12-volt motor: Delivers 60 in-lbs and 80 in-lbs of torque for fast installation
- Auto Shut-Off with LED Indicator: Alerts users when torque limit has been achieved
- LED Calibration Indicator: Alerts users when calibration is needed
- 0-750 RPM Drill Mode: Provides increased utility for general drilling and fastening
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger
- On-board fuel gauge: Helps you monitor the charge precisely for less downtime on the job
- Built-in LED light: Illuminates work surfaces in dark locations

Part#	Voltage	Torque	Chuck Size	RPM
ME2455-22	12V	60 / 80 in-lbs	1/4" Hex	0-250 / 0-750 rpm

## Cordless Power Tools

### Drill/Drivers

#### Milwaukee

#### *ME2603-20 18V Brushless 1/2" Drill/Driver Brushless*



- POWERSTATE™ Brushless Motor: Delivers up to 725 in lbs of torque with maximum sustained torque to complete the toughest of applications
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- REDLINK PLUS™ Intelligence: The most advanced system of cordless power tool electronics. Provides optimized performance and overload protection using total system communication between tool, battery and charger

Part#	Voltage	Torque	Chuck Size	RPM
ME2603-20	18V	725 in-lbs	1/2" Metal Single Sleeve	0-550 / 0-1850 RPM

#### *ME2603-22 18V Brushless 1/2" Drill/Driver Kit*



- POWERSTATE™ Brushless Motor: Delivers up to 725 in lbs of torque with maximum sustained torque to complete the toughest of applications
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- REDLINK PLUS™ Intelligence: The most advanced system of cordless power tool electronics. Provides optimized performance and overload protection using total system communication between tool, battery and charger.

Part#	Voltage	RPM	Torque	Chuck
ME2603-22	18V	0 - 550 / 0 - 1850	725 in-lbs	1/2" Metal Single Sleeve

### Porter Cable

#### *PCL120DDC-2 12V MAX† Compact 3/8" Drill / Driver*



- 2-Speed Gearbox
- Adjustable Clutch
- Variable-Speed Trigger
- 7-1/2" Length
- Integral L.E.D. Worklight
- Belt Clip

Part #	Volts	Clutch Settings
PCL120DDC-2	12v	20

## Cordless Power Tools

### Right Angle Drills

#### Dewalt

#### *DCD740B 20V MAX\* Lithium Ion 3/8" Right Angle Drill/Driver (Tool Only)*



- Dual speed ranges (0-650/0-2000) rpm for increased user flexibility providing a wide range of applications
- Compact front to back length (4.0") allowing users to fit into hard to reach spaces
- Multi-grip trigger provides comfort and convenience, allowing the user to get into tighter spaces while still having access to the trigger
- 3/8" Ratcheting Chuck with Deep Hex Pocket allows 2" (50 mm) hex bit to be fully inserted for getting into tight spaces.

PART #	Volts	Max Power	Chuck Size	# of Speeds	RPM	Chuck Type	Weight	Charger/Battery
DCD740B	20V MAX*	360 UWO	3/8"	2	0-650 / 0-2000 rpm	Plastic Ratcheting	3.0 lbs. (tool only)	Sold Separately

#### *DCD740C1 20V MAX\* Lithium Ion 3/8" Right Angle Drill/Driver Kit (1.5 Ah)*



- Dual speed ranges (0-650/0-2000) rpm for increased user flexibility providing a wide range of applications
- Compact front to back length (4.0") allowing users to fit into hard to reach spaces
- Multi-grip trigger provides comfort and convenience, allowing the user to get into tighter spaces while still having access to the trigger
- 3/8" Ratcheting Chuck with Deep Hex Pocket allows 2" (50 mm) hex bit to be fully inserted for getting into tight spaces.

PART #	Volts	Max Power	Chuck Size	# of Speeds	RPM	Chuck Type	Weight	Charger/Battery
DCD740C1	20V MAX*	360 UWO	3/8"	2	0-650 / 0-2000 rpm	Plastic Ratcheting	3.8 lbs.	Fast Charger / (1) 20V MAX* Lithium Ion(1.5Ah)

#### Milwaukee

#### *ME2415-20 12V Cordless Lithium-Ion 3/8" Right Angle Drill/Driver*



- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- Extended Paddle Switch: Provides convenience and comfort no matter what the job requires
- Innovative Electronic Clutch: Delivers up to 100 in-lbs of torque with 11 settings plus drill mode for complete control in fastening applications
- 3/8" Single Sleeve Ratcheting Chuck: Allows quick and easy bit changes and maximum grip
- Built-in LEDs: Illuminate work surface and indicate clutch position
- Variable-speed Trigger: Provides maximum control

Part#	Voltage	Torque	Chuck Size	RPM	Weight
ME2415-20	12V	100 in-lbs	3/8" Single Sleeve	0 - 800 rpm	2.4 lbs

## Cordless Power Tools

### Right Angle Drills

#### Milwaukee

#### *ME2415-21 12V Cordless Lithium-Ion 3/8" Right Angle Drill/Driver Kit*



- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- Extended Paddle Switch: Provides convenience and comfort no matter what the job requires
- Innovative Electronic Clutch: Delivers up to 100 in-lbs of torque with 11 settings plus drill mode for complete control in fastening applications
- 3/8" Single Sleeve Ratcheting Chuck: Allows quick and easy bit changes and maximum grip
- Built-in LEDs: Illuminate work surface and indicate clutch position

Part#	Voltage	Torque	Chuck Size	RPM	Weight
ME2415-21	12V	100 in-lbs	3/8" Single Sleeve	0 - 800 rpm	2.4 lbs

### Screwdrivers

#### Dewalt

#### *DC520KA 18V Cordless Drywall/Deck Screwdriver Kit*



- Dual speed ranges (0-900/0-2,900 rpm); high speed for drywall, low speed for decking
- Depth-sensitive, "set and forget" nosepiece for consistent fastener depth
- DEWALT®-built high-performance motor with fan-cooling delivers maximum power and durability

PART #	Volts	Drive	RPM	Torque	Capacity	Weight	Charger/Battery
DC520KA	18V	1/4"	0-900 / 0-2700	180 in-lbs.	12 gauge	5.1 lbs.	1-Hour Charger / (2) 18V XRP™

#### *DC668KA 18V Cordless XRP™ Light Gauge Steel Framing Screwdriver Kit*



- Versa-Clutch® torque adjustment system "dials in" the proper torque needed to efficiently drive fasteners without stripping or breaking fastener
- 0-900/0-2,700 rpm for better fastener control in various material thickness
- XRP™ extended run-time batteries provide long run-time and battery life
- Tool designed for steel fastening applications that is ideal for use in 12-28 gauge CRS

PART #	Volts	Drive	RPM	Torque	Capacity	Weight	Charger/Battery
DC668KA	18V	1/4"	0-900 / 0-2700	180 in-lbs.	12-28 gauge	5.4 lbs.	1-Hour Charger / (2) 18V XRP™



## Cordless Power Tools

### Screwdrivers

#### Dewalt

#### *DCF610S2 12V MAX\* 1/4" Screwdriver Kit*



- Compact, lightweight design fits into tight areas
- 3 LED Lights provide visibility without shadows
- One-handed loading 1/4" hex chuck accepts 1" bit tips
- Belt hook included for portability

PART #	Volts	Drive	RPM	Chuck	Max Power	LED's	Length	Weight	Charger/Battery
DCF610S2	12V MAX*	1/4"	0-1050 rpm	1-Handed Loading 1/4" Hex Chuck	160 UWO	3	6-1/4"	2.2 lbs.	Fast Charger / 12V MAX* Lithium Ion

#### *DCF680N2 8V MAX\* Gyroscopic Screwdriver 2 Battery Kit*



- Motion Activation variable speed and reversing control for precise fastening control
- Motion Activated Variable speed 0-430 rpm for fastening into wood, plastic, and light-gauge metal
- Adjustable two-position handle allows for operation in either in-line or pistol-grip
- Allows control when completing light fastening applications
- Allows illumination in confined areas without shadowing
- Battery State of Charge on tool allows end users to know when to charge packs
- Allows for quick screwdriver bit change and holds 1" bit tips
- 8V MAX battery pack allows for longer run-time and charges in one hour

PART #	Volts	Drive	RPM	Chuck	Weight	Charger/Battery
DCF680N2	8V MAX	1/4"	0-430 rpm	1/4" Hex Chuck	1.1 lbs.	1-Hour Charger (2) 8V MAX

## Cordless Power Tools

### Screwdrivers

#### Dewalt

#### *DCF681N2 8V MAX Gyroscopic Screwdriver With Conduit Reamer*



- Motion Activation variable speed and reversing control for precise fastening control
- Ream 1/2", 3/4" and 1" conduit and install fittings in a fraction of the time
- Motion Activated Variable speed 0-430 rpm for fastening into wood, plastic, and light-gauge metal
- Allows illumination in confined areas without shadowing
- Battery State of Charge on tool allows end users to know when to charge packs
- Allows for quick screwdriver bit change and holds 1" bit tips
- 8V MAX battery pack allows for longer run-time and charges in one hour

PART #	Volts	Drive	RPM	Chuck Size	Weight	Charger/Battery
DCF681N2	8V MAX*	1/4" Hex	0-430 rpm	1/4" Hex Chuck	1.1 lbs.	1-Hour Charger (2) 8V MAX

#### *DW920K-2 1/4" (6mm) 7.2V Cordless Two-Position Screwdriver Kit*



- 80 in.-lbs. of maximum torque output provides for a superior power to weight ratio in a variety of fastening applications
- Adjustable two-position handle allows for operation as both in-line and pistol-grip
- Variable speed and reversing trigger switch provides 0-500 rpm for fastening and pre-drilling into wood, plastic, and light-gauge metal
- Industrial quick-release hex-shank chuck allows for quick screwdriver bit change and prevents bit "run out"
- Electric brake provides increased productivity
- 7.2V battery pack allows for longer run-time and charges in one hour
- Heavy-duty metal hinge provides secure and sustained two-position lock

PART #	Volts	Drive	RPM	Chuck	Torque	Weight	Charger/Battery
DW920K-2	7.2V	1/4" Hex	0-500 rpm	1/4" Hex Chuck	80 in.-lbs.	3.5 lbs.	1-Hour Charger / (2) 7.2V

#### Milwaukee

#### *ME2101-21 MIL CRDLS 2.4V 2-SPD SCREWDRVR*



- 21-position clutch setting with auto shut-off
- 44 inch-pounds of torque
- 2-speed gearbox: 200/600 RPM

Part#	Voltage	Torque	Speed	Charge Time	Weight
ME2101-21	4V	44 in.-lbs	200 / 600 RPM	45 min	.85 lbs

## Cordless Power Tools

### Screwdrivers

#### Milwaukee

#### *ME2401-22 12V Cordless Lithium-Ion Screwdriver*



- Compact power: Delivers 175 in-lbs of torque yet weighs 2 lbs
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market.
- Quick-change chuck: For convenient, one-handed bit changes
- Variable-speed trigger: Provides increased control
- Battery fuel gauge: Displays remaining runtime

Part#	Voltage	Torque	Chuck Size	Cap in Steel	Cap in Wood
ME2401-22	12V	175 in-lbs	1/4" Quick Change Hex	1/2"	1/4"

#### *ME2402-22 12V Brushless 1/4" Hex 2-Speed Screwdriver*



- POWERSTATE™ Brushless Motor: Delivers up to 325 in-lbs of peak torque with maximum sustained torque to complete a variety of applications
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- REDLINK Plus™ Intelligence: The most advanced system of cordless power tool electronics. Provides optimized performance and overload protection using total system communication between tool, battery and charger

Part#	Voltage	Torque	Chuck Size	Cap in Steel	RPM
ME2402-22	12V	325 in-lbs	1/4" Quick Change Hex	1/2"	0-4500 / 0-1700



## Cordless Power Tools

### Duraspin Screws

### Auto-Feed Screwdrivers

### Senco

### 2" Cordless 18V Li-ion 5000 RPM



#### Applications

Drywall to wood, drywall to steel, cement board, sheathing to wood, underlayment and flooring, fiberglass backed gypsum sheathing, sheathing to steel, wood decking, metal framing, structural steel decking.

#### Features

- 5000 rpm high-speed motor
- Patent pending corner-fit feed system
- Tool-free screw length adjustment
- Precise depth-of-drive adjustment with depth lock
- Quick slide button bit change
- Variable speed trigger with lock and reverse
- Belt hook -right or left handed adjustable

#### Includes

- Two-18V li-Ion batteries, charger, drywall nosepiece, wood nosepiece, storage bag, 2 drive bits

Part #	RPM	Battery	Torque
DS215-18V	0-5000	18 Volt 1.5 Ah	60 in-lbs



# Table of Contents

## Categorized Listing

<b>Cordless Power Tools</b>	<b>1</b>
Drill/Drivers	1
Dewalt	1
DC720KA 18V 1/2" (13mm) Cordless Compact Drill/Driver Kit	1
DC730KA 14.4V 1/2" (13mm) Cordless Compact Drill/Driver	1
DC742KA 12V 3/8" (10mm) Cordless Compact Drill/Driver Kit	1
DC750KA 9.6V 3/8" (10mm) Cordless Compact Drill/Driver Kit	2
DCD710S2 12V MAX* 3/8" Drill Driver Kit	2
DCD760B 18V 1/2" (13mm) Cordless Compact Drill/Driver (Tool	2
DCD760KL 18V 1/2" (13mm) Cordless Compact Li-Ion Drill/Driver	3
DCD790B 20V MAX* XR Lithium Ion Brushless Compact Drill / Driver	3
DCD910KX 12V 1/2" (13mm) Cordless XRP™ Drill/Driver Kit	3
DCD920KX 1/2" (13mm) 14.4V Cordless XRP™ Drill/Driver Kit	4
Bosch	4
BPS31-2A 12V 3/8" Drill Drive Lboxx Kit	4
Milwaukee	4
ME2410-22 12V Cordless Lithium-Ion 3/8" Drill/Driver Kit	4
ME2455-20 12V Cordless Lithium-Ion No-Hub Driver	5
ME2455-22 12V Cordless Lithium-Ion No-Hub Driver Kit	5
ME2603-20 18V Brushless 1/2" Drill/Driver Brushless	6
ME2603-22 18V Brushless 1/2" Drill/Driver Kit	6
Porter Cable	6
PCL120DDC-2 12V MAX† Compact 3/8" Drill / Driver	6
<b>Right Angle Drills</b>	<b>7</b>
Dewalt	7
DCD740B 20V MAX* Lithium Ion 3/8" Right Angle Drill/Driver (Tool	7
DCD740C1 20V MAX* Lithium Ion 3/8" Right Angle Drill/Driver Kit	7
Milwaukee	7
ME2415-20 12V Cordless Lithium-Ion 3/8" Right Angle	7
ME2415-21 12V Cordless Lithium-Ion 3/8" Right Angle Drill/Driver	8
<b>Screwdrivers</b>	<b>8</b>
Dewalt	8
DC520KA 18V Cordless Drywall/Deck Screwdriver Kit	8
DC668KA 18V Cordless XRP™ Light Gauge Steel Framing Screwdriver	9
DCF610S2 12V MAX* 1/4" Screwdriver Kit	9
DCF680N2 8V MAX* Gyroscopic Screwdriver 2 Battery Kit	9
DCF681N2 8V MAX Gyroscopic Screwdriver With Conduit	10
DW920K-2 1/4" (6mm) 7.2V Cordless Two-Position Screwdriver	10
Milwaukee	10
ME2101-21 MIL CRDLS 2.4V 2-SPD SCREWDRVR	10
ME2401-22 12V Cordless Lithium-Ion Screwdriver	11
ME2402-22 12V Brushless 1/4" Hex 2-Speed Screwdriver	11
<b>Duraspin Screws</b>	<b>12</b>
Auto-Feed Screwdrivers	12
Senco	12
2" Cordless 18V Li-ion 5000 RPM	12



# Table of Contents

## Alphabetized Listing

<b>2</b>	
2" Cordless 18V Li-ion 5000 RPM	12
<b>A</b>	
Auto-Feed Screwdrivers	12
<b>B</b>	
Bosch	4
BPS31-2A 12V 3/8" Drill Drive Lboxx Kit	4
<b>C</b>	
Cordless Power Tools	1-12
<b>D</b>	
DC520KA 18V Cordless Drywall/Deck Screwdriver Kit	8
DC668KA 18V Cordless XRP™ Light Gauge Steel Framing	8
DC720KA 18V 1/2" (13mm) Cordless Compact Drill/Driver Kit	1
DC730KA 14.4V 1/2" (13mm) Cordless Compact Drill/Driver Kit	1
DC742KA 12V 3/8" (10mm) Cordless Compact Drill/Driver Kit	1
DC750KA 9.6V 3/8" (10mm) Cordless Compact Drill/Driver Kit	2
DCD710S2 12V MAX* 3/8" Drill Driver Kit	2
DCD740B 20V MAX* Lithium Ion 3/8" Right Angle Drill/Driver (Tool	7
DCD740C1 20V MAX* Lithium Ion 3/8" Right Angle Drill/Driver Kit	7
DCD760B 18V 1/2" (13mm) Cordless Compact Drill/Driver (Tool	2
DCD760KL 18V 1/2" (13mm) Cordless Compact Li-Ion Drill/Driver Kit	3
DCD790B 20V MAX* XR Lithium Ion Brushless Compact Drill /	3
DCD910KX 12V 1/2" (13mm) Cordless XRP™ Drill/Driver Kit	3
DCD920KX 1/2" (13mm) 14.4V Cordless XRP™ Drill/Driver Kit	4
DCF610S2 12V MAX* 1/4" Screwdriver Kit	9
DCF680N2 8V MAX* Gyroscopic Screwdriver 2 Battery Kit	9
DCF681N2 8V MAX Gyroscopic Screwdriver With Conduit Reamer	10
Dewalt	1-4, 7-10
Drill/Drivers	1-6
Duraspin Screws	12
DW920K-2 1/4" (6mm) 7.2V Cordless Two-Position Screwdriver	10
<b>M</b>	
ME2101-21 MIL CRDLS 2.4V 2-SPD SCREWDRVR	10
ME2401-22 12V Cordless Lithium-Ion Screwdriver	11
ME2402-22 12V Brushless 1/4" Hex 2-Speed Screwdriver	11
ME2410-22 12V Cordless Lithium-Ion 3/8" Drill/Driver Kit	4
ME2415-20 12V Cordless Lithium-Ion 3/8" Right Angle Drill/Driver	7
ME2415-21 12V Cordless Lithium-Ion 3/8" Right Angle Drill/Driver Kit	8
ME2455-20 12V Cordless Lithium-Ion No-Hub Driver	5
ME2455-22 12V Cordless Lithium-Ion No-Hub Driver Kit	5
ME2603-20 18V Brushless 1/2" Drill/Driver Brushless	6
ME2603-22 18V Brushless 1/2" Drill/Driver Kit	6
Milwaukee	4-8, 10-11
<b>P</b>	
PCL120DDC-2 12V MAX† Compact 3/8" Drill / Driver	6
Porter Cable	6
<b>R</b>	
Right Angle Drills	7-8
<b>S</b>	
Screwdrivers	8-11
Senco	12