

Cordless Power Tools

Impact Drivers and Wrenches

Impact Drivers

Dewalt

DC825B 1/4" (6.35mm) 18V Cordless Impact Driver (Tool Only)



- Frameless motor for extended tool durability and life
- Compact size and weight allows access into tighter areas and reduces user fatigue
- 1,330 in.-lbs. of torque to perform a wide range of fastening applications
- 0-2,400 rpm/0-2,700 ipm for faster application speed
- Replaceable brushes for increased serviceability
- Textured anti-slip comfort grip provides maximum comfort and control
- Durable magnesium gear case and all metal transmission for extended durability
- Heavy-duty impacting mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Tool Length	LED	Weight	Charger/Battery
DC825B	18V	1/4" Hex Shank quick release	0-2400 rpm	0-2700 ipm	1330 in.-lbs.	111 ft.-lbs	5-3/4"	1	2.2 lbs.	Sold Separately

DC825KA 1/4" (6.35mm) 18V Cordless XRP™ Impact Driver Kit



- Frameless motor with replaceable brushes for extended tool durability and life
- Compact size and lightweight design allows user to get into tight spaces when performing applications
- 1,330 in.-lbs. of torque to perform a wide range of fastening applications
- 0-2,400 rpm/0-2,700 ipm for faster application speed
- Replaceable brushes for increased serviceability
- Textured ant-slip comfort grip provides maximum comfort and control
- Durable magnesium gear case and all-metal transmission for extended durability
- Heavy-duty impact mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LED	Weight	Charger/Battery
DC825KA	18V	1/4" Hex Shank quick release	0-2400 rpm	0-2700 ipm	1330 in.-lbs.	111 ft.-lbs	5-3/4"	1	4.6 lbs.	1-Hour Charger / (2) 18VXRP™

Cordless Power Tools

Impact Drivers and Wrenches

Impact Drivers

Dewalt

DC827KL 1/4" (6.35mm) 18V Cordless XRP™ Li-Ion Impact Driver Kit



- Frameless motor with replaceable brushes for extended tool durability and life
- Compact size and lightweight design allows user to get into tight spaces when performing applications
- 1,330 in.-lbs. of torque to perform a wide range of fastening applications
- 0-2,400 rpm/0-2,700 ipm for faster application speed
- Replaceable brushes for increased serviceability
- Textured ant-slip comfort grip provides maximum comfort and control
- Durable magnesium gear case and all-metal transmission for extended durability
- Heavy-duty impact mechanism directs torque to fastener without kickback
- DEWALT® 18V XRP Li-Ion Batteries offer long battery life & durability: 2,000 recharges

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LED	Weight	Charger/Battery
DC827KL	18V	1/4" Hex Shank quick release	0-2400 rpm	0-2700 ipm	1330 in.-lbs.	111 ft.-lbs	5-3/4"	1	3.7 lbs.	1-Hour NiCd/NiMH /Li-ion Charger / (2) 18V XRP™ Lithium ion

DC835KA 1/4" (6.35mm) 14.4V Cordless XRP™ Impact Driver Kit



- Frameless motor with replaceable brushes for extended tool durability and life
- Compact size and lightweight design allows user to get into tight spaces when performing applications
- 1,240 in.-lbs. of torque to perform a wide range of fastening applications
- 0-2,400 rpm/0-2,700 ipm for faster application speed
- Replaceable brushes for increased serviceability
- Textured ant-slip comfort grip provides maximum comfort and control
- Durable magnesium gear case and all-metal transmission for extended durability
- Heavy-duty impact mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LEB	Weight	Charger/Battery
DC835KA	14.4V	1/4" Hex Shank quick release	0-2400 rpm	0-2700 rpm	1240 in.-lbs.	103 ft.-lbs	5-3/4"	1	3.9 lbs.	1-Hour Charger / (2) 14.4V XRP™

Cordless Power Tools

Impact Drivers and Wrenches

Impact Drivers

Dewalt

DC841KA 3/8" (9.5mm) 12V Cordless XRP™ Impact Wrench Kit



- Frameless motor with replaceable brushes for extended tool durability and life
- Compact size and lightweight design allows user to get into tight spaces when performing applications
- 1,260 in.-lbs. of torque to perform a wide range of fastening applications
- 0-2,400 rpm/0-2,700 ipm for faster application speed
- Replaceable brushes for increased serviceability
- Textured ant-slip comfort grip provides maximum comfort and control
- Durable magnesium gear case and all-metal transmission for extended durability
- Heavy-duty impact mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LED	Weight	Charger/Battery
DC841KA	12V	1/4" Hex Shank quick release	0-2400 rpm	0-2700 ipm	1150 in.-lbs.	96 ft.-lbs	5-3/4"	1	3.6 lbs.	1-Hour Charger / (2) 12V XRP™

DC845KA 1/4" (6.35mm) 12V Cordless Impact Driver Kit



- Frameless motor with replaceable brushes for extended tool durability and life
- Compact size and lightweight design allows user to get into tight spaces when performing applications
- 1,150 in.-lbs. of torque to perform a wide range of fastening applications
- 0-2,400 rpm/0-2,700 ipm for faster application speed
- Replaceable brushes for increased serviceability
- Textured ant-slip comfort grip provides maximum comfort and control
- Durable magnesium gear case and all-metal transmission for extended durability
- Heavy-duty impact mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LED	Weight	Charger/Battery
DC845KA	12V	1/4" Hex Shank quick release	0-2400 rpm	0-2700 ipm	11450 in.-lbs.	96 ft.-lbs	5-3/4"	1	3.6 lbs.	1-Hour Charger / (2) 12V XRP™

Cordless Power Tools

Impact Drivers and Wrenches

Impact Drivers

Dewalt

DCF815S2 12V MAX 1/4" Impact Driver Kit*



- Compact, lightweight design fits into tight areas
- 3 LED Lights provide visibility without shadows
- One-handed loading 1/4" hex chuck accepts 1" bit tips
- Belt hook included for portability

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LED	Weight	Charger/Battery
DCF815S2	12V MAX*	1-Handed loading, 1/4" Hex Chuck	0-2450 rpm	0-3400 ipm	950 in-lbs.	79 ft-lbs	6-1/4"	3	2.3 lbs.	Fast Charger / (2) 12V MAX* Lithium Ion

DCF826KL 1/4" (6.35mm) 18V Cordless Li-Ion Impact Driver Kit



- Compact size and weight allows access into tighter areas and reduces user fatigue
- Compact li-ion batteries (DC9181) charge in 30 minutes and are compatible with the existing system of DEWALT 18V power tools produced since 1996
- Frameless motor for extended tool durability and life
- 1,330 in-lbs. of torque to perform a wide range of fastening applications
- 0-2,400 rpm/0-2,700 ipm for faster application speed
- Replaceable brushes for increased serviceability
- Textured anti-slip comfort grip provides maximum comfort and control
- Durable magnesium gear case and all metal transmission for extended durability
- Heavy-duty impacting mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LED	Weight	Charger/Battery
DCF826KL	18V	1/4" Hex Shank quick release	0-2400 rpm	0-2700 ipm	1330 in-lbs.	111 ft-lbs	5-3/4"	1	3.7 lbs.	1-Hour NiCd/NiMH /Li-ion Charger / (2) 18V XRP™ Lithium ion

Cordless Power Tools

Impact Drivers and Wrenches

Impact Drivers

Dewalt

DCF885B 20V MAX Lithium Ion 1/4" Impact Driver (Tool Only)*



- Compact (5.55" front to back) design fits into tight areas
- Three (3) LED lights with 20 second delay after trigger release, provide visibility without shadows
- One-handed loading 1/4" hex chuck accepts 1" bit tips
- Belt hook included for portability

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LED	Weight	Charger/Battery
DCF885B	20V MAX*	1/4" Hex Shank quick release	2800 rpm	3200 rpm	1400 in-lbs.	117 ft-lbs	5-1/2"	3	2.0 lbs.	Sold Separately

DCF885C2 20V MAX Lithium Ion 1/4" Impact Driver Kit (1.5Ah)*



- Compact (5.55" front to back), lightweight (2.8 lbs.) design fits into tight areas
- Three (3) LED lights with 20 second delay after trigger release, provide visibility without shadows
- One-handed loading 1/4" hex chuck accepts 1" bit tips
- Belt hook included for portability

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LED	Weight	Charger/Battery
DCF885C2	20V MAX*	1/4" Hex Shank quick release	2800 rpm	3200 ipm	1400 in-lbs.	117 ft-lbs	5-1/2"	3	2.8 lbs.	Fast Charger / (2) 20V MAX* Lithium Ion(1.5Ah)

DCF885M2 20V MAX Lithium Ion 1/4" Impact Driver Kit*



- Compact (5.55" front to back), lightweight (3.4 lbs.) design fits into tight areas
- XR™ Li-Ion batteries with fuel gauge provide 33% more capacity over standard packs
- Three (3) LED lights with 20 second delay after trigger release, provide visibility without shadows
- One-handed loading 1/4" hex chuck accepts 1" bit tips
- Belt hook included for portability

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LED	Weight	Charger/Battery
DCF885M2	20V MAX*	1/4" Hex Shank quick release	2800 rpm	3200 ipm	1400 in-lbs.	117 ft-lbs	5-1/2"	3	3.4 lbs.	Fast Charger / (2) 20V MAX* XR Lithium Ion(4.0Ah)

Cordless Power Tools

Impact Drivers and Wrenches

Impact Drivers

Dewalt

DCF886B 20V MAX XR Lithium Ion Brushless 1/4" Impact Driver (Tool Only)*



- DEWALT brushless motor delivers up to 57% more run time over brushed
- Compact (5.55" front to back) design fits into tight areas
- Three (3) LED lights with 20 second delay after trigger release, provide visibility without shadows
- One-handed loading 1/4" hex chuck accepts 1" bit tips

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LED	Weight	Charger/Battery
DCF886B	20V MAX*	1/4" Hex Shank quick release	0-2800 rpm	0-3200 ipm	1500 in-lbs.	125 ft-lbs	5-1/2"	3	2.1 lbs.	Sold Separately

DCF895B 20V MAX Lithium Ion 1/4" Brushless 3-Speed Impact Driver (Tool Only)*



- Brushless Motor; maximum runtime
- 3 Speed Design; application specific control
- Push Button Chuck; one handed operation for accessory changes
- Compact (5.25" front to back), lightweight design (2.2lbs); fits into tight areas
- Three (3) LED lights around the chuck with 20 second delay after trigger release; provide visibility with limited shadows
- Belt Hook and Accessory Storage; included for portability

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LED	Weight	Charger/Battery
DCF895B	20V MAX*	1/4" Hex Shank quick release	0-2850 / 1900 / 950 rpm	0-3300 / 2400 / 1300 ipm	1500 / 900 / 500 in-lbs.	125 ft-lbs	5-1/4"	3	2.2 lbs.	Sold Separately

DCF895M2 20V Max XR Lithium Ion Brushless 3-Speed 1/4" Impact Driver*



- DEWALT brushless motor delivers up to 57% more run time over brushed
- 3 Speed Design; application specific control
- Push Button Chuck; one handed operation for accessory changes
- Compact (5.25" front to back), lightweight design (3.6lbs); fits into tight areas
- XR™ Li-Ion batteries with fuel gauge provide 33% more capacity over standard packs
- Belt Hook and Accessory Storage; included for portability

PART #	Volts	Drive Size	RPM	IPM	In lbs. Torque	Ft lbs. Torque	Length	LED	Weight	Charger/Battery
DCF895M2	20V MAX*	1/4" Hex Shank quick release	0-2850 / 1900 / 950 rpm	0-3300 / 2400 / 1300 ipm	1500 / 900 / 500 in-lbs.	125 ft-lbs	5-1/4"	3	3.6 lbs.	Fast Charger / (2) 20V MAX* XR Lithium Ion(4.0Ah)

Cordless Power Tools

Impact Drivers and Wrenches

Impact Drivers

Dewalt

DW0521 Quick Connect 3/8" Impact Chuck



- 1/4" hex quick connect allows users to easily change from fastening to drilling
- Single sleeve design allows for single handed tightening
- Built with all-metal construction for maximum durability

Bosch

B25618-02 18V Impact Driver



Part #

B25618-02

BIDH182-01L 18V EC Brushless Socket Ready Impact With 1/4" Hex & 1/2" Square Drive Kit



Socket-ready chuck- all-in-one impact driver and impact wrench with a 1/4 In. quick-change hex and 1/2 In. square drive chuck for sockets

Brushless motor- up to 2 times motor life, superior efficiency for longer runtime and no maintenance

Performance Control System- select between 3 speed and torque settings to maximize power or minimize fastener damage

Highest torque in its class- highest torque output in its class at 1650 In. lbs

Superior ergonomics- smallest grip diameter for best in class ergonomics

3 LED design- provides maximum illumination of work area without shadows

Advanced electronics – electronic motor and cell protection help prevent overheating and overloading for extended tool life and runtime

Cool pack technology- advanced heat conductive housing keeps battery cooler and extends life

Part #

BIDH182-01L

Cordless Power Tools

Impact Drivers and Wrenches

Impact Drivers

Bosch

BPS41-2A 12V Max Impact Driver Kit



- Shortest head length in class - 5.4 In.
- High torque 930 In.-Lbs. with pocket size body - can cover 80% of standard size impact driver applications
- Light weight - only 2 lbs
- Highest speed in class at 2600 RPM
- Fuel gauge - easy battery management for continued work
- LED light ring — 3 LED lights illuminate work area for use in dark areas
- Variable speed trigger - for complete control
- Ergonomic soft grip handle — for extended comfort and control
- Bumpers on side of tool — protect work surface and prevent slipping

Part

BPS41-2A

Milwaukee Tools

ME2450-22 12V 1/4" Hex Impact Driver Kit

- Milwaukee® engineered Impact Mechanism: Delivers maximum application speed for greater efficiency on the job
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger

Part#	Voltage	RPM	Torque	IPM
ME2450-22	12V	0 - 2000	850 in-lbs	0 - 3000



Cordless Power Tools

Impact Drivers and Wrenches

Impact Drivers

Milwaukee Tools

ME2453-22 12V Brushless 1/4" Hex Impact Driver Kit

- POWERSTATE™ Brushless Motor: Delivers up to 1,200 in-lbs of peak torque with maximum sustained torque to complete a variety of applications
- REDLITHIUM™ 2.0 Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- REDLINK Plus™ Intelligence: The most advanced system of cordless power tool electronics. Provides optimized performance and overload protection using total system communication between tool, battery and charger
- DRIVE CONTROL™: Two fastening modes provide variable power and speed for precision work and heavy duty applications

Part#	Voltage	RPM	Torque	IPM
ME2453-22	12V	0 - 2650	1200 in-lbs	0 - 3550

ME2650-20 18V 1/4" Hex Compact Impact Driver

- Milwaukee® 4-Pole Frameless Motor: Features a robust design combined with rare-earth magnets for longer life, more power and more runtime than any brushed competitor
- Milwaukee® engineered Impact Mechanism: Delivers maximum application speed for greater efficiency on the job
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger

Part#	Voltage	RPM	Torque	IPM
ME2650-20	18V	0 - 3200	1400 in-lbs	0 - 3200



Cordless Power Tools

Impact Drivers and Wrenches

Impact Drivers

Milwaukee Tools

ME2653-20 18V Brushless 1/4" Hex Impact Driver

- Milwaukee® POWERSTATE™ Brushless Motor runs cooler, lasts longer and delivers up to 55% faster application speed
- REDLINK PLUS™ Electronic Intelligence allows the operator to choose between 3 fastening modes with Milwaukee's proprietary DRIVE CONTROL™ feature
- The Milwaukee® REDLITHIUM™ Battery Pack is the most durable pack on the market and provides up to 50% more run time
- DRIVE CONTROL™: Three fastening modes provide variable power and speed for precision work and heavy duty applications

Part#	Voltage	RPM	Torque	IPM
ME2653-20	18V	0 - 2900	1600 in-lbs	0 - 3600

ME2653-22 18V Brushless 1/4" Hex Impact Driver Kit

- Milwaukee® POWERSTATE™ Brushless Motor runs cooler, lasts longer and delivers up to 55% faster application speed
- REDLINK PLUS™ Electronic Intelligence allows the operator to choose between 3 fastening modes with Milwaukee's proprietary DRIVE CONTROL™ feature
- The Milwaukee® REDLITHIUM™ Battery Pack is the most durable pack on the market and provides up to 50% more run time
- DRIVE CONTROL™: Three fastening modes provide variable power and speed for precision work and heavy duty applications

Part#	Voltage	RPM	Torque	IPM
ME2653-22	18V	0 - 2900	1600 in-lbs	0 - 3600

Porter Cable

PCL120IDC-2 12V MAX† Compact 1/4" Hex Impact Driver

Part #	Volts	Torque	RPM
PCL120IDC-2	12V	950 in-lbs	0-2400 rpm

Cordless Power Tools

Impact Drivers and Wrenches

Impact Wrench

Dewalt

DC800KL 1/2" (13mm) 36V Cordless Li-Ion Impact Wrench Kit



- DEWALT®-built high torque, high efficiency motor with replaceable brushes delivers maximum performance in all fastening applications
- DEWALT® exclusive lithium ion cells offer long battery life & durability: 2,000 recharges
- Preferred rocker switch design for fast and easy forward and reverse
- Patented all-metal anvil provides durability and prevents shearing
- Anti-slip comfort grip provides increased comfort and control
- High speed all-metal transmission delivers 1,400 rpm for increased productivity

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DC800KL	36V	1/2" Square with detent pin anvil	3900 in-lbs.	325 ft-lbs	1400 rpm	2500 ipm	Rocker	-	7.5 lbs.	10-3/4"	1-Hour Charger / (2) 36V Lithium Ion

Cordless Power Tools

Impact Wrench

Dewalt

DC820B 1/2" (13mm) 18V Cordless Impact Wrench (Tool Only)



- Frameless motor for extended tool durability and life
- Compact size and weight allow access into tighter areas and reduces user fatigue
- 1,740 in.-lbs. of torque to perform a wide range of fastening applications
- 0-2,400 rpm/0-2,700 ipm for faster application speed
- Replaceable brushes for increased serviceability
- Textured anti-slip comfort grip provides maximum comfort
- Durable magnesium gear case and all metal transmission for extended durability
- Heavy-duty impacting mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/Battery
DC820B	18V	1/2" Square with detent pin anvil	1740 in.-lbs.	145 ft.-lbs.	0-2400 rpm	0-2700 ipm	Trigger	1	2.2 lbs. (tool only)	5-3/4"	Sold Separately

DC820KA 1/2" (13mm) 18V Cordless XRP™ Impact Wrench Kit



- Frameless motor with replaceable brushes for extended tool durability and life
- Compact size and lightweight design allows user to get into tight spaces when performing applications
- 1,740 in.-lbs. of torque to perform a wide range of fastening applications
- 0-2,400 rpm/0-2,700 ipm for faster application speed
- Replaceable brushes for increased serviceability
- Textured ant-slip comfort grip provides maximum comfort and control
- Durable magnesium gear case and all-metal transmission for extended durability
- Heavy-duty impact mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/Battery
DC820KA	18V	1/2" Square with detent pin anvil	1740 in.-lbs.	145 ft.-lbs.	0-2400 rpm	0-2700 ipm	Trigger	1	4.6 lbs.	5-3/4"	1-Hour Charger / (2) 18V XRP™

Cordless Power Tools

Impact Wrench

Dewalt

DC821KA 1/2" (13mm) 18V Cordless XRP™ Impact Wrench Kit



- Heavy-duty DEWALT®-built motor provides long life under continuous heavy use conditions
- 0-2,100 rpm/0-3,000 ipm for fast application speed
- Durable all-metal gear case and transmission provide jobsite-ready durability
- 160 ft-lbs of max torque provides power to perform a wide range of fastening applications
- Variable speed trigger and electric brake provide control for tightening and loosening fasteners
- Textured ant-slip comfort grip provides maximum comfort and control
- Heavy-duty impact mechanism directs torque to fastener without kickback
- Compatible with DEWALT® 18V System and works with all 18V DEWALT® batteries (XRP™, NANO™ and Compact)

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DC821KA	18V	1/2" Square with detent pin anvil	1920 in-lbs.	160 ft.=lbs.	0-2100 rpm	0-3000 ipm	Trigger	-	5.3 lbs.	7-5/8"	1-Hour Charger / (2) 18V XRP™

DC822KL 1/2" (13mm) 18V Cordless XRP™ Li-Ion Impact Wrench



- Frameless motor with replaceable brushes for extended tool durability and life
- Compact size and weight allow access into tighter areas and reduces user fatigue
- 1,740 in-lbs. of torque to perform a wide range of fastening applications
- 0-2,400 rpm/0-2,700 ipm for faster application speed
- Replaceable brushes for increased serviceability
- Textured ant-slip comfort grip provides maximum comfort and control
- Durable magnesium gear case and all-metal transmission for extended durability
- Heavy-duty impact mechanism directs torque to fastener without kickback
- DEWALT® 18V XRP Li-Ion Batteries offer long battery life & durability: 2,000 recharges

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DC822KL	18V	1/2" Square with detent pin anvil	1740 in-lbs.	145 ft-lbs	0-2400 rpm	0-2700 ipm	Trigger	1	3.7 lbs.	5-3/4"	1-Hour NiCd/NiMH/Li-ion Charger / (2) 18V XRP™ Lithium ion

Cordless Power Tools

Impact Wrench

Dewalt

DC823B 3/8" (9.5mm) 18V Cordless Impact Wrench (Tool Only)



- Frameless motor for extended tool durability and life
- Compact size and weight allow access into tighter areas and reduces user fatigue
- 1,500 in.-lbs. of torque to perform a wide range of fastening applications
- 0-2,400 rpm/0-2,700 ipm for faster application speed
- Replaceable brushes for increased serviceability
- Textured anti-slip comfort grip provides maximum comfort
- Durable magnesium gear case and all metal transmission for extended durability
- Heavy-duty impacting mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/Battery
DC823B	18V	3/8" Square with hog ring anvil	1500 in.-lbs.	125 ft.-lbs.	0-2400 rpm	0-2700 ipm	Trigger	1	2.2 lbs. (tool only)	5-3/4"	Sold Separately

DC823KA 3/8" (9.5mm) 18V Cordless XRP™ Impact Wrench



- Frameless motor with replaceable brushes for extended tool durability and life
- Compact size and lightweight design allows user to get into tight spaces when performing applications
- 1,500 in.-lbs. of torque to perform a wide range of fastening applications
- 0-2,400 rpm/0-2,700 ipm for faster application speed
- Replaceable brushes for increased serviceability
- Textured ant-slip comfort grip provides maximum comfort and control
- Durable magnesium gear case and all-metal transmission for extended durability
- Heavy-duty impact mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/Battery
DC823KA	18V	3/8" Square with hog ring anvil	1500 in.-lbs.	125 ft.-lbs.	0-2400 rpm	0-2700 ipm	Trigger	1	4.6 lbs.	5-3/4"	1-Hour Charger / (2) 18V XRP™

Cordless Power Tools

Impact Wrench

Dewalt

DCF059KL 1/2" (13mm) 18V Cordless Lithium Ion Impact Wrench Kit



- 300 ft-lbs of maximum torque to perform a wide range of heavy-duty fastening applications
- 1,650 rpm/2,600 bpm for faster application speed
- Preferred rocker switch design for fast and easy fastening
- Comfort grip provides maximum comfort
- Durable magnesium gear case and all metal transmission for extended durability
- Heavy-duty impacting mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DCF059KL	18V	1/2" Square with detent pin anvil	3600 in-lbs.	300 ft-lbs	0-1650 rpm	0-2600 ipm	Rocker	-	6.6 lbs.	10-3/4"	1-Hour NiCd/NiMH/Li-ion Charger / (2) 18V XRP™ Lithium ion

DCF813S2 12V MAX 3/8" Impact Wrench Kit*



- Compact, lightweight design fits into tight areas
- 3 LED Lights provide visibility without shadows
- 3/8" Hog ring anvil; Fast socket changing
- 1150 in/lbs. of torque; Power for tightening and loosening

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Toque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DCF813S2	12V MAX*	3/8" Anvil	1150 in-lbs.	96 ft-lbs	0-2450 rpm	0-3400 ipm	Trigger	3	2.3 lbs.	6-1/4"	Fast Charger / (2) 12V MAX* Lithium Ion

DCF880B 20V MAX Lithium Ion 1/2" Impact Wrench (Tool Only)*



- Compact (5.70" front to back), lightweight (3.4 lbs.) design fits into tight areas
- Three (3) LED lights with 20 second delay after trigger release, provide visibility without shadows
- Textured anti-slip comfort grip provides maximum comfort and control

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DCF880B	20V MAX*	1/2" Square with detent pin anvil	1800 in-lbs.	150 ft-lbs	0-2300 rpm	0-2700 ipm	Trigger	3	2.2 lbs. (tool only)	5.7"	Sold Separately

Cordless Power Tools

Impact Wrench

Dewalt

DCF880M2 20V MAX Lithium Ion 1/2" Impact Wrench Kit*



- Compact (5.70" front to back), lightweight (3.4 lbs.) design fits into tight areas
- Three (3) LED lights with 20 second delay after trigger release, provide visibility without shadows
- XR™ Li-Ion batteries with fuel gauge provide 33% more capacity over standard packs
- Textured anti-slip comfort grip provides maximum comfort and control

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DCF880M2	20V MAX*	1/2" Square with detent pin anvil	1800 in-lbs.	150 ft-lbs	0-2300 rpm	0-2700 ipm	Trigger	3	3.4 lbs.	5.7"	Fast Charger / (2) 20V MAX* XR Lithium Ion(4.0Ah)

DCF883B 20V MAX Lithium Ion 3/8" Impact Wrench Kit (Tool Only)*



- Compact (5.70" front to back), lightweight (3.4 lbs.) design fits into tight areas
- Three (3) LED lights with 20 second delay after trigger release, provide visibility without shadows
- Hog ring anvil to easily change sockets
- Textured anti-slip comfort grip provides maximum comfort and control

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DCF883B	20V MAX*	3/8" Square with hog ring anvil	1560 in-lbs.	130 ft-lbs	0-2300 rpm	0-2700 ipm	Trigger	3	2.2 lbs. (tool only)	5.7"	Sold Separately

DCF883M2 20V MAX Lithium Ion 3/8" Impact Wrench Kit (3.0Ah)*



PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DCF883M2	20V MAX*	3/8" Square with hog ring anvil	1560 in-lbs.	130 ft-lbs	0-2300 rpm	0-2700 ipm	Trigger	3	3.4 lbs.	5.7"	Fast Charger / (2) 20V MAX* XR Lithium Ion(4.0Ah)

DCF889B 20V MAX Lithium Ion 1/2" High Torque Impact Wrench (Bare Tool)*



PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DCF889B	20V MAX*	1/2" Square with detent pin anvil	3600 in-lbs.	300 ft-lbs	0-1500 rpm	0-2300 ipm	Variable Speed	-	5.3 lbs. (tool only)	10-3/4"	Sold Separately

Cordless Power Tools

Impact Wrench

Dewalt

DCF889HM2 20V MAX Lithium Ion 1/2" High Torque Impact Wrench Kit*



PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DCF889HM2	20V MAX*	1/2" Square with hog ring anvil	3600 in-lbs.	300 ft-lbs	0-1500 rpm	0-2300 ipm	Variable Speed	-	6.7 lbs.	10-3/4"	Fast Charger / (2) 20V MAX* XR Lithium Ion (4.0Ah)

DCF889M2 20V MAX Lithium Ion 1/2" High Torque Impact Wrench Kit*



PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DCF889M2	20V MAX*	1/2" Square with detent pin anvil	3600 in-lbs.	300 ft-lbs	0-1500 rpm	0-2300 ipm	Variable Speed	-	6.7 lbs.	10-3/4"	Fast Charger / (2) 20V MAX* XR Lithium Ion (4.0Ah)

DW059B 1/2" (13mm) 18V Cordless Impact Wrench (Tool Only)



- 300 ft-lbs of maximum torque to perform a wide range of heavy-duty fastening applications
- 1,650 rpm/2,600 ipm for faster application speed
- Rocker switch design for fast and easy fastening
- Comfort grip provides maximum comfort
- Durable magnesium gear case and all metal transmission for extended durability
- Heavy-duty impacting mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DW059B	18V	1/2" Square with detent pin anvil	3600 in-lbs.	300 ft-lbs	0-1650 rpm	0-2600 ipm	Rocker	-	5.3 lbs. (tool only)	10-3/4"	Sold Separately

Cordless Power Tools

Impact Wrench

Dewalt

DW059HB 1/2" (13mm) 18V Cordless Impact Wrench (Tool Only)



- 300 ft-lbs of maximum torque to perform a wide range of heavy-duty fastening applications
- 1,650 rpm/2,600 ipm for faster application speed
- Rocker switch design for fast and easy fastening
- Hog Ring Anvil to easily change sockets
- Durable magnesium gear case and all metal transmission for extended durability
- Heavy-duty impacting mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DW059HB	18V	1/2" Square with hog ring anvil	3600 in-lbs.	300 ft-lbs	0-1650 rpm	0-2600 ipm	Rocker	-	5.3 lbs. (tool only)	10-3/4"	Sold Separately

DW059K-2 1/2" (13mm) 18V Cordless XRP™ Impact Wrench Kit



- 300 ft-lbs of maximum torque to perform a wide range of heavy-duty fastening applications
- 1,650 rpm/2,600 ipm for faster application speed
- Rocker switch design for fast and easy forward and reverse
- Comfort grip provides maximum comfort
- Durable magnesium gear case and all-metal transmission for extended durability
- Heavy-duty impact mechanism directs torque to fastener without kickback

PART #	Volts	Drive Size	In lbs. Torque	Ft lbs. Torque	RPM	IPM	Switch	LED	Weight	Length	Charger/ Battery
DW059K-2	18V	1/2" Square with detent pin anvil	3600 in-lbs.	300 ft-lbs	0-1650 rpm	0-2600 ipm	Rocker	-	7.5 lbs.	10-3/4"	1-Hour Charger / (2) 18V XRP™

Milwaukee

ME0779-22 18V 1/2" Impact Wrench Kit

- M28™ Lithium-Ion Battery Technology: Superior pack construction and advanced electronics provide durability, runtime and power for the toughest jobs
- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger

Part#	Voltage	RPM	Torque
ME0779-22	28V	0 - 1450	325 ft-lbs



Cordless Power Tools

Impact Wrench

Milwaukee

ME2654-22 18V Brushless 3/8" Impact Wrench Kit with Friction Ring

- Delivers a best-in-class 200 ft-lbs. and 2,400 in-lbs of torque in a compact design
- The Milwaukee® POWERSTATE™ Brushless Motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK PLUS™ Electronic Intelligence allows the operator to choose between 3 fastening modes with Milwaukee's proprietary DRIVE CONTROL™ feature.
- The Milwaukee® REDLITHIUM™ Battery Pack is the most durable pack on the market and provides up to 50% more run time
- Utilizes a friction ring design for fast, easy socket changes

Part#	Voltage	RPM	Torque	IPM
ME2654-22	18V	0 - 2400	200 ft-lbs / 2400 in-lbs	0 - 3100

ME2655-22 18V Brushless 1/2" Impact Wrench Kit with Pin Detent

- Delivers a best-in-class 210 ft-lbs. and 2,520 in-lbs of torque in a compact design
- The Milwaukee® POWERSTATE™ Brushless Motor provides increased efficiency, lasts longer and delivers maximum power
- REDLITHIUM™ XC 4.0 Battery Pack is the most durable pack on the market and provides up to 2X more run time
- REDLINK PLUS™ Electronic Intelligence allows the operator to choose between 3 fastening modes with Milwaukee's proprietary DRIVE CONTROL™ feature
- Utilizes a pin detent design for maximum socket retention

Part#	Voltage	RPM	Torque	IPM
ME2655-22	18V	0 - 2400	210 ft-lbs (2520 in-lbs)	0 - 3100



Cordless Power Tools

Impact Wrench

Milwaukee

ME2655B-22 18V Brushless 1/2" Impact Wrench Kit with Ball-Pin

- Delivers a best-in-class 210 ft-lbs. and 2,520 in-lbs of torque in a compact design
- The Milwaukee® POWERSTATE™ Brushless Motor provides increased efficiency, lasts longer and delivers maximum power
- REDLITHIUM™ XC 4.0 Battery Pack is the most durable pack on the market and provides up to 2X more run time
- REDLINK PLUS™ Electronic Intelligence allows the operator to choose between 3 fastening modes with Milwaukee's proprietary DRIVE CONTROL™ feature
- Utilizes a ball-pin detent design for maximum socket retention

Part#	Voltage	RPM	Torque	IPM
ME2655B-22	18V	0 - 2400	210 ft-lbs (2520 in-lbs)	0 - 3100

ME2662-22 18V 1/2" High-Torque Impact Wrench with Pin Detent Kit

- Milwaukee® 4-Pole Frameless Motor: Features a robust design combined with rare-earth magnets for longer life, more power and more runtime than any brushed competitor
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger

Part#	Voltage	RPM	Torque	IPM
ME2662-22	18V	0 - 1900	450 ft-lbs	0 - 2200

ME2663-22 18V 1/2" High-Torque Impact Wrench with Friction Ring Kit

- Milwaukee® 4-Pole Frameless Motor: Features a robust design combined with rare-earth magnets for longer life, more power and more runtime than any brushed competitor
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger

Part#	Voltage	RPM	Torque	IPM
ME2663-22	18V	0 - 1900	450 ft-lbs	0 - 2200



Cordless Power Tools

Impact Wrench

Milwaukee

ME2664-22 18V 3/4" High-Torque Impact Wrench with Friction Ring Kit

- Milwaukee® 4-Pole Frameless Motor: Features a robust design combined with rare-earth magnets for longer life, more power and more runtime than any brushed competitor
- REDLITHIUM™ Battery Technology: Superior pack construction, electronics, and performance deliver more work per charge and more work over pack life than any battery on the market
- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger

Part#	Voltage	RPM	Torque	IPM
ME2664-22	18V	0 - 1900	525 ft-lbs	0 - 2200



Cordless Power Tools

Impact Wrench

Milwaukee

ME2765-22 18V Brushless 7/16" Hex High Torque Impact Wrench Kit

- The M18 FUEL™ High Torque Impact Wrench is the most powerful 18-volt cordless impact wrench in its class
- The POWERSTATE™ Brushless Motor outperforms all leading competitors with constant power output, yet runs cooler with no wearable components
- The REDLITHIUM™ Extended Capacity Battery Pack delivers more work per charge and more work over pack life than the competitors.
- The onboard fuel gauge helps you monitor the charge more accurately, so
- there's less downtime on the job. REDLINK PLUS™ intelligence ensures maximum performance and protection from overload, overheating and over-discharge.
- The 7/16" quick connect allows users fast, secure insertion/removal of auger bits and socket adapters
- A new contoured soft grip gives you ultimate comfort during prolonged use.
- The kit includes the new multi-voltage charger, so you can charge all M12 and M18 lithium-ion batteries with one charger.

Part#	Voltage	Anvil	Switch
ME2765-22	18V	7/16" Hex Quick Change	Variable Speed

Table of Contents

Categorized Listing

Cordless Power Tools	1	ME2663-22 18V 1/2" High-Torque Impact Wrench with Friction 20
Impact Drivers and Wrenches	1	ME2664-22 18V 3/4" High-Torque Impact Wrench with Friction 21
Impact Drivers	1	ME2765-22 18V Brushless 7/16" Hex High Torque Impact Wren22
Dewalt	1	
DC825B 1/4" (6.35mm) 18V Cordless Impact Driver (Tool	1	
DC825KA 1/4" (6.35mm) 18V Cordless XRP™ Impact Driver	1	
DC827KL 1/4" (6.35mm) 18V Cordless XRP™ Li-Ion Impact D	2	
DC835KA 1/4" (6.35mm) 14.4V Cordless XRP™ Impact Driver	2	
DC841KA 3/8" (9.5mm) 12V Cordless XRP™ Impact Wrench	3	
DC845KA 1/4" (6.35mm) 12V Cordless Impact Driver Kit	3	
DCF815S2 12V MAX* 1/4" Impact Driver Kit	4	
DCF826KL 1/4" (6.35mm) 18V Cordless Li-Ion Impact Driver	4	
DCF885B 20V MAX* Lithium Ion 1/4" Impact Driver (Tool	5	
DCF885C2 20V MAX* Lithium Ion 1/4" Impact Driver Kit	5	
DCF885M2 20V MAX* Lithium Ion 1/4" Impact Driver Kit	5	
DCF886B 20V MAX* XR Lithium Ion Brushless 1/4" Impact Dri	6	
DCF895B 20V MAX* Lithium Ion 1/4" Brushless 3-Speed Impa	6	
DCF895M2 20V Max* XR Lithium Ion Brushless 3-Speed 1/4" Dr	6	
DW0521 Quick Connect 3/8" Impact Chuck	7	
Bosch	7	
B25618-02 18V Impact Driver	7	
BIDH182-01L 18V EC Brushless Socket Ready Impact With 1/4"	7	
BPS41-2A 12V Max Impact Driver Kit	8	
Milwaukee Tools	8	
ME2450-22 12V 1/4" Hex Impact Driver Kit	8	
ME2453-22 12V Brushless 1/4" Hex Impact Driver Kit	9	
ME2650-20 18V 1/4" Hex Compact Impact Driver	9	
ME2653-20 18V Brushless 1/4" Hex Impact Driver	10	
ME2653-22 18V Brushless 1/4" Hex Impact Driver Kit	10	
Porter Cable	10	
PCL120IDC-2 12V MAX† Compact 1/4" Hex Impact Driver	10	
Impact Wrench	11	
Dewalt	11	
DC800KL 1/2" (13mm) 36V Cordless Li-Ion Impact Wrench	11	
Impact Wrench	12	
Dewalt	12	
DC820B 1/2" (13mm) 18V Cordless Impact Wrench (Tool	12	
DC820KA 1/2" (13mm) 18V Cordless XRP™ Impact Wrench	12	
DC821KA 1/2" (13mm) 18V Cordless XRP™ Impact Wrench	13	
DC822KL 1/2" (13mm) 18V Cordless XRP™ Li-Ion Impact	13	
DC823B 3/8" (9.5mm) 18V Cordless Impact Wrench (Tool	14	
DC823KA 3/8" (9.5mm) 18V Cordless XRP™ Impact Wrench	14	
DCF059KL 1/2" (13mm) 18V Cordless Lithium Ion Impact Wren	15	
DCF813S2 12V MAX* 3/8" Impact Wrench Kit	15	
DCF880B 20V MAX* Lithium Ion 1/2" Impact Wrench (Tool	15	
DCF880M2 20V MAX* Lithium Ion 1/2" Impact Wrench Kit	16	
DCF883B 20V MAX* Lithium Ion 3/8" Impact Wrench Kit (Tool	16	
DCF883M2 20V MAX* Lithium Ion 3/8" Impact Wrench Kit	16	
DCF889B 20V MAX* Lithium Ion 1/2" High Torque Impact Wren	16	
DCF889HM2 20V MAX* Lithium Ion 1/2" High Torque Impact Wre	17	
DCF889M2 20V MAX* Lithium Ion 1/2" High Torque Impact Wren	17	
DW059B 1/2" (13mm) 18V Cordless Impact Wrench (Tool	17	
DW059HB 1/2" (13mm) 18V Cordless Impact Wrench (Tool	18	
DW059K-2 1/2" (13mm) 18V Cordless XRP™ Impact Wrench	18	
Milwaukee	18	
ME0779-22 18V 1/2" Impact Wrench Kit	18	
ME2654-22 18V Brushless 3/8" Impact Wrench Kit with Friction	19	
ME2655-22 18V Brushless 1/2" Impact Wrench Kit with Pin	19	
ME2655B-22 18V Brushless 1/2" Impact Wrench Kit with	20	
ME2662-22 18V 1/2" High-Torque Impact Wrench with Pin Det	20	

Table of Contents

Alphabetized Listing

B			
B25618-02 18V Impact Driver	7	ME2765-22 18V Brushless 7/16" Hex High Torque Impact	22
BIDH182-01L 18V EC Brushless Socket Ready Impact With 1/4"	7	Milwaukee	18-22
Bosch	7-8	Milwaukee Tools	8-10
BPS41-2A 12V Max Impact Driver Kit	8	P	
C		PCL120IDC-2 12V MAX† Compact 1/4" Hex Impact Driver	10
Cordless Power Tools	1-22	Porter Cable	10
D			
DC800KL 1/2" (13mm) 36V Cordless Li-Ion Impact Wrench Kit	11		
DC820B 1/2" (13mm) 18V Cordless Impact Wrench (Tool Only)	12		
DC820KA 1/2" (13mm) 18V Cordless XRP™ Impact Wrench Kit	12		
DC821KA 1/2" (13mm) 18V Cordless XRP™ Impact Wrench Kit	13		
DC822KL 1/2" (13mm) 18V Cordless XRP™ Li-Ion Impact Wrench	13		
DC823B 3/8" (9.5mm) 18V Cordless Impact Wrench (Tool Only)	14		
DC823KA 3/8" (9.5mm) 18V Cordless XRP™ Impact Wrench	14		
DC825B 1/4" (6.35mm) 18V Cordless Impact Driver (Tool Only)	1		
DC825KA 1/4" (6.35mm) 18V Cordless XRP™ Impact Driver Kit	1		
DC827KL 1/4" (6.35mm) 18V Cordless XRP™ Li-Ion Impact Driver	2		
DC835KA 1/4" (6.35mm) 14.4V Cordless XRP™ Impact Driver Kit	2		
DC841KA 3/8" (9.5mm) 12V Cordless XRP™ Impact Wrench Kit	3		
DC845KA 1/4" (6.35mm) 12V Cordless Impact Driver Kit	3		
DCF059KL 1/2" (13mm) 18V Cordless Lithium Ion Impact Wrench	15		
DCF813S2 12V MAX* 3/8" Impact Wrench Kit	15		
DCF815S2 12V MAX* 1/4" Impact Driver Kit	4		
DCF826KL 1/4" (6.35mm) 18V Cordless Li-Ion Impact Driver Kit	4		
DCF880B 20V MAX* Lithium Ion 1/2" Impact Wrench (Tool Only)	15		
DCF880M2 20V MAX* Lithium Ion 1/2" Impact Wrench Kit	16		
DCF883B 20V MAX* Lithium Ion 3/8" Impact Wrench Kit (Tool Only)	16		
DCF883M2 20V MAX* Lithium Ion 3/8" Impact Wrench Kit (3.0Ah)	16		
DCF885B 20V MAX* Lithium Ion 1/4" Impact Driver (Tool Only)	5		
DCF885C2 20V MAX* Lithium Ion 1/4" Impact Driver Kit (1.5Ah)	5		
DCF885M2 20V MAX* Lithium Ion 1/4" Impact Driver Kit	5		
DCF886B 20V MAX* XR Lithium Ion Brushless 1/4" Impact Driver	6		
DCF889B 20V MAX* Lithium Ion 1/2" High Torque Impact Wrench	16		
DCF889HM2 20V MAX* Lithium Ion 1/2" High Torque Impact	17		
DCF889M2 20V MAX* Lithium Ion 1/2" High Torque Impact	17		
DCF895B 20V MAX* Lithium Ion 1/4" Brushless 3-Speed Impact	6		
DCF895M2 20V Max* XR Lithium Ion Brushless 3-Speed 1/4"	6		
Dewalt	1-7, 11-18		
DW0521 Quick Connect 3/8" Impact Chuck	7		
DW059B 1/2" (13mm) 18V Cordless Impact Wrench (Tool Only)	17		
DW059HB 1/2" (13mm) 18V Cordless Impact Wrench (Tool Only)	18		
DW059K-2 1/2" (13mm) 18V Cordless XRP™ Impact Wrench Kit	18		
I			
Impact Drivers	1-11		
Impact Drivers and Wrenches	1-11		
Impact Wrench	11-22		
M			
ME0779-22 18V 1/2" Impact Wrench Kit	18		
ME2450-22 12V 1/4" Hex Impact Driver Kit	8		
ME2453-22 12V Brushless 1/4" Hex Impact Driver Kit	9		
ME2650-20 18V 1/4" Hex Compact Impact Driver	9		
ME2653-20 18V Brushless 1/4" Hex Impact Driver	10		
ME2653-22 18V Brushless 1/4" Hex Impact Driver Kit	10		
ME2654-22 18V Brushless 3/8" Impact Wrench Kit with Friction	19		
ME2655-22 18V Brushless 1/2" Impact Wrench Kit with Pin Detent	19		
ME2655B-22 18V Brushless 1/2" Impact Wrench Kit with Ball-Pin	20		
ME2662-22 18V 1/2" High-Torque Impact Wrench with Pin Detent	20		
ME2663-22 18V 1/2" High-Torque Impact Wrench with Friction	20		
ME2664-22 18V 3/4" High-Torque Impact Wrench with Friction	21		