Levels Tripods and Lasers

Line Laser

Bosch

BGCL25 Five-Point Self Leveling Alignment Laser With Cross-Line



Part	#
RGCI	25

BGLL2-40 Self-Leveling Cross-Line Laser



Vertical, horizontal and cross-line modes — projects two lines independently or together for a wide array of level and/or plumb applications

Smart pendulum system — self-levels and indicates out-of-level condition; locks when switched off Manual mode — locks lines for use at any angle

Multipurpose attachment — position and mount with magnets, strap or threaded mounts (5/8"-11, 1/4"-20)

Easy-to-use one button operation

Easy access battery compartment

Part #
DCLL2.40
BGLL2-40

BGLL2-80 Dual Plane Leveling & Alignment Laser



One 360° horizontal plane and one 360° vertical plane; with manual mode for all job site conditions Smart pendulum system — self-levels and indicates out-of-level condition; locks when switched off Pulse laser receiver mode — for use with LR2 laser receiver at up to 265 ft. in bright-light conditions Manual mode — locks lines for use at any angle

Simple to use single button operation with little training requirements

90° horizontal and vertical bright red laser layout lines and electronic self-leveling

90° horizontal and vertical bright red laser layout lines and electronic self-leveling

Smart Pendulum Leveling System - Self-levels and indicates out-of level condition. Secure transport lock protects pendulum when unit is switched off

Part #
BGLL2-80

Phone: (405) 947-6695 · (800) 825-7431

Cordless Power Tools

Levels Tripods and Lasers

Line Laser

Bosch

BGPL3T Torpedo 3-Point Alignment Laser



Three-Point Plumb, Level and Square-Point Projection — Accurately transfers and aligns plumb, level, square and grade points

Diamond-Cut Beam Splitter — Single diode projects all points for superior accuracy

Versatile Positioning Capability — With precision bubble vials, leveling base, pipe groove, magnets, 1/4"-20 tripod mount, alignment shoulders and positioning tip

Precision Crafted — Anodized and machined for superior accuracy and durability

Laser Reference Edge

Precision-Crafted - Anodized and machined for superior accuracy and durability

On/off Switch

Limited 2-Year Warranty

Versatile Positioning Capability thanks to precision bubble vials, leveling base, V-groove, magnets, 1/4 in. x 20 tripod mount, alignment shoulders, positioning tip and strap slots

Part #
BGPL3T

Levels Tripods and Lasers

Tripods

Bosch

BBP350 Telescoping Pole System For Laser Tools



Complete laser tool positioning system – pole, clamp and tool mount are all included Swiveling threaded mount (1/4 - 20) for attachment of line or point layout laser Quick-set clamp – easy placement at any virtually any height between floor and ceiling Accepts optional Bosch WM1 universal mount and its microfine height adjustment system Pole range of 4.6 to 11.5 ft.

Fast and easy set-up – rotation of pole sections sets positions

Anti-slip surface on foot and ball-jointed head plate for secure placement at floor and ceiling

Part #	
BBP350	

Distance Measurer

Dewalt

DW03050 165 Laser Distance Measurer



- · Calculates area and volume automatic calculations make job estimates quick & easy
- Indirect height measurement uses Pythagoras to measure distances even when point A and/or point B isn't accessible for linear measurement
- Memory unit stores last 5 measurements
- . 2-Line backlit display helps improve screen visibility in both dim and bright conditions
- . Durable design with over-molded housing, 6 ft. (2m) drop tested, and IP65 water/debris resistance

PART#	Accuracy	Operating Range	Screen	Laser Class	Power Supply	
DW03050	± 1/16"	165'	Backlit	2	Battery	

Grade rods

Dewalt

DW0734 Construction Grade Rod

- 13' length for most common applications
- Lightweight, durable aluminum construction
- 4 telescoping sections
- Markings in ft./in/8ths
- . Scale on back side for quick overall height measurements



A M Supply Co.

Line Laser

Dewalt

DW083K 3 Beam Laser Pointer



- Self-leveling point laser is accurate to ±1/4" @ 100'
- · Single lever power switch locks pendulum in the off position for added durability
- Built-in magnetic pivoting bracket mounts easily on metal surfaces
- Integrated track clearance enables users for fast and accurate bottom and top track installation
- · Over molded housing helps maintain calibration under jobsite conditions
- Focused laser beam keeps dot size small over longer distances for improved accuracy and visibility

PART#	Power Supply	Accuracy per 100'	Rotation Speed	Self-Leveli ng Range	Indoor Visibility Range	Range with Detector	Laser Class	Slope	Charger/Ba ttery
DW083K	(4) AA Batteries	1/4"	-	± 4°	100' (dia)	-	2(<1.5mW) at 635 mm		(4) AA batteries

DW0851 Self Leveling Spot Beams and Horizontal Line



- Projects 5 bright spot beams for accurate plumb and horizontal point transfer
- . Rear projecting horizontal line aids in additional leveling applications
- Projects down beam with raised clearance provides dot visibility and alignment for wall track layout
- Integrated magnetic pivoting base with $\frac{1}{4}$ " thread front and rear mounted magnets allow flush attachment to metal track and steel
- . Full-time pulse mode allows use with detector maintains full brightness for visibility
- Locking pendulum to help prevent damage to internal components

DW088K Cross Line Laser



- Projects bright crossing horizontal and vertical lines for various leveling and layout applications
- Maintains full brightness for visibility and extends range

PART#	AA Batteries	Range	Accuracy
DW088K	2	165'	±1/8"



Line Laser

Dewalt

DW089K Self Leveling 3 Beam Line Laser



- 3 Beam Line Laser to aid in 90° layout
- 2x Brighter diode to increase visibility in bright job site conditions
- Built-in magnetic pivot bracket mounts easily on metal surfaces
- Accurate to +/- 1/8" @ 30' for level applications
- 1-button operation and control panel for ease of use
- Micro adjust knob for precise alignment of 90° intersecting lines over greater distances

PART#	Power Supply			Self-Leveli ng Range		Range with Detector	Laser Class	Slope	Charger/B attery	Weight
DW089K	(4) AA Batteries	1/8" at 30'	ı	± 5°	50' (dia)	-	=	-	(4) AA Batteries	4.9 lbs.

Milwaukee								
ME2320-20 12V Cordless Lithium-Ion 2-Beam Plumb Laser								
	Part#	Voltage	Accuracy	Leveling Range				
	ME2320-20	12V	1/4" @ 100'	±4°				

ME2320-21 12V Cordless Lithium-Ion 2-Beam Plumb Laser Kit

- Powered by M12[™] REDLITHIUM [™] Battery Packs
- Self-Leveling Mechanism
- Out-of-Level Indicator
- High Powered Magnets
- Low Battery Indicator

Part#	Voltage	Accuracy	Leveling Range
ME2320-21	12V	1/4" @ 100'	±4°



Optical Level

Dewalt

DW096PK 26X Auto Level Package



- MAGNETICALLY DAMPENED COMPENSATOR FOR EASY SET-UP WITH OPTIMUM RANGE AND ACCURACY
- 26X MAGNIFICATION FOR 300'+ RANGE
- ±1/32" PER 100' ACCURACY
- HEAVY-DUTY LEVELING BASE IS FAST AND EASY TO SET UP AND LEVEL
- 360° HORIZONTAL CIRCLE FOR PRECISE MEASURING OF HORIZONTAL ANGLES

PART#	Leveling Type	Accuracy per 100'	Magnification	Range	Stadia Ration	Horizontal Circle Type
DW096PK	Auto	1/32"	26x	300'	1:100	Continuous Drive

Rotary Laser

Dewalt

DW079KD 18V Cordless XRP™ Self-Leveling Int/Ext Rotary Laser Kit



- Fully automatic horizontal and vertical self leveling with out-of-level shutoff eliminates user error, ensures accuracy, and reduces set-up time
- · Private mode option eliminates remote control interference between multiple rotary lasers on the jobsite
- A manual single sloping mode allows the user to set grade ±5°
- Multi-voltage adapter accepts all DEWALT® batteries 9.6V 18V
- Protected rotary head and weatherproof design deliver interior and exterior jobsite durability
- Bright, sharp, high power beam delivers maximum visibility, even over long distances
- Wireless (IR) remote control operated scan mode creates a "laser chalk line" between two points for an
 extremely bright beam over long distances
- Wireless (IR) remote control operated scan mode creates a "laser chalk line" between two points for an extremely bright beam over long distances
- Digital laser detector extends interior and exterior range to 600'

PART#	Volts	Accuracy per 100'	Rotation Speed	Self-Leveli ng Range	Indoor Visibility Range	Range With Detector	Laser Class	Slope	Charger/Ba ttery
DW079KD	9.6v - 18V Dewalt Batteries	1/8"	0, 60, 250 and 600 rpm	± 5°	200' (dia)	2000' (dia)	Illa(<5 mW) at 635 nm	Slope ± 5°	1-Hour Charger / 18V XRP™



Rotary Laser Accessories

Dewalt

DW0730 Laser target card



- . Aids in locating the laser by enhancing the visibility of the beam
- . Magnetic base for attaching to ceiling grid or steel studs

DW0732 Digital laser detector with clamp



- Detects laser beam inside and outside over distances or in bright conditions
- Digital laser detector extends the interior & exterior range of the laser to 600'
- Front and rear LCD displays for easy viewing
- · Adjustable volume control: high, low, mute
- Automatic shutoff turns off detector if inactive for 5 minutes to conserve battery life
- . Magnets located on top allow the detector to be attached to ceiling track or steel studs
- Quick Release Clamp for fast and easy set-up
- 3-1/2" clamp capacity for mounting to dimensional 2x4s

Rotary Laser Accessories

Dewalt

DW0772 Digital laser detector with clamp



- Consistent accuracy, near and far, regardless of beam size
- Compatible with all rotary lasers (interior, exterior, visible, & invisible) Extending the operating range of most lasers to over 1000'
- 100% waterproof design when it's dropped in concrete, hose it off!
- · Heavy-duty clamp for jobsite durability
- Durable windows help prevent nail and screw puncture
- . Front and rear LCD displays for easy viewing
- Adjustable volume control: high, low, & mute: 110dBA (high) can be heard on the noisiest jobsites
- · Automatic shutoff turns off detector if inactive for 30 minutes to conserve battery life

Tripods

Dewalt

DW0736 Construction Tripod



- Industry Standard 5/8"x11 mounting threads, flat head design
- Quick-Release Legs for fast and easy set-up
- Height 68" opened, 42" closed
- Lightweight, durable aluminum construction
- Pointed steel feet are stable on any terrain
- Built-in strap for easy transport

Tripods

Dewalt

DW0737 Construction Tripod



- Industry Standard 5/8"x11 mounting threads, flat head design
- · Quick-Release Legs for fast and easy set-up
- Height 60" opened, 38" closed
- Lightweight, durable aluminum construction
- Pointed steel feet are stable on any terrain
- Built-in strap for easy transport

Table of Contents

Categorized Listing

Cordless Power Tools	1
Levels Tripods and Lasers	1
Line Laser	1
Bosch	1
BGCL25 Five-Point Self Leveling Alignment Laser With	1
BGLL2-40 Self-Leveling Cross-Line Laser	1
BGLL2-80 Dual Plane Leveling & Alignment Laser	1
BGPL3T Torpedo 3-Point Alignment Laser	2
Tripods	3
Bosch	3
BBP350 Telescoping Pole System For Laser Tools	3
Distance Measurer	4
Dewalt	4
DW03050 165 Laser Distance Measurer	4
Grade rods	4
Dewalt	4
DW0734 Construction Grade Rod	4
Line Laser	5
Dewalt	5
DW083K 3 Beam Laser Pointer	5
DW0851 Self Leveling Spot Beams and Horizontal Line	5
DW088K Cross Line Laser	5
DW089K Self Leveling 3 Beam Line Laser	6
Milwaukee	6
ME2320-20 12V Cordless Lithium-Ion 2-Beam Plumb Laser	6
ME2320-21 12V Cordless Lithium-Ion 2-Beam Plumb Laser	6
Optical Level	7
Dewalt	7
DW096PK 26X Auto Level Package	7
Rotary Laser	7
Dewalt	. 7
DW079KD 18V Cordless XRP™ Self-Leveling Int/Ext Rotary	_
Rotary Laser Accessories	8
Dewalt	8
DW0730 Laser target card	8
DW0732 Digital laser detector with clamp	8
DW0772 Digital laser detector with clamp	9
Tripods	9
Dewalt	9
DW0736 Construction Tripod	9
DW0737 Construction Tripod	10

Table of Contents Alphabetized Listing

В	
BBP350 Telescoping Pole System For Laser	Tools 3
BGCL25 Five-Point Self Leveling Alignment L	aser With Cross-Line 1
BGLL2-40 Self-Leveling Cross-Line Laser	1
BGLL2-80 Dual Plane Leveling & Alignment L	aser 1
BGPL3T Torpedo 3-Point Alignment Laser	2
Bosch	1-3
С	
Cordless Power Tools	1-10
D	
Dewalt	4-10
Distance Measurer	4-10
DW03050 165 Laser Distance Measurer	4
DW0730 Laser target card	8
DW0732 Digital laser detector with clamp	8
DW0734 Construction Grade Rod	4
DW0736 Construction Tripod	9
DW0737 Construction Tripod	10
DW0772 Digital laser detector with clamp	9
DW079KD 18V Cordless XRP™ Self-Leveling	
DW083K 3 Beam Laser Pointer	5
DW0851 Self Leveling Spot Beams and Horizo	
DW088K Cross Line Laser	5
DW089K Self Leveling 3 Beam Line Laser	6
DW096PK 26X Auto Level Package	7
G	·
Grade rods	4
L	
	4.0
Levels Tripods and Lasers	1-3
Line Laser	1-2, 5-6
М	
ME2320-20 12V Cordless Lithium-Ion 2-Beam	
ME2320-21 12V Cordless Lithium-Ion 2-Beam	
Milwaukee	6
0	
Optical Level	7
R	
Rotary Laser	7
Rotary Laser Accessories	8-9
T	
Tripods	3. 9-10