

Drum Machines Ridgid

K-400 Drum Machine



- TheModelK-400 offers several unique, user-friendly features tomake the toughest drain cleaning jobs easier and hassle-free. Designed with a sleek profile, the Model K-400 is a great fit for drain cleaners, service plumbers, facility and institutional maintenance departments and property management companies.
- 3/8" (10 mm) cable best for 11/2" (40 mm) to 3" (75 mm) lines.
- 1/2" (12 mm) cable best for 3" (50 mm) to 4" (110 mm) lines.
- Integrated TransportCart-allows for easymovement to and from the job site. Heavyduty, large wheels easily navigate over bumps and up stairs.
- Integrated TelescopingHandle-provides high-handle height during transport.
- CableControlSystem-causes the drumto stop spinningwhen the blade becomes lodged in a blockage, limits potential for cable to flip-over in the drum and helps to indicate to operator when blockages are encountered.
- "SolidCore"Cable-uses tough 3/8" (10 mm) or 1/2" (12 mm) Integral Wound (IW) solid core cable that is rugged and kink resistant.
- AUTOFEED-offered as an accessory, this patented, automatic cable feed powers cable
 in and out of the drain. Reverse the direction of the AUTOFEED and the cable feeds back
 into the drum.
- DrumCapacity-100' (30.5m) of 3/8" (10 mm) Diameter Cable or 75' (22.5 m) of 1/2" (12 mm) Diameter Cable.
- Motor-380W, 230Vmotor spins cable at 165RPM.
- Weight (MachineOnly)-45 lbs. (20.4 kg).
- Dimensions-Length 21" (53 cm) 24" (61 cm)withAUTOFEED,Height 23" (58.5 cm)Width 17" (43.2 cm).
- AllModelK-400machines are supplied with RIDGID® drain cleaning gloves, operator's manual and instructional video.

| Part # | Includes | Voltage | Weight |
|--------|---|---------|---------|
| R26998 | K-400 Machine w/Gloves & Std. Equipment: C-32 IW 3/8" x 75' Solid Core (Integral Wound) Cable, T-260 Tool Set | 115V | 68 lbs |
| R27013 | K-400 Machine w/Gloves & Std. Equipment: AUTOFEED, C-45 IW 1/2" x 75' Solid Core (Integral Wound) Cable, T-260 Tool Set | 115V | 93 lbs. |



Rodder Machines Ridgid

K-1000 Rodder Machine



- \bullet Arugged, compact machinewell-suited for straightmain linework inmunicipalities, universities, institutions and industry. Drives sectional sewer rods through long, straight runs of larger diameter pipe – up to 500 feet (150 m).
- Equipped with a 6HP gasoline engine and forward/reverse transmission. Rod rotates at 133 RPM in forward and reverse at full throttle.
- Spring-loaded throttle control is hand operated. Varies rod speedwithin range. Returns engine speed to idle and disengages clutch when operator releases throttle.
- Adjustable torque limiterminimizes kinking of rods and excessive torque through transmission system.
- Large 10" (250mm) wheels on frame for optimal transport.
- Includes A-1 RIDGID drain cleaning mitt and operator's manual.

| Part # | Includes | Weight |
|--------|---|--------|
| R59175 | Rodder Machine, includes: – B-3542 Rod Driver – A-2704 Tool Driver – A-3567 Drive Pin – R-0 Rod Turner – A-4558 Torque Adapter – A-12 Coupling Pin Key – A-1 Left-Hand RIDGID Drain Cleaning Mitt – A-2 Right-Hand RIDGID Drain Cleaning Mitt | |

Sectional Machines

Ridgid

K-1500A Sectional Machine



- The finest all-around sewer and drain cleaningmachine. One man can easily clean the heaviest blockages indoors or out. High-speed cleaning gets the job done faster... better.
- Wheels to the job site-sets up fast, cleans up fast.
- Low-profile "B" frame designwill fitmost crawl spaces, loads and unloads fromtruck easily. Upright "A" frame features cable carrier storage during transport, ideal for in-house applications.
- Equipped to run, easy to handle, 15-foot sections of 11/4" cable to clean 3" to 8" (32 m-200 mm) lines to 200 feet (61m).
- \bullet Easy clutch jawchange-out adapts K-1500 to run 15-foot sections of 7/8" (4.6/22 mm) cable through 2" to 4" lines up to 175 feet (50-100 mm, 53 m).
- Equippedwith 3/4 HP motor; 115V Models.
- CSAapproved.
- Approved toUL standards (NRTLC).

| Part # | Includes | Voltage | Weight |
|--------|-----------------------------|---------|----------|
| R23692 | A-1 Mitt, A-12 Pin Key, and | 115V | 135 lbs. |
| | Rear Guide Hose | | |



Sectional Machines

Ridgid

K-1500B Sectional Machine



- The finest all-around sewer and drain cleaningmachine. One man can easily clean the heaviest blockages indoors or out. High-speed cleaning gets the job done faster... better.
- Wheels to the job site-sets up fast, cleans up fast.
- Low-profile "B" frame designwill fitmost crawl spaces, loads and unloads fromtruck easily. Upright "A" frame features cable carrier storage during transport, ideal for in-house applications.
- \bullet Equipped to run, easy to handle, 15-foot sections of 11/4" cable to clean 3" to 8" (32 m-200 mm) lines to 200 feet (61m).
- Easy clutch jawchange-out adapts K-1500 to run 15-foot sections of 7/8" (4.6/22 mm) cable through 2" to 4" lines up to 175 feet (50-100 mm, 53 m).
- Equippedwith 3/4 HP motor; 115V Models.
- CSAapproved.
- Approved toUL standards (NRTLC).

| Part # | Includes | Voltage | Weight |
|--------|---|---------|----------|
| R23697 | A-1 Mitt, A-12 Pin Key, and A-34-12 Rear Guide Hose | 115V | 135 lbs. |
| R23707 | A-1 Mitt, A-12 Pin Key, A34-12 Rear Guide Hose, 7 Sections 1-1/4" (C-14 Cable Total 105', 2 A-8 Cable Carriers & 9 Pc 1-1/4" Tool Set | 115V | 256 lbs. |
| R23717 | A-1 Mitt, A-12 Pin Key, A34-12 Rear Guide Hose, 7 Sections 1-1/4" (C-11 Cable Total 105', 2 A-8 Cable Carriers & 9 Pc 1-1/4" Tool Set | 115V | 256 lbs. |



Sectional Machines

Ridgid

K-50 Sectional Machine



- Compact, versatile, professional'smachine. Capable of running three different size cables: 5/16" (8 mm), 3/8" (10 mm) and 5/8" (16 mm). The perfect, all-around sink, shower and floor drain machine. Weighs less than 40 lbs (18 kg).
- Unique, easy-to-use, instant-acting cable clutchmaximizes operator control: Pull handle down and cable spins at 400 RPM. Release handle, cable stops instantly.
- Uses sections of 5/8" (16 mm) cable, cleans 11/4 " (32 mm) to 4" (110 mm) lines up to 100' (30 m). C-8 best for 11/4 " (32 mm) 3" (75 mm) drains. C-9 best for 2" (50 mm) 4" (110 mm) drains.
- Equipped with an A-17 adapter, runs up to 50' (15m) of 5/16" (8 mm) or 35' (11 m) of 3/8" (10 mm) continuous length cable. 5/16" (8 mm) best for 3/4" (20 mm) to 11/2" (40 mm) lines. 3/8" (10 mm) best for 11/4" (32 mm) to 2" (50 mm) lines.
- Equippedwith 300W motor.
- Includes A-1 RIDGID® drain cleaning mitt and operator's manual.
- Approved by CSA and CSA and ULStandards (115 Vonly).

| Part # | Includes | Weight |
|--------|---|---------|
| R52972 | 115V Machine, with: A-40 Cable Kit | 74 lbs. |
| R58920 | Machine Only 115V | 37 lbs. |
| R58960 | 115V Machine, with: A-30 Cable Kit | 61 lbs. |
| R59000 | 115V Machine, with: A-17-A Adapter, A-17-B Adapter, A-30 Cable Kit | 77 lbs. |

K-60SP Sectional Machine



- Acompactmachine for institutional, commercial or residential cleaning. Also ideal for septic tank vacuum truck operators. Small enough to fit into cramped spaces, yet powerful enough to clear tough blockages.
- Ideal for rooftop vent stacks.Rear handle allows for easy transporting up ladders and onto rooftops.
- Remove only two bolts to access jawset for cleaning or replacement.Removal of same bolts provides access to belt drive.
- Equippedwith 1/2 HP motor.
- CSAapproved.
- Approved toUL standards (NRTLC).

| Part # | Includes | Voltage | Weight |
|--------|--|---------|---------|
| R66497 | Machine with A-1 Operator's Mitt, A-12 Pin Key, and A-60-12 Rear, Guide Hose, plus: A-61 Tool Kit and A-62 Cable Kit | 115V | 92 lbs. |



Sink Machines

Ridgid

Model K-40 Sink Machine



- TheModelK-40SinkMachine is ideal for cleaning small secondary drain lines from 3/4" (20 mm) to 21/2" (75 mm).
- 1/4" (6 mm) cables best for 3/4" (20 mm) to 11/2" (40 mm) lines.
- 5/16" (8 mm) cables best for 3/4" (20 mm) to 11/2" (40 mm) lines.
- 3/8" (10 mm) cables best for 11/4" (40 mm) to 21/2" (75 mm) lines.
- The K-40 sits flat on the floor or countertop and also tips onto its back for easy access to sink drains and bathtubs full of water. The K-40 practically eliminates job site cleanup thanks to the patented Guide Hose two-way AUTOFEED®. It completely contains the rotating cable and eliminates any waste water splashing or spraying.
- 175Winductionmotor quietly delivers enough torque to clear even the toughest blockages.
- Premium-quality, compression-wound inner core cable combines strength and flexibility to resist kinking.
- Two-piece "twist lock" drumhousingwill not dent or corrode and allows easy access to the inner drum and cable.
- Special inner drumdesign virtually eliminates cable flip-over inside the drumand drum leakage.
- Two-wayAUTOFEEDadvances and retrieves the drain cleaning cablewith a simple push of a lever keeping you and the work area clean.
- \bullet Includes RIDGID $\! \! \! \! \! \! \mathbb{R}$ drain cleaning gloves and operator's manual.

| Part # | Includes | Voltage | Weight |
|--------|--------------------------------|---------|---------|
| R71722 | Machine with: AUTOFEED, | 115V | 33 lbs. |
| | Guide Hose, Mounting Bracket, | | |
| | C-13IC SB, 5/16" x 35' (10.7m) | | |
| | Speed Bump Cable w/Inner | | |
| | Drum | | |

Toilet and Urinal Augers

Ridgid

K-6 Toilet Auger



- Vinyl guard to protect porcelain.
- Newdurable, kink-resistant, 1/2" (12.7 mm) compression-wrapped Inner Core Cable.
- · Large, ergonomically designed handles.
- · Negotiatewater-conserving toilets.

| Part # | Includes | Weight |
|--------|-----------------------------------|----------|
| R59797 | 6' (2 m) Toilet Auger w/Bulb Head | 5.5 lbs. |



Water Jetting Machines Ridgid

KJ-1350 Water Jetter



- This jetter propels a highly flexible hose through 11/4" to 4" lines—blasting through sludge, soap and grease blockages. As you pull the hose back, it power scrubs the line, flushing debris away and restoring drain lines to their free-flowing capacity.
- Powerful:Actualworking pressure of 1350 psi and flowof 1.4GPMfor fast, effective cleaning of lines.
- PulseAction:Activate theModelKJ-1350's plus action to easily negotiate difficult bends and traps. The Model KJ-1350-2 has a second level of pulse.
- Portable andCompact: The optionalH-10Cart rolls the jetter and hose to the job site.
 Jetter and hose reel are easily removed from the cart in seconds for hard to reach drains
 or remote storage. The compact cart offers a retractable handle and swivel hose reel
 minimizing storage space. Optional adapter allows the KJ-1350 to be mounted on the
 upright H-30 Cart.
- ElectricalRequirement: The 1.5HPmotor draws amaximum of 14Amps and can run on most standard 115 Volt circuits.
- Easy to use: Thrust propels the hose down the line. You simply guide the hose into the drain.
- HighQuality:Duplex pumpwith corrosion-resistant, forged brass head.Newpressure control valve allows quick and easy pressure adjustment.
- Dependable:Reduced number of fittings, hoses and partsminimizes leaks and down time keeping you on the job.
- Versatile:Optional powerwasher package cleans cables, tools and other heavily soiled equipment.
- CSAapproved.
- Approved toUL standards (NRTLC).

| Part # | Includes | Weight |
|--------|--|---------|
| R62597 | KJ-1350 Standard Jetter with Pulse H-21, H-22 1/8" NPT Nozzles, 25' x 1/8" Sink trap Hose Nylon Storage Bag Nozzle Cleaning tool H-10 Cart and 100' x 1/4" Trap Hose | 120 lbs |
| R63112 | KJ-1350 Standard Jetter with Pulse H-21, H-22 1/8" NPT Nozzles, 50' x 1/8" Sink trap Hose Nylon Storage Bag Nozzle Cleaning tool H-10 Cart and 100' x 1/4" Trap Hose | 122 lbs |

Accessories Ridgid Adaptors Part # Description Weight R59250 Adapter with 25' x 5/16" Cable with Bulb Auger 8 lbs. Auger R92100 Adapter With 50' x 5/16" Cable w/Drop Head 12 lbs. Head



Drain Cleaning

| Drain Clean | ing | |
|----------------|--------|--------------------------|
| Accessories | | |
| Ridgid | | |
| Cable Carriers | | |
| | Part # | Descriptiion |
| | DE0040 | 0 11 0 : 11 11 001 0 0 0 |

| Part # | Descriptiion |
|--------|---|
| R59210 | Cable Carrier Holds 90' C-8, C-9 |
| R59470 | Cable Carrier Holds 75' 7/8" Cable C-10 |
| · | |

| Coupling Pins | | |
|---------------|--------|------------------------|
| | Part # | Descriptiion |
| | R59225 | Pin Key for 1/2" Cable |
| | R59230 | Pin Key for 3/8" Cable |

| Gloves | | |
|--------|--------|--------------------------------|
| | Part # | Descriptiion |
| | R59205 | Left Hand Drain Cleaning Mitt |
| | R59295 | Right Hand Drain Cleaning Mitt |

| Rear Guide Hose | es | |
|-----------------|--------|--------------------|
| | Part # | Descriptiion |
| | R59235 | 6' Rear Guide Hose |

| Tool Boxes | | |
|------------|--------|--------------|
| | Part # | Descriptiion |
| | R59360 | Tool Box |

Cables and Leaders Ridgid

Cable Kits

| Part # | Cable | Tools and Accessories | Weight |
|--------|--|--|---------|
| R59365 | 6 Sections C-8 5/8" x 7-1/2' | T-201 Straight Auger, T-202 Bulb Auger, T-205 "C" Cutter, T-211 Spade Cutter, A-13 Coupling Pin Key, A-10 Cable Carrier, A-14-6 Rear Guide Hose, A-1 Left-Hand RIDGID, Drain Cleaning Mitt | 20 lbs. |
| R59370 | 6 Sections C-7 5/8" x 7-1/2' | T-201 Straight Auger, T-202 Bulb Auger, T-205 "C" Cutter, T-211 Spade Cutter, A-13 Coupling Pin Key, A-10 Cable Carrier, A-14-6 Rear Guide Hose, A-1 Left-Hand RIDGID, Drain Cleaning Mitt | 30 lbs. |
| R61630 | Standard Equipment Cable Kit for K-60-SE includes 5 Sections C-10 7/8" x 15' | A-8 Cable Carrier | 43 lbs |



Drain Cleaning

| Cables | and | Lead | lers |
|--------|-----|------|------|
| Ridgid | | | |

Cables

| Part # | Model | Description |
|--------|--------|---|
| R58192 | C-24HC | 5/8" x 100' HC Cable |
| R62225 | C-1 | 25' with Bulb Auger |
| R62235 | C-2 | 25' with Drop Head Auger |
| R62245 | C-4 | 25' with Male Coupling |
| R62250 | C-5 | 35' with Bulb Auger |
| R62260 | C-6 | 35' with Maile Coupling |
| R62265 | C-7 | 7-1/2' Tight Wind |
| R62270 | C-8 | 7-1/2' All Purpose Wind |
| R62275 | C-10 | 15' All Purpose Wind |
| R62280 | C-11 | 15' (4,6 m) Standard All-Purpose Wind. 3/8" (10 mm) Pitch. Good for 4" (110 mm) Traps, 3" (75 mm) - 8" (200mm) Lines |
| R62285 | C-12 | 15' (4,6 m) Extra-Heavy- Duty Wind. 3/8" (10 mm) Pitch. Recommended For 4" (110 mm) - 10" (250 mm) Long Runs, No 4" (110 mm) Traps |
| R62295 | C-14 | 15' (4,6) Extra-Flexible Wind. 1/2" (13 mm) Pitch. Recommended For 3" (75 mm) - 10" (250 mm) Lines Through Cleanout, No 4" (110 mm) Traps |
| R87577 | C-31IW | 3/8" (10 mm) x 50' (15 m) IW Cable |
| R87582 | C-32IW | 3/8" (10 mm) x 75' (23 m) IWCable |
| R87587 | C-33IW | 3/8" (10 mm) x 100' (30 m) IW Cable |
| R87592 | C-44IW | 1/2" (12 mm) x 50' (15 m) IW Cable |
| R89400 | C-21 | 50' (15.2m) w/Bulb Auger |
| R89405 | C-22 | 50' (15.2m) w/Drop Head Auger |
| R92465 | C-26 | 5/8" (16 mm) x 50' IC Cable (15.2m) |
| R92480 | C-29 | 3/4" (20 mm) x 50' IC Cable (15.2 m) |
| R96037 | C-6IC | 35' (10.7 m) w/Male Coupling |

Inner Core Cable Kit

| Part # | Model | Descriptiion |
|--------|-------|---|
| R41992 | A75PF | C-100IC Kit w/Tools 3/4" x 100' |
| R48472 | | 5/8" Cable Kit, includes: Six Sections C-8, 5/8" x 71/2" Cable (45', 14 m), A-10 Cable Carrier, T-201 Straight Auger, T-202 Bulb Auger, T-205 "C" Cutter, T-211 Spade Cutter, A-13 Coupling Pin Key |

Inner Core Cables

| ,,,,,, | | | |
|--------|--------|-------|-------------|
| | Part # | Model | Size |
| | R37842 | C-31 | 3/8" x 50' |
| | R37847 | C-32 | 3/8" x 75' |
| | R37852 | C-33 | 3/8" x 100' |
| | R37862 | C-45 | 1/2" x 75' |
| | R41697 | C-100 | 3/4" x 100' |
| | R43647 | C-24 | 5/8" x 100' |
| | | | |



Drain Cleaning

| Cables and Lea | aders |
|----------------|-------|
| Ridaid | |

Leaders

| Part # | Model | Description |
|--------|-------|---------------------------------------|
| R63090 | T-27 | 1 1/4" (32 mm) x 25" (63,5 cm) Leader |
| R92560 | T-468 | 3/4" (20 mm) x 2' (50 mm) Leader |

Sectional Cables

| Part # | Model | Description |
|--------|-------|---------------------|
| R51317 | C-9 | 10' Heavy Duty Wind |

Rods Ridgid

Rod Turner

| Part # | Model | Description |
|--------|-------|--|
| R62815 | R-0 | Rod Turner, used to manually turn Rods in short runs |

Solid Sectional Rod

| Part # | | Model | Description |
|--------|--------|--------|-----------------------------------|
| | R60365 | A-2476 | Includes: R-1 Male and R-2 Female |
| | | | Couplings |

Tools Ridgid

"C" Cutter

| Part # | Model | Description |
|--------|-------|---------------------------|
| R54837 | T-204 | "C" Cutter 1" (25 mm) |
| R63005 | T-205 | "C" Cutter, 13/8" (35 mm) |

3 Blade Cutter

| Part # | Model | Description | Fits Cables |
|--------|-------|----------------------------|---------------|
| R92545 | T-434 | 3-Blade Cutter 4" (110 mm) | 5/8" and 3/4" |



Drain Cleaning

| Diaiii | Cleaning | |
|--------|----------|--|
| | | |

Ridgid 4 Blade Cutters

| Part # | Model | Description | Fits Cables |
|--------|-------|--------------------------------|----------------|
| R59765 | T-24 | 4-Blade Cutter, 21/2" (65 mm) | |
| R59770 | T-250 | 4-Blade Cutter, 3 1/2" (89 mm) | |
| R62930 | T-112 | 4-Blade Cutter, 13/4" (45 mm) | 7/8" Sectional |
| R62935 | T-113 | 4-Blade Cutter, 3" (75 mm) | 7/8" Sectional |
| R63045 | T-213 | 4-Blade Cutter, 1" (25 mm) | |
| R63050 | T-214 | 4-Blade Cutter, 13/8" (35 mm) | |
| R63055 | T-215 | 4-Blade Cutter, 13/4" (45 mm) | |

Bulb Auger

| Part # | Model | Description |
|--------|-------|--------------------------------|
| R62995 | T-202 | Bulb Auger, 11/8" (29 mm) O.D. |
| R63000 | T-203 | Bulb Auger 7/8" (22 mm) O.D. |

chain Knockers

| Part # | Model | Description |
|--------|-------|--|
| R63060 | T-216 | Chain Knocker, 2" (50 mm) |
| R63110 | T-31 | Chain Knocker, For 3"- 4" Pipe (75-110 mm) |

Double Cutter

| Part # | Model | Description | Fits Cables |
|--------|-------|------------------------------|---------------|
| R92510 | T-411 | Double Cutter, 2" (50 mm) | 5/8" and 3/4" |
| R92515 | T-412 | Double Cutter, 21/2" (65 mm) | 5/8" and 3/4" |
| R92520 | T-413 | Double Cutter, 3" (75 mm) | 5/8" and 3/4" |
| R92525 | T-414 | Double Cutter, 4" (110 mm) | 5/8" and 3/4" |
| R92530 | T-416 | Double Cutter, 6" (150 mm) | 5/8" and 3/4" |

Drop Head Augers

| Part # | Model | Description |
|--------|-------|-----------------------------------|
| R63065 | T-217 | Drop Head Auger, 4" (110 mm) Long |

Expanding Cutter

| Part # | Model | Description | |
|--------|-------|---------------------------------------|--|
| R61770 | T-15A | Expanding Cutter, 4" - 6" (110-150mm) | |

Flue Brush

| Part # | | Model | Description |
|--------|--------|-------|---------------------------|
| | R63220 | T-221 | Flue Brush, 11/2" (40 mm) |

FunnelAuger



A M Supply Co.

R63105

Drain Cleaning

| | - - | | | |
|--------------|----------------|-------|------------------------------|----------------|
| Tools | | | | |
| Ridgid | | | | |
| Funnel Auger | | | | |
| | Part # | Model | Description | Fits Cables |
| | R62855 | T-102 | Funnel Auger | 7/8" Sectional |
| | R63010 | T-206 | Funnel Auger 3" (80 mm) Long | |

| Funnel Retrieving Auger | | | | | | |
|-------------------------|--------|-------|---------------------------------------|--|--|--|
| | Part # | Model | Description | | | |
| | R63195 | T-6 | Funnel Retrieving Auger Run Auger Run | | | |

| Grease Cutter | | | | |
|---------------|--------|-------|------------------------------|----------------|
| | Part # | Model | Description | Fits Cables |
| | R62870 | T-105 | Grease Cutter, 21/2" (65 mm) | 7/8" Sectional |
| | R62875 | T-105 | Grease Cutter, 31/2" (87 mm) | 7/8" Sectional |
| | R63205 | T-8 | GreaseCutter,21/2" (65 mm) | |
| | R63210 | T-9 | GreaseCutter,31/2" (89 mm) | |

| H-D "C" Cutter | | | |
|----------------|--------|-------|----------------------------|
| | Part # | Model | Description |
| | R52812 | T-230 | H-D "C" Cutter, 2" (50 mm) |

| H-D Bulb Augers | | | | |
|-----------------|--------|-------|------------------------------|---------------|
| | Part # | Model | Description | Fits Cables |
| · | R51762 | T-409 | H-D Bulb Auger 13/4" (45 mm) | 5/8" and 3/4" |

| Heavy Duty Funr | nel Auger | | |
|-----------------|-----------|-------|-----------------------|
| | Part # | Model | Description |
| - | R61790 | T-4 | Heavy-DutyFunnelAuger |

| Heavy Duty Stra | ight Auger | | |
|-----------------|------------|-------|-------------------------|
| | Part # | Model | Description |
| | R61800 | T-2 | Heavy-DutyStraightAuger |

| Hook Auger | | | |
|------------|--------|-------|-------------|
| | Part # | Model | Description |
| | R63200 | T-7 | HookAuger |

| P-Trap Cutter | | | | |
|---------------|--------|-------|---------------------------|---------------|
| | Part # | Model | Description | Fits Cables |
| | R92485 | T-403 | P-Trap Cutter, 3" (75 mm) | 5/8" and 3/4" |



Drain Cleaning

| | • | | | |
|------------------|--------|-------|------------------|-------------------------------|
| Tools | | | | |
| Ridgid | | | | |
| Retrieving Auger | r | | | |
| | Part # | Model | Description | Fits Cables |
| | D55457 | T 225 | Potrioving Augor | 3/8" IC 3/8" I\W and 1/2" I\W |

Sawtooth Cutters

| Part # | Model | Description | Fits Cables |
|--------|-------|---------------------------------|---------------|
| R61970 | T-13 | Sawtooth Cutter, 2 1/2" (65 mm) | |
| R61975 | T-14 | Sawtooth Cutter, 3 1/2" (89 mm) | |
| R92505 | T-408 | Sawtooth Cutter, 3" (75 mm) | 5/8" and 3/4" |

Sharktooth Cutters

| Par | t# | Model | Descriptio | n | Fits Cables |
|------|--------|--------|-----------------------|----------------|----------------------------|
| R980 |)35 | T-50-1 | Sharktooth Cutter, 3 | " (75 mm) | |
| R980 |)40 | T-50-2 | Sharktooth Cutter, 4' | ' (110 mm) | 7/8" Sectional |
| | R98050 | T- | 150 | Sharktooth Cut | ter 3" (75 mm) and 4" (110 |
| | | | | | mm) |

Spade Cutter

| Part # | Model | Description | Fits Cables |
|--------|-------|-----------------------------|----------------|
| R62880 | T-107 | Spade Cutter, 13/4" (45 mm) | 7/8" Sectional |
| R63030 | T-210 | Spade Cutter, 1" (25 mm) | |
| R63035 | T-211 | Spade Cutter, 13/8" (35 mm) | |
| R63040 | T-212 | Spade Cutter, 13/4" (45 mm) | |
| R92495 | T-406 | Spade Cutter, 13/4" (45 mm) | 5/8" and 3/4" |

Spiral Bar Cutters

| Part # | Model | Description |
|--------|-------|--------------------------------|
| R61960 | T-16 | Spiral Bar Cutter, 4" (110 mm) |

Spiral Sawtooth Cutters

| Part # | Model | Description | Fits Cables |
|--------|-------|-------------------------------|----------------|
| R62915 | T-109 | Spiral Sawtooth Cutter, 11/2" | 7/8" Sectional |
| | | (45 mm) | |

Sprial Cutter

| Part # | Model | Description |
|--------|-------|------------------------------|
| R63015 | T-207 | Spiral Cutter, 11/4" (32 mm) |
| R63025 | T-209 | Spiral Cutter, 2" (50 mm) |



Drain Cleaning

| Tools | | | |
|-------------------|--------|-------|-------------------------------------|
| Ridgid | | | |
| Sprial Sawtooth C | utters | | |
| | Part # | Model | Description |
| _ | R63085 | T-230 | Spiral Sawtooth Cutter, 4" (110 mm) |

| Straight Auger | | | |
|----------------|--------|--------|----------------------------------|
| | Part # | Model | Description |
| | R62840 | T-1 | Straight Auger |
| | R62990 | T-201A | Straight Auger, 5" (125 mm) Long |



Drain Cleaning

| | 9 | | |
|-------------------|--------|--------|---------------------|
| Tools | | | |
| Ridgid | | | |
| Straight Flex Aug | ger | | |
| | Part # | Model | Description |
| | R62067 | T-201A | Straight Flex Auger |

| Straight Retrievir | ng Auger | | |
|--------------------|----------|-------|-------------------------|
| | Part # | Model | Description |
| | R63190 | T-5 | StraightRetrievingAuger |

| Striaght Auger | | | | |
|----------------|--------|-------|----------------|----------------|
| | Part # | Model | Description | Fits Cables |
| | R62850 | T-101 | Straight Auger | 7/8" Sectional |

| Tool Set | | | | |
|----------|--------|-------|--|-------------|
| | Part # | Model | Description | Fits Cables |
| | R48482 | T-250 | Tool Set includes: T-203, T-205, T-210, T-217, A-13 | |
| | R54992 | T-270 | Tool Set: – T-102 Funnel Auger – T-142 Knife Blade Cutter – T-107 Spade Cutter – A-12 Pin Key | 1/2" IC |

Table of Contents

| | Categorized Listing | | |
|---|---------------------|------------------------------------|--|
| Drain Cleaning | 1 | Heavy Duty Funnel Auger | |
| Drum Machines | 1 | Heavy Duty Straight Auger | |
| Ridgid | 1 | Hook Auger | |
| K-400 Drum Machine | 1 | P-Trap Cutter | |
| Rodder Machines | 2 | Retrieving Auger | |
| | 2 | Sawtooth Cutters | |
| Ridgid K-1000 Rodder Machine | 2 | Sharktooth Cutters | |
| | 2 | Spade Cutter Spiral Bar Cutters | |
| Sectional Machines | | Spiral Sawtooth Cutters | |
| Ridgid | 2 | Sprial Cutter | |
| K-1500A Sectional Machine | 2 | Sprial Sawtooth Cutters | |
| K-1500B Sectional Machine | 3 | Straight Auger | |
| K-50 Sectional Machine K-60SP Sectional Machine | 4 | Straight Flex Auger | |
| | 4 | Straight Retrieving Auger | |
| Sink Machines | 5 | Striaght Auger | |
| Ridgid | 5 | Tool Set | |
| Model K-40 Sink Machine | 5 — | | |
| Toilet and Urinal Augers | 5 | | |
| Ridgid | 5 | | |
| K-6 Toilet Auger | 5 | | |
| Water Jetting Machines | 6 | | |
| Ridgid | 6 | | |
| KJ-1350 Water Jetter | 6 | | |
| Accessories | 6 | | |
| Ridgid | 6 | | |
| Adaptors | 6 | | |
| Cable Carriers | 7 | | |
| Coupling Pins | 7 | | |
| Gloves | 7 | | |
| Rear Guide Hoses | 7 | | |
| Tool Boxes | 7 | | |
| Cables and Leaders | 7 | | |
| Ridgid | 7 | | |
| Cable Kits | 7 | | |
| Cables | 8 | | |
| Inner Core Cable Kit | 8 | | |
| Inner Core Cables | 8 | | |
| Leaders | 9 | | |
| Sectional Cables | 9 | | |
| Rods | 9 | | |
| Ridgid | 9 | | |
| Rod Turner | 9 | | |
| Solid Sectional Rod | 9 | | |
| Tools | 9 | | |
| Ridgid | 9 | | |
| "C" Cutter | 9 | | |
| 3 Blade Cutter | 9 | | |
| 4 Blade Cutters | 10 | | |
| Bulb Auger | 10 | | |
| chain Knockers | 10 | | |
| Double Cutter | 10 | | |
| Drop Head Augers | 10 10 | | |

Flue Brush

Grease Cutter

H-D "C" Cutter

H-D Bulb Augers

Funnel Auger Funnel Retrieving Auger

Table of Contents

Alphabetized Listing

| " | |
|---|------|
| "C" Cutter | 9 |
| 3 | |
| 3 Blade Cutter | 9 |
| 4 | |
| 4 Blade Cutters | 10 |
| Α | |
| Accessories | 6-7 |
| Adaptors | 6 |
| В | |
| Bulb Auger | 10 |
| C | |
| Cable Carriers | 7 |
| Cable Kits | 7 |
| Cables | 8 |
| Cables and Leaders | 7-9 |
| C | |
| chain Knockers | 10 |
| C | |
| Coupling Pins | 7 |
| D | |
| Double Cutter | 10 |
| Drain Cleaning | 1-14 |
| Drop Head Augers | 10 |
| Drum Machines | 1 |
| E | |
| Expanding Cutter | 10 |
| F | |
| Flue Brush | 10 |
| Funnel Auger | 11 |
| Funnel Retrieving Auger | 11 |
| G | |
| Gloves | 7 |
| Grease Cutter | 11 |
| Н | |
| H-D "C" Cutter | 11 |
| H-D Bulb Augers | 11 |
| Heavy Duty Funnel Auger | 11 |
| Heavy Duty Straight Auger | 11 |
| Hook Auger | 11 |
| Inner Core Cable Vit | 0 |
| Inner Core Cable Kit Inner Core Cables | 8 |
| K | J |
| K-1000 Rodder Machine | 2 |
| K-1500A Sectional Machine | 2 |
| K-1500A Sectional Machine K-1500B Sectional Machine | 3 |
| K-400 Drum Machine | 1 |
| K-50 Sectional Machine | 4 |
| K-6 Toilet Auger | 5 |
| K-60SP Sectional Machine | 4 |
| KJ-1350 Water Jetter | 6 |
| L | |
| Leaders | 9 |
| M | |
| Model K-40 Sink Machine | 5 |
| P | |
| P-Tran Cutter | 11 |

| R | |
|---------------------------|------|
| Rear Guide Hoses | 7 |
| Retrieving Auger | 12 |
| Ridgid | 1-14 |
| Rod Turner | 9 |
| Rodder Machines | 2 |
| Rods | 9 |
| S | |
| Sawtooth Cutters | 12 |
| Sectional Cables | 9 |
| Sectional Machines | 2-4 |
| Sharktooth Cutters | 12 |
| Sink Machines | 5 |
| Solid Sectional Rod | 9 |
| Spade Cutter | 12 |
| Spiral Bar Cutters | 12 |
| Spiral Sawtooth Cutters | 12 |
| Sprial Cutter | 12 |
| Sprial Sawtooth Cutters | 13 |
| Straight Auger | 13 |
| Straight Flex Auger | 14 |
| Straight Retrieving Auger | 14 |
| Striaght Auger | 14 |
| Т | |
| Toilet and Urinal Augers | 5 |
| Tool Boxes | 7 |
| Tool Set | 14 |
| Tools | 9-14 |
| W | |
| Water Jetting Machines | 6 |