

Power Tools

Bench Grinders

Dewalt

DW756 6" (150mm) Bench Grinder



- Powerful 5/8 HP induction motor for heavy-duty grinding operations
- Industrial cast iron base and motor housing provide durability and prolong life
- Motor runs at 3,450 rpm for high speed material removal
- Precision-machined aluminum tool rests allow the user to accurately position work
- Rear exhaust ports in wheel guards for smoother operation
- 12-1/2" distance between wheels for longer and larger grinding applications

PART #	Amps	HP	RPM	Wheel Dia.	Spindle Dia.	Adj. Tool Rests	Length	Weight
DW756	4.0 AC Amps	5/8 HP	3450 rpm	6"	1/2"	Yes	15"	28.5 lbs.

DW758 8" (205mm) Bench Grinder



- 3/4 HP induction motor provides superior power for industrial grinding applications
- Rugged cast iron base and motor housing provide durability and prolonged life
- Motor runs at 3,600 rpm for high speed material removal
- Precision-machined aluminum tool rests allow the user to accurately position work
- Rear exhaust ports in wheel guards for smoother operation
- 12-1/2" distance between wheels for larger and longer grinding applications

PART #	Amps	HP	RPM	Wheel Dia.	Spindle Dia.	Adj. Tool Rests	Length	Weight
DW758	4.2 AC Amps	3/4 HP	3600 rpm	8"	5/8"	Yes	16"	39.5 lbs.

Power Tools

Concrete Surfacing Grinders

Bosch

B1773AK 5" Concrete Surfacing Grinder with Dedicated Dust Collection Shroud



10 Amp and 11,000 RPM

Lock-on/off switch — for extended use applications

Constant Response™ circuitry — provides soft-start, maintains constant speed under load, provides overload protection

Automatic restart protection — protects against automatic restart after a power failure ensures that tool is intentionally powered on each time

Double insulated, CSA listed, and complies to OSHA

Sealed switch — keeps debris out of the switch mechanism and extends switch life

Service Minder™ brushes — indicates when preventative maintenance is required

Double sealed ball bearings and two 'lip-sealing' protective rings — added protection against dust contamination

5/8 In. to 11 spindle — wide flexibility for mounting most popular accessories

Epoxy coated field windings — provides ultimate protection against abrasive dust and debris

Wrap around auxiliary handle — for easy handling

Spindle lock — for quick wheel changes

Part #	Amps	RPM
B1773AK	10	11000

Die Grinders

Dewalt

DW887 1-1/2" (40mm) Die Grinder



- 3.0 Amp, 25,000 rpm motor provides high power and speed for all 1-1/2" grinding applications
- AC/DC capacity works off welding machines and generators for increased productivity and versatility
- Convenient paddle switch with lock-on button for easy gripping
- Precision 1/4" collet securely holds all proper accessories (1/8" reducing sleeve as optional accessory)

PART #	Amps	Watts	RPM	Accessory RPM Above	Spindle Lock	Spindle Thread	Switch	Length	Weight
DW887	3.5 AC/DC Amps	350 W	25000 rpm	25000 rpm	N/A	1/4" collet	Paddle with Lock-on	13"	3.25 lbs.

Power Tools

Die Grinders

Dewalt

DW888 2" (50mm) Die Grinder



- 5.0 Amp, 19,000 rpm motor provides high power and speed for all 2" grinding applications
- AC/DC capacity works off welding machines and generators for increased productivity and versatility
- External brush caps for easy servicing
- Precision 1/4" collet with 1/8" reducing sleeve for maximum gripping strength - allows user to operate both 1/4" and 1/8" shaft accessories
- Lock-on trigger provides ease of use

PART #	Amps	Watts	RPM	Accessory RPM Above	Spindle Lock	Spindle Thread	Switch	Length	Weight
DW888	5.0 AC/DC Amps	485 W	19000 rpm	19000 rpm	N/A	1/4" collet and 1/8" sleeve	Trigger	19.2"	6.0 lbs.

Bosch

B1209 Die Grinder



8.4 Amps, 16,000 RPM

Metal gear housing — withstands job-site abuse

AC/DC capability — Extends the versatility of the tool by working from DC outlets such as welders and generators

Trigger bar with lock off switch — More control plus ease of use during demanding jobs

Double insulated, UL listed, complies to OSHA

Part #	Amps	Collet Cap	RPM	Rating	Weight
B1209	8.4	1/4"	16000	120V AC/DC	6.6 lb

Milwaukee

ME5194 4.5 Amp Die Grinder



- Powerful 4.5-amp motor: Delivers up to 21,000 RPM for faster grinding
- All ball and roller bearings: Built for endurance
- Versatile chuck: Accepts 1/4" and 1/8" collets for greater utility
- 8-ft. fixed rubber cord: Durable construction for long tool life

Part#	Amps	Collet Dia.	RPM	Switch	Max Cap.	Max Cap	Weight
ME5194	4.5	1/4"	21000	Toggle	2" Grinding Wheel	1-5/8" Mounted Wheel	4.5 lbs

Power Tools

Die Grinders

Milwaukee

ME5196 11 Amp Die Grinder



- Powerful 11-amp motor: Delivers up to 14,500 RPM for faster grinding
- All ball and roller bearings: Built for endurance
- Versatile chuck: Accepts 1/4" and 1/8" collets for greater utility
- 9 ft. fixed rubber cord: Durable construction for long tool life

Part#	Amps	Collet Dia.	RPM	Switch	Max Cap.	Max Cap	Weight
ME5196	11	1/4"	14500	Trigger	2" Grinding Wheel	2" Mounted Wheel	7.8 lbs

Grinder Accessories

Dewalt

DW4705 Diamond Blade Guard



- For use on the DW402 4 1/2" Grinder

Power Tools

High Performance Small Angle Body Grip

Dewalt

D28114 4-1/2" (115 mm) / 5" (127 mm) High Performance Paddle Switch Grinder



- 13.0 Amp/2.3HP, 11,000 rpm DEWALT built G55 (AC) motor designed for faster material removal and higher overload protection
- Dust Ejection System™ provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents
- Quick-Change™ Wheel Release allows tool free wheel removal
- Dual abrasion protection provides increased motor protection from damaging dust and debris ingestion
- One-piece brush arm prevents brush hang-up due to dust ingestion
- E-Clutch® shuts the grinder off when a wheel pinch or wheel stall occurs, extending the life of the gears and motor
- Power-Off® Advanced Overload Protection shuts the tool off before it reaches overload or burn-up
- Power-Loss Reset® prevents accidental re-starts following a power disruption when the tool is left in the "on" position
- Vibration-reducing side handle increases comfort for extended use applications
- Low profile, jam-pot gear case provides precise gear alignment for a smoother, quieter transmission while allowing access to tight spaces
- Auto-off brushes shut the tool down when the brushes need replacing to avoid tool damage
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity

PART #	Amps	Watts / HP	RPM	Spindle Thread	Switch	Dust Ejection System	Tool Free Flange System	E-Clutch / Overload Protection	Length
D28114	13 AC Amps	1700 w / 2.3 HP	11000 rpm	5/8"-11	Paddle with lock-on	Yes	Yes	Yes	13"

D28114N 4-1/2" (115 mm) / 5" (125 mm) High Performance Paddle Switch Grinder with No Lock-On



- 13.0 Amp / 2.3HP, 11,000 rpm DEWALT built G55 (AC) motor designed for faster material removal and higher overload protection
- No Lock-On paddle switch prevents the user from locking the grinder on
- Dust Ejection System™ provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents
- Quick-Change™ Wheel Release allows tool free wheel removal
- Dual Abrasion Protection provides increased motor protection from damaging dust and debris ingestion
- One-piece brush arm prevents brush hang-up due to dust ingestion
- E-Clutch® shuts the grinder off when a wheel pinch or wheel stall occurs, extending the life of the gears and motor
- Power-Off® Advanced Overload Protection shuts the tool off before it reaches overload or burn-up
- Power-Loss Reset® prevents accidental re-starts following a power disruption when the tool is left in the "on" position
- Vibration-reducing side handle increases comfort for extended use applications
- Low profile, jam-pot gear case provides precise gear alignment for a smoother, quieter transmission while allowing access to tight spaces
- Auto-off brushes shut the tool down when the brushes need replacing to avoid tool damage
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity

PART #	Amps	Watts/HP	RPM	Spindle Thread	Switch	Dust Ejection System	Tool Free Flange System	E-Clutch/ Overload Protection	Length	Weight
D28114N	13 AC Amps	1700 w / 2.3 HP	11000 rpm	5/8"-11	Paddle no lock-on	Yes	Yes	Yes	13"	4.6 lbs.

Power Tools

High Performance Small Angle Body Grip

Dewalt

D28131 4-1/2" (115 mm) - 5" (125 mm) High Performance Grinder with Slide Switch



- 13.0 Amp/2.3HP, 11,000 rpm DEWALT built G55 (AC) motor designed for faster material removal and higher overload protection
- Dust Ejection System™ provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents
- Quick-Change™ Wheel Release allows tool free wheel removal
- Dual Abrasion Protection provides increased motor protection from damaging dust and debris ingestion
- One-piece brush arm prevents brush hang-up due to dust ingestion
- E-Clutch® shuts the grinder off when a wheel pinch or wheel stall occurs, extending the life of the gears and motor
- Power-Off® Advanced Overload Protection shuts the tool off before it reaches overload or burn-up
- Power-Loss Reset® prevents accidental re-starts following a power disruption when the tool is left in the "on" position
- Vibration-reducing side handle increases comfort for extended use applications
- Low profile, jam-pot gear case provides precise gear alignment for a smoother, quieter transmission while allowing access to tight spaces
- Auto-off brushes shut the tool down when the brushes need replacing to avoid tool damage
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity
- Lock-on slide switch provides increased user comfort in extended use applications

PART #	Amps	Watts/HP	RPM	Spindle Thread	Switch	Dust Ejection System	Tool Free Flange System	E-Clutch/Overload Protection	Length
D28131	13 AC Amps	1700 w / 2.3 HP	11000 rpm	5/8"-11	Slide	Yes	Yes	Yes	13"

Power Tools

High Performance Small Angle Body Grip

Dewalt

D28140 5" (125 mm) / 6" (150 mm) High Performance Cut-Off/Grinder with Slide Switch



- 13.0 Amp/2.3HP, 9,000 rpm DEWALT built G55 (AC) motor designed for faster material removal and higher overload protection
- Dual Clutch Protection™ prevents the gears from stripping and motor from burning up in a wheel pinch/stall increasing durability
- Dust Ejection System™ provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents
- Quick-Change™ Wheel Release allows tool free wheel removal
- Dual Abrasion Protection provides increased motor protection from damaging dust and debris ingestion
- One-piece brush arm prevents brush hang-up due to dust ingestion
- E-Clutch® shuts the grinder off when a wheel pinch or wheel stall occurs, extending the life of the gears and motor
- Power-Off® Advanced Overload Protection shuts the tool off before it reaches overload or burn-up
- Power-Loss Reset® prevents accidental re-starts following a power disruption when the tool is left in the "on" position
- Vibration reducing 2-position side handle provides user comfort and reduces user felt vibration
- Low profile, jam-pot gear case provides precise gear alignment for a smoother, quieter transmission while allowing access to tight spaces
- Auto-off brushes shut the tool down when the brushes need replacing to avoid tool damage
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity
- Lock-on slide switch provides increased user comfort in extended use applications

PART #	Amps	Watts/HP	RPM	Spindle Thread	Switch	Dust Ejection System	Tool Free Flange System	E-Clutch/ Overload Protection	Length	Weight
D28140	13 AC Amps	1700 w / 2.3 HP	9000 rpm	5/8"-11	Slide	Yes	Yes	Yes	13"	4.6 lbs.

Power Tools

High Performance Small Angle Body Grip

Dewalt

D28144 5" (125 mm) / 6" (150 mm) High Performance Cut-Off/Grinder



- 13.0 Amp/2.3HP, 9,000 rpm DEWALT built G55 (AC) motor designed for faster material removal and higher overload protection
- Dual Clutch Protection™ prevents the gears from stripping and motor from burning up in a wheel pinch/stall increasing durability
- Dust Ejection System™ provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents
- Quick-Change™ Wheel Release allows tool free wheel removal
- Dual abrasion protection provides increased motor protection from damaging dust and debris ingestion
- One-piece brush arm prevents brush hang-up due to dust ingestion
- E-Clutch® shuts the grinder off when a wheel pinch or wheel stall occurs, extending the life of the gears and motor
- Power-Off® Advanced Overload Protection shuts the tool off before it reaches overload or burn-up
- Power-Loss Reset® prevents accidental re-starts following a power disruption when the tool is left in the "on" position
- Vibration reducing 2-position side handle provides user comfort and reduces user felt vibration
- Low profile, jam-pot gear case provides precise gear alignment for a smoother, quieter transmission while allowing access to tight spaces
- Auto-off brushes shut the tool down when the brushes need replacing to avoid tool damage
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity

PART #	Amps	Watts/HP	RPM	Spindle Thread	Switch	Dust Ejection System	Tool Free Flange System	E-Clutch/ Overload Protection	Length	Weight
D28144	13 AC Amps	1700 w / 2.3 HP	9000 rpm	5/8"-11	Paddle with lock-on	Yes	Yes	Yes	13"	4.6 lbs.

Power Tools

High Performance Small Angle Trigger Grip

Dewalt

D28065 5" / 6" High Performance Grinder w/ Trigger Grip



- 13.0 Amp/2.3HP, 9,000 rpm DEWALT built G55 (AC/DC) motor designed for faster material removal and higher overload protection
- Dust Ejection System™ provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents
- Quick-Change™ Wheel Release allows tool free wheel removal
- Dual abrasion protection provides increased motor protection from damaging dust and debris ingestion
- One-piece brush arm prevents brush hang-up due to dust ingestion
- Vibration-reducing side handle increases comfort for extended use applications
- Low profile, jam-pot gear case provides precise gear alignment for a smoother, quieter transmission while allowing access to tight spaces
- Auto-off brushes shut the tool down when the brushes need replacing to avoid tool damage
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity

PART #	Amps	Watts/HP	RPM	Spindle Thread	Switch	Dust Ejection System	Tool Free Flange System	E-Clutch/ Overload Protection	Length	Weight
D28065	13 AC Amps	1700 w / 2.3 HP	9000 rpm	5/8"-11	Trigger	Yes	Yes	No	15.25"	4.75 lbs.

D28115 4-1/2" / 5" High Performance Grinder w/ Trigger Grip



- 13.0 Amp/2.3HP, 9,000 rpm DEWALT built G55 (AC/DC) motor designed for faster material removal and higher overload protection
- Dust Ejection System™ provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents
- Quick-Change™ Wheel Release allows tool free wheel removal
- Dual abrasion protection provides increased motor protection from damaging dust and debris ingestion
- One-piece brush arm prevents brush hang-up due to dust ingestion
- Vibration-reducing side handle increases comfort for extended use applications
- Low profile, jam-pot gear case provides precise gear alignment for a smoother, quieter transmission while allowing access to tight spaces
- Auto-off brushes shut the tool down when the brushes need replacing to avoid tool damage
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity

PART #	Amps	Watts/HP	RPM	Spindle Thread	Switch	Dust Ejection System	Tool Free Flange System	E-Clutch/ Overload Protection	Length	Weight
D28115	13 AC Amps	1700 w / 2.3 HP	9000 rpm	5/8"-11	Trigger	Yes	Yes	No	15.25"	4.75 lbs.

Milwaukee

ME6124-31 13 Amp 5" Small Angle Grinder Trigger Grip, No-Lock



Part#	Amps	Wheel Dia.	RPM	Spindle
ME6124-31	13	5"	9000	5/8"-11

Power Tools

Large Angle Grinders

Dewalt

D28494S 7" (180mm) Large Angle Grinder



- High power 4 HP (maximum motor HP) 6,000 rpm motor with overload protection provides higher operating speeds under load
- Epoxy coated field and armature provide long service life against abrasion from airborne debris
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity
- Low profile gear case allows for work in tight areas
- Automatic turn-off brushes shut down the tool when brushes need to be changed to avoid tool damage
- 5 position side handle provides improved ergonomics for specific applications
- 2 wire double insulated 'S' jacket rubber cord provides increased durability and life in hot and cold climates
- 6,000 rpm speed is designed for versatility in a variety of applications
- Lightweight design increases productivity in extended use applications

PART #	Amps	Watts/H P	RPM	Use Wheels rpm above	Lock on Trigger	Lock off Trigger	Spindle Thread	Motor Abrasio n Protecti on	Steel Cut Gears	Pipeline Grip	Length	Weight
D28494S	15 Amps	3084 W / 4.1 HP	6000 rpm	6000 rpm	Yes	No	5/8"-11	Yes	Yes	No	19.2"	13.15 lbs.

D28499X 7" & 9" (180 mm & 230 mm) 6,000 rpm 5.3 HP Angle Grinder



- High power 5.3 HP (maximum motor HP) 6,000 rpm motor with overload protection provides higher operating speeds under load
- Rotating rear handle provides improved ergonomics in cutting and grinding applications
- 5 position side handle provides improved ergonomics for specific applications
- Epoxy coated field and armature provide long service life against abrasion from airborne debris
- Low profile gear case allows for work in tight areas
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity
- Automatic turn-off brushes shut down the tool when brushes need to be changed to avoid tool damage
- 6,000 rpm provides optimal material removal with 9" grinding wheels
- 2 wire double insulated 'S' jacket rubber cord provides increased durability and life in hot and cold climates

PART #	Amps	Watts/H P	RPM	Use Wheels rpm above	Lock on Trigger	Lock off Trigger	Spindle Thread	Motor Abrasio n Protecti on	Steel Cut Gears	Pipeline Grip	Length	Weight
D28499X	15 AC/DC Amps	3950 W / 5.3 HP	6000 rpm	6000 rpm	Yes	Yes	5/8"-11	Epoxy	Yes	No	20.7"	14.5 lbs.

Power Tools

Large Angle Grinders

Dewalt

DWE4517 7" 8,500 rpm 4HP Angle Grinder



- High power 4 HP (maximum motor HP) 8,500 rpm motor with overload protection provides higher operating speeds under load
- Epoxy coated field and armature provide long service life against abrasion from airborne debris
- Low profile gear case allows for work in tight areas
- Automatic turn-off brushes shut down the tool when brushes need to be changed to avoid tool damage
- 2 position side handle provides improved ergonomics for specific applications
- 8,500 rpm provides optimal material removal with 9" grinding wheels
- Brush window allows for quick brush replacement

PART #	Amps	Watts/H P	RPM	Use Wheels rpm above	Lock on Trigger	Lock off Trigger	Spindle Thread	Motor Abrasio n Protecti on	Steel Cut Gears	Pipeline Grip	Length	Weight
DWE4517	15 AC/DC Amps	3000 W / 4 HP	8500 rpm	8500 rpm	Yes	Yes	5/8"-11	Epoxy	Yes	No	19.3"	12.1 lbs.

DWE4557 7" 8,500 rpm 4.7 HP Angle Grinder



- High power 4.7 HP (maximum motor HP) 8,500 rpm motor provides overload protection provides higher operating speeds under load
- Dust Ejection System™ protects the motor from damaging particles entering air intake that would otherwise abrade the motor and increases brush life
- Anti-Vibe Trigger Handle reduces user fatigue caused by vibration
- Light weight design (11.6 lbs.) lessens user fatigue
- Automatic turn-off brushes shut down the tool when brushes need to be changed to avoid tool damage
- Low profile gear case allows for work in tight areas
- 8,500 rpm provides optimal material removal with 7" grinding wheels
- Brush door allows for quick brush replacement
- Quick Change Guard allows user to quickly adjust guard to redirect sparks
- Soft grip trigger handle provides greater comfort and control
- Thick, "S" style cord takes the abuse of the jobsite and shop environments providing durability and long life for the cord set
- 3 position side handle provides improved ergonomics for specific applications

PART #	Amps	Watts/H P	RPM	Use Wheels rpm above	Lock on Trigger	Lock off Trigger	Spindle Thread	Motor Abrasio n Protecti on	Steel Cut Gears	Pipeline Grip	Length	Weight
DWE4557	15 AC/DC Amps	3450 w / 4.7 HP	8500 rpm	8500 rpm	Yes	Yes	5/8"-11	DES*	Yes	No	20.8"	11.6 lbs.

Power Tools

Large Angle Grinders

Dewalt

DWE4559CN 9" 6,500 rpm 4.7 HP Grinder, No-Lk, Cover



- High Power 4.7 HP (maximum motor HP) 6,500 rpm motor provides overload protection provides higher operating speeds under load
- Gear Case Grip for Pipeliners allows gear case to be gripped as a handle
- Dust Ejection System™ increases brush life and protects the motor from damaging particles entering the air intake that would otherwise abrade the motor
- Anti Vibe Trigger Handle reduces user fatigue caused by vibration
- Light weight design (12.4 lbs.) lessens user fatigue
- Automatic turn-off brushes shut down the tool when brushes need to be changed to avoid tool damage
- Low profile gear case allows for work in tight areas
- 6,500 rpm provides optimal material removal with 9" grinding wheels
- Brush window allows for quick brush replacement
- Quick Change Guard allows user to quickly adjust guard to redirect sparks
- Soft grip trigger handle provides greater comfort and control
- Thick, "S" style cord takes the abuse of the jobsite and shop environments, providing durability and long life for the cord
- 3 position side handle provides improved ergonomics for specific applications

PART #	Amps	Watts/H P	RPM	Use Wheels rpm above	Lock on Trigger	Lock off Trigger	Spindle Thread	Motor Abrasio n Protecti on	Steel Cut Gears	Pipeline Grip	Length	Weight
DWE455 9CN	15 AC/DC Amps	3450 w / 4.7 HP	6500 rpm	6500 rpm	No	Yes	5/8"-11	DES*	Yes	Yes	20.9"	12.4 lbs.

DWE4559N 9" 6,500 rpm 4.7 HP Angle Grinder No-Lk



- High power 4.7 HP (maximum motor HP) 6,500 rpm motor provides overload protection provides higher operating speeds under load
- Dust Ejection System™ increases brush life and protects the motor from damaging particles entering the air intake that would otherwise abrade the motor
- Anti Vibe Trigger Handle reduces user fatigue caused by vibration
- Light weight design (12.1 lbs.) lessens user fatigue
- Automatic turn-off brushes shut down the tool when brushes need to be changed to avoid tool damage
- Low profile gear case allows for work in tight areas
- 6,500 rpm provides optimal material removal with 9" grinding wheels
- Brush window allows for quick brush replacement
- Quick Change Guard allows user to quickly adjust guard to redirect sparks
- Soft grip trigger handle provides greater comfort and control
- Thick, "S" style cord takes the abuse of the jobsite and shop environments providing durability and long life for the cord set
- 3 position side handle provides improved ergonomics for specific applications

Power Tools

Large Angle Grinders

Metabo

9" Angle Grinder



- Metabo longlife motor with patented dust protection for long service life
- Metabo safety switch prevents unintentional start
- Tool-free adjustable guard; twist-proof mounting
- Metabo VibraTech (MVT): integrated damping system and side handle to reduce vibrations in order to protect the user's health
- Side handle can be mounted at three positions
- Swivelling main handle: High safety and better handling when cutting

Part #	Dia.	Motor	Speed	Switch Type	Spindle Thread
W24-230MVT	9"	15 Amp	6600 RPM	Lock-On trigger	5/8"-11

Milwaukee

ME6065-6 3.5 Max HP 7" / 9" Sander 5000 RPM



- 3.5 maximum horsepower, 15 amp motor
- 7 inch or 9 inch capacity, 5,000 RPM, AC-DC
- Spiral bevel gearing for performance and durability
- Sander may be converted to grinder by using the proper wheel guard

Part#	Amps	Wheel Dia.	RPM	Spindle	Weight
ME6065-6	15	7" / 9"	5000	5/8"-11	12 lbs

ME6066-6 3.5 Max HP 7" / 9" Sander 6000 RPM



- 3.5 maximum horsepower, 15 amp motor
- 7 inch or 9 inch capacity, 6000 RPM, AC-DC
- Spiral bevel gearing for performance and durability
- Sander may be converted to grinder by using the proper wheel guard

Part#	Amps	Wheel Dia.	RPM	Spindle	Weight
ME6066-6	15	7" / 9"	6000	5/8"-11	12 lbs

Power Tools

Large Angle Grinders

Milwaukee

ME6072 2.25 Max HP 7" / 9" Sander 5000 RPM



- 2.25 maximum horsepower, 13 amp motor
- 7 inch or 9 inch capacity, 5,000 RPM, AC-DC
- Spiral bevel gearing for performance and durability
- Sander may be converted to grinder by using the proper wheel guard

Part#	Amps	Wheel Dia.	RPM	Spindle	Weight
ME6072	13	7" / 9"	5000	5/8"-11	9.3 lbs

Med Angle Grinders

Dewalt

DW831 5" (125mm) Medium Angle Grinder



- 12.0 Amp AC/DC, 10,000 rpm motor provides high speed for fast material removal
- High power-to-weight ratio for greater efficiency and reduced user fatigue
- Adjustable guard can be adjusted to redirect sparks away from user
- Rear handle design for greater comfort and control
- External brush caps for easy servicing
- Sealed ball and roller bearings for extended motor life

PART #	Amps	Watts/HP	RPM	Use Wheels rpm above	Spindle Lock	Spindle Thread	Length	Weight
DW831	12 AC/DC Amps	1837 W / 2.5 HP	10000 rpm	10000 rpm	Yes	5/8"-11	14.33"	7.4 lbs.

Power Tools

Med Angle Grinders

Dewalt

DW840 7" (180mm) Medium Angle Grinder



- 13.0 Amp AC/DC, 8,000 rpm motor provides high power and speed for 7" grinding applications
- High power-to-weight ratio for greater efficiency and reduced user fatigue
- Adjustable guard can be adjusted to redirect sparks away from user
- Rear handle design for greater comfort and control
- External brush caps for easy servicing
- Sealed ball and roller bearings for extended motor life
- Spindle lock button allows for single-wrench bit changes

PART #	Amps	Watts/HP	RPM	Use Wheels rpm above	Spindle Lock	Spindle Thread	Length	Weight
DW840	13 AC/DC Amps	2250 W / 3.0 HP	8000 rpm	8000 rpm	Yes	5/8"-11	16.1"	8.0 lbs.

Metabo

Electronic 6" Angle Grinder toolless Wheel Change



- Highest service life for extreme applications: robust, powerful angle grinder with greatest power density in its class for quick work progress
- New, patent-pending Metabo Longlife motor with up to 50% more torque and up to 20% higher overload capacity for quicker material removal and longer service life
- Tacho-Constamatic (TC)-Full wave electronics: fast work progress thanks to constant speed under load
- Now even faster: Metabo Quick System for tool-free disc change at the touch of a button by means of quick flange nut
- Tool-free adjustable guard; twist-proof mounting
- Side handle Metabo VibraTech (MVT) handle vibration damping for convenient continuous operation
- Metabo S-automatic safety clutch: direct mechanical decoupling in case of jamming of the disc minimises kickback - for high safety and swift progress; proven for decades
- Electronic overload protection for long service life
- Electronic soft start for smooth startup
- Restart protection: prevents unintentional startup after power cut
- Gear housing can be mounted turned in 90° steps for left-handed operation or for cutting
- Auto-stop carbon brushes to protect the motor

Part #	Dia.	Motor	Speed	Switch Type	Spindle Thread
WE15-150Q	6"	13.5 Amp	9600 RPM	Lock-on Slide	5/8"-11

Power Tools

Med Angle Grinders

Metabo

Electronic 6" Angle Grinder with Non-Locking Paddle Switch Toolless Wheel Change



- Highest service life for extreme applications: robust, powerful angle grinder with greatest power density in its class for quick work progress
- New, patent-pending Metabo Longlife motor with up to 50% more torque and up to 20% higher overload capacity for quicker material removal and longer service life
- Tacho-Constamatic (TC)-Full wave electronics: fast work progress thanks to constant speed under load
- Now even faster: Metabo Quick System for tool-free disc change at the touch of a button by means of quick flange nut
- Tool-free adjustable guard; twist-proof mounting
- Side handle Metabo VibraTech (MVT) handle vibration damping for convenient continuous operation
- Paddle switch with dead man function: Safe to operate due to an ergonomically integrated switch
- Metabo S-automatic safety clutch: direct mechanical decoupling in case of jamming of the disc minimises kickback - for high safety and swift progress; proven for decades
- Electronic overload protection for long service life
- Electronic soft start for smooth startup
- Restart protection: prevents unintentional startup after power cut
- Gear housing can be mounted turned in 90° steps for left-handed operation or for cutting

Part #	Dia.	Motor	Speed	Switch Type	Spindle Thread
WEP15-150Q	6"	13.5 Amp	9600 RPM	Non-Locking Paddle	5/8"-11

Electronic 6" Angle Grinder with Non-Locking Paddle Switch, Brake and Auto-Balance Toolless Wheel Change

Part #	Dia.	Motor	Speed	Switch Type	Spindle Thread
WEPBA17-150Q	6"	14.5 Amps	9600 RPM	Non-Locking Paddle	5/8"-11

Power Tools

Polishers

Dewalt

DWP849 7" / 9" Variable Speed Polisher



- Powerful, 12.0 Amp, all ball-bearing construction for long life
- Electronic control maintains specified speed under load delivering desired finish results
- Conveniently located variable speed dial lets user set maximum speed from 0-600/3500 rpm for different materials and applications
- Variable speed trigger allows user to control speed from 0 to dialed maximum setting
- Heat-treated, precision-cut steel gears for smooth operation
- External brush caps for easy servicing
- Large spindle lock button allows for easy and quick backing plate changes

PART #	Amps	Watts	RPM	Spindle Thread	Spindle Lock	Length	Weight
DWP849	12 AC Amps	1250 W	0-600 / 0-3500 rpm	5/8"-11	Yes	17.3"	6.6 lbs.

DWP849X 7" / 9" Variable Speed Polisher with Soft Start



- Powerful, 12.0 Amp, all ball-bearing construction for long life and performance for the most demanding applications
- Electronic module maintains specified speed under load delivering better finish results
- Conveniently located variable speed dial lets user set maximum speed from zero to 600/3500 rpm for different materials and applications
- Variable speed trigger allows user to control speed from 0 to dialed maximum setting
- Heat-treated, precision-cut steel gears for smooth operation
- Wool Ingestion Shields eliminates wool ingestion increasing tool life and reducing service costs
- Non Mar Rubber Gear Case Cover reduces surface imperfections and improves gripping surface

PART #	Amps	Watts	RPM	Spindle Thread	Spindle Lock	Length	Weight
DWP849X	12 AC Amps	1250 W	0-600 / 0-3500 rpm	5/8"-11	Yes	17.3"	6.6 lbs.

Power Tools

Polishers

Milwaukee

ME5455 7/9" Polisher



- Powerful 11 amp motor, AC-DC
- 1750 RPM
- Spindle lock for convenient accessory change
- Aluminum gear case with protective urethane bumpers

Part#	Amps	Pad Size	RPM	Speed Dial	Spindle	Weight
ME5455	11	7" / 9"	1750	No	5/8"-11	8.8 lbs

ME5460-6 7" / 9" Dial Speed Control Polisher



- 11 amp, 0-1,750 RPM, AC only
- Exclusive electronic speed control - ideal for clear coat finishes
- Spindle lock for convenient accessory change
- QUIK-LOK® detachable cord

Part#	Amps	Pad Size	RPM	Speed Dial	Spindle	Weight
ME5460-6	11	7" / 9"	0 - 1750	Yes	5/8"-11	8.8 lbs

ME5540 7" Polisher



- Powerful 11 amp motor, AC only
- Trigger speed control, 0-2800 RPM
- Spindle lock for convenient accessory change
- Aluminum gear case with protective urethane bumpers

Part#	Amps	Pad Size	RPM	Speed Dial	Spindle	Weight
ME5540	11	7"	0 - 2800	Yes	5/8"-11	8.8 lbs

Power Tools

Polishers

Milwaukee

ME6078 2.25 Max HP 7" / 9" Sander 6000 RPM



- 2.25 maximum horsepower, 13 amp motor
- 7 inch or 9 inch capacity, AC only
- Dial speed control 0-6000 RPM
- 10 ft., 2-wire Quik-Lok® cord set

Part#	Amps	Wheel Dia.	RPM	Spindle	Weight
ME6078	13	7" / 9"	6000	5/8"-11	9.3 lbs

Small Angle Grinders

Dewalt

D28112 4-1/2" (115mm) Small Angle Grinder



- 10.0 Amp AC/DC 11,000 rpm motor designed for faster material removal and higher overload protection
- Dust Ejection System™ provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents
- Low profile, jam-pot gear case provides precise gear alignment for a smoother, quieter transmission while allowing access to tight spaces
- One-piece brush arm prevents brush hang-up due to dust ingestion
- Quick-Change™ Wheel Release allows tool free wheel removal
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity
- Vibration-reducing side handle increases comfort for extended use applications
- Auto-off brushes shut the tool down when the brushes need replacing to avoid tool damage
- Oversized, protected spindle lock button provides easier and quicker wheel changes
- Lock-on slide switch provides increased user comfort in extended use applications
- Matching wheel flanges allow the use of common accessories

PART #	Amps	Watts/HP	RPM	Use Wheels rpm above	Spindle Thread	Switch	Dust Ejection	Tool Free Flange	Length	Weight
D28112	10 AC/DC Amps	1200 W / 1.6 HP	11000 rpm	11000 rpm	5/8"-11	Slide	Yes	Yes	11-1/4"	4.6 lbs.

Power Tools

Small Angle Grinders

Dewalt

D28402 4-1/2" (115mm) Small Angle Grinder



- 10.0 Amp AC/DC 11,000 rpm motor designed for faster material removal and higher overload protection
- Dust Ejection System™ provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents
- Low profile, jam-pot gear case provides precise gear alignment for a smoother, quieter transmission while allowing access to tight spaces
- One-piece brush arm prevents brush hang-up due to dust ingestion
- Quick-Change™ Wheel Release allows tool free wheel removal without need for a wrench
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity
- Vibration-reducing side handle increases comfort for extended use applications
- Auto-off brushes shut the tool down when the brushes need replacing to avoid tool damage
- Oversized, protected spindle lock button provides easier and quicker wheel changes
- Paddle switch with safety lock-off prevents accidental start up
- Matching wheel flanges allow the use of common accessories

PART #	Amps	Watts/HP	RPM	Use Wheels rpm above	Spindle Thread	Switch	Dust Ejection	Tool Free Flange	Length	Weight
D28402	10 AC/DC Amps	1200 W / 1.6 HP	11000 rpm	11000 rpm	5/8"-11	Paddle with Lock-On	Yes	Yes	11-1/4"	4.6 lbs.

Bosch

B1375A 4-1/2" Small Angle Grinder



6 Amp, 11,000 RPM

Lock-on/off switch — for extended use applications

Service Minder™ brushes — eliminates guesswork, stops the tool when preventative maintenance is required

Epoxy coated field windings — provides ultimate protection against abrasive dust and metal debris

5/8 In. to 11 spindle — wide flexibility for mounting most popular accessories

Spindle lock — for quick wheel changes

Double insulated, UL listed, complies to OSHA

2-position auxiliary handle — specifically designed and angled to a "natural" position for maximum comfort and control

Part #	Amps	RPM
B1375A	6	11000

Power Tools

Small Angle Grinders

Bosch

B1821 5" Rat Tail Grinder



Powerful and durable for the most demanding jobs/compact and lightweight for all day use
 2-position vibration control handle reduces vibration up to 60%, providing uncompromising user comfort for extended periods of work
 Rear handle trigger with lock-on/off switch for extended use applications
 Epoxy coated field windings provides the ultimate protection against abrasive dust and metal debris
 Sealed switch keeps debris out of the switch mechanism and extends switch life
 Service Minder™ brushes eliminates guesswork, stops the tool when preventative maintenance is required
 Tool-free adjustable guard for quick guard installation and adjustments
 AC/DC capability extends the versatility of the tool by working from DC outlets such as welders and generators

Part #	Amps	RPM	Wheel Dia.
B1821	9.5	11000	5"

BAG40-11P 4-1/2" Angle Grinder



Patented multi-grip paddle switch - allows multiple grip positions for optimal comfort and control
 High-performance 11 Amp 11,500 RPM motor - power and performance demanded by a professional
 Electronic clutch - shuts down the motor if the wheel gets into a sudden bind situation
 Overload protection - shuts off tool to reduce over heating and motor damage
 Constant Response™ circuitry - maintains constant speed under load
 Soft start - reduces start-up torque to protect motor
 Restart protection - protects against an automatic restart after a power interruption
 Two-position vibration control handle - reduces vibration, providing uncompromising user comfort
 Directed air flow - diverts dust away from switch and vital components to extend tool life
 Service Minder™ brushes - to eliminates guesswork, stops tool when preventative maintenance is required
 Gear housing rotates 90 degrees - for better ergonomics and control in cutting applications
 Ergonomic housing - increases comfort and control for extended usage
 Epoxy coated field windings - provides ultimate protection against abrasive dust and metal debris
 Toolless adjustable guard - quick guard installation and adjustments

Part #	Amps	RPM
BAG40-11P	11	11500

Power Tools

Small Angle Grinders

Bosch

BAG50-125PD 5" High-Performance Angle Grinder



Patented multi-grip paddle switch - allows multiple grip positions for optimal comfort and control
 High-performance 12.5 Amp 11,500 RPM motor - power and performance demanded by a professional
 Electronic clutch - shuts down the motor if the wheel gets into a sudden bind situation
 Overload protection - shuts off tool to reduce over heating and motor damage
 Constant Response™ circuitry - maintains constant speed under load
 Soft start - reduces start-up torque to protect motor
 Restart protection - protects against an automatic restart after a power interruption
 No-lock-on switch - grinder turns off when the switch is released
 Two-position vibration control handle - reduces vibration, providing uncompromising user comfort
 Directed air flow - diverts dust away from switch and vital components to extend tool life
 Service Minder™ brushes - eliminates guesswork, stops tool when preventative maintenance is required
 Gear housing rotates 90 degrees - for better ergonomics and control in cutting applications
 Ergonomic housing - increases comfort and control for extended usage
 Epoxy coated field windings - provides ultimate protection against abrasive dust and metal debris
 Toolless adjustable guard - quick guard installation and adjustments

Part #	Amps	RPM
BAG50-125PD	12.5	11500

Power Tools

Small Angle Grinders

Metabo

4-1/2" - 5" Electronic Flat Head Angle Grinder



- Extremely flat gear head permits working at acute angles down to 43°
- Compact design for quick removal of welding slag, rust or paint in tight places e.g. frame constructions
- Low-fatigue working even at weld seams during out-of-position welding thanks to slim handle
- Metabo longlife motor with patented dust protection for long service life
- Constamatic (C)-Full Wave Electronics: fast work progress thanks to almost constant speed under load
- Tool-free adjustable guard; twist-proof mounting
- Electronic safety shutdown of the motor for safer working if the disc jams
- Electronic overload protection for long service life
- Electronic soft start for smooth startup
- Restart protection: prevents unintentional startup after power cut
- Auto-stop carbon brushes to protect the motor

Part #	Max Wheel Dia.	Motor	Speed	Switch Type	Spindle Thread
WEF9-125	4-1/2" - 5"	8 Amp	10000 Rpm	Lock-on Slide	5/8"-11

4-1/2" Angle Grinder



Part #	Dia.	Motor	Speed	Switch Type	Spindle Thread
W820-115	4-1/2" - 5"	7.5 Amp	10000 Rpm	Lock-on Slide	5/8"-11

4-1/2" Angle Grinder with Non-Locking Paddle Switch



- Robust motor
- Paddle switch with dead man function: Safe to operate due to an ergonomically integrated switch
- Auto-stop carbon brushes to protect the motor

Part #	Dia.	Motor	Speed	Switch Type	Spindle Thread
WP820-115	4-1/2"	7.5 Amp	11000 RPM	Non-Locking Paddle	5/8"-11



A M Supply Co.

Phone: (405) 947-6695 · (800) 825-7431

Power Tools

Small Angle Grinders

Metabo

4-1/2" Angle Grinder with Non-Locking Paddle Switch Toolless Wheel Change

Part #	Dia.	Motor	Speed	Switch Type	Spindle Thread
WP9-115Q	4-1/2"	8.5 Amp	10500 RPM	Lock-on Slide	5/8"-11

Power Tools

Small Angle Grinders

Metabo

4-1/2" Angle Grinder with Toolless Wheel Change

Part #	Dia.	Motor	Speed	Switch Type	Spindle Thread
W9-115Q	4-1/2"	8.5 Amp	10500 RPM	Lock-on Slide	5/8"-11

Electronic Variable Speed 4-1/2" / 5" Angle Grinder Toolless Wheel Change



- Optimum processing of stone: robust, powerful angle grinder with gear reduction and reduced, adjustable speed for material-friendly working
- New, patent-pending Metabo Longlife motor with up to 50% more torque and up to 20% higher overload capacity for quicker material removal and longer service life
- Vario-Tacho-Constamatic (VTC)-Full wave electronics with thumbwheel: for working with customised speeds for the materials used that remain almost constant under load
- Tool-free adjustable guard; twist-proof mounting
- Metabo S-automatic safety clutch: direct mechanical decoupling in case of jamming of the disc minimises kickback - for high safety and swift progress; proven for decades
- Electronic overload protection for long service life
- Electronic soft start for smooth startup
- Restart protection: prevents unintentional startup after power cut
- Gear housing can be mounted turned in 90° steps for left-handed operation or for cutting

Part #	Dia.	Motor	Speed	Switch Type	Spindle Thread
WEV15-125QHT	4-1/2" - 5"	13.5 Amp	2800 - 9600 RPM	Lock-on Slide	5/8"-11

Porter Cable

ME6130-33 7 Amp 4-1/2" Small Angle Grinder



- Compact, Lightweight Design: At 10.2" long and 3.5 lbs it is the most compact & lightest grinder in the Milwaukee line
- 7.0 Amp, 750 MWO Motor- powerful for daily applications
- Debris Baffles- protect internal components by deflecting damaging debris out of the airflow at the intake vents
- Multi-Port Exhaust-reduces motor burn-up by efficiently venting hot air out of the grinder
- Tool Free, Burst Resistant Guard- the only grinder in its class with a tool free guard
- Compatible with multiple Grinder Guards and Flanges. See cross-reference guide below.

Part#	Amps	Wheel Dia.	RPM	Spindle	Weight
ME6130-33	7	4-1/2"	11000	5/8"-11	3.5 lbs

Power Tools

Straight Grinders

Dewalt

DW880 2-1/2" (65mm) Straight Grinder



- 5.0 Amp, 19,000 rpm motor provides high power and speed for all 2-1/2" grinding applications
- AC/DC capacity works off welding machines and generators for increased productivity and versatility
- Rotating adjustable guard for greater visibility
- External brush caps for easy servicing

PART #	Amps	Watts	RPM	Use Wheels rpm above	Spindle Lock	Spindle Thread	Length	Weight
DW880	5.0 AC/DC Amps	485 W	19000 rpm	19000 rpm	No	3/8"-24	18.5"	6.8 lbs.

DW882 6" (150mm) Straight Grinder



- 13.0 Amp, 5,700 rpm motor provides high power and speed for 6" grinding applications
- AC/DC capacity works off welding machines and generators for increased productivity and versatility
- Rotating adjustable guard for greater visibility
- External brush caps for easy servicing

PART #	Amps	Watts/HP	RPM	Use Wheels rpm above	Spindle Lock	Spindle Thread	Length	Weight
DW882	13 AC/DC Amps	2250 W / 3.0 HP	5700 rpm	5700 rpm	No	5/8"-11	24.4"	14.8 lbs.

Milwaukee

ME5211 3" Diameter Striaight Grinder



- 14,500 rpm, 11 amp
- 3 in. diameter wheel
- Coated spindle housing for cool gripping surface
- Hinged face plate for quick easy wheel replacement

Part#	Amps	Wheel Size	RPM	Spindle	Weight
ME5211	11	3"	14500	3/8"-24	7.8 lbs

Power Tools

Straight Grinders

Milwaukee

ME5243 6" Diameter Straight Grinder



- 5500 rpm, 15 amp
- 6 in. diameter wheel
- Coated spindle housing for cool gripping surface
- Hinged face plate for quick easy wheel replacement

Part#	Amps	Wheel Size	RPM	Spindle	Weight
ME5243	15	6"	5500	5/8"-11	16.5 lbs

Tuckpoint Grinders

Bosch

B1775E 5" Tuckpoint Grinder



Powerful 8.5 Amp 11,000 RPM motor

Specially designed guard system — for Guidepoint applications with dust extraction meets and exceeds UL®, OSHA and NIOSH standards

Dust extraction port — results in cleaner job when used with provided vacuum adapter VAC002

Tool-free blade access — allows quick access for wheel changes

Variable depth adjustment — allows spring loaded guard to be adjusted to desired depth while springing back over Guidepoint wheel for added protection

Large viewing window — provides the ability to view working area for better control and accuracy

Lock-on/off switch — for extended use applications

Sealed switch — keeps debris out of the switch mechanism and extends switch life

Constant Response™ circuitry — provides Soft Start, maintains constant speed under load, provides overload protection

Epoxy coated field windings — provides ultimate protection against abrasive dust and metal debris

Service Minder™ brushes — eliminates guesswork, stops the tools when preventative maintenance is required

5/8 In. to 11 spindle — wide flexibility for mounting most popular accessories

Spindle lock — for quick wheel changes

Part #	Amps	Depth of Cut 4" Wheel	RPM	Voltage
B1775E	8.5	0" - 3/4"	11000	120V

Table of Contents

Categorized Listing

Abrasives	1	Metal Abrasive Saw Blades	6
Adapters	1	Metal and Stainless Cutting	7
Dewalt	1	Metal Chop saw Blades	7
Adapters	1	Metal Chop saw Wheels	7
Cartridge Roll	1	Metal Cutting	7
Dewalt	1	Metal Cutting Wheels	7
Aluminum Oxide	1	Small Diameter Cutoff Wheels Metal and Stainless	8
Corner / Detal Sanding Sheets	1	Stainless Cutting Wheels Contaminant Free	8
Bosch	1	Type 27	8
Detail Sanding Sheets for Wood	1	Dewalt	8
Fiber Discs	1	Aluminum Grinding	8
Dewalt	1	Masonry Grinding	8
Aluminum Oxide	1	Metal and Stainless Cutting	8
Flap Discs Type 27	2	Metal and Stainless Cutting and Grinding	9
Dewalt	2	Metal and Stainless Grinding	9
Contaminant Free	2	Pipeline Metal and Stainless Cutting and Grinding	9
Wearable Backing	2	Stainless Steel Cutting Contaminant Free	9
Flap Discs Type 29	2	Stainless Steel Grinding Contaminant Free	9
Dewalt	2	Power Tools	13
Contaminant Free	2	Large Angle Grinders	13
Bosch	3	Metabo	13
Blending and Grinding	3	9" Angle Grinder	13
Flap Wheels	3	Milwaukee	13
Dewalt	3	ME6065-6 3.5 Max HP 7" / 9" Sander 5000 RPM	13
Flap Wheels	3	ME6066-6 3.5 Max HP 7" / 9" Sander 6000 RPM	13
Non-Woven	3	ME6072 2.25 Max HP 7" / 9" Sander 5000 RPM	14
Dewalt	3	Med Angle Grinders	14
Non-Woven Discs	3	Dewalt	14
Non-Woven Hand Pads	3	DW831 5" (125mm) Medium Angle Grinder	14
Quick Change Discs	4	DW840 7" (180mm) Medium Angle Grinder	15
Dewalt	4	Metabo	15
Aluminum Oxide	4	Electronic 6" Angle Grinder toolless Wheel Change	15
Mandrels	4	Electronic 6" Angle Grinder with Non-Locking Paddle Switch Toolless	15
Non-Woven Discs	4	Electronic 6" Angle Grinder with Non-Locking Paddle Switch, Brake	15
Rolls	4	Polishers	17
Porter Cable	4	Dewalt	17
4-1/2" x 10 yrd Aluminum Oxide PSA	4	DWP849 7" / 9" Variable Speed Polisher	17
Sanding Belts	5	DWP849X 7" / 9" Variable Speed Polisher with Soft Start	17
Porter Cable	5	Milwaukee	18
2-1/2" X 14" Aluminum Oxide Cloth	5	ME5455 7/9" Polisher	18
Sandpaper Discs	5	ME5460-6 7" / 9" Dial Speed Control Polisher	18
Dewalt	5	ME5540 7" Polisher	18
Hook and Loop Discs	5	ME6078 2.25 Max HP 7" / 9" Sander 6000 RPM	19
Bosch	5	Small Angle Grinders	19
Hook & Loop	5	Dewalt	19
PSA Discs	5	D28112 4-1/2" (115mm) Small Angle Grinder	19
Porter Cable	5	D28402 4-1/2" (115mm) Small Angle Grinder	20
5" 5 Hole Hook & Loop Aluminum Oxide Discs	5	Bosch	20
5" 5 Hole PSA Aluminum Oxide Discs	6	B1375A 4-1/2" Small Angle Grinder	20
6" 5 Hole Hook & Loop Aluminum Oxide Discs	6	B1821 5" Rat Tail Grinder	21
Shop Rolls	6	BAG40-11P 4-1/2" Angle Grinder	21
Dewalt	6	BAG50-125PD 5" High-Performance Angle Grinder	22
Aluminum Oxide	6	Metabo	23
Type 1	6	4-1/2" - 5" Electronic Flat Head Angle Grinder	23
Dewalt	6	4-1/2" Angle Grinder	23
Masonry Cutting	6	4-1/2" Angle Grinder with Non-Locking Paddle Switch	23
		4-1/2" Angle Grinder with Non-Locking Paddle Switch Toolless Wheel Change	24
		4-1/2" Angle Grinder with Toolless Wheel Change	25
		Electronic Variable Speed 4-1/2" / 5" Angle Grinder Toolless Wheel Change	25

Table of Contents

Categorized Listing

Porter Cable	25
ME6130-33 7 Amp 4-1/2" Small Angle Grinder	25
Straight Grinders	26
Dewalt	26
DW880 2-1/2" (65mm) Straight Grinder	26
DW882 6" (150mm) Straight Grinder	26
Milwaukee	26
ME5211 3" Diameter Striaht Grinder	26
ME5243 6" Diameter Straight Grinder	27
Tuckpoint Grinders	27
Bosch	27
B1775E 5" Tuckpoint Grinder	27

Table of Contents

Alphabetized Listing

2	
2-1/2" X 14" Aluminum Oxide Cloth	5
4	
4-1/2" - 5" Electronic Flat Head Angle Grinder	23
4-1/2" Angle Grinder	23
4-1/2" Angle Grinder with Non-Locking Paddle Switch	23
4-1/2" Angle Grinder with Non-Locking Paddle Switch Toolless	24
4-1/2" Angle Grinder with Toolless Wheel Change	25
4-1/2" x 10 yrd Aluminum Oxide PSA	4
5	
5" 5 Hole Hook & Loop Aluminum Oxide Discs	5
5" 5 Hole PSA Aluminum Oxide Discs	6
6	
6" 5 Hole Hook & Loop Aluminum Oxide Discs	6
9	
9" Angle Grinder	13
A	
Abrasives	1-9
Adapters	1
Aluminum Grinding	8
Aluminum Oxide	1, 4, 6
B	
B1375A 4-1/2" Small Angle Grinder	20
B1775E 5" Tuckpoint Grinder	27
B1821 5" Rat Tail Grinder	21
BAG40-11P 4-1/2" Angle Grinder	21
BAG50-125PD 5" High-Performance Angle Grinder	22
Blending and Grinding	3
Bosch	1, 3, 5, 20-22, 27
C	
Cartridge Roll	1
Contaminant Free	2
Corner / Detal Sanding Sheets	1
D	
D28112 4-1/2" (115mm) Small Angle Grinder	19
D28402 4-1/2" (115mm) Small Angle Grinder	20
Detail Sanding Sheets for Wood	1
Dewalt	1-9, 14-15, 17, 19-20, 26
DW831 5" (125mm) Medium Angle Grinder	14
DW840 7" (180mm) Medium Angle Grinder	15
DW880 2-1/2" (65mm) Straight Grinder	26
DW882 6" (150mm) Straight Grinder	26
DWP849 7" / 9" Variable Speed Polisher	17
DWP849X 7" / 9" Variable Speed Polisher with Soft Start	17
E	
Electronic 6" Angle Grinder toolless Wheel Change	15
Electronic 6" Angle Grinder with Non-Locking Paddle Switch	16
Electronic 6" Angle Grinder with Non-Locking Paddle Switch	16
Electronic Variable Speed 4-1/2" / 5" Angle Grinder Toolless	25
F	
Fiber Discs	1
Flap Discs Type 27	2
Flap Discs Type 29	2-3
Flap Wheels	3
H	
Hook & Loop	5
Hook and Loop Discs	5
L	
Large Angle Grinders	13-14

M	
Mandrels	4
Masonry Cutting	6
Masonry Grinding	8
ME5211 3" Diameter Striaight Grinder	26
ME5243 6" Diameter Straight Grinder	27
ME5455 7/9" Polisher	18
ME5460-6 7" / 9" Dial Speed Control Polisher	18
ME5540 7" Polisher	18
ME6065-6 3.5 Max HP 7" / 9" Sander 5000 RPM	13
ME6066-6 3.5 Max HP 7" / 9" Sander 6000 RPM	13
ME6072 2.25 Max HP 7" / 9" Sander 5000 RPM	14
ME6078 2.25 Max HP 7" / 9" Sander 6000 RPM	19
ME6130-33 7 Amp 4-1/2" Small Angle Grinder	25
Med Angle Grinders	14-16
Metabo	13, 15-16, 23-25
Metal Abrasive Saw Blades	6
Metal and Stainless Cutting	7
Metal and Stainless Cutting	8
Metal and Stainless Cutting and Grinding	9
Metal and Stainless Grinding	9
Metal Chop saw Blades	7
Metal Chop saw Wheels	7
Metal Cutting	7
Metal Cutting Wheels	7
Milwaukee	13-14, 18-19, 26-27
N	
Non-Woven	3
Non-Woven Discs	3-4
Non-Woven Hand Pads	3
P	
Pipeline Metal and Stainless Cutting and Grinding	9
Polishers	17-19
Porter Cable	4-6, 25
Power Tools	13-27
PSA Discs	5
Q	
Quick Change Discs	4
R	
Rolls	4
S	
Sanding Belts	5
Sandpaper Discs	5-6
Shop Rolls	6
Small Angle Grinders	19-25
Small Diameter Cutoff Wheels Metal and Stainless	8
Stainless Cutting Wheels Contaminant Fee	8
Stainless Steel Cutting Contaminant Free	9
Stainless Steel Grinding Contaminant Free	9
Straight Grinders	26-27
T	
Tuckpoint Grinders	27
Type 1	6-8
Type 27	8-9
W	
Wearable Backing	2