

Hand Tools

Metal Cutting

Lenox

Seamers



| Part # | Description |
|--------|-------------|
| L22210 | 3" Seamer |

Snips



| Part # | Description | Cut Cap Sheet Metal | Cut Cap Stainless |
|--------|-------------------------|---------------------|-------------------|
| L22101 | Aviation Snip Left | 18 ga | 22 ga |
| L22102 | Aviation Snip Right | 18 ga | 22 ga |
| L22103 | Aviation Snip Striaight | 18 ga | 22 ga |
| L22105 | Aviation Snip Bulldog | 18 ga | 22 ga |
| L22206 | Offset Snip Left | 18 ga | 22 ga |
| L22207 | Offset Snip Right | 18 ga | 22 ga |

Metal Cutting

Milwaukee

Snip Sets



| Part# | Description | Includes |
|------------|----------------------|---|
| 48-22-4023 | 2 Pc Offset Snip Set | (1) Left Cutting Offset Snips, (1) Right Cutting Offset Snips |

Snips



| Part# | Description | Cutter Head | Thumb Lock | Cold Rolled Steel | Stainless Steel |
|------------|-----------------------------|-------------|------------|-------------------|-----------------|
| 48-22-4010 | Aviation Snips Left Cut | Forged | Yes | 18ga | 22ga |
| 48-22-4020 | Aviation Snips Right Cut | Forged | Yes | 18ga | 22ga |
| 48-22-4030 | Aviation Snips Straight Cut | Forged | Yes | 18ga | 22ga |

Hand Tools

4-Wheel Pipe Cutters

Ridgid

4-Wheel pipe Cutters



- Designed for work in areas where a complete turn is impossible.
- Model 42-A has a short handle for use in confined areas.
- Second handle on Model 44-S makes two-man leverage possible for large pipe sizes.
- Both models are equipped with four heavy-duty wheels.

| Part # | Model | Description | Pipe Cap. Nominal Size |
|--------|-------|--------------------|------------------------|
| R32870 | 42-A | Heavy-Duty 4-Wheel | 3/4" - 2" |
| R32880 | 44-S | Heavy-Duty 4-Wheel | 2-1/2" - 4" |

Hinged Pipe Cutters



- Designed for rapid cutting of 2 (50 mm) to 12" (300 mm) steel pipe, heavy-wall steel pipe and cast-iron pipe.
- The 11 models operate with minimal cutter rotation as necessary for tight quarters.
- Second handle included for 466, 472 and 468 makes two-man leverage possible for large pipe sizes.

| Part # | Model | Description | Pipe Cap. Nominal Size |
|--------|---------|---------------------------|------------------------|
| R74700 | 468-CI | For Cast-Iron Pipe | 6" - 8" |
| R83080 | 466-S | For Steel Pipe | 4" - 6" |
| R83150 | 468-HWS | For Heavy Wall Steel Pipe | 6" - 8" |

Wide-Roll Pipe Cutter



| Part # | Model | Description | Pipe Cap. Nominal Size |
|--------|-------|-----------------------|------------------------|
| R32895 | 202 | Heavy Duty Wide Rolls | 1/8" - 2" |

Hand Tools

Copper Cutting Prep Machines

Ridgid

122 Cutting and Prep Machine



- Tube and Fitting Capacity: 1/2" - 2" (12 mm-54 mm).
- Powerful 1/3HP (360W) induction motor drives rollers at 450 RPM.
- Rugged O.D. Cleaning Brush cleans tubing quickly with minimal effort.
- Core Reamer easily removes turbulence-causing burrs.
- Cutting Handle adjusts to accommodate different tubing sizes.
- Large Carrying Handle for easy transport to the job site.
- Guide Rollers ensure a straight cut with no tracking.
- Built-in 1/2" (12 mm) Incremental Scale for quick, easy measuring.
- Copper cutter wheel tested to over 10,000 cuts.
- Fitting Brush Kit includes six brushes, storage rack and collet.
- Approved by CSA to CSA and UL standards (115V only).

Standard equipment

- 93707-Fitting Brush Storage Kit Includes Mountable Storage Rack, Quick-Change Collet, Spare Cutter Wheel, and Brushes (1/2", 3/4", 1", 1 1/4", 1 1/2", 2").
- 94682-O.D. cleaning brush.
- 94687-2" Reamer Cone Assembly.

Specifications

- Copper and Stainless Steel Tube Capacity-1/2" - 2" (12 mm-54 mm).
- Copper and Stainless Steel Fittings Capacity-1/2" - 2" (12 mm-54 mm).
- For ASTM B88 types K, L, M copper.
- For stainless steel wall thickness up to .065" (1.65 mm).
- Switch-Toggle On/Off.
- Cutter Wheel-Model 2191HD Wheel.
- Roller Speed-450 RPM.
- Reamer-Single Flute Cone, RH, 1/2" to 2".
- Motor-1/3 HP, 115V, 60Hz Induction Motor or 360W, 230V Induction Motor (EU only).

| Part # | Model | Description | Voltage |
|--------|-------|--|---------|
| R93492 | 122 | Copper Cutting/Prep Machine 1/2"-2" | 115V |

Hand Tools

Heavy Duty Pipe Cutters

Ridgid

Heavy Duter Pipe Cutters



- Fast, clean pipe cutting.
- Extra-long shank protects adjustment threads, while an extra-large handle is provided for quick, easy adjustment.
- Can be converted to 3-wheel cutter by replacing rollers with cutter wheel. The 2A and 4S models can be ordered as a 3-wheel model for use in areas where a complete turn is not possible.
- Second handle on 3-S, 4-S and 6-S models makes two-man leverage possible on large pipe sizes.

| Part # | Model | Description | Pipe Cap. Nominal Size |
|--------|-------|------------------------|------------------------|
| R32820 | 2-A | Heavy Duty | 1/8" - 2" |
| R32825 | 2-A | 2-A 3-Wheel Heavy-Duty | 1/8" - 2" |
| R32830 | 3-S | Heavy Duty | 2" - 4" |
| R32840 | 4-S | Heavy Duty | 2" - 4" |
| R32850 | 6-S | Heavy Duty | 4" - 6" |

Pipe Cutters

Ridgid

Heavy Duty Pipe Cutter Replacement Wheels

| Part # | Model | Pipe Cutter Models | Application/Material |
|--------|---------|---|-------------------------|
| R33100 | F-514 | 32810, 32820, 32870, 32895, 42370, 42390, 34617, 58657 | Steel & Ductile Iron |
| R33105 | F-366 | 32810, 32820, 32870, 32895, 42370, 83170, 58657 | Steel & Ductile Iron |
| R33110 | F-3S | 32810, 32820, 32870, 32895, 42370, 83170, 58657 | S.S. Pipe |
| R33120 | F-515 | 32830, 32840, 32880, 74685, 83080, 83085, 74700, 83145, 83150, 74710, 83165, 83170, 26212 | Steel & Ductile Iron |
| R33125 | F-229 | 32830, 32840, 32880, 74685, 83080, 83085, 74700, 83145, 83150, 74710, 83165, 83170, 26212 | Steel & Ductile Iron |
| R33135 | E-1962 | 32830, 32840, 32880, 74685, 83080, 83085, 74700, 83145, 83150, 74710, 83165, 83170 | Grey Cast Iron |
| R33145 | F-367 | 32850 | Steel & Ductile Iron |
| R33150 | F-367-S | 32850 | S.S. Pipe |
| R44185 | E-1032 | 42370, 42390, 34617, 58657 | Steel Pipe |
| R44190 | E-1032S | 42370, 42390, 34617, 58657 | S.S. Pipe |
| R75557 | E-4266 | 74227, 83080, 83085, 74700, 83145, 83150, 74710, 83165, 83170q | Heavy Wall Steel |
| R75567 | F-366 | 73162, 74227 | Steel Pipe |
| R83140 | E-3186 | 74685, 83080, 83085, 74700, 83145, 83150, 74710, 83165, 83170 | Steel & Ductile Iron HW |

Hand Tools

Plastic Pipe Cutters

Ridgid

Ratchet Cutters with Ergonomic Grips



- Ergonomic grips on bottom handle are spaced at 1/2" increments to act as a quick pipe measuring scale.
- X-CEL® quick-change blade.
- "Burr-less" cutting operation provides a square cut.
- Intended materials: Plastic (PVC, CPVC, PP, PEX, PE, Rubber hose) and Multilayer tubing.

| Part # | Model | Description | Capacity O.D. |
|--------|----------|---|---------------|
| R23498 | RC-1625 | Ratchet Action Plastic Pipe & Tubing Cutter | 1/8" - 1-5/8" |
| R27858 | RCB-1625 | RC-1625 Replacement Blade | - |
| R30088 | RC-2375 | Ratchet Action Plastic Pipe & Tubing Cutter | 1/8" - 2-3/8" |
| R30093 | RCB-2375 | RC-2375 Replacement Blade | - |

Reamers and Deburring Tools

Ridgid

127 Inner-Outer Reamer



- Handy for quick, clean and easy I.D. reaming and O.D. beveling of 1/4" (6 mm) to 1 1/2" (40 mm) tube.
- Plastic construction with long-wearing alloy steel blades.
- Gives fast, professional reaming on copper, aluminum, brass and other types of tubing.

| Part # | Model | Capacity |
|--------|-------|---------------|
| R34965 | 127 | 1/4" - 1-1/2" |

Deburring Tools



- Deburring Tool for plastic pipe and tubing.
- Made of high-grade steel with specially-designed, long-lasting cutting edges.
- Slip-resistant vinyl hand grip.
- Ideal for removing outside ridges and inside burrs on plastic pipe and tubing.

| Part # | Model | Description | Plastic Pipe Capacity |
|--------|-------|----------------|-----------------------|
| R35155 | 72 | Deburring Tool | 1/2" - 1-1/2" |

Hand Tools

Reamers and Deburring Tools

Ridgid

Inner-Outer Reamer



- 46 cutting edges on interior cone allow for fast, clean, inner reaming and outer deburring/beveling of 1/4 (6 mm) to 2" (50 mm) copper and stainless steel tubing.
- Hardened steel construction.
- Dual inch/metric measurement bar.

| Part # | Model | Description | Capacity |
|--------|-------|-----------------------------------|-----------|
| R29993 | 227S | Copper and Stainless Steel Tubing | 1/2" - 2" |

Reamers Extractors and Taps

Ridgid

Pipe Extractor Sets



| Part # | Model | Capacity | Set Includes |
|--------|-------|-----------|-------------------------|
| R35680 | 882 | 1/4" - 1" | Nos. 81 to 85 Inclusive |
| R35685 | 883 | 1/8" - 1" | Nos. 80 to 85 Inclusive |

Pipe Extractors

| Part # | Model | Pipe Size | Overall Length | Use Drill |
|--------|-------|-----------|----------------|-----------|
| R35595 | 80 | 1/8" | 2.2" | 1/4" |
| R35600 | 81 | 1/4" | 2.5" | 3/8" |
| R35615 | 84 | 3/4" | 3.2" | 1-3/16" |
| R35620 | 85 | 1" | 3.5" | 1-1/16" |
| R35625 | 86 | 1-1/4" | 3.8" | 1-3/8" |
| R35630 | 87 | 1-1/2" | 4.0" | 1-9/16" |
| R35635 | 89 | 2" | 4.5" | 2-1/16" |

Pipe Reamers



- Model 2-SSpiralRatchetReamer–Self-feeding spiral design for extra-fast and easy hand reaming. Model 2-S Reamer is not suitable for power reaming.
- Models 2 and 3RatchetReamers–Long taper design will not dig in. Suitable for use with power drives.
- Model 254SpiralRatchetReamer–Hollow center reduces weight. Large pressure plate. Hardened alloy steel cone removable for sharpening. Not suitable for power reaming.

| Part # | Model | Description | Capacity |
|--------|-------|-----------------|-----------|
| R34945 | 2 | Straight Reamer | 1/8" - 2" |
| R34955 | 2-s | Spiral Reamer | 1/4" - 2" |

Hand Tools

Reamers Extractors and Taps

Ridgid

Pipe Taps



- Made from carbon steel in right hand configuration only.
- These taps are especially suited for restricted area work.
- All taps have taper of 3/4" per foot.
- Marked with drill size for pilot hole.

| Part # | Model | Description | Drill Size | Nominal Pipe Size | Thread |
|--------|--------|------------------|------------|-------------------|------------------|
| R35825 | E-5114 | 3/8 Pipe Tap-NPT | 9/16" | 3/8" | 18 - 18 |
| R35830 | E-5115 | 1/2 Pipe Tap-NPT | 45/64" | 1/2" | 14 - 14 |
| R35835 | E-5116 | 3/4 Pipe Tap-NPT | 29/32" | 3/4" | 14 - 14 |
| R35840 | E-5117 | 1 Pipe Tap-NPT | 1-9/64" | 1" | 11-1/2 - 11-1/2" |

Soil Pipe Cutters

Ridgid

Model 206 Soil Pipe Cutter



- Cuts 1 1/2"-6" No Hub® soil pipe.
- Lightweight and closer spacing of cutterwheels, together with simple ratcheting action, give smooth cut on lighter wall pipe.
- Ratchet-action handle parallel to pipe allows for application in trenches of minimum width.
- Complete with hand guard to protect operator's knuckles when cutting.

| Part # | Model | Description | Capacity |
|--------|-------|-------------------------|-------------|
| R68650 | 206 | Soil Pipe Cutter No Hub | 1-1/2" - 6" |

Model 226 In-Place Soil Pipe Cutter



- The RIDGID 226 In-Place Soil Pipe Cutter is a compact, lightweight tool designed to cut hub 1" (40 mm) to 6" (150 mm) and hubless soil pipe in tight quarters.
- Only 17" (43 cm) long, the Model 226 is perfect for cutting cast iron, cement and clay pipe where space is limited.
- The Model 226 is especially suited for against-the-wall and other tight quarter applications.
- From the Model 226's compact design to its unique chain latching mechanism, every feature has been engineered for maximum productivity.

| Part # | Model | Description | Capacity |
|--------|-------|---------------------------|----------|
| R69982 | 226 | In-Place Soil Pipe Cutter | 2" - 6" |

Hand Tools

Soil Pipe Cutters

Ridgid

Model 246 Soil Pipe Cutter



- Cuts 11/2"-6" clay, cast-iron clay pipe or cement pipe and 4" class 22 water main.
- Ratchet-action handle parallel to pipe allows for application in minimum width trenches.
- Complete with hand guard to protect operator's knuckles when cutting.

| Part # | Model | Description | Pipe Cap. Nominal Size |
|--------|-------|------------------|------------------------|
| R32900 | 246 | Soil Pipe Cutter | 1-1/2" - 6" |

Model 276 Soil Pipe Cutter



- Provides one stroke cutting of 11/2"-6" service weight, No Hub soil pipe, clay and concrete pipe. Makes repeated cuts quickly.
- Expand capacity up to 8" service weight soil pipe by ordering Catalog No. 33665 Chain Extension Assembly.

| Part # | Model | Description | Capacity |
|--------|-------|------------------|-------------|
| R74207 | 276 | Soil Pipe Cutter | 1-1/2" - 6" |

Torque Wrenches



- Preset to eliminate guesswork in No Hub soil pipe installations.
- Assures proper coupling tightness for strong, leak-free joints.
- No. 902 Torque Wrench—The 5/16" drive tightens with a fast ratchet action until the wrench clicks for accurate 60 inch-pounds torque.
- No. 904 Torque Wrench—The 3/8" drive tightens with a fast ratchet action until the wrench clicks for accurate 80 inch-pounds torque.

| Part # | Model | Description | Torque |
|--------|-------|--|----------|
| R31410 | 902 | Torque Wrench for No Hub Cast-Iron Soil Pipe Couplings | 60 in lb |

Hand Tools

Tubing Cutters

Ridgid

2-in-1 Close Quarters Autofeed Cutter



- Featuring the NEW 2-in-1 Close Quarters Cutter where the cutter can be used alone or with the ratchet handle, a light and ergonomic accessory to help use the cutter in tight and restricted spaces.
- Easy to use in hard-to-reach areas because the knob only needs to be tightened once.
- Adjustable to any size from 1/4" - 1 1/8" (6-28 mm) OD.
- Tubing cutter comes with a spare E-3469 Cutter Wheel in knob.
- New football-shaped knob in the cutter.
- Ratchet handle also compatible with Model 101 tubing cutter.

| Part # | Model | Description | Capacity |
|--------|-------|---|---------------|
| R32573 | 118 | 2-In-1 Close Quarters Quick-Feed Cutter with Ratchet Handle | 1/4" - 1-1/8" |
| R86127 | 118 | Close Quarters AUTOFEED Cutter Only | 1/4" - 1-1/8" |

Close Quarters Tubing Cutters



- Rollers include grooves for close-to-flare cuts.
- Strong, lightweight slide and wheel housing, and large knurled feed screw knob give easy control of cutting pressure for clean cuts.
- Models 117 and 118 include a self-feeding cutter wheel that automatically cuts after tightening the knob only once (AUTOFEED®).
- The Model 118 features a special knob for easier tightening of the feedscrew.

| Part # | Model | Description | Std Wheel | Capacity |
|--------|-------|-----------------------|-----------|----------------|
| R32975 | 103 | Close Quarters Cutter | E-3469 | 1/8" - 5/8" |
| R32985 | 104 | Close Quarters Cutter | E-3469 | 3/16" - 15/16" |
| R40617 | 101 | Close Quarters Cutter | E-3469 | 1/4" - 1-1/8" |

Hand Tools

Tubing Cutters

Ridgid

Constant Swing Tubing Cutters



- Features an enclosed feed screw to eliminate clogging and jamming, grooved rollers for close-to-flare cuts, and a fold-away reamer.
- X-CELKnob - cut tubing more quickly and easily with our larger, more ergonomic designs.
- X-CELWheel Pin - change your cutterwheel quickly using our new ball detent design...no tool needed...no lost clips!
- Spare cutterwheel included in the knob.
- Made from high-strength zinc alloy.
- Cuts copper, brass, and aluminum tubing and thin-wall conduit.

| Part # | Model | Description | Std Wheel | Capacity |
|--------|-------|---------------------------------------|-----------|---------------|
| R31622 | 150 | Constant Swing Cutter | E-3469 | 1/8" - 1-1/8" |
| R31627 | 150 | Constant Swing Cutter with H-D Wheels | E-4546 | 1/8" - 1-1/8" |

Enclosed Feed Tubing Cutters



- Features an enclosed feed screw to eliminate clogging and jamming.
- X-CELKnob - cut tubing more quickly and easily with our larger, more ergonomic designs.
- X-CELWheel Pin - change your cutterwheel quickly using our new ball detent design...no tool needed...no lost clips!
- Grooved rollers for close-to-flare cuts.
- Spare cutterwheel included in the knob.
- Fold-away reamer.
- Made from high-strength zinc alloy.
- Cuts hard / soft copper, aluminum, brass and multilayer tubes.

| Part # | Model | Description | Std Wheel | Capacity |
|--------|-------|--|-----------|---------------|
| R33055 | 205 | Ratcheting Encl. Feed Cutter | E-3469 | 1/4" - 2-3/8" |
| R33070 | 205S | Ratcheting Encl. Feed Cutter with Heavy Duty Wheel | E-4546 | 1/4" - 2-3/8" |

Internal Tubing Cutters



- Model 106 features a tool steel and aluminum body while 108 and 109P have cast iron bodies.
- Each model features hardened steel rollers and cutterwheels.
- Model 109P is equipped to cut PVC or ABS plastic.

| Part # | Model | Description | Std Wheel | Capacity | Depth |
|--------|-------|-----------------|-----------|-------------|---------------|
| R83240 | 108 | Internal Cutter | E-2558 | 1-1/4" - 2" | 1/4" - 1-3/4" |

Hand Tools

Tubing Cutters

Ridgid

Quick Acting Tubing Cutters



- Models 151-156 feature a quick-acting design, I-beam construction, hardened wear surfaces and thrust bearing slide assemblies for smooth operation.
- X-CEL Knob - cut tubing more quickly and easily with our larger, more ergonomic designs.
- X-CEL Wheel Pin - change your cutter wheel quickly using our new ball detent design..no tool needed.. no lost clips!
- Available in models for plastic pipe or metallic tubing.
- Models 151 and 152 feature fold-away reamers.
- Model 151-ML is suitable for cutting multilayer tubing.

| Part # | Model | Description | Std Wheel | Capacity |
|--------|-------|--|-----------|-----------------|
| R31632 | 151 | Quick Acting Cutter | E-3469 | 1/4" - 1-7/8" |
| R31642 | 152 | Quick Acting Cutter | E-3469 | 1/4" - 2-5/8" |
| R31647 | 152-P | Quick Acting Cutter with Wheel for Plastic | E-2155 | 1/4" - 2" |
| R31652 | 154 | Quick Acting Cutter | E-2558 | 1-7/8" - 4-1/2" |
| R31657 | 154-P | Quick Acting Cutter with Wheel for Plastic | E-2155 | 1-1/2" - 4" |
| R31662 | 156 | Quick Acting Cutter | E-2558 | 4" - 6-5/8" |
| R36592 | 153-P | Quick Acting Cutter with Wheel for Plastic | E-2155 | 1" - 3" |
| R36597 | 153 | Quick Acting Cutter | E-3469 | 1-1/4" - 3-1/2" |

Screw Feed Tubing Cutters

| Part # | Model | Description | Std Wheel | Capacity |
|--------|-------|---------------------------------------|-----------|----------------|
| R32910 | 10 | Tubing and Conduit Cutter | F-158 | 1/8" - 1" |
| R32920 | 15 | Tubing and Conduit Cutter | F-158 | 3/16" - 1-1/8" |
| R32925 | 15 | Tubing and Conduit Cutter w/H-D Wheel | E-1240 | 3/16" - 1-1/8" |
| R32930 | 20 | Tubing and Conduit Cutter | F-158 | 5/8" - 2-1/8" |
| R32940 | 30 | Tubing and Conduit Cutter | E-2558 | 1" - 3-1/8" |

Hand Tools

Tubing Cutters

Ridgid

Stainless Steel Tubing Cutters



- A contoured frame allows for easy alignment while adjusting the cutter to make a cut.
- Ergonomic knob allows for easy adjustments.
- Six individual bearings in the 15-SI and 35S and 12 in the 65S replace traditional rollers. The bearings create a smoother cut, and allow for increased speed around the tube.
- Specially designed stainless steel cutter wheel in 35S and 65S contains bearings in the hub, to decrease drag around the tube for a smoother cut.

| Part # | Model | Description | Stud Wheel | Capacity |
|--------|-------|--|------------|---------------|
| R29963 | 35S | Stainless Steel Tubing Cutter | E-635 | 1/4" - 1-3/8" |
| R29973 | E635 | Stainless Steel Cutter Wheel with Bearings | E-635 | - |

Tubing Cutter Replacement Wheels

| Part # | Model | Fits Models | Application/Material |
|--------|--------|--|------------------------------|
| R33160 | F-158 | 32910, 32920, 32930 | Aluminum & Copper |
| R33165 | E-1240 | 32910, 32920, 97212 | Steel - SS |
| R33170 | E-2558 | 32940, 32955, 33005, 83240, 83295, 36592, 31682 | Aluminum & Copper |
| R33175 | E-2191 | 32940, 32955, 31652, 31682, 93492, 10973 | Steel Tubing |
| R33180 | E-5299 | 32945, 33005, 83240, 83295, 31657, 31667 | PVC, ABS, Std Wall |
| R33185 | E-3469 | 40617, 86127, 32975, 32985, 97787, 31622, 31632, 31642, 36597, 33055 | Aluminum & Copper |
| R33190 | E-4546 | 32078, 31632, 31642, 36597, 33055 | Steel - SS |
| R33195 | E-5272 | 31637, 31647 | PVC, ABS, Std Wall |
| R33210 | E-702 | 31657, 31667 | Heavy Wall PVC, ABS |
| R83235 | E-2880 | 33005, 83240, 31652, 31667 | PE, PB, PP, Std & Heavy Wall |

Table of Contents

Categorized Listing

| | |
|---|----------|
| Hand Tools | 1 |
| Metal Cutting | 1 |
| Lenox | 1 |
| Seamers | 1 |
| Snips | 1 |
| Metal Cutting | 1 |
| Milwaukee | 1 |
| Snip Sets | 1 |
| Snips | 1 |
| 4-Wheel Pipe Cutters | 2 |
| Ridgid | 2 |
| 4-Wheel pipe Cutters | 2 |
| Hinged Pipe Cutters | 2 |
| Wide-Roll Pipe Cutter | 2 |
| Copper Cutting Prep Machines | 3 |
| Ridgid | 3 |
| 122 Cutting and Prep Machine | 3 |
| Heavy Duty Pipe Cutters | 4 |
| Ridgid | 4 |
| Heavy Duter Pipe Cutters | 4 |
| Pipe Cutters | 4 |
| Ridgid | 4 |
| Heavy Duty Pipe Cutter Replacement Wheels | 4 |
| Plastic Pipe Cutters | 5 |
| Ridgid | 5 |
| Ratchet Cutters with Ergonomic Grips | 5 |
| Reamers and Deburring Tools | 5 |
| Ridgid | 5 |
| 127 Inner-Outer Reamer | 5 |
| Deburring Tools | 5 |
| Inner-Outer Reamer | 6 |
| Reamers Extractors and Taps | 6 |
| Ridgid | 6 |
| Pipe Extractor Sets | 6 |
| Pipe Extractors | 6 |
| Pipe Reamers | 6 |
| Pipe Taps | 7 |
| Soil Pipe Cutters | 7 |
| Ridgid | 7 |
| Model 206 Soil Pipe Cutter | 7 |
| Model 226 In-Place Soil Pipe Cutter | 7 |
| Model 246 Soil Pipe Cutter | 8 |
| Model 276 Soil Pipe Cutter | 8 |
| Torque Wrenches | 8 |
| Tubing Cutters | 9 |
| Ridgid | 9 |
| 2-in-1 Close Quarters Autofeed Cutter | 9 |
| Close Quarters Tubing Cutters | 9 |
| Constant Swing Tubing Cutters | 10 |
| Enclosed Feed Tubing Cutters | 10 |
| Internal Tubing Cutters | 10 |
| Quick Acting Tubing Cutters | 11 |
| Screw Feed Tubing Cutters | 11 |
| Stainless Steel Tubing Cutters | 12 |
| Tubing Cutter Replacement Wheels | 12 |

Table of Contents

Alphabetized Listing

| | | | |
|----------|---|------|--|
| 1 | | | |
| | 122 Cutting and Prep Machine | 3 | |
| | 127 Inner-Outer Reamer | 5 | |
| 2 | | | |
| | 2-in-1 Close Quarters Autofeed Cutter | 9 | |
| 4 | | | |
| | 4-Wheel pipe Cutters | 2 | |
| | 4-Wheel Pipe Cutters | 2 | |
| C | | | |
| | Close Quarters Tubing Cutters | 9 | |
| | Constant Swing Tubing Cutters | 10 | |
| | Copper Cutting Prep Machines | 3 | |
| D | | | |
| | Deburring Tools | 5 | |
| E | | | |
| | Enclosed Feed Tubing Cutters | 10 | |
| H | | | |
| | Hand Tools | 1-12 | |
| | Heavy Duter Pipe Cutters | 4 | |
| | Heavy Duty Pipe Cutter Replacement Wheels | 4 | |
| | Heavy Duty Pipe Cutters | 4 | |
| | Hinged Pipe Cutters | 2 | |
| I | | | |
| | Inner-Outer Reamer | 6 | |
| | Internal Tubing Cutters | 10 | |
| L | | | |
| | Lenox | 1 | |
| M | | | |
| | Metal Cutting | 1 | |
| | Metal Cutting | 1 | |
| | Milwaukee | 1 | |
| | Model 206 Soil Pipe Cutter | 7 | |
| | Model 226 In-Place Soil Pipe Cutter | 7 | |
| | Model 246 Soil Pipe Cutter | 8 | |
| | Model 276 Soil Pipe Cutter | 8 | |
| P | | | |
| | Pipe Cutters | 4 | |
| | Pipe Extractor Sets | 6 | |
| | Pipe Extractors | 6 | |
| | Pipe Reamers | 6 | |
| | Pipe Taps | 7 | |
| | Plastic Pipe Cutters | 5 | |
| Q | | | |
| | Quick Acting Tubing Cutters | 11 | |
| R | | | |
| | Ratchet Cutters with Ergonomic Grips | 5 | |
| | Reamers and Deburring Tools | 5-6 | |
| | Reamers Extractors and Taps | 6-7 | |
| | Ridgid | 2-12 | |
| S | | | |
| | Screw Feed Tubing Cutters | 11 | |
| | Seamers | 1 | |
| | Snip Sets | 1 | |
| | Snips | 1 | |
| | Soil Pipe Cutters | 7-8 | |
| | Stainless Steel Tubing Cutters | 12 | |
| T | | | |
| | Torque Wrenches | 8 | |
| | Tubing Cutter Replacement Wheels | 12 | |
| | Tubing Cutters | 9-12 | |
| W | | | |
| | Wide-Roll Pipe Cutter | 2 | |