

Ladders and Scaffolding

Ladders

Aluminum Extension Ladders

Werner Ladders

Extension Ladder D1500 Series



The D1500-2 series aluminum extension ladders have a duty rating of 300 lbs and have extra heavy duty I-beam side rails. The base and fly sections separate easily and can be used separately. Guide brackets help to ease operation when raising and lowering the fly section. The exclusive ALFLO® rung joint means TWIST-PROOF® performance every time. TRACTION-TRED® D rungs are slip resistant, and the rugged shoes rest flat or are held in spur position with the SHU-LOK® feature. Rugged spring-loaded locks operate smoothly. Mar-resistant end caps protect the surface ladder is resting against.

Part #	Total Length	Load Capacity	Max Working Length
D1516-2	16'	300 lbs	13'
D1520-2	20'	300 lbs	17'
D1524-2	24'	300 lbs	21'
D1528-2	28'	300 lbs	25'
D1532-2	32'	300 lbs	29'
D1536-2	36'	300 lbs	32'
D1540-2	40'	300 lbs	35'

Extension Ladder with Integrated Leveling D1800-2EQ Series



D1800-2EQ The Equalizer® series eliminates uneven ground with the factory installed adjustable EverLevel® leveling system. This system precisely adjusts in 3/8 " increments up to 8 1/4", making it easy to use. The dual action feet on the ladder are for use on hard or penetrable surfaces and swivel easily. The TRACTION-TRED® D-rungs are slip resistant. The ladder has a duty rating of 250 lbs making it durable, long lasting and able to meet the demands of the job. The exclusive ALFLO® rung joint means a TWIST-PROOF® performance every time, and the lightweight aluminum makes it easy to transport.

Part #	Total Length	Load Capacity	Max Working Length
D1820-2EQ	20'	250 lbs	17'

Flat Rung Extension Ladder D500-2 Series



The D500-2 aluminum extension ladders have a duty rating of 375 lbs and feature the exclusive ALFLO® rung joint for a TWIST-PROOF® performance every time. The end caps are mar resistant and notched for easy separation of sections. Both the base and the fly sections can be used separately. Internal guides increase the ease of operation when raising and lowering. The feet are heavy-duty, self-aligning and free swinging for hard or penetrable surfaces. Rugged spring-loaded locks operate smoothly. TRACTION-TRED® D-rungs are slip resistant. Duty rating changes to 300 lbs for 36 ft-48 ft models

Part #	Total Length	Load Capacity	Max Working Length
D544-2	44'	300 lbs	39'
D548-2	48'	300 lbs	43'

Ladders and Scaffolding

Ladders

Aluminum Extension Ladders

Werner Ladders

Straight Ladder 500-1 Series



The 500-1 series are one-section round rung straight ladders with a duty rating of 375 lbs. The exclusive ALFLO® rung joint means TWIST-PROOF® performance every time. The side rails are extra heavy duty I-beam rails and the aluminum round rungs are deeply serrated for slip resistance. The duty rating goes to 300 lbs with the 18 ft, 20 ft and 24 ft lengths.

Part #	Total Length	Load Capacity
508-1	8'	375 lbs

Straight Ladder D1500 Series



The D1500-1 series are one-section aluminum straight ladders with a duty rating of 300 lbs. The exclusive ALFLO® rung joint means TWIST-PROOF® performance every time. The side rails are extra heavy duty I-beam rails and the aluminum TRACTION-TRED® D rungs are slip resistant. The rugged shoe rests flat or is held in spur position with the SHU-LOK® feature for use on hard or penetrable surfaced.

Part #	Total Length	Load Capacity
D1510-1	10'	300 lbs
D1512-1	12'	300 lbs
D1514-1	14'	300 lbs
D1516-1	16'	300 lbs

Aluminum Stepladders

Werner Ladders

Multi-Use Twin Stepladders T370 Series



The T370 aluminum multi-use twin stepladders have a large aluminum extruded top and feature a duty rating of 300 pounds per side making these ladders ideal for one or two-person jobs. The slip-resistant TRACTION-TRED® steps are all double riveted. Heavy duty aluminum brackets hold the slip-resistant foot pads.

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
T374	4'	21-1/4"	36"	300 lbs
T376	6'	24-3/4"	50"	300 lbs
T378	8'	28-1/4"	64"	300 lbs

Ladders and Scaffolding

Ladders

Aluminum Stepladders

Werner Ladders

Multi-Use Twin Stepladders T400 Series



The aluminium Multi-Use Twin Stepladder T400 series has a duty rating of 375 pounds per side making these ladders ideal for one or two-person jobs. The tops are made of heavy gauge extruded aluminum, and the steps are connected with a solid double riveted construction. The extra wide TRACTION-TRED® steps are slip resistant. The bottom steps are braced with full U channel knee braces.

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
T404	4'	21-1/4"	36-1/4"	375 lbs
T406	6'	24-3/4"	50-1/4"	375 lbs
T408	8'	28-1/4"	54-1/4"	375 lbs
T410	10'	31-3/4"	78-1/4"	375 lbs
T412	12'	35-1/4"	92-1/4"	375 lbs

Platform Ladder 260 Series



The 260 series Platform ladders have a duty rating of 200 pounds and comfortable, tubular rails. The SPILL-PROOF® pail holder with rag rail is ideal for painting projects. The pail shelf also has convenient tool holders and folds automatically with the platform. Folds to 3 1/2 " for compact, convenient storage. The large, slip-resistant platform provides a comfortable work area.

Part #	Height to Platform	Rail Length	Approx. Width	Approx. Spread	Load Capacity
264	22-1/2"	4-1/2"	20"	25-1/2"	200 lbs

Platform Ladder P400 Series



The P400 series aluminum platform ladders have a duty rating of 375 pounds and feature a safety guard rail to encourage proper use. The large platform provides a secure and comfortable work area, and the slip-resistant TRACTION-TRED® steps are double riveted and knee braced. A full set of rear horizontals are spaced one foot apart. The 10', 12 ft and 14 ft models have a duty rating of 300 pounds. These ladders are lightweight and easy to transport.

Part #	Height to Platform	Rail Length	Approx. Width	Approx. Spread	Load Capacity
P406	6'	8'	28-1/4"	54-3/4"	375 lbs
P408	8'	10'	31-3/4"	79-1/2"	375 lbs
P414	14'	16'	42-1/4"	104"	300 lbs

Ladders and Scaffolding

Ladders

Aluminum Stepladders

Werner Ladders

Portable Work Stand TW370-30 Series



The aluminum TW370-30 series of portable work stands features serrated slip-resistant top surfaces that are 28" wide offering a comfortable standing platform. The spreaders are pinch proof, and the bottom steps are double braced. These work stands boast a duty rating of 300 pounds per side allowing for one or two person jobs. Mar-resistant feet for slip resistance on concrete, wood and vinyl floors. Lightweight and easy to transport. Extra wide for versatile use as work stand, stage or material support

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
TW373-30	3'	34-3/4"	29"	300 lbs

Step Stool 150B Model



The model 150B step stool has a large molded top that provides a large standing platform and a duty rating of 300 pounds. The TRACTION-TRED® steps are slip resistant and the external spreaders are pinch proof. Bottom step has double channel braces and the molded vinyl foot pads are riveted to the rails. The 150B is ideal for construction, plant, office or home applications.

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
150B	2'	17"	19"	300 lbs

Stepladder 370 Series



The 370 aluminum stepladders have a duty rating of 300 pounds yet are lightweight and easy to transport. The TOOL-TRA-TOP® has a drill holster, convenient tray for tools/paint and small parts. There is also a sturdy molded paint can hanger on the backside of the top. The SPILL-PROOF® pail shelf has a rag rack and holds a gallon paint can and automatically closes with the ladder. There is a full set of horizontals on the rear section and the 4', 5 ft and 6 ft models have a unique H spreader with hand grip for easy one-handed carrying and closing. The TRACTION-TRED® steps are slip resistant and double riveted.

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
310	10'	30"	66-1/2"	300 lbs
373	3'	17-3/4"	23-3/8"	300 lbs
374	4'	19-1/2"	29-1/2"	300 lbs
375	5'	21-1/4"	35-3/4"	300 lbs
376	6'	23"	41-7/8"	300 lbs
378	8'	26-1/2"	54-1/4"	300 lbs

Ladders and Scaffolding

Ladders

Aluminum Stepladders

Werner Ladders

Stepladder 400 Series



The aluminum 400 series of stepladders has a duty rating of 375 pounds and features heavy gauge a TOOL-TRA-TOP®. All steps are knee braced and the TRACTION-TRED® steps are slip resistant. The rear rail is a full U channel and a full set of rear horizontals are spaced one per foot. The 14 ft and 16 ft models carry a duty rating of 300 pounds.

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
406	6'	24-3/4"	42-7/16"	375 lbs
408	8'	28-1/4"	54-3/4"	375 lbs
410	10'	31-3/4"	67"	375 lbs
412	12'	35-1/4"	79-3/8"	375 lbs
414	14'	38-5/8"	91-11/16"	300 lbs
416	16'	42-1/8"	104"	300 lbs

Stockers Ladder PT370 Series



The PT370-4C aluminum STOCKR'S LADDER® includes 4 casters and have a duty rating of 300 pounds per side. They feature a large platform that provides a secure and comfortable work area. The PINCH-PROOF™ platform is designed for easy opening and closing. TRACTION-TRED® slip-resistant steps are on the front and rear sections making these ladders ideal for one or two-person jobs. The heavy duty aluminum foot bracket secures the slip-resistant foot pad and protects the rail.

Part #	Height to Platform	Rail Length	Approx. Width	Approx. Spread	Load Capacity
PT374	4'	6'	21-1/4"	36"	300 lbs
PT376-4C	6'	8'	28-1/4"	65-1/4"	300 lbs

Attic Ladders

Werner Ladders

Wood Folding Heavy Duty Acctic Ladder



The WH series of wood Heavy Duty Attic Ladders boast a duty rating of 350 pounds. These ladders come fully assembled and ready to install. Full wrap-around door hinge minimizes heat loss. High quality door can be painted or stained. Pull string allows for easy opening and closing. Hinges butt metal to metal to maintain ladder rigidity. Counter-balance mechanism eliminates sag and springiness.

Part #	Rough Opening	Floor to Ceiling	Approx. Ladder Width
WH3008	30-1/2" x 54"	7' to 8'9"	22-1/4"
WH3010	30-1/2" x 54"	8'9" to 10'3"	22-1/4"

Ladders and Scaffolding

Ladders

Fiberglass Extension Ladders

Werner Ladders

Extension Ladder D6200 Series



The D6200-2 fiberglass extension ladders have non-conductive rails making these ladders ideal for working near electricity. With a duty rating of 300 lbs, the D6200-2 series is durable and long lasting. The exclusive ALFLO® rung joint means TWIST-PROOF® performance on the job. The TRACTION-TRED® D rungs are slip resistant and the side rails are interlocking. The dual action feet are for use on hard or penetrable surfaces and swivel easily. The base and fly sections separate easily to use the base section as a single ladder. The durable rail shield bracket and shoe help protect the bottom of the rail. The fly section rails are pre-pierced at the top for easy field installation of accessories.

Part #	Total Length	Max Working Length	Load Capacity
D6216-2	16'	13'	300 lbs
D6220-2	20'	17'	300 lbs
D6224-2	24'	21'	300 lbs
D6228-2	28'	25'	300 lbs
D6232-2	32'	29'	300 lbs
D6236-2	36'	32'	300 lbs
D6240-2	40'	35'	300 lbs

Extension Ladder D7100 Series



The D7100-2 extension ladders boast a duty rating of 375 lbs and feature the exclusive ALFLO® rung joint that guarantees TWIST-PROOF® performance. External guides at top of base section help secure the interlocking siderails. Pre-pierced holes at the top of the fly section allow for easy field installation of accessories. The plate and rung assembly are riveted at four points to each side rail. The TRACTION-TRED® D rungs are slip resistant and the durable rail shield and shoe bracket protects the rail from damage. (36 ft & 40 ft versions rated at 300 lbs and do not have interlocking rails)

Part #	Total Length	Max Working Length	Load Capacity
D7116-2	16'	13'	375 lbs
D7120-2	20'	17'	375 lbs
D7124-2	24'	21'	375 lbs
D7128-2	28'	25'	375 lbs
D7132-2	32'	29'	375 lbs
D7136-2	36'	32'	300 lbs
D7140-2	40'	35'	300 lbs

Extension Ladder with Cable Hooks D6200 Series



Part #	Total Length	Max Working Length	Load Capacity
D6228-2X0002	28'	25'	300 lbs

Ladders and Scaffolding

Ladders

Fiberglass Extension Ladders

Werner Ladders

Extension Ladder with Cable Hooks D7100 Series



Part #	Total Length	Max Working Length	Load Capacity
D7128-2X0002-W	28'	25'	375 lbs

Extension Ladder with Integrated Leveling 300 lbs Load Capacity



D8200-2EQ The Equalizer® series eliminates uneven ground with the factory installed adjustable EverLevel® leveling system. This system precisely adjusts in 3/8 " increments up to 8 1/4", making it easy to use. The dual action feet on the ladder are for use on hard or penetrable surfaces and swivel easily. The TRACTION-TRED® D-rungs are slip resistant. The ladder has a duty rating of 300 lbs making it durable, long lasting and able to meet the demands of the job. The exclusive ALFLO® rung joint means a TWIST-PROOF® performance every time, and the fiberglass rails are non-conductive.

Part #	Total Length	Max Working Length	Load Capacity
D8228-2EQ	28'	25'	300 lbs

Extension Ladder with Intergrated Leveling D7100 Series



The D7100-2LV series extension ladders boast a duty rating of 375 lbs and have factory-installed LeveLok® levelers to enable the ladders to adapt to uneven terrain. With simple foot action, each leveler can extend up to 10 " in 3/16 " increments. These ladders are ideal for utility or telecommunication industries. The external guides at the top of the base section secure the interlocking rails. The top of the fly section has pre-pierced holes for easy installation of accessories. The base and fly sections easily separate to use the base section as a single ladder. Fiberglass rails are non-conductive for working near electricity. (36 ft & 40 ft do not have interlocking rails)

Part #	Total Length	Max Working Length	Load Capacity
D7124-2LV	24'	21'	375 lbs

Ladders and Scaffolding

Ladders

Fiberglass Extension Ladders

Werner Ladders

Extension Trestle Ladder 300 lbs. Load Capacity



The E7400 Extension Trestle Ladders have a 300 pound duty rating per side and are designed for one or two-person jobs. The slip-resistant TRACTION-TRED® extra wide steps are knee-braced and double riveted. A spring-loaded locking mechanism makes maneuvering the extension trestle easy. The nylon-coated guide sleeves assure minimum friction and wear and also increase the ease of operation. External rail shields and the EDGE® bracing system help protect the rails. Fiberglass rails are non-conductive for working near electricity.

Part #	Stepladder Size	Base Section Bottom Width	Approx. Spread	Approx. Extended Ladder Height	Load Capacity
E7408	8'	32-3/4"	67-3/4"	12'	300 lbs
E7410	10'	36-1/4"	81-7/8"	15'	300 lbs
E7412	12'	39-3/4"	95-7/8"	19'	300 lbs

Round Rung Extension Ladder 560-3 Model



The model 560-3 is a 3 section aluminum extension ladder that has a duty rating of 250 lbs. The exclusive ALFLO® rung joint means TWIST-PROOF® performance. The top fly section can be removed and used separately as a single straight ladder. The bottom base section and intermediate section can be used as a 40 ft extension ladder. Shoes pivot for use on hard or penetrable surfaces. Rugged spring-loaded locks operate smoothly. Heavy duty rope and double pulley system lift fly and intermediate sections. Rugged spring-loaded locks operate smoothly.

Part #	Total Length	Max Working Length	Load Capacity
560-3	60'	47'	250 lbs.

Straight Ladder 7100 Series

The 7100-1 ladders are one section straight ladders made with non-conductive fiberglass rails. Easy to transport and maneuver, these ladders bear a duty rating of 375 lbs making them durable and long lasting. The slip-resistant, TRACTION-TRED® rungs are round, and the durable rail shields and shoe brackets help to protect the rails from damage. The plate and rung assemblies are riveted at four points to the side rails.

Part #	Total Length	Load Capacity
7108-1	8'	375 lbs
7110-1	10'	375 lbs
7112-1	12'	375 lbs
7116-1	16'	375 lbs



Ladders and Scaffolding

Ladders

Fiberglass Extension Ladders

Werner Ladders

Straight Ladder D6200 Series



The D6200-1 ladders are one section straight ladders made with non-conductive fiberglass rails. Easy to transport and maneuver, these ladders bear a duty rating of 300 lbs making them durable and long lasting. The TRACTION-TRED® D rungs are slip resistant, and the durable rail shields and shoe brackets help to protect the rails from damage. The dual action feet pivot for use on hard or penetrable surfaces.

Part #	Total Length	Load Capacity
D6214-1	14'	300 lbs
D6216-1	16'	300 lbs
D6220-1	20'	300 lbs

Ladders and Scaffolding

Ladders

Fiberglass Specialty Ladders

Werner Ladders

Combination Step and Extension Ladder 7800 Series



The 7800 combination step and extension ladders are versatile and easy to transport yet carry a duty rating of 375 lbs. As an extension ladder, the top rung is a padded V-rung for use against a tree or a pole. The protective rubber covered end caps are mar-resistant. Nylon-coated rung wear sleeves and guides increase the ease of raising and lowering the extension. Fixed aluminum locks with bearing plates distribute the load onto the rung where it should be. The TRACTION-TRED® round rungs are slip resistant. In the stepladder position, this ladder can be used by one or two people. The 375 pound duty rating applies to each side of the ladder making it ideal for the worksite.

Part #	Size	Width at Flared Base	Spread to Outside of Shoes	Length Closed	Extended Ladder Working Length	Load Capacity
7806	6'	23-1/4"	46-1/2"	72-3/4"	9-1/2'	375 lbs
7807	7'	24-1/4"	53-1/2"	84-3/4"	11-1/2'	375 lbs
7808	8'	25-1/4"	60-1/2"	96-3/4"	13-1/2'	375 lbs

Interchangeable Parallel Sectional Ladder S7700 Series



- Up to 3 sections can be connected to create a straight ladder
- Sections joined by heavy duty extruded fittings and secured by a cam driven tension clamp
- Exclusive ALFLO® rung joint means TWIST-PROOF® performance
- Slip-resistant TRACTION-TRED® round rungs
- Must be used in combination with S7702-1 or S7702-2 slip-resistant shoes
- Must be use with S7701 end caps

Part #	Total Length	Load Capacity
S7706-1	6'	250 lbs

Manhole Ladder M7100-1 Series



The M7100-1 Manhole ladders feature 3 ft replaceable plastic sleeves that protect the upper rails from manhole damage. These sleeves increase the longevity of the ladder. The combination rail shield and shoe protects the bottom of the rails from damage. The exclusive ALFLO® rung joint means TWIST-PROOF® performance, and these ladders also have a duty rating of 375 lbs. The vinyl coated aluminum hoop end caps are ideal for easily removing the ladder from the manhole. The TRACTION-TRED® round rungs are slip resistant.

Part #	Total Length	Load Capacity
M7108-1	8'	375 lbs
M7110-1	10'	375 lbs
M7112-1	12'	375 lbs
M7114-1	14'	375 lbs

Ladders and Scaffolding

Ladders

Fiberglass Stepladders

Werner Ladders

Fiberglass Single Sided Stepladder OBCN00 Series



The Old Blue® Series Contractor's ladder is not your ordinary stepladder -- it's a Jobstation™. With a duty rating of 375 pounds, these ladders are custom-made with contractors in mind. The HolsterTop with Lock-In System allows tools to be secured right to the ladder top making them handy and ready to use. The MagnaGrip™ heavy duty magnet secures tools and hardware right to the ladder top. The Multi-Use hook is ideal for hanging tools and tool buckets. The EDGE® bracing system helps to decrease damage to the rails. Fiberglass rails are non-conductive for working near electricity.

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
OBCN08	8'	26-7/8"	53-5/8"	375 lbs.

Multi-Use Twin Stepladder T7400 Series



Werner T7400 twin stepladders feature a duty rating of 375 pounds per side of the ladder. Designed for one or two-person jobs, the T7400 ladders have heavy gauge aluminum tops and feature heavy duty internal spreaders to resist damage around the worksite or in transit. The GLAS*MARK® Violator stripes on the rails make the ladder more visible and the EDGE® bracing system and external rail shields add to the long lasting durability of these ladders. Fiberglass rails are non-conductive for working near electricity.

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
T7404	4'	21-1/2"	36-1/8"	375 lbs
T7406	6'	25"	50-1/8"	375 lbs
T7408	8'	28-1/2"	64-1/8"	375 lbs
T7410	10'	32"	78-1/4"	375 lbs
T7412	12'	35-1/2"	92-1/4"	375 lbs
T7414	14'	39"	106-1/4"	300 lbs
T7416	16'	42-1/2"	120-1/4"	300 lbs
T7418	18'	46"	136-1/8"	300 lbs
T7420	20'	49-1/2"	150-1/8"	300 lbs

Old Blue Electricians Jobstation OBEL00 Series



The Old Blue® Series Electrician's ladder is not your ordinary stepladder -- it's a Jobstation™. These Jobstations save time and increase productivity on the job. With a duty rating of 375 pounds, the Old Blue series features a customized HolsterTop with ToolLasso® sockets to accommodate even more tools. Wire spool holders for both large and small spools and conduit holders with a built-in cutting system make these ladders ideal for electricians. The EDGE® bracing system helps to decrease damage to the rail. Fiberglass rails are non-conductive.

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
OBEL06	6'	23-3/8"	41-1/4"	375 lbs.

Ladders and Scaffolding

Ladders

Fiberglass Stepladders

Werner Ladders

Platform Ladder P7400 Series



Werner P7400 ladders are rated at 375 pounds and maintain a full set of horizontals on the rear sections. The large work platform provides a secure and comfortable work area while The EDGE® bracing system and external rails shields add to the durability of the product. The safety guard rail at the top of the ladder encourages proper ladder use. Fiberglass rails are non-conductive for working near electricity.

Part #	Height to Platform	Rail Length	Approx. Width	Approx. Spread	Load Capacity
P7404	4'	6'	27"	42"	375 lbs.
P7406	6'	8'	30-1/2"	54-3/8"	375 lbs.
P7408	8'	10'	34"	66-5/8"	375 lbs.
P7410	10'	12'	37-1/2"	79"	300 lbs.

Podium Ladder PD6200 Series



The NEW PD6200 Series Podium Ladder is ideal for working at fixed heights and is easier to maneuver than scaffolds or lifts. The extra-large platform with toe guard feels like you are standing on the ground and 4X Work Zone allows you to work facing any direction. This ladder features full aluminum bracing and a full set of rear horizontals. The LOCKTOP™ extended guardrail provides an extra point of contact and conveniently organizes tools and accessories. The newly designed EDGE360™ gives the bottom of the ladder protection from every angle with integrated rail shield, EDGE bracing and over-sized foot pads.

Part #	Size	Height to Platform	Reach Height	Max Standing Height	Load Capacity
PD6203	5'	3'	9'	3'	300 lbs.
PD6206	8'	6'	12'	6'	300 lbs.
PD6208	10'	8'	14'	8'	300 lbs.
PD6210	12'	10'	16'	10'	300 lbs.

Step Stool 6002 Model



- HolsterTop with Lock-In System secures tools to increase productivity
- Slip-resistant TRACTION-TRED® Steps
- Braces on bottom steps
- ® The blue and yellow ladder is an exclusive registered trademark of Werner Co

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
6002	2'	17-1/4"	19-1/2"	250 lbs

Ladders and Scaffolding

Ladders

Fiberglass Stepladders

Werner Ladders

Step Stool 6202 Model



- Molded top provides large standing platform
- External PINCH-PROOF™ spreaders
- Slip-resistant TRACTION-TRED® steps
- Combination rail end shield and foot with slip-resistant foot pad
- Braces on bottom steps

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
6202	2'	17-1/4"	19-1/2"	300 lbs

Stepladder 6000 Series



The 6000 series of stepladders feature a HolsterTop with the Lock-In System that allows you to customize your ladder top. The system secures tools from falling while keeping them handy while working all the while increasing productivity on the job. The tops also hold tools and have a sturdy paint can hanger on the back side. The external spreaders are pinch proof and the TRACTION-TRED® steps are slip resistant. These stepladders have a duty rating of 250 pounds and offer the EDGE® bracing for enhanced strength and increased protection against damage. Fiberglass rails are non-conductive for working near electricity.

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
6004	4'	19"	28-7/8"	250 lbs
6008	8'	25"	53-1/2"	250 lbs

Stepladder 6200 Series



The Werner 6200 Series Stepladders are design for professional contractors and industrial users. With a duty rating of 300 pounds, this series features a HolsterTop with the Lock-In System to secure tools from falling while keeping them right at hand. These ladders offer a full set of rear horizontals and heavy duty internal spreaders. All steps are knee braced and the foot pads are riveted to the EDGE® structure. The EDGE bracing system helps protect the rail from damage. Each TRACTION-TRED® step is slip resistant and double riveted. Fiberglass rails are non-conductive for working near electricity.

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
6203	3'	18-1/8"	23-1/8"	300 lbs
6204	4'	19-7/8"	29"	300 lbs
6205	5'	21-5/8"	35-1/8"	300 lbs
6206	6'	23-3/8"	41-1/4"	300 lbs
6207	7'	25-1/8"	47-1/2"	300 lbs
6208	8'	26-7/8"	53-5/8"	300 lbs
6210	10'	30-3/8"	65-7/8"	300 lbs
6212	12'	33-7/8"	78-1/4"	300 lbs

Ladders and Scaffolding

Ladders

Fiberglass Stepladders

Werner Ladders

Stepladder 7300 Series



- Extra heavy duty aluminum HolsterTop with thick side plates
- Shoulder bolt and lock nut on top hinge; 4 solid aluminum rivets attach top to each front rail
- Slip-resistant TRACTION-TRED® steps are single riveted and have extra wide knee braces
- Heavy duty internal spreaders
- Full set of rear horizontals spaced one per foot
- GLAS*MARK® Violator stripes on rails allow ladder to be more visible
- EDGE® bracing system helps to decrease damage to rail
- Molded external rail shield helps protect against abrasion damage
- Slip-resistant foot pads attached to the EDGE® structure
- Plastic external rail shield helps protect against abrasion damage
- Every rivet backed up by metal, metal plates or washers to protect rails
- Optional manual pail shelf kit, model no. PK76-9 or automatic closing pail shelf kit model no. 76-2

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
7304	4'	21-1/2"	29-3/4"	375 lbs
7306	6'	25"	42"	375 lbs
7308	8'	28-1/8"	54-3/4"	375 lbs
7310	10'	32"	66-5/8"	375 lbs
7312	12'	35-1/2"	79"	375 lbs

Stepladder 7400 Series



Built to last, the Werner 375-pound duty rated 7400 ladders are rugged and ready for the job. These ladders feature extra heavy duty aluminum HolsterTop, internal spreaders and external rail shields for long lasting durability. With the EDGE® bracing system and GLAS*MARK® Violator stripes on the rails, the 7400 series is built to handle the worksite and stands ready for tough jobs. Fiberglass rails are non-conductive for working near electricity.

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
7403	3'	19-3/4"	24-3/8"	375 lbs
7404	4'	21-1/2"	30-1/2"	375 lbs
7405	5'	23-1/4"	36-3/4"	375 lbs
7406	6'	25"	42-7/8"	375 lbs
7407	7'	26-3/4"	49"	375 lbs
7408	8'	28-1/2"	55-1/4"	375 lbs
7410	10'	32"	67-1/2"	375 lbs

Ladders and Scaffolding

Ladders

Fiberglass Stepladders

Werner Ladders

Stockers Ladder PT7400 Series



The PT7400 series has a duty rating of 300 pounds per side and features a large platform that provides a secure and comfortable work area. The PINCH-PROOF™ platform is designed for easy opening and closing. Aluminum external rail shields help protect the rails against abrasion damage. Slip-resistant steps are on the front and rear sections for one or two-person jobs. Fiberglass rails are non-conductive for working near electricity.

Part #	Height to Platform	Rail Length	Approx. Width	Load Capacity
PT7406	6'	8'	28-3/4"	300 lbs

Twin Step Stool T6202 Model

- Top steps provide wide standing platform
- Molded end caps finish off rails
- Heavy gauge steel strap hinge
- External PINCH-PROOF™ spreaders
- Slip-resistant TRACTION-TRED® steps
- Design for one or two-person jobs

Part #	size	Approx. Width	Approx. Spread	Load Capacity
T6202	2'	21-1/8"	23"	300 lbs

Twin Stepladder T6200 Series



The T6200 twin stepladders offer a high performance dual HolsterTop with a paint and tool holder for convenience. The internal spreaders are heavy duty and the slip-resistant TRACTION-TRED® steps are all double riveted and knee braced. These twin stepladders allow 300 pounds per side making them ideal for one or two person jobs. The EDGE® molded brace and foot pad combination provide bracing strength and increased protection against damage. Fiberglass rails are non-conductive for working near electricity.

Part #	Size	Approx. Width	Approx. Spread	Load Capacity
T6204	4'	19-7/8"	36-1/8"	300 lbs
T6205	5'	21-5/8"	43-1/8"	300 lbs
T6206	6'	23-3/8"	50-1/8"	300 lbs
T6208	8'	26-7/8"	64-1/8"	300 lbs
T6210	10'	30-3/8"	78-1/8"	300 lbs
T6212	12'	33-7/8"	92-1/8"	300 lbs

Ladders and Scaffolding

Ladders

Ladder Accessories

Werner Ladders

Aluminum Stabilizer



- For use on aluminum ladders of all duty ratings
- Span 47 in; Standoff 10 in
- For use on Aluminum Ladder Series D716 (16 ft), D1100 (all lengths), D1200 (all lengths), D1300 (all lengths), D1500 (all lengths), D500 (20 ft to 24 ft), MT (all lengths), M1 (all lengths)
- For use on Aluminum Series Extension Ladders with rails up to 3in x 1-3/16in (all lengths)
- Ideal for stabilizing M1 MultiLadder when in scaffold or stairway positions
- Mar-resistant rubber caps protect work surface
- Comes with mounting hardware and instructions; paint can hook included
- Attaches in minutes

Part #	Fits On
AC96	Aluminum Series Extension Ladders with Rails up to 3" x 1-3/16"

Cable Hook and V-Rung Assembly



- Functions as both cable hook and v-rung
- For use in applications where the diameter of the pole at the point of support does not exceed 10in
- For use on Fiberglass Ladder Series D6200-2 (16 ft to 40 ft), D8200-2EQ (20 ft to 28 ft)
- Available as a factory installed accessory. Contact your dealer for details.
- Steel v-rung has rubber pad for slip-resistant performance
- One (1) cable hook and v-rung assembly, mounting hardware and instructions included

Part #	Fits On
92-88	D6200-2, d8200-2EQ Series
92-89	7100-2, D7100-2, D7100-2LV

Ladders and Scaffolding

Ladders

Ladder Accessories

Werner Ladders

Cable Hooks



- For use on Fiberglass Ladder Series D6200-2 (all lengths), 7100-1 (up to 16ft), 7100-2 (all lengths), D7100-2 (16 ft to 32 ft)
- Available as a factory installed accessory. Contact your dealer for details.
- Consult Werner if using in conjunction with other accessories
- Cable hooks come with mounting hardware and instructions
- Easily folds within side rails for storage
- Cable hooks can be mounted above or below top rung

Part #	Fits On
74-1	D6200-2, 7100-1, 7100-2, D7100-2

End Cap and Shoes



- Single Top End Cap
- For use with S7706-1 ladder

Part #	Fits On
S7701	S7700 Series
S7702-1	S7700 Series

Extension Ladder Covers



- Helps prevent damage to support surfaces.
- Designed to snap over extension ladder rail end caps
- Resists paints, stains, thinners and solvents

Part #	Fits On
AC19-2	All Single and Extension Ladders (Except 500, D500, D7136-2, d7140-2)

Ladders and Scaffolding

Ladders

Ladder Accessories

Werner Ladders

Fiberglass Rail Shields



Part #	Fits On
22-2F	6000, T6000, 6200, 7300, T6200, 7400, T7400, P7400, PT7400, E7400
22-2R	6200, 7300, 7400, P7400
22-3F	7400, T7400, P7400, PT7400, E7400

Grating Shoes



Part #	Fits On
21-20	6200, P6200, 7300, 7400, P7400

Ladder Jacks



The AC10 Series Two or Three Rung Short Body Ladder Jack is designed for quick field adjustments. The PLATFORM CLAMP SYSTEM clamp secures the platform to the ladder jacks and ties supporting ladders together to help secure an entire ladder jack system. The lightweight but sturdy jack mounts on either side of the extension ladder.

Part #	Description
AC10-14-02	2 Rung Model Short Body Accepts Stages to 14" Width
AC10-20-02	

Ladders and Scaffolding

Ladders

Ladder Accessories

Werner Ladders

Molded Plastic Pail Shelf



Part #	Fits On
76-2	6000, 6200 Series

Padded Fixed V-Rung



Part #	Fits On
71-1	D6200-2, 7100-2, D7100-2, 7800

Paint Can Bucket Hanger



- Steel can/bucket holder can be mounted off left or right side of ladder
- Holds the weight of a full one gallon can
- Plated steel construction

Part #	Fits On
AC-22	All Extension Ladders

Platform



Slip-resistant surface. Aluminum construction. Kicks out of way for easy climbing. 300 lbs load capacity

Part #	Fits On
AC18MT	MT Series

Ladders and Scaffolding

Ladders

Ladder Accessories

Werner Ladders

Quickclick Stabilizer



- Spring-loaded locking latch makes it easier and quicker to install/remove than any other stabilizer on the market
- Installation requires no tools
- Mar-resistant rubber end caps protect work surface
- Span: 44in; Standoff: 10in
- Paint can hook included
- Not for use on Type III (200 lbs) aluminum, Type II (225 lbs) fiberglass extension ladders or MT series ladders.
- Not for use on ladders over 40 ft
- Do not use in conjunction with ladder jacks using planks or stages

Part #	For use on Single and Extensions with
AC78	1-1/4" Round Rungs, 1-1/2" Flat Rungs, 1-3/4" Flat Rungs, 1-5/8" Flat Rungs

Stepladder Hanger



Part #	Description
AC11	Hanger can be mounted on a wall to hold Stepladders

Multiladders

Werner Ladders

Telescoping MultiLadder MT Series



The MT series Telescoping MultiLadders are versatile and easy to transport. The telescoping design allows the ladder to be used in 4 different positions -- twin stepladder, stairway stepladder, extension ladder and as 2 scaffold bases. In the stepladder mode, the multiladder can be used for one or two-person jobs with a duty rating of 300 pounds per side. The feet are slip resistant and the ends of the ladder are flared for firm support. Smooth curved rails allow for comfortable climbing. With its many uses, this ladder may fit all your climbing needs.

Part #	Stepladder Height	Extension Height	Stair Height	Scaffold Length	Load Capacity
MT-13	3' to 5'	7' to 11'	3' to 5'	1' to 2'	300 lbs
MT-17	4' to 7'	9' to 15'	4' to 7'	1' to 3'	300 lbs
MT-22	5' to 9'	11' to 19'	5' to 9'	1' to 4'	300 lbs
MT-26	6' to 11'	13' to 23'	6' to 11'	1' to 5'	300 lbs

Ladders and Scaffolding

Ladders

Scaffold Components

Werner Ladders

Frames



- Aluminum scaffold components provide the most flexibility during installation
- Enables end user to easily convert to different length or height scaffold towers
- All components available separately

Part #	Description
FWU-49	4' H upper end frame

Work Platforms

Werner Ladders

Aluminum Extension Plank PA200 Series



- For use on stepladders, telescoping multiladders, extension trestle ladders and extension and single ladders equipped with ladder jacks
- Made of 2 in deep box section extrusions
- Extruded cross member riveted with solid aluminum rivets
- Positive stops prevent over-extending
- Molded thermo-plastic spacer guides for easy open/close action
- Outer flange open for ladder jack clamps
- Locking mechanism sets the plank in 12 in increments
- Heavy end flange/handles for rigidity and ease of operation

Part #	Closed Position	Open Position	Approx. Width	Inner Rails	Outer Flanged Rails	Load Capacity
PA206	6'	9'	14"	1-1/8" X 2"	1-7/8" x 2"	250 lbs
PA208	8'	13'	14"	1-1/8" X 2"	1-7/8" x 2"	250 lbs
PA210	10'	17'	14"	1-1/8" X 2"	1-7/8" x 2"	250 lbs

Ladders and Scaffolding

Scaffolding

Portable Scaffolding

Werner Ladders

Portable Scaffold



- Mar-resistant wheels. High grade wheels prevent marring by locking securely into place
- Multi-use S-hooks make transportation easy and are ToolLasso® ready
- Versatile. Can be used as push cart, storage shelf or work bench
- Planks adjust to different standing heights
- 250 lbs per plank (500 lbs combined)

Part #	Height	Width	Depth	Load Capacity
PS-48	50-1/8"	46-1/8"	25-1/2"	500 lbs

Scaffold Components

Werner Ladders

Braces



- Aluminum scaffold components provide the most flexibility during installation
- Enables end user to easily convert to different length or height scaffold towers
- All components available separately
- Ideal for rental yards and theatrical and entertainment applications

Part #	Description
BD-8	8' Diagonal Brace
BH-8	8' Horizontal Brace
BW-8	8' Wide Span Horizontal-diagonal Brace

Scaffold Boards



- 8ft Scaffold board with plywood deck for aluminum scaffold towers
- 22in wide, aluminum rails with plywood decking
- For use on narrow span and wide span 8ft long aluminum scaffolding

Part #	Description
P22W-8	8' Scaffold Board

Ladders and Scaffolding

Scaffolding

Scaffold Section

Werner Ladders

Folding Scaffolds



- SNAP-UP wide span scaffold base for simplified set-up
- Add on aluminum sections or components for more height
- Base Section
- Adjustable 6 ft 6 in to 7 ft 6 in High Clearance

Part #	Width	Length	Load Capacity
SWB-8U	4-1/2"	8'	500 lbs

Work Platforms

Werner Ladders

Decarator Planks



- Individual slip-resistant decking minimizes paint or material build-up
- Vinyl-coated end caps serve as hand grips and protect from sharp edges and surface marks
- 1-Person - 250 lbs Rated

Part #	Width	Side Rail Length	Side Rail Depth	Side Rail Flange
2024	12"	24'	5"	1-3/8"

Nestable Stages



The WNS series of nestable stages provide consistent rail depths regardless of stage length, reducing trip hazards when making a continuous work platform. Made of aluminum, the handles nest inside of each other to minimize gaps between walkways. 2 person, 500 lbs. rated. Available in 14", 20", and 24 " widths in lengths from 12 ft to 24'.

Part #	Nestable Stage Description
WNS-2520	20" x 20'



Ladders and Scaffolding

Scaffolding

Work Platforms

Werner Ladders

Scaffold Planks



The 2300 scaffold planks offer a 500 pound duty rating and allows for 2 people on one plank. The TWIST-PROOF® stage design is ideal for ladder jack applications, swing stages or catwalks. Each stage is 12 " wide.

Part #	Width	Side Rail Length	Side Rail Depth	Side Rail Flange
2316	12"	16'	4"	1-3/8"
2320	12"	20'	6"	1-3/8"
2424	14"	24'	6"	2"



Ladders and Scaffolding

Scaffolding

Work Platforms

Werner Ladders

Stage Platforms



The 3100 stage platforms offer a 750 pound duty rating and allows for 3 people on one plank. The TWIST-PROOF® design is ideal for ladder jack applications, swing stages or catwalks. Each stage is 24 " wide.

Part #	Width	Side Rail Length	Side Rail Depth	Side Rail Flange
3116.	24"	16'	5"	2"
3220	28"	20'	5"	2"

Walkboards



5600 series 2-piece extruded ALUMA-BOARD™ for use with steel scaffolds. 7 ft and 8 ft lengths have a duty rating of 75 pounds/square foot and the 10 ft length has a duty rating of 50 pounds/square foot. Slip-resistant surface

Part #	Duty Rating/Sq. Ft	Width	Side Rail Length	Side Rail Depth
5607-19	75 lbs	19-1/6"	7'	2"
5610-19	50 lbs	19-1/16"	10'	2"

Table of Contents

Categorized Listing

Ladders and Scaffolding	1		
Ladders	1		
Aluminum Extension Ladders	1	Cable Hooks	17
Werner Ladders	1	End Cap and Shoes	17
Extension Ladder D1500 Series	1	Extension Ladder Covers	17
Extension Ladder with Integrated Leveling D1800-2EQ	1	Fiberglass Rail Shields	18
Flat Rung Extension Ladder D500-2 Series	1	Grating Shoes	18
Straight Ladder 500-1 Series	2	Ladder Jacks	18
Straight Ladder D1500 Series	2	Molded Plastic Pail Shelf	19
Aluminum Stepladders	2	Padded Fixed V-Rung	19
Werner Ladders	2	Paint Can Bucket Hanger	19
Multi-Use Twin Stepladders T370 Series	2	Platform	19
Multi-Use Twin Stepladders T400 Series	3	Quickclick Stabilizer	20
Platform Ladder 260 Series	3	Stepladder Hanger	20
Platform Ladder P400 Series	3	Multiladders	20
Portable Work Stand TW370-30 Series	4	Werner Ladders	20
Step Stool 150B Model	4	Telescoping MultiLadder MT Series	20
Stepladder 370 Series	4	Scaffold Components	21
Stepladder 400 Series	5	Werner Ladders	21
Stockers Ladder PT370 Series	5	Frames	21
Attic Ladders	5	Work Platforms	21
Werner Ladders	5	Werner Ladders	21
Wood Folding Heavy Duty Acctic Ladder	5	Aluminum Extension Plank PA200 Series	21
Fiberglass Extension Ladders	6	Scaffolding	22
Werner Ladders	6	Portable Scaffolding	22
Extension Ladder D6200 Series	6	Werner Ladders	22
Extension Ladder D7100 Series	6	Portable Scaffold	22
Extension Ladder with Cable Hooks D6200 Series	6	Scaffold Components	22
Extension Ladder with Cable Hooks D7100 Series	7	Werner Ladders	22
Extension Ladder with Integrated Leveling 300 lbs Load	7	Braces	22
Extension Ladder with Intergrated Leveling D7100 Series	7	Scaffold Boards	22
Extension Trestle Ladder 300 lbs. Load Capacity	8	Scaffold Section	23
Round Rung Extension Ladder 560-3 Model	8	Werner Ladders	23
Straight Ladder 7100 Series	8	Folding Scaffolds	23
Straight Ladder D6200 Series	9	Work Platforms	23
Fiberglass Specialty Ladders	10	Werner Ladders	23
Werner Ladders	10	Decarator Planks	23
Combination Step and Extension Ladder 7800 Series	10	Nestable Stages	23
Interchangeable Parallel Sectional Ladder S7700 Series	10	Scaffold Planks	24
Manhole Ladder M7100-1 Series	10	Stage Platforms	25
Fiberglass Stepladders	11	Walkboards	25
Werner Ladders	11		
Fiberglass Single Sided Stepladder OBCN00 Series	11		
Multi-Use Twin Stepladder T7400 Series	11		
Old Blue Electricians Jobstation OBEL00 Series	11		
Platform Ladder P7400 Series	12		
Podium Ladder PD6200 Series	12		
Step Stool 6002 Model	12		
Step Stool 6202 Model	13		
Stepladder 6000 Series	13		
Stepladder 6200 Series	13		
Stepladder 7300 Series	14		
Stepladder 7400 Series	14		
Stockers Ladder PT7400 Series	15		
Twin Step Stool T6202 Model	15		
Twin Stepladder T6200 Series	15		
Ladder Accessories	16		
Werner Ladders	16		
Aluminum Stabilizer	16		
Cable Hook and V-Rung Assembly	16		

Table of Contents

Alphabetized Listing

A			
Aluminum Extension Ladders	1-2	Platform Ladder 260 Series	3
Aluminum Extension Plank PA200 Series	21	Platform Ladder P400 Series	3
Aluminum Stabilizer	16	Platform Ladder P7400 Series	12
Aluminum Stepladders	2-5	Podium Ladder PD6200 Series	12
Attic Ladders	5	Portable Scaffold	22
B		Portable Scaffolding	22
Braces	22	Portable Work Stand TW370-30 Series	4
C		Q	
Cable Hook and V-Rung Assembly	16	Quickclick Stabilizer	20
Cable Hooks	17	R	
Combination Step and Extension Ladder 7800 Series	10	Round Rung Extension Ladder 560-3 Model	8
D		S	
Decarator Planks	23	Scaffold Boards	22
E		Scaffold Components	21-22
End Cap and Shoes	17	Scaffold Planks	24
Extension Ladder Covers	17	Scaffold Section	23
Extension Ladder D1500 Series	1	Scaffolding	22-25
Extension Ladder D6200 Series	6	Stage Platforms	25
Extension Ladder D7100 Series	6	Step Stool 150B Model	4
Extension Ladder with Cable Hooks D6200 Series	6	Step Stool 6002 Model	12
Extension Ladder with Cable Hooks D7100 Series	7	Step Stool 6202 Model	13
Extension Ladder with Integrated Leveling 300 lbs Load Capacity	7	Stepladder 370 Series	4
Extension Ladder with Integrated Leveling D1800-2EQ Series	1	Stepladder 400 Series	5
Extension Ladder with Intergrated Leveling D7100 Series	7	Stepladder 6000 Series	13
Extension Trestle Ladder 300 lbs. Load Capacity	8	Stepladder 6200 Series	13
F		Stepladder 7300 Series	14
Fiberglass Extension Ladders	6-9	Stepladder 7400 Series	14
Fiberglass Rail Shields	18	Stepladder Hanger	20
Fiberglass Single Sided Stepladder OBCN00 Series	11	Stockers Ladder PT370 Series	5
Fiberglass Specialty Ladders	10	Stockers Ladder PT7400 Series	15
Fiberglass Stepladders	11-15	Straight Ladder 500-1 Series	2
Flat Rung Extension Ladder D500-2 Series	1	Straight Ladder 7100 Series	8
Folding Scaffolds	23	Straight Ladder D1500 Series	2
Frames	21	Straight Ladder D6200 Series	9
G		T	
Grating Shoes	18	Telescoping MultiLadder MT Series	20
I		Twin Step Stool T6202 Model	15
Interchangeable Parallel Sectional Ladder S7700 Series	10	Twin Stepladder T6200 Series	15
L		W	
Ladder Accessories	16-20	Walkboards	25
Ladder Jacks	18	Werner Ladders	1-25
Ladders	1-21	Wood Folding Heavy Duty Acctic Ladder	5
Ladders and Scaffolding	1-25	Work Platforms	21, 23-25
M			
Manhole Ladder M7100-1 Series	10		
Molded Plastic Pail Shelf	19		
Multiladders	20		
Multi-Use Twin Stepladder T7400 Series	11		
Multi-Use Twin Stepladders T370 Series	2		
Multi-Use Twin Stepladders T400 Series	3		
N			
Nestable Stages	23		
O			
Old Blue Electricians Jobstation OBEL00 Series	11		
P			
Padded Fixed V-Rung	19		
Paint Can Bucket Hanger	19		
Platform	19		