

STEERING WHEELS

Type PRO

The perfect match for traditional and modern boats

Type PRO has 2 models. Type 'T' with a satin-gloss varnished teak rim and type 'P' with a semi-hard polyurethane rim which will keep your hands warm. Both models have substantial spokes and a hub cover made of high-gloss polished stainless steel (AISI 316). The hub itself is made of synthetic material and bored for a $\varnothing \frac{3}{4}$ " shaft with 1:12 taper which will fit most steering systems. These steering wheels are according to the CE and ABYC directives.

Specifications

- Available with overall diameters of 400, 500 or 600 mm
- Outer rim \varnothing 32 mm

Note: An alternative hub to suit older VETUS steering pumps with a \varnothing 1" hole shaft and 3½:12 taper is also available (product code: SETPS1).




PRO..P



PRO..T

Type	Description	Ø (mm)	Ø Outer rim (mm)
PRO40P	Polyurethane rim steering wheel	400	32
PRO50P	Polyurethane rim steering wheel	500	32
PRO60P	Polyurethane rim steering wheel	600	32
PRO40T	Teak steering wheel	400	32
PRO50T	Teak steering wheel	500	32
PRO60T	Teak steering wheel	600	32



PASBUS A

All VETUS wheels and steering pumps have a $\varnothing \frac{3}{4}$ " bore, with a 1:12 taper. The PASBUS is a tapered bushing that can be applied to the $\frac{3}{4}$ " shaft of a steering pump so that it can receive a wheel with a 1" bore. This allows wheels made by others to be installed on our pumps.



PASBUSA



STEERING WHEELS

Mahogany steering wheels - Type KW / KWL

This mahogany steering wheel range now has five models from 380 to 810 mm diameter.

The spokes and hubcap are made from stainless steel (AISI 316). The hub itself is made from seawater resistant aluminium. The beautiful rim is constructed from high gloss lacquered mahogany. Type KWL also features lacquered mahogany spoke sleeves.



Characteristics

- KW series now available in the following diameters: 380, 450, 550, 710 and 810 mm
- High-quality mahogany rim paired to stainless steel (AISI 316) spokes and hubcap
- Aluminium hub bored 19 mm (3/4") with 1:12 taper as standard

Note

An alternative hub to suit older VETUS steering pumps with a Ø 1" hole shaft and 3½:12 taper is also available (product code: SETKS1).

Type	Description	Ø mm	Ø shaft mm	Taper
KW38	Steering wheel with mahogany rim	380	19	1:12
KW45	Steering wheel with mahogany rim	450	19	1:12
KW55	Steering wheel with mahogany rim	550	19	1:12
KW71	Steering wheel with mahogany rim	710	19	1:12
KW81	Steering wheel with mahogany rim	810	19	1:12




STEERING WHEELS


Type KWL

With a mahogany rim


Type	Description	Ø mm	Ø shaft mm	Taper
KWL38	Steering wheel with mahogany rim and spokes	380	19	1:12
KWL45	Steering wheel with mahogany rim and spokes	450	19	1:12
KWL55	Steering wheel with mahogany rim and spokes	550	19	1:12



KWL38



KWL45



KWL55



Type KS

No more cold hands

Model KS has stainless steel (AISI 316) rims, spokes and cap. The rims have a layer of semi-hard PU-foam with an integral skin. These soft-feel wheels are resistant to all weather conditions.


Specifications

- Available with overall diameters of 320, 360, 380, 450 and 550 mm
- All type KS wheels are supplied in the colours grey (RAL 704) or black
- Bored for Ø ¾" shaft, tapered 1:12

Note

An alternative hub to suit older VETUS steering pumps with a Ø 1" hole shaft and 3½:12 taper is also available (product code: SETKS1).

Type	PU-foam layer	Ø mm	Ø shaft mm	Taper
KS32G	Grey	320	19	1:12
KS32Z	Black	320	19	1:12
KS36G	Grey	360	19	1:12
KS36Z	Black	360	19	1:12



KS32G

KS32Z



KS36G


KS36Z



STEERING WHEELS

Type KS

Type	PU-foam layer	Ø mm	Ø shaft mm	Taper
KS38G	Grey	380	19	1:12
KS38Z	Black	380	19	1:12
KS45G	Grey	450	19	1:12
KS45Z	Black	450	19	1:12
KS55G	Grey	550	19	1:12
KS55Z	Black	550	19	1:12




KS38G

KS38Z



KS45G

KS45Z



KS55G

KS55Z



Type SWSPORT

Sport steering wheel

A sporty three-spoke steering wheel finished in carbon with a diameter of 350 mm. Bored for Ø ¾" shaft, tapered 1:12.

Type	Ø mm
SWSPORT Three spoke sport steering wheel, carbon finish	350

SWSPORT



Type SWCRUISER

Cruiser steering wheel

A three-spoke steering wheel finished in silver aluminium accents and a diameter of 350 mm. Bored for Ø ¾" shaft, tapered 1:12.

Type	Ø mm
SWCRUISER Three spoke sport steering wheel, black with aluminium inserts	350

SWCRUISER



STEERING WHEELS

SW Series

Made from high-quality polyurethane rubber, leather, wood and polished aluminium, these six steering wheels each emit their own vibe. From the classic wooden Tectona, to the futuristic Argentus and the minimalistic Ravus: all styles are present. Dimensions are kept small to maximize feel and enforce the sporty image, ranging from 300 mm to 350 mm. All steering wheels feature a classy chromed ABS centre cap with the distinctive 'V' logo. Upgrade your interior with one of those stylish steering wheels.

The purpose-build and sporty appearance of the steering wheels complements your boat and with the materials used, they are built to last.

Specifications

- SW series now available in the following diameters: 300, 320, 330 and 350 mm
- Six new models in different colors to suit all vessels
- High-quality polyurethane rim paired to polished aluminium spokes and hubcap
- High-quality wooden rim paired to polished aluminium spokes and hubcap
- Bored for Ø ¾" shaft, tapered 1:12.

Type	Description	Diameter (mm)	Colour / Material
SWALB30	Steering wheel "Albus"	300	White leather
SWTEC35	Steering wheel "Tectona"	350	Wood
SWALT33	Steering wheel "Alter"	330	Black polyurethane rubber
SWRAV33	Steering wheel "Ravus"	330	Gray polyurethane rubber
SWARG32	Steering wheel "Argentus"	320	Black p.u. rubber w/ chrome inserts
SWNOC35	Steering wheel "Noctis"	350	Black p.u. rubber w/ chrome inserts



ALBUS



TECTONA



ALTER



RAVUS



ARGENTUS



NOCTIS

