




aerospace
climate control
electromechanical
filtration
fluid & gas handling
hydraulics
pneumatics
process control
sealing & shielding



Parker Manufactured Brass Fittings



ENGINEERING YOUR SUCCESS.



Index

Tube Connection Fittings	
Standard Compression Brass Fittings	2-4
Metric Compression Brass Fittings	5-6
Internal Compression Brass Fittings	7-8
SAE 45° Flare Brass Fittings	9-10
Inverted Flare Brass Fittings	11
Airbrake Fittings	12
Threaded Adapters	
Brass Adapters- Engineering Standard	13-15
Brass Adapters - Plumbing Standard	16
Low Pressure (150lb) 316 Stainless Steel Adapters	17-18
Airline Fittings	
Barbed Brass Fittings (Hose Barbs)	19-20
Tube and Accessories	
Tube Support Spigot	21
Alpha Numeric Index	25



Standard Compression Fittings

All Parts are brass unless otherwise noted.
 "A" Product group designator.

Part Number Part Number Part Number




Standard Sleeve

	TUBE
A1-02	1/8
A1-03	3/16
A1-04	1/4
A1-05	5/16
A1-06	3/8
A1-08	1/2
A1-10	5/8
A1-12	3/4




Universal Sleeve

	TUBE
A100-02	1/8
A100-03	3/16
A100-04	1/4
A100-05	5/16
A100-06	3/8
A100-08	1/2
A100-10	5/8
A100-12	3/4




Standard Compression Nut

	TUBE
A2-02	1/8
A2-03	3/16
A2-04	1/4
A2-05	5/16
A2-06	3/8
A2-08	1/2
A2-10	5/8
A2-12	3/4




Male Connector

	TUBE	BSP
A3-0202	1/8	1/8
A3-0302	3/16	1/8
A3-0304	3/16	1/4
A3-0402	1/4	1/8
A3-0404	1/4	1/4
A3-0406	1/4	3/8
A3-0408	1/4	1/2
A3-0502	5/16	1/8
A3-0504	5/16	1/4
A3-0506	5/16	3/8
A3-0508	5/16	1/2
A3-0602	3/8	1/8
A3-0604	3/8	1/4
A3-0606	3/8	3/8
A3-0608	3/8	1/2
A3-0804	1/2	1/4
A3-0806	1/2	3/8
A3-0808	1/2	1/2
A3-0812	1/2	3/4
A3-1008	5/8	1/2
A3-1208	3/4	1/2
A3-1212	3/4	3/4




Male Connector

	TUBE	NPTF
A3-0202N	1/8	1/8
A3-0302N	3/16	1/8
A3-0402N	1/4	1/8
A3-0404N	1/4	1/4
A3-0502N	5/16	1/8
A3-0504N	5/16	1/4
A3-0602N	3/8	1/8
A3-0604N	3/8	1/4
A3-0606N	3/8	3/8
A3-0804N	1/2	1/4



Equal Union

	TUBE	TUBE
A4-02	1/8	1/8
A4-03	3/16	3/16
A4-04	1/4	1/4
A4-05	5/16	5/16
A4-06	3/8	3/8
A4-08	1/2	1/2
A4-10	5/8	5/8
A4-12	3/4	3/4



Reducing Union

	TUBE	TUBE
A4-0504	5/16	1/4
A4-0604	3/8	1/4
A4-0605	3/8	5/16
A4-0806	1/2	3/8



Male Elbow 90°

	TUBE	BSP
A5-0202	1/8	1/8
A5-0302	3/16	1/8
A5-0304	3/16	1/4
A5-0402	1/4	1/8
A5-0404	1/4	1/4
A5-0406	1/4	3/8
A5-0502	5/16	1/8
A5-0504	5/16	1/4
A5-0506	5/16	3/8
A5-0508	5/16	1/2
A5-0602	3/8	1/8
A5-0604	3/8	1/4
A5-0606	3/8	3/8
A5-0608	3/8	1/2
A5-0804	1/2	1/4
A5-0806	1/2	3/8
A5-0808	1/2	1/2
A5-1008	5/8	1/2
A5-1208	3/4	1/2
A5-1212	3/4	



Standard Compression Fittings


All Parts are brass unless otherwise noted.
 "A" Product group designator.

Part Number Part Number Part Number




Male Elbow 90°

	TUBE	NPTF
A5-0202N	1/8	1/8
A5-0302N	3/16	1/8
A5-0402N	1/4	1/8
A5-0404N	1/4	1/4
A5-0502N	5/16	1/8
A5-0504N	5/16	1/4
A5-0602N	3/8	1/8
A5-0604N	3/8	1/4
A5-0606N	3/8	3/8
A5-0804N	1/2	1/4




Male Elbow 45°

	TUBE	BSP
A5-450302	3/16	1/8
A5-450402	1/4	1/8
A5-450404	1/4	1/4
A5-450502	5/16	1/8
A5-450504	5/16	1/4
A5-450604	3/8	1/4
A5-450606	3/8	3/8
A5-450806	1/2	3/8
A5-450808	1/2	1/2




Check Valve

	TUBE	BSP
A9-0302	3/16	1/8
A9-0402	1/4	1/8
A9-0502	5/16	1/8
A9-0604	3/8	1/4




Female Connector

	TUBE	BSP
A10-0202	1/8	1/8
A10-0302	3/16	1/8
A10-0304	3/16	1/4
A10-0402	1/4	1/8
A10-0404	1/4	1/4
A10-0406	1/4	3/8
A10-0502	5/16	1/8
A10-0504	5/16	1/4
A10-0602	3/8	1/8
A10-0604	3/8	1/4
A10-0606	3/8	3/8
A10-0608	3/8	1/2
A10-0806	1/2	3/8
A10-0808	1/2	1/2
A10-1008	5/8	1/2




Female Connector

	TUBE	NPTF
A10-0202N	1/8	1/8
A10-0302N	3/16	1/8
A10-0602N	3/8	1/8
A10-0604N	3/8	1/4




Union Elbow

	TUBE	TUBE
A11-02	1/8	1/8
A11-03	3/16	3/16
A11-04	1/4	1/4
A11-05	5/16	5/16
A11-06	3/8	3/8
A11-08	1/2	1/2
A11-10	5/8	5/8




Male Branch Tee

	TUBE	BSP
A12-0202	1/8	1/8
A12-0302	3/16	1/8
A12-0402	1/4	1/8
A12-0404	1/4	1/4
A12-0502	5/16	1/8
A12-0504	5/16	1/4
A12-0506	5/16	3/8
A12-0604	3/8	1/4
A12-0606	3/8	3/8
A12-0804	1/2	1/4
A12-0806	1/2	3/8
A12-0808	1/2	1/2



Male Branch Tee

	TUBE	NPTF
A12-0402N	1/4	1/8
A12-0404N	1/4	1/4



Male Run Tee

	TUBE	BSP
A13-0302	3/16	1/8
A13-0402	1/4	1/8
A13-0404	1/4	1/4
A13-0502	5/16	1/8
A13-0504	5/16	1/4
A13-0604	3/8	1/4
A13-0606	3/8	3/8
A13-0804	1/2	1/4
A13-0806	1/2	3/8
A13-0808	1/2	1/2




Standard Compression Fittings

All Parts are brass unless otherwise noted.
 "A" Product group designator.

Part Number


Part Number

Part Number




Union Tee

	TUBE	TUBE
A14-02	1/8	1/8
A14-03	3/16	3/16
A14-04	1/4	1/4
A14-05	5/16	5/16
A14-06	3/8	3/8
A14-08	1/2	1/2
A14-10	5/8	5/8
A14-12	3/4	3/4




Female Elbow 90°

	TUBE	BSP
A15-0202	1/8	1/8
A15-0302	3/16	1/8
A15-0402	1/4	1/8
A15-0404	1/4	1/4
A15-0502	5/16	1/8
A15-0504	5/16	1/4
A15-0602	3/8	1/8
A15-0604	3/8	1/4
A15-0606	3/8	3/8
A15-0804	1/2	1/4
A15-0806	1/2	3/8
A15-0808	1/2	1/2




Bulkhead Union

	TUBE	TUBE
A31-04	1/4	1/4
A31-05	5/16	5/16
A31-06	3/8	3/8
A31-08	1/2	1/2



Female Bulkhead Connector

	TUBE	BSP
A31-F02	1/8	1/8
A31-F0302	3/16	1/8
A31-F0402	1/4	1/8
A31-F04	1/4	1/4
A31-F06	3/8	3/8
A31-F08	1/2	1/2



Bulk Head Lock Nut - (UN)


	THREAD
A74-02UN	5/16-24UNF
A74-03UN	3/8-24UNF
A74-04UN	7/16-24UNS
A74-05UN	1/2-24UNS
A74-06UN	9/16-24UNEF
A74-08UN	11/16-20UN
A74-10UN	13/16-18UNS
A74-12UN	1-18UNS



Metric Compression Fittings

All Parts are brass unless otherwise noted.
 "B" Product group designator.

Part Number Part Number Part Number




Universal Sleeve

	TUBE
BM100-04	4
BM100-05	5
BM100-06	6
BM100-08	8
BM100-10	10
BM100-12	12




Metric Compression Nut

	TUBE
BM2-04	4
BM2-05	5
BM2-06	6
BM2-08	8
BM2-10	10
BM2-12	12




Male Connector

	TUBE	BSP
BM3-0402	4	1/8
BM3-0502	5	1/8
BM3-0504	5	1/4
BM3-0602	6	1/8
BM3-0604	6	1/4
BM3-0606	6	3/8
BM3-0802	8	1/8
BM3-0804	8	1/4
BM3-0806	8	3/8
BM3-1002	10	1/8
BM3-1004	10	1/4
BM3-1006	10	3/8
BM3-1008	10	1/2
BM3-1204	12	1/4
BM3-1206	12	3/8
BM3-1208	12	1/2




Equal Union

	TUBE
BM4-04	4
BM4-05	5
BM4-06	6
BM4-08	8
BM4-10	10
BM4-12	12




Male Elbow 90°

	TUBE	BSP
BM5-0402	4	1/8
BM5-0404	4	1/4
BM5-0502	5	1/8
BM5-0504	5	1/4
BM5-0602	6	1/8
BM5-0604	6	1/4
BM5-0802	8	1/8
BM5-0804	8	1/4
BM5-0806	8	3/8
BM5-1004	10	1/4
BM5-1006	10	3/8
BM5-1008	10	1/2
BM5-1204	12	1/4
BM5-1206	12	3/8
BM5-1208	12	1/2



Female Connector

	TUBE	BSP
BM10-0402	4	1/8
BM10-0404	4	1/4
BM10-0502	5	1/8
BM10-0504	5	1/4
BM10-0602	6	1/8
BM10-0604	6	1/4
BM10-0802	8	1/8
BM10-0804	8	1/4
BM10-0806	8	3/8
BM10-1004	10	1/4
BM10-1006	10	3/8
BM10-1008	10	1/2
BM10-1204	12	1/4
BM10-1206	12	3/8
BM10-1208	12	1/2



Union Elbow

	TUBE
BM11-04	4
BM11-05	5
BM11-06	6
BM11-08	8
BM11-10	10
BM11-12	12




Metric Compression Fittings

All Parts are brass unless otherwise noted.
 "B" Product group designator.

Part Number


Part Number

Part Number




Male Branch Tee

	TUBE	BSP
BM12-0402	4	1/8
BM12-0502	5	1/8
BM12-0602	6	1/8
BM12-0604	6	1/4
BM12-0802	8	1/8
BM12-0804	8	1/4
BM12-0806	8	3/8
BM12-1004	10	1/4
BM12-1006	10	3/8
BM12-1204	12	1/4
BM12-1206	12	3/8




Male Run Tee

	TUBE	BSP
BM13-0402	4	1/8
BM13-0502	5	1/8
BM13-0602	6	1/8
BM13-0604	6	1/4
BM13-0802	8	1/8
BM13-0804	8	1/4
BM13-0806	8	3/8
BM13-1004	10	1/4
BM13-1006	10	3/8
BM13-1206	12	3/8



Union Tee

	TUBE
BM14-04	4
BM14-05	5
BM14-06	6
BM14-08	8
BM14-10	10
BM14-12	12



Bulkhead Union


	TUBE
BM31-04	4
BM31-05	5
BM31-06	6
BM31-08	8
BM31-10	10
BM31-12	12



Internal Compression Fittings


All Parts are brass unless otherwise noted.
 "A" Product group designator.

Part Number Part Number Part Number



Standard Sleeve

	TUBE
A1-02	1/8
A1-03	3/16
A1-04	1/4
A1-05	5/16
A1-06	3/8
A1-08	1/2
A1-10	5/8
A1-12	3/4




Universal Sleeve

	TUBE
A100-02	1/8
A100-03	3/16
A100-04	1/4
A100-05	5/16
A100-06	3/8
A100-08	1/2
A100-10	5/8
A100-12	3/4




Tube Nut

	TUBE
AZ2-02	1/8
AZ2-03	3/16
AZ2-04	1/4
AZ2-05	5/16
AZ2-06	3/8
AZ2-08	1/2
AZ2-10	5/8
AZ2-12	3/4




Male Connector

	TUBE	BSP
AZ3-0202	1/8	1/8
AZ3-0302	3/16	1/8
AZ3-0304	3/16	1/4
AZ3-0402	1/4	1/8
AZ3-0404	1/4	1/4
AZ3-0406	1/4	3/8
AZ3-0502	5/16	1/8
AZ3-0504	5/16	1/4
AZ3-0506	5/16	3/8
AZ3-0602	3/8	1/8
AZ3-0604	3/8	1/4
AZ3-0606	3/8	3/8
AZ3-0608	3/8	1/2
AZ3-0804	1/2	1/4
AZ3-0806	1/2	3/8
AZ3-0808	1/2	1/2
AZ3-1008	5/8	1/2
AZ3-1208	3/4	1/2
AZ3-1212	3/4	3/4




Equal Union

	TUBE	TUBE
AZ4-02	1/8	1/8
AZ4-03	3/16	3/16
AZ4-04	1/4	1/4
AZ4-05	5/16	5/16
AZ4-06	3/8	3/8
AZ4-08	1/2	1/2
AZ4-10	5/8	5/8
AZ4-12	3/4	3/4



Male Elbow 90°

	TUBE	BSP
AY5-0202	1/8	1/8
AY5-0302	3/16	1/8
AY5-0304	3/16	1/4
AY5-0402	1/4	1/8
AY5-0404	1/4	1/4
AY5-0406	1/4	3/8
AY5-0502	5/16	1/8
AY5-0504	5/16	1/4
AY5-0506	5/16	3/8
AY5-0602	3/8	1/8
AY5-0604	3/8	1/4
AY5-0606	3/8	3/8
AY5-0608	3/8	1/2
AY5-0804	1/2	1/4
AY5-0806	1/2	3/8
AY5-0808	1/2	1/2
AY5-1212	3/4	3/4



Female Connector


	TUBE	BSP
AZ10-0202	1/8	1/8
AZ10-0302	3/16	1/8
AZ10-0304	3/16	1/4
AZ10-0402	1/4	1/8
AZ10-0404	1/4	1/4
AZ10-0502	5/16	1/8
AZ10-0504	5/16	1/4
AZ10-0602	3/8	1/8
AZ10-0604	3/8	1/4
AZ10-0606	3/8	3/8
AZ10-0806	1/2	3/8
AZ10-0808	1/2	1/2



Internal Compression Fittings


All Parts are brass unless otherwise noted.
 "A" Product group designator.

Part Number Part Number Part Number




Union Elbow

	TUBE	TUBE
AY11-02	1/8	1/8
AY11-03	3/16	3/16
AY11-04	1/4	1/4
AY11-05	5/16	5/16
AY11-06	3/8	3/8
AY11-08	1/2	1/2
AY11-10	5/8	5/8




Male Branch Tee

	TUBE	BSP
AY12-0202	1/8	1/8
AY12-0302	3/16	1/8
AY12-0402	1/4	1/8
AY12-0404	1/4	1/4
AY12-0502	5/16	1/8
AY12-0504	5/16	1/4
AY12-0604	3/8	1/4
AY12-0606	3/8	3/8
AY12-0806	1/2	3/8
AY12-0808	1/2	1/2




Male Run Tee

	TUBE	BSP
AY13-0202	1/8	1/8
AY13-0302	3/16	1/8
AY13-0402	1/4	1/8
AY13-0504	5/16	1/4
AY13-0604	3/8	1/4
AY13-0806	1/2	3/8




Union Tee

	TUBE	TUBE
AY14-02	1/8	1/8
AY14-03	3/16	3/16
AY14-04	1/4	1/4
AY14-05	5/16	5/16
AY14-06	3/8	3/8
AY14-08	1/2	1/2
AY14-10	5/8	5/8
AY14-12	3/4	3/4



Female Elbow 90°

	TUBE	BSP
AY15-0302	3/16	1/8
AY15-0402	1/4	1/8
AY15-0404	1/4	1/4
AY15-0504	5/16	1/4
AY15-0604	3/8	1/4
AY15-0606	3/8	3/8
AY15-0806	1/2	3/8
AY15-0808	1/2	1/2



Bulkhead Union

	TUBE	TUBE
AZ31-04	1/4	1/4
AZ31-05	5/16	5/16
AZ31-06	3/8	3/8
AZ31-08	1/2	1/2



Plug


	TUBE
AZ65-03	3/16
AZ65-04	1/4
AZ65-05	5/16
AZ65-06	3/8
AZ65-08	1/2
AZ65-10	5/8
AZ65-12	3/4



SAE 45° Flare Fittings

All Parts are brass unless otherwise noted.
 "A" Product group designator.

Part Number Part Number Part Number




Standard Flare Nut

	TUBE	PARKER NO.
A6-02	1/8	41FS-2
A6-03	3/16	41FS-3
A6-04	1/4	41FS-4
A6-05	5/16	41FS-5
A6-06	3/8	41FS-6
A6-08	1/2	41FS-8
A6-10	5/8	41FS-10
A6-12	3/4	41FS-12




Short Flare Nut

	TUBE	PARKER NO.
A6-S04	1/4	14FSX-4
A6-S05	5/16	14FSX-5
A6-S06	3/8	14FSX-6
A6-S08	1/2	14FSX-8



Reducing Nut


	TUBE	TUBE	PARKER NO.
A6-0504	5/16	1/4	
A6-0604	3/8	1/4	41FS-6-4
A6-0605	3/8	5/16	
A6-0806	1/2	3/8	41FS-8-6



Male Connector


	TUBE	BSP
A7-0202	1/8	1/8
A7-0302	3/16	1/8
A7-0304	3/16	1/4
A7-0402	1/4	1/8
A7-0404	1/4	1/4
A7-0406	1/4	3/8
A7-0408	1/4	1/2
A7-0502	5/16	1/8
A7-0504	5/16	1/4
A7-0506	5/16	3/8

A7-0508	5/16	1/2
A7-0602	3/8	1/8
A7-0604	3/8	1/4
A7-0606	3/8	3/8
A7-0608	3/8	1/2
A7-0612	3/8	3/4
A7-0804	1/2	1/4
A7-0806	1/2	3/8
A7-0808	1/2	1/2
A7-0812	1/2	3/4
A7-1008	5/8	1/2
A7-1208	3/4	1/2
A7-1212	3/4	3/4



Male Connector


	TUBE	NPTF	PARKER NO.
A7-0402N	1/4	1/8	48F-4-2
A7-0404N	1/4	1/4	48F-4-4
A7-0502N	5/16	1/8	48F-5-2
A7-0504N	5/16	1/4	48F-5-4
A7-0602N	3/8	1/8	48F-6-2
A7-0604N	3/8	1/4	48F-6-4
A7-0606N	3/8	3/8	48F-6-6



Male Elbow 90°


	TUBE	BSP
A8-0202	1/8	1/8
A8-0302	3/16	1/8
A8-0402	1/4	1/8
A8-0404	1/4	1/4
A8-0406	1/4	3/8
A8-0408	1/4	1/2
A8-0502	5/16	1/8
A8-0504	5/16	1/4
A8-0506	5/16	3/8
A8-0508	5/16	1/2
A8-0602	3/8	1/8
A8-0604	3/8	1/4
A8-0606	3/8	3/8
A8-0608	3/8	1/2
A8-0804	1/2	1/4
A8-0806	1/2	3/8
A8-0808	1/2	1/2

A8-1006	5/8	3/8
A8-1008	5/8	1/2
A8-1208	3/4	1/2
A8-1212	3/4	3/4




Male Elbow 90°

	TUBE	NPTF	PARKER NO.
A8-0402N	1/8	1/8	149F-4-2
A8-0404N	1/4	1/4	149F-4-4
A8-0502N	5/16	1/8	149F-5-2
A8-0504N	5/16	1/4	149F-5-4
A8-0602N	3/8	1/8	149F-6-2
A8-0604N	3/8	1/4	149F-6-4
A8-0606N	3/8	3/8	149F-6-6



Male Elbow 45°

	TUBE	BSP
A8-450402	1/4	1/8
A8-450502	5/16	1/8
A8-450604	3/8	1/4



Female Connector

	TUBE	BSP
A16-0302	3/16	1/8
A16-0402	1/4	1/8
A16-0404	1/4	1/4
A16-0406	1/4	3/8
A16-0502	5/16	1/8
A16-0504	5/16	1/4
A16-0506	5/16	3/8
A16-0508	5/16	1/2
A16-0602	3/8	1/8
A16-0604	3/8	1/4
A16-0606	3/8	3/8
A16-0608	3/8	1/2
A16-0804	1/2	1/4
A16-0806	1/2	3/8
A16-0808	1/2	1/2




SAE 45° Flare Fittings

All Parts are brass unless otherwise noted.
 "A" Product group designator.

Part Number Part Number Part Number

A16-0812	1/2	3/4
A16-1208	3/4	1/2
A16-1212	3/4	3/4




Female Connector

	TUBE	NPTF	PARKER NO.
A16-0402N	1/4	1/8	46F-4-2
A16-0404N	1/4	1/4	46F-4-4
A16-0602N	3/8	1/8	46F-6-2
A16-0604N	3/8	1/4	46F-6-4
A16-0606N	3/8	3/8	46F-6-6




Union

	TUBE	TUBE	PARKER NO.
A17-02	1/8	1/8	42F-2
A17-03	3/16	3/16	42F-3
A17-04	1/4	1/4	42F-4
A17-05	5/16	5/16	42F-5
A17-06	3/8	3/8	42F-6
A17-08	1/2	1/2	42F-8
A17-10	5/8	5/8	42F-10
A17-12	3/4	3/4	42F-12




Union Reducing

	TUBE	TUBE	PARKER NO.
A17-0504	5/16	1/4	
A17-0604	3/8	1/4	42F-6-4
A17-0605	3/8	5/16	42F-6-5
A17-0806	1/2	3/8	42F-8-6




Union Elbow 90°

	TUBE	TUBE	PARKER NO.
A18-03	3/16	3/16	155F-3
A18-04	1/4	1/4	155F-4
A18-05	5/16	5/16	155F-5
A18-06	3/8	3/8	155F-6
A18-08	1/2	1/2	155F-8




Union Tee

	TUBE	TUBE	PARKER NO.
A19-02	1/8	1/8	
A19-03	3/16	3/16	144F-3
A19-04	1/4	1/4	144F-4
A19-05	5/16	5/16	144F-5
A19-06	3/8	3/8	144F-6
A19-08	1/2	1/2	144F-8
A19-10	5/8	5/8	144F-10




Male Branch Tee

	TUBE	BSP
A20-0402	1/4	1/8
A20-0404	1/4	1/4
A20-0502	5/16	1/8
A20-0504	5/16	1/4
A20-0506	5/16	3/8
A20-0604	3/8	1/4
A20-0606	3/8	3/8
A20-0804	1/2	1/4
A20-0806	1/2	3/8
A20-0808	1/2	1/2



Male Branch Tee

	TUBE	NPTF	PARKER NO.
A20-0402N	1/4	1/8	145F-4-2
A20-0404N	1/4	1/4	145F-4-4
A20-0504N	5/16	1/4	145F-5-4
A20-0604N	3/8	1/4	145F-6-4
A20-0606N	3/8	3/8	145F-6-6
A20-0806N	1/2	3/8	145F-8-6
A20-0808N	1/2	1/2	145F-8-8



Street Elbow

	TUBE	BSP
A36-0402	1/4	1/8
A36-0404	1/4	1/4
A36-0502	5/16	1/8
A36-0504	5/16	1/4
A36-0506	5/16	3/8
A36-0604	3/8	1/4
A36-0606	3/8	3/8
A36-0608	3/8	1/2
A36-0806	1/2	3/8
A36-0808	1/2	1/2
A36-1008	5/8	1/2




Cap Nut

	TUBE	PARKER NO.
A56-04	1/4	640F-4
A56-05	5/16	640F-5
A56-06	3/8	640F-6
A56-08	1/2	640F-8



Flared Seal Plug

	TUBE	PARKER NO.
A65-03	3/16	
A65-04	1/4	639F-4
A65-05	5/16	639F-5
A65-06	3/8	639F-6
A65-08	1/2	639F-8



Swivel Nut Valve Connector

	TUBE	TUBE	PARKER NO.
A70-04	1/4	1/4	14FSV-4
A70-06	3/8	3/8	14FSV-6
A70-08	1/2	1/2	14FSV-8



Inverted Flare Fittings

All Parts are brass unless otherwise noted.
 "A" Product group designator.

Part Number Part Number Part Number




Nut - Brass

	TUBE	PARKER NO.
A58-03	3/16	411FF-3
A58-04	1/4	411FF-4
A58-05	5/16	411FF-5
A58-06	3/8	411FF-6
A58-08	1/2	411FF-8




Nut - Steel

	TUBE	PARKER NO.
A58-03S	3/16	411FS-3
A58-04S	1/4	411FS-4
A58-05S	5/16	411FS-5
A58-06S	3/8	411FS-6
A58-08S	1/2	411FS-8




Long Nut - Steel

	TUBE
A58-SL03	3/16
A58-SL04	1/4
A58-SL05	5/16




Male Elbow 90°

	TUBE	BSP
A59-0202	1/8	1/8
A59-0302	3/16	1/8
A59-0402	1/4	1/8
A59-0404	1/4	1/4
A59-0502	5/16	1/8
A59-0504	5/16	1/4
A59-0602	3/8	1/8
A59-0604	3/8	1/4
A59-0806	1/2	3/8




Male Elbow 90°

	TUBE	NPTF	PARKER NO.
A59-0402N	1/4	1/8	249IFHD-4-2




Male Elbow 45°

	TUBE	BSP
A59-450302	3/16	1/8
A59-450402	1/4	1/8
A59-450502	5/16	1/8
A59-450604	3/8	1/4




Union Tee

	TUBE	TUBE	PARKER NO.
A61-03	3/16	3/16	244IFH-3
A61-04	1/4	1/4	244IFH-4




Male Connector

	TUBE	BSP
A62-0202	1/8	1/8
A62-0302	3/16	1/8
A62-0402	1/4	1/8
A62-0404	1/4	1/4
A62-0502	5/16	1/8
A62-0504	5/16	1/4
A62-0604	3/8	1/4
A62-0806	1/2	3/8



Single Union

	TUBE	SAE
A62-W0407	1/4	7/16
A62-W0408	1/4	1/2
A62-W0508	5/16	1/2



Union


	TUBE	TUBE	PARKER NO.
A63-02	1/8	1/8	42IFHD-2
A63-03	3/16	3/16	42IFHD-3
A63-04	1/4	1/4	42IFHD-4
A63-05	5/16	5/16	42IFHD-5
A63-06	3/8	3/8	42IFHD-6



Airbrake Fittings (NITEX)


All Parts are brass unless otherwise noted.
 "A" Product group designator.

Part Number Part Number Part Number



Union

	TUBE	TUBE
ABL100-2	1/8	1/8
ABL100-3	3/16	3/16
ABL100-4	1/4	1/4
ABL100-5	5/16	5/16
ABL100-6	3/8	3/8
ABL100-8	1/2	1/2




Sleeve

	TUBE
ABL103-2	1/8
ABL103-3	3/16
ABL103-4	1/4
ABL103-5	5/16
ABL103-6	3/8
ABL103-6R	3/8
ABL103-8	1/2




Stepped Nut

	TUBE
ABL104-2	1/8
ABL104-3	3/16
ABL104-4	1/4
ABL104-5	5/16
ABL104-6	3/8
ABL104-8	1/2




Male Connector

	TUBE	NPT
ABL105-3-2	3/16	1/8
ABL105-4-2	1/4	1/8
ABL105-4-4	1/4	1/4
ABL105-5-2	5/16	1/8
ABL105-5-4	5/16	1/4
ABL105-6-2	3/8	1/8
ABL105-6-4	3/8	1/4
ABL105-6-6	3/8	3/8
ABL105-6-8	3/8	1/2
ABL105-8-4	1/2	1/4
ABL105-8-6	1/2	3/8
ABL105-8-8	1/2	1/2




Male Elbow

	TUBE	NPT
ABL108-2-2	1/8	1/8
ABL108-4-2	1/4	1/8
ABL108-4-4	1/4	1/4
ABL108-5-2	5/16	1/8
ABL108-5-4	5/16	1/4
ABL108-6-2	3/8	1/8
ABL108-6-4	3/8	1/4
ABL108-6-6	3/8	3/8
ABL108-8-4	1/2	1/4
ABL108-8-6	1/2	3/8
ABL108-8-8	1/2	1/2




Union Tee

	TUBE	TUBE
ABL110-4	1/4	1/4
ABL110-5	5/16	5/16
ABL110-6	3/8	3/8
ABL110-8	1/2	1/2



Male Branch Tee

	TUBE	NPT
ABL111-3-2	3/16	1/8
ABL111-4-2	1/4	1/8
ABL111-4-4	1/4	1/4
ABL111-5-4	5/16	1/4
ABL111-6-4	3/8	1/4
ABL111-6-6	3/8	3/8
ABL111-8-6	1/2	3/8



Male Run Tee

	TUBE	NPT
ABL112-4-2	1/4	1/8
ABL112-4-4	1/4	1/4
ABL112-6-4	3/8	1/4
ABL112-8-6	1/2	3/8


(Refer to catalogue 3501E for complete range of Air Brake Compression Fittings)



Threaded Adapters


All Parts are brass unless otherwise noted.
 "A" Product group designator

Part Number Part Number Part Number




Reducing Bush

	BSP	BSP
A24-0402	1/4	1/8
A24-0602	3/8	1/8
A24-0604	3/8	1/4
A24-0802	1/2	1/8
A24-0804	1/2	1/4
A24-0806	1/2 3	/8
A24-1202	3/4	1/8
A24-1204	3/4	1/4
A24-1206	3/4	3/8
A24-1208	3/4	1/2
A24-1606	1	3/8
A24-1608	1	1/2
A24-1612	1	3/4




Reducing Bush

	NPTF	NPTF	PARKER NO.
A24-0402N	1/4	1/8	209P-4-2
A24-0602N	3/8	1/8	209P-6-2
A24-0604N	3/8	1/4	209P-6-4
A24-0802N	1/2	1/8	209P-8-2
A24-0804N	1/2	1/4	209P-8-4
A24-0806N	1/2	3/8	209P-8-6
A24-1206N	3/4	3/8	209P-12-6
A24-1208N	3/4	1/2	209P-12-8




90° Street Elbow Short

	BSP	BSP
A25-02	1/8	1/8
A25-04	1/4	1/4
A25-06	3/8	3/8
A25-08	1/2	1/2




90° L Shape Street Elbow

	BSP	BSP
A25C-02	1/8	1/8
A25C-04	1/4	1/4
A25C-06	3/8	3/8
A25C-08	1/2	1/2




90° Street Elbow (Extruded)

	NPTF	NPTF
A25-02N	1/8	1/8
A25-04N	1/4	1/4
A25-06N	3/8	3/8




45° Street Elbow

	BSP	BSP
A25-4502	1/8	1/8
A25-4504	1/4	1/4
A25-4506	3/8	3/8
A25-4508	1/2	1/2




45° Street Elbow

	NPTF	NPTF	PARKER NO
A25-4504N	1/4	1/4	2214P-5-4
A25-4506N	3/8	3/8	2214P-6-6




Coupling

	BSP	BSP
A26-02	1/8	1/8
A26-04	1/4	1/4
A26-06	3/8	3/8
A26-08	1/2	1/2
A26-12	3/4	3/4
A26-16	1	1



Coupling


	NPTF	NPTF	PARKER NO
A26-02N	1/8	1/8	207P-2
A26-04N	1/4	1/4	207P-4
A26-06N	3/8	3/8	207P-6



Hex Nipple


	BSP	BSP
A27-02	1/8	1/8

A27-04	1/4	1/4
A27-06	3/8	3/8
A27-08	1/2	1/2
A27-12	3/4	3/4
A27-16	1	1




Hex Nipple

	NPTF	NPTF	PARKER NO
A27-02N	1/8	1/8	216P-2
A27-04N	1/4	1/4	216P-4
A27-06N	3/8	3/8	216P-6




Long Hex. Nipple

	BSP	LENGTH
A28-0224	1/8	1 1/2
A28-0232	1/8	2
A28-0424	1/4	1 1/2
A28-0432	1/4	2
A28-0440	1/4	2 1/2
A28-0448	1/4	3



Reducer Coupling

	BSP	BSP
A29-0402	1/4	1/8
A29-0602	3/8	1/8
A29-0604	3/8	1/4
A29-0802	1/2	1/8
A29-0804	1/2	1/4
A29-0806	1/2	3/8
A29-1208	3/4	1/2



Cap

	BSP
B33P-02	1/8
B33P-04	1/4
B33P-06	3/8
B33P-08	1/2
B33P-12	3/4


(Refer to page 23 for full range)



Threaded Adapters


All Parts are brass unless otherwise noted.
 "A" Product group designator

Part Number Part Number Part Number




Female Elbow 90°

	BSP	BSP
A34-02	1/8	1/8
A34-04	1/4	1/4
A34-06	3/8	3/8




Female Elbow 90°

	NPTF	NPTF	PARKER NO.
A34-02N	1/8	1/8	1200P-2-2
A34-04N	1/4	1/4	2200P-4-4
A34-06N	3/8	3/8	2200P-6-6




Female Elbow 45°

	BSP	BSP
A34-4502	1/8	1/8
A34-4504	1/4	1/4
A34-4506	3/8	3/8




Female Tee

	BSP	BSP
A35-02	1/8	1/8
A35-04	1/4	1/4
A35-06	3/8	3/8
A35-08	1/2	1/2




Female Tee

	NPTF	NPTF	PARKER NO.
A35-02N	1/8	1/8	1203P-2
A35-04N	1/4	1/4	2203P-4
A35-06N	3/8	3/8	2203P-6




Male Branch Tee

	BSP	BSP
A35MF-02	1/8	1/8
A35MF-04	1/4	1/4
A35MF-06	3/8	3/8



Female Cross

	BSP	BSP
A37-02	1/8	1/8
A37-04	1/4	1/4
A37-06	3/8	3/8
A37-08	1/2	1/2



Female Cross

	NPTF	NPTF	PARKER NO.
A37-02N	1/8	1/8	2205P-2



60° Seated Union

	BSPP-60°	BSP
A38-0502	1/4	1/8
A38-0504	1/4	1/4
A38-0506	1/4	3/8
A38-0604	3/8	1/4
A38-0606	3/8	3/8
A38-0808	1/2	1/2



60° Seated Female Union

	BSPP-60°	BSP
A38-F0502	1/4	1/8
A38-F0504	1/4	1/4
A38-F0506	1/4	3/8



60° Seated Double Union

	BSPP-60°	BSPP-60°
A39-05	1/4	1/4
A39-06	3/8	3/8
A39-08	1/2	1/2




Solder-on Tail

	TUBE	Nut Size
A44-03	3/16	1/8
A44-04	1/4	7/16-20
A44-05	5/16	1/4
A44-06	3/8	3/8
A44-08	1/2	1/2



BSP Nut

	TUBE
A45-03	1/8
A45-05	1/4
A45-06	3/8
A45-08	1/2



Male Elbow


	BSP	BSP
A48-02	1/8	1/8
A48-0402	1/4	1/8
A48-04	1/4	1/4
A48-0604	3/8	1/4
A48-06	3/8	3/8
A48-08	1/2	1/2



Threaded Adapters

All Parts are brass unless otherwise noted.
"A" Product group designator

Part Number Part Number Part Number



Male Tee

	BSP	BSP-60°
A50-B02	1/8	1/8
A50-B04	1/4	1/4
A50-B06	3/8	3/8
A50-B08	1/2	1/2



Hex. Head Plug

	BSP
A64-02	1/8
A64-04	1/4
A64-06	3/8
A64-08	1/2
A64-12	3/4
A64-16	1



Hex. Head Plug

	NPTF	PARKER NO.
A64-02N	1/8	218P-2
A64-04N	1/4	218P-4
A64-06N	3/8	218P-6
A64-08N	1/2	218P-8



Socket Head Plug

	BSP
A64SH-02	1/8
A64SH-04	1/4
A64SH-06	3/8
A64SH-08	1/2



Tank Collar

	BSP	Boss Dia
A71-0208	1/8	1/2
A71-0410	1/4	5/8
A71-0614	3/8	7/8
A71-0816	1/2	1



M/F Adapter

	Fem. BSP	BSP
A72-0204SAE	1/8	1/4 SAE
A72-0206MM	1/8	6 mm
A72-0208MM	1/8	8 mm
A72-0202	1/8	1/8
A72-020224	1/8	1 1/2 Long
A72-0402	1/4	1/8
A72-0404	1/4	1/4
A72-0602	3/8	1/8
A72-0604	3/8	1/4
A72-0606	3/8	3/8
A72-0804	1/2	1/4
A72-0806	1/2	3/8
A72-0808	1/2	1/2
A72-1208	3/4	1/2
A72-1212	3/4	3/4



Adapter

	NPTF	NPTF	PARKER NO.
A72-0202N	1/8	1/8	222P-2-2
A72-0402N	1/4	1/8	222P-4-2
A72-0404N	1/4	1/4	222P-4-4
A72-0604N	3/8	1/4	222P-6-4
A72-0806N	1/2	3/8	222P-8-6



Reducing Nipple

	BSP	BSP
A73-0402	1/4	1/8
A73-0602	3/8	1/8
A73-0604	3/8	1/4
A73-0804	1/2	1/4
A73-0806	1/2	3/8
A73-1206	3/4	3/8
A73-1208	3/4	1/2




Reducing Nipple

	NPTF	NPTF	PARKER NO
A73-0402N	1/4	1/8	216P-4-2
A73-0602N	3/8	1/8	216P-6-2
A73-0604N	3/8	1/4	216P-6-4
A73-0806N	1/2	3/8	216P-8-6



Lock Nut

	BSP
A74-02	1/8
A74-04	1/4
A74-06	3/8
A74-08	1/2
A74-12	3/4



Female "Y" Piece

	BSP	BSP
A75-02	1/8	1/8
A75-04	1/4	1/4



Breather


	BSP
A76-02	1/8
A76-04	1/4
A76-06	3/8



Plumbing (Standard BSPP)

All Parts are brass unless otherwise noted.
 "B" Product group designator

Part Number Part Number Part Number




90° Street Elbow

	Fem BSP	BSP
B25P-02	1/8	1/8
B25P-04	1/4	1/4
B25P-06	3/8	3/8
B25P-08	1/2	1/2
B25P-12	3/4	3/4
B25P-16	1	1
B25P-20	1 1/4	1 1/4
B25P-24	1 1/2	1 1/2
B25P-32	2	2



Hex Socket

	Fem BSP	Fem BSP
B26P-12	3/4	3/4
B26P-16	1	1
B26P-20	1 1/4	1 1/4
B26P-24	1 1/2	1 1/2
B26P-32	2	2




Hex Nipple

	BSP	BSP
B27P-12	3/4	3/4
B27P-16	1	1
B27P-20	1 1/4	1 1/4
B27P-24	1 1/2	1 1/2
B27P-32	2	2




Cap

	Fem BSP
B33P-02	1/8
B33P-04	1/4
B33P-06	3/8
B33P-08	1/2
B33P-12	3/4
B33P-16	1
B33P-20	1 1/4
B33P-24	1 1/2
B33P-32	2




Female Elbow 90°

	Fem BSP	Fem BSP
B34P-02	1/8	1/8
B34P-04	1/4	1/4
B34P-06	3/8	3/8
B34P-08	1/2	1/2
B34P-12	3/4	3/4
B34P-16	1	1
B34P-20	1 1/4	1 1/4
B34P-24	1 1/2	1 1/2
B34P-32	2	2




Female Tee

	Fem BSP	Fem BSP
B35P-02	1/8	1/8
B35P-04	1/4	1/4
B35P-06	3/8	3/8
B35P-08	1/2	1/2
B35P-12	3/4	3/4
B35P-16	1	1
B35P-20	1 1/4	1 1/4
B35P-24	1 1/2	1 1/2
B35P-32	2	2



M/F Adapter


	Fem BSP	BSP
B72P-1212	3/4	3/4
B72P-1608	1	1/2
B72P-1612	1	3/4
B72P-2016	1 1/4	1
B72P-2420	1 1/2	1 1/4
B72P-3224	2	1 1/2



Reducing Nipple


	BSP	BSP
B73P-1208	3/4	1/2
B73P-1608	1	1/2
B73P-1612	1	3/4

B73P-2012	1 1/4	3/4
B73P-2016	1 1/4	1
B73P-2416	1 1/2	1
B73P-2420	1 1/2	1 1/4
B73P-3220	2	1 1/4
B73P-3224	2	1 1/2




Lock Nut

	Fem BSP
B74P-08	1/2
B74P-12	3/4
B74P-16	1
B74P-20	1 1/4
B74P-24	1 1/2
B74P-32	2



F/F Barrel Union

	Fem BSP	Fem BSP
B85P-02	1/8	1/8
B85P-04	1/4	1/4
B85P-06	3/8	3/8
B85P-08	1/2	1/2
B85P-12	3/4	3/4
B85P-16	1	1
B85P-20	1 1/4	1 1/4
B85P-24	1 1/2	1 1/2
B85P-32	2	2



M/F Barrel Union

	Fem BSP	BSP
B87P-02	1/8	1/8
B87P-04	1/4	1/4
B87P-06	3/8	3/8
B87P-08	1/2	1/2
B87P-12	3/4	3/4
B87P-16	1	1
B87P-20	1 1/4	1 1/4
B87P-24	1 1/2	1 1/2
B87P-32	2	2



150lb Stainless Steel Pipe Fittings


All Parts are stainless steel unless otherwise noted.
 "D" Product group designator

Part Number Part Number Part Number



Reducing Bush

	BSP	BSP
D24SS-0402	1/4	1/8
D24SS-0604	3/8	1/4
D24SS-0804	1/2	1/4
D24SS-0806	1/2	3/8
D24SS-1206	3/4	3/8
D24SS-1208	3/4	1/2
D24SS-1608	1	1/2
D24SS-1612	1	3/4
D24SS-2016	1 1/4	1
D24SS-2416	1 1/2	1
D24SS-2420	1 1/2	1 1/4
D24SS-3216	2	1
D24SS-3220	2	1 1/4
D24SS-3224	2	1 1/2



90° Street Elbow

	BSP Female	BSP Male
D25SS-02	1/8	1/8
D25SS-04	1/4	1/4
D25SS-06	3/8	3/8
D25SS-08	1/2	1/2
D25SS-12	3/4	3/4
D25SS-16	1	1
D25SS-20	1 1/4	1 1/4
D25SS-24	1 1/2	1 1/2
D25SS-32	2	2




Round Socket

	BSP Female
D26SS-02	1/8
D26SS-04	1/4
D26SS-06	3/8
D26SS-08	1/2
D26SS-12	3/4
D26SS-16	1
D26SS-20	1 1/4
D26SS-24	1 1/2
D26SS-32	2




Hex Nipple

	BSP
D27SS-02	1/8
D27SS-04	1/4
D27SS-06	3/8
D27SS-08	1/2
D27SS-12	3/4
D27SS-16	1
D27SS-20	1 1/4
D27SS-24	1 1/2
D27SS-32	2




Cap

	BSP Female
D33SS-04	1/4
D33SS-06	3/8
D33SS-08	1/2
D33SS-12	3/4
D33SS-16	1
D33SS-20	1 1/4
D33SS-24	1 1/2
D33SS-32	2




Female Elbow 90°

	BSP Female	BSP Female
D34SS-02	1/8	1/8
D34SS-04	1/4	1/4
D34SS-06	3/8	3/8
D34SS-08	1/2	1/2
D34SS-12	3/4	3/4
D34SS-16	1	1
D34SS-20	1 1/4	1 1/4
D34SS-24	1 1/2	1 1/2
D34SS-32	2	2



Female Tee

	BSP Female	BSP Female
D35SS-02	1/8	1/8
D35SS-04	1/4	1/4
D35SS-06	3/8	3/8
D35SS-08	1/2	1/2
D35SS-12	3/4	3/4
D35SS-16	1	1
D35SS-20	1 1/4	1 1/4
D35SS-24	1 1/2	1 1/2
D35SS-32	2	2



Plug


	BSP
D64SS-02	1/8
D64SS-04	1/4
D64SS-06	3/8
D64SS-08	1/2
D64SS-12	3/4
D64SS-16	1
D64SS-20	1 1/4
D64SS-24	1 1/2
D64SS-32	2



150lb Stainless Steel Pipe Fittings


All Parts are stainless steel unless otherwise noted.
 "D" Product group designator

Part Number Part Number Part Number



Reducing Nipple

	BSP	BSP
D73SS-0402	1/4	1/8
D73SS-0604	3/8	1/4
D73SS-0804	1/2	1/4
D73SS-0806	1/2	3/8
D73SS-1206	3/4	3/8
D73SS-1208	3/4	1/2
D73SS-1608	1	1/2
D73SS-1612	1	3/4
D73SS-2016	1 1/4	1
D73SS-2416	1 1/2	1
D73SS-2420	1 1/2	1 1/4
D73SS-3220	2	1 1/4
D73SS-3224	2	1 1/2




Barb Tail

	Hose	BSP
DP3SS-0404	1/4	1/4
DP3SS-0604	3/8	1/4
DP3SS-0606	3/8	3/8
DP3SS-0608	3/8	1/2
DP3SS-0808	1/2	1/2
DP3SS-1208	3/4	1/2
DP3SS-1212	3/4	3/4
DP3SS-1616	1	1
DP3SS-2020	1 1/4	1 1/4
DP3SS-2424	1 1/2	1 1/2
DP3SS-3232	2	2



Lock Nut

	BSP
D74SS-02	1/8
D74SS-04	1/4
D74SS-06	3/8
D74SS-08	1/2
D74SS-12	3/4
D74SS-16	1



F/F Barrel Union

	BSP Female
D85SS-04	1/4
D85SS-06	3/8
D85SS-08	1/2
D85SS-12	3/4
D85SS-16	1
D85SS-20	1 1/4
D85SS-24	1 1/2
D85SS-32	2




Hose Barbs

All Parts are brass unless otherwise noted.


"B" Product group designator

Part Number Part Number Part Number




Male Tailpiece

	Hose	BSP
BP3-0302	3/16	1/8
BP3-0304	3/16	1/4
BP3-0402	1/4	1/8
BP3-0404	1/4	1/4
BP3-0406	1/4	3/8
BP3-0408	1/4	1/2
BP3-0502	5/16	1/8
BP3-0504	5/16	1/4
BP3-0506	5/16	3/8
BP3-0508	5/16	1/2
BP3-0602	3/8	1/8
BP3-0604	3/8	1/4
BP3-0606	3/8	3/8
BP3-0608	3/8	1/2
BP3-0612	3/8	3/4
BP3-0802	1/2	1/8
BP3-0804	1/2	1/4
BP3-0806	1/2	3/8
BP3-0808	1/2	1/2
BP3-0812	1/2	3/4
BP3-1004	5/8	1/4
BP3-1006	5/8	3/8
BP3-1008	5/8	1/2
BP3-1206	3/4	3/8
BP3-1208	3/4	1/2
BP3-1212	3/4	3/4
BP3-1216	3/4	1
BP3-1608	1	1/2
BP3-1612	1	3/4
BP3-1616	1	1
BP3-2020	1 1/4	1 1/4
BP3-2424	1 1/2	1 1/2
BP3-3232	2	2
BP3-4848	3	3




Male Tailpiece

	HOSE	NPTF	PARKER NO.
BP3-0302N	3/16	1/8	125HB-3-2
BP3-0402N	1/4	1/8	125HB-4-2
BP3-0404N	1/4	1/4	125HB-4-4
BP3-0406N	1/4	3/8	125HB-4-6
BP3-0502N	5/16	1/8	125HB-5-2
BP3-0504N	5/16	1/4	125HB-5-4
BP3-0506N	5/16	3/8	125HB-5-6
BP3-0602N	3/8	1/8	125HB-6-2
BP3-0604N	3/8	1/4	125HB-6-4
BP3-0606N	3/8	3/8	125HB-6-6
BP3-0608N	3/8	1/2	125HB-6-8
BP3-0804N	1/2	1/4	125HB-8-4
BP3-0806N	1/2	3/8	125HB-8-6
BP3-0808N	1/2	1/2	125HB-8-8
BP3-1006N	5/8	3/8	125HB-10-6
BP3-1212N	3/4	3/4	125HBL-12-12




Male Tailpiece Swivel

	HOSE	BSP
BSP3-0404	1/4	1/4
BSP3-0606	3/8	3/8
BSP3-0808	1/2	1/2
BSP3-1212	3/4	3/4




Nut & Tail Assembly

	HOSE	BSP
BP5-0302	3/16	1/8
BP5-0304	3/16	1/4
BP5-0404	1/4	1/4
BP5-0406	1/4	3/8
BP5-0408	1/4	1/2
BP5-0504	5/16	1/4
BP5-0506	5/16	3/8
BP5-0508	5/16	1/2
BP5-0604	3/8	1/4
BP5-0606	3/8	3/8
BP5-0608	3/8	1/2
BP5-0806	1/2	3/8
BP5-0808	1/2	1/2
BP5-1212	3/4	3/4
BP5-1616	1	1



Male Elbow 90°

	HOSE	BSP
BP6-0302	3/16	1/8
BP6-0402	1/4	1/8
BP6-0404	1/4	1/4
BP6-0406	1/4	3/8
BP6-0502	5/16	1/8
BP6-0504	5/16	1/4
BP6-0506	5/16	3/8
BP6-0602	3/8	1/8
BP6-0604	3/8	1/4
BP6-0606	3/8	3/8
BP6-0608	3/8	1/2
BP6-0804	1/2	1/4
BP6-0806	1/2	3/8
BP6-0808	1/2	1/2
BP6-1004	5/8	1/4
BP6-1006	5/8	3/8
BP6-1008	5/8	1/2
BP6-1208	3/4	1/2
BP6-1212	3/4	3/4



Male Elbow 90°

	HOSE	NPTF	PARKER NO
BP6-0402N	1/4	1/8	129HB-4-2
BP6-0502N	5/16	1/8	129HB-5-2
BP6-0504N	5/16	1/4	129HB-5-4
BP6-0506N	5/16	3/8	129HB-5-6
BP6-0602N	3/8	1/8	129HB-6-2
BP6-0604N	3/8	1/4	129HB-6-4
BP6-0606N	3/8	3/8	129HB-6-6
BP6-0804N	1/2	1/4	129HB-8-4
BP6-0806N	1/2	3/8	129HB-8-6



Hose Barbs


All Parts are brass unless otherwise noted.
 "B" Product group designator

Part Number **Part Number** **Part Number**




Hose Joiner

	HOSE	HOSE	PARKER NO.
BP7-03	3/16	3/16	122HB-3
BP7-04	1/4	1/4	122HBL-4
BP7-05	5/16	5/16	122HBL-5
BP7-06	3/8	3/8	122HBL-6
BP7-08	1/2	1/2	122HBL-8
BP7-10	5/8	5/8	
BP7-12	3/4	3/4	
BP7-16	1	1	




Female Tailpiece

	HOSE	BSP
BP10-0302	3/16	1/8
BP10-0304	3/16	1/4
BP10-0402	1/4	1/8
BP10-0404	1/4	1/4
BP10-0406	1/4	3/8
BP10-0408	1/4	1/2
BP10-0502	5/16	1/8
BP10-0504	5/16	1/4
BP10-0506	5/16	3/8
BP10-0508	5/16	1/2
BP10-0602	3/8	1/8
BP10-0604	3/8	1/4
BP10-0606	3/8	3/8
BP10-0608	3/8	1/2
BP10-0804	1/2	1/4
BP10-0806	1/2	3/8
BP10-0808	1/2	1/2
BP10-1006	5/8	3/8
BP10-1208	3/4	1/2
BP10-1212	3/4	3/4




Hose Joiner 90° Elbow

	HOSE	HOSE
BP11-03	3/16	3/16
BP11-04	1/4	1/4
BP11-05	5/16	5/16
BP11-06	3/8	3/8
BP11-08	1/2	1/2
BP11-10	5/8	5/8
BP11-12	3/4	3/4



Hose Branch Tee

	HOSE	BSP
BP12-0302	3/16	1/8
BP12-0402	1/4	1/8
BP12-0404	1/4	1/4
BP12-0502	5/16	1/8
BP12-0504	5/16	1/4
BP12-0602	3/8	1/8
BP12-0604	3/8	1/4
BP12-0606	3/8	3/8
BP12-0804	1/2	1/4
BP12-0806	1/2	3/8
BP12-0808	1/2	1/2
BP12-1006	5/8	3/8
BP12-1212	3/4	3/4



Hose Joiner Tee


	HOSE	HOSE
BP14-03	3/16	3/16
BP14-04	1/4	1/4
BP14-05	5/16	5/16
BP14-06	3/8	3/8
BP14-08	1/2	1/2
BP14-10	5/8	5/8
BP14-12	3/4	3/4
BP14-16	1	1



Tube Support Spigot

All Parts are brass unless otherwise noted.
"A" Product group designator

Part Number Part Number Part Number



Imperial - Blue Line

	TUBE OD	TUBE ID	PARKER NO.
A99-03	3/16	.125	E0506/03X
A99-04	1/4	.169	63PT-4-40
A99-05	5/16	.214	E06/05X
A99-06	3/8	.258	63PT-6-62
A99-08	1/2	.347	E12/09X
A99-10	5/8	.495	63PT-10-62
A99-12	3/4	.590	

Metric - Blue Line

	TUBE OD mm	TUBE ID mm	PARKER NO.
A99-M04	4	2.5	E04/2.5X
A99-M05	5	3.3	E0505/03X
A99-M06	6	4	E0506/04X
A99-M08	8	5	E08/05X
A99-M08X06	8	6	E0810/06X
A99-M10	10	6	63PT-6-62
A99-M12	12	8	E12/08X

Imperial - Yellow Line

	TUBE OD	TUBE ID	PARKER NO.
A99-YL04	1/4	.147	E0506/04X
A99-YL05	5/16	.186	63PT-5-62
A99-YL06	3/8	.224	E0810/06X
A99-YL08	1/2	.303	E10/08X

J844 AirBrake

	TUBE OD	TUBE ID	PARKER NO.
A99-BR06	3/8	.251	63NTA-6
A99-BR08	1/2	.375	63NTA-8
A99-BR10	5/8	.441	63NTA-10
A99-BR12	3/4	.566	63NTA-12

Nitex AirBrake

	TUBE OD	TUBE ID	PARKER NO.
A99-SW06	3/8	.225 Nitex	63NTA-6

J1394 Metric AirBrake

	TUBE OD mm	TUBE ID mm	PARKER NO.
A99-BRM08	8	6	E0810/06X
A99-BRM10	10	7	E10/08X
A99-BRM12	12	9	E12/09X



Product Information

The following is a brief overview of the most commonly used fittings and this information is designed to describe various styles available but is not intended to recommend any particular type.

Tubelink Standard Compression Fittings



Not recommended for use with steel BUNDY TUBE.

Standard compression fittings are manufactured from brass and are the most basic style of compression fitting made. The fitting is made up of three parts to complete a joint, these being an olive, a nut and a body. The joint is made by inserting the tube down to the tube stop and tightening the nut 1-1/2 turns which forces the olive to conform to the shape of the radius and taper of the body and nut. This compression of the olive onto the tube is known as "Standard Compression". There are two styles of olives available for standard compression fittings, the No 1 style, for metal tube only and the No 100 style, a universal style suitable for copper-aluminium and nylon-poly. The No 100 is standard assembly with all Cougar fittings as not only is it universal in its application but is also has a step in its design to reduce the possibility of over-tightening.

- Pressure: 1/8" - 1/2" Max 1250 PSI 8600 Kpa Hydraulic @ 25°C depending on tubing used
5/8" - 3/4" Max 500 PSI 3450 Kpa Hydraulic @ 25°C depending on tubing used

It is recommended that a spigot is used with nylon tube at maximum pressure

Tube Sizes: 1/8" - 3/4" and 4mm-12mm

Thread Sizes: 1/8" - 3/4" BSP and NPT

Threads used in Standard Compression			
Tube	Thread	Tube	Thread
1/8	5/16x24UNF	3/8	9/16x24UNEF
3/16	3/8x24UNF	1/2	11/16x24UN
1/4	7/16x24UNS	5/8	13/16x18UNS
5/16	1/2x24UNS	3/4	1x18UNS

Threads used in Metric Compression			
Tube	mm Pitch	Tube	mm Pitch
4	8x1	8	12x1
5	10x1	10	16x1.5
6	10x1	12	18x1.5

Tubelink Internal Compression Fittings



Tube Support



Not recommended for use with steel BUNDY TUBE.

Internal Compression Fittings are manufactured from brass and are the second most common style of compression fitting. This fitting operates on the same principle as standard compression but differs in that it has a male nut and female body as opposed to a male body and female nut on the standard compression. The advantage of the male nut is that the design gives longer tube support which is important in applications involving nylon tube where vibration is a factor.

Hard Drawn Copper, Steel, Stainless Steel and Bundy are not recommended to connect to single ferrule brass compression fittings. The preferred tubing is nylon or poly and annealed copper tube or aluminium.

- Pressure: 1/8" - 1/2" Max 1250 PSI 8600 Kpa Hydraulic @ 25°C depending on tubing used
5/8" - 3/4" Max 500 PSI 3450 Kpa Hydraulic @ 25°C depending on tubing used


It is recommended that a spigot is used with nylon tube at maximum pressure

Tube Sizes: 1/8" - 3/4" OD

Thread Sizes: 1/8" - 3/4" BSP

Threads used in Internal Compression Fittings			
Tube Size	Thread	Tube Size	Thread
1/8	9/32x26BRASS	3/8	9/16x24UNEF
3/16	3/8x24UNF	1/2	3/4x24UNS
1/4	7/16x24UNS	5/8	7/8x20UNEF
5/16	1/2x24UNS	3/4	1.025x18UNS

Hoselink Barb Tails



Hose barb tails are designed not to damage the inner wall of the connecting hose. They are not a push and lock style and require hose clamps or "O" Clips to secure the hose. Straight tailpieces are available in brass, stainless steel while the tees and elbows are available in brass.

- Pressure: Depending on the hose used but generally 150 PSI 1030 Kpa Max @ 25°C
- Hose Sizes: 3/16" - 3" Straight tails
3/16" - 1" Tees and Elbows
- Thread Sizes: 1/8" - 3" BSP

It should be noted that most fittings manufacturers describe hose fittings in imperial sizes.

e.g. 6mm (6.35mm = 1/4"). A conversion table is shown to assist in matching hose & fitting sizes.

Compatible Metric Sizes of Hose					
Imperial	Metric	Imperial	Metric	Imperial	Metric
3/16	5mm	1/2	12mm	1-1/4	32mm
1/4	6mm	5/8	16mm	1-1/2	40mm
5/16	8mm	3/4	19mm	2	50mm
3/8	10mm	1	25mm		



Product Information

The following is a brief overview of the most commonly used fittings and this information is designed to describe various styles available but is not intended to recommend any particular type.

Tubelink Flare Fittings

SAE Flare Fittings are predominantly manufactured from brass. The two major industrial styles of flare are SAE 45° seat and JIC 37 1/2° seat.

Generally, JIC is made of steel for hydraulic applications and the SAE is made of brass for various applications including LPG connections. A third style has a 60° seat and is generally only used on domestic brass plumbing applications.

Single flare is probably the most commonly used method and is best suited to heavy wall tubing. When single flare is used on 22 gauge and lighter, some splitting of the tube may occur during the flaring process. Double flare is recommended where high pressures are involved and annealed or semi-annealed tubing should be used for both single and double flare.

- Pressure


1/8 - 5/16"	Max 2500 PSI	17235 Kpa @ 25°C
3/8"	Max 2000 PSI	13800 Kpa @ 25°C
1/2 - 3/4"	Max 1500 PSI	10340 Kpa @ 25°C

Tube Sizes: 1/8 - 3/4" OD

Thread Sizes: 1/8 - 3/4" BSP-NPT

JIC thread forms are similar to SAE except for 3/8 tube size which has a 9/16 thread, and 3/4 JIC which has a 12 TPI thread. 60° seat plumbing fittings have parallel BSP threads.

Tube pressure ratings, application and 4:1 safety factor should always be engineered.



Threads used on SAE Flare			
Tube	Thread	Tube	Thread
1/8	5/16x24UNF	3/8	5/8x18UNF
3/16	3/8x24UNF	1/2	3/4x16UNF
1/4	7/16x20UNF	5/8	7/8x14UNF
5/16	1/2x20UNF	3/4	1-1/16x14UNF

Tubelink Inverted Flare Fittings

Cougar Inverted Flare Fittings function the same as SAE flare fittings but the body is female and the nut male. This style is mainly used in the automotive industry on brake and fuel lines. It is always recommended that double flare is used with this style of fitting. The body is generally brass and the nuts are manufactured in brass and steel.


- Pressure:

3/16 - 5/16"	Max 3000 PSI Hydraulic	20680 Kpa @ 25°C
3/8"	Max 2000 PSI	13800 Kpa @ 25°C
1/2"	Max 1500 PSI	10340 Kpa @ 25°C

Tube Sizes: 3/16 - 1/2" OD

Thread Sizes: 1/8 - 1/2" NPT
7/16 - 1/2" UNF

Tube pressure ratings, application and 4:1 safety factor should always be engineered.



Threads used on Inverted Flare			
Tube	Thread	Tube	Thread
1/8	5/16x20UNS	5/16	1/2x20UNF
3/16	3/8x24UNF	3/8	5/8x18UNF
1/4	7/16x24UNS	1/2	3/4x18UNS

Pipelink Screwed Adaptors

Cougar adaptors are available in brass and stainless steel with nylon fittings also available in some configurations. Most male threads are taper and the female are parallel in the engineering range, while the plumbing range is all parallel.


The high pressure range of stainless steel pipe fittings is a precision range with NPT threads being to ANSIB2.1 and the 150lb range of stainless pipe fittings are BSP threaded to normal commercial tolerances. It should be noted that 150lb does not relate to 150 pounds per square inch (PSI) but refers to 150lb crush pressure as a method of rating the fitting.

- Pressure:

High Pressure 316 Stainless	3000 PSI Max	20680 Kpa @ 25°C	(refer A-LOK)
150lb Range 316 Stainless	200 PSI Max	1380 Kpa @ 25°C	
Engineering Brass	500 PSI Max	3450 Kpa @ 25°C	
Plumbing Brass	200 PSI Max	1380 Kpa @ 25°C	

Thread Sizes: 1/8 - 2" BSP/NPT

Tube pressure ratings, application and 4:1 safety factor should always be engineered.





Product Information

The following is a brief overview of the most commonly used fittings and this information is designed to describe various styles available but is not intended to recommend any particular type.

Useful Conversion Tables




Pressure				
	(lbs/in ²) PSI	Kg/cm ²	Kpa	Bar
lbs/in ²	1	.07031	6.895	.0689
Kg/cm ²	14.22	1	98.05	.981
Kpa	.1451	.0102	1	.01
Bar	14.51	1.02	100	1

To arrive at a conversion, multiply the Known figure by the conversion factor, e.g. known 150 PSI How many Kpa?
 $150 \times 6.895 = 1034$ Kpa.
 Known 10 Bar How Many PSI?
 $10 \times 14.15 = 141.5$ PSI.

Measurement		
Fraction Inch	Decimal Inch	Millimetres
1/64	.0156	0.3969
1/32	.0312	0.7938
1/16	.0625	1.5875
1/8	.1250	3.1750
3/16	.1875	4.7625
1/4	.2500	6.3500
5/16	.3125	7.9375
3/8	.3750	9.5250

Measurement		
Fraction Inch	Decimal Inch	Millimetres
1/2	.5000	12.700
5/8	.6250	15.875
3/4	.7500	19.050
1	1.000	25.400
1 1/4	1.250	31.750
1 1/2	1.500	38.100
2	2.000	50.800
3	3.000	76.200
4	4.000	106.600



British Standard Threads



B.S.P. (British Standard Pipe)

Nominal Bore of Pipe	Outside Diameter of Pipe	No. of Threads Per Inch	Pitch	Depth of Thread	Diameter of Gauge plane (Gauge Dia.)	Distance of Gauge Dia. from end (Gauge Length)	Lengths of Useful Thread (basic)
	A	n	P	h	B	F	E
1/8	0.400	28	0.036	0.023	0.383	0.156	0.255
1/4	0.538	19	0.053	0.034	0.518	0.237	0.381
3/8	0.676	19	0.053	0.034	0.656	0.250	0.395
1/2	0.847	14	0.071	0.046	0.825	0.321	0.518
3/4	1.063	14	0.071	0.046	1.041	0.375	0.571
1	1.336	11	0.091	0.058	1.309	0.409	0.659
1 1/4	1.677	11	0.091	0.058	1.650	0.500	0.750
1 1/2	1.909	11	0.091	0.058	1.882	0.500	0.750

American Standard Threads



N.P.T. (National Pipe Taper)

Nominal Pipe size	Outside Diameter of Pipe	No. of Threads Per Inch	Handtight Engagement		Effective Thread External	Wrench Makeup length for External Thread	Wrench Makeup length for Internal Thread	Depth of Thread
			Thds.	Length, L1	Thds.	Length, L2	Length, L3	
	D	n		h				
1/8	0.405	27	4.36	0.374	7.12	2.76	3	0.030
1/4	0.540	18	4.10	0.492	7.23	3.13	3	0.044
3/8	0.675	18	4.32	0.627	7.34	3.02	3	0.044
1/2	0.840	14	4.48	0.778	7.47	2.99	3	0.057
3/4	1.050	14	4.75	0.989	7.64	2.89	3	0.057
1	1.315	11.5	4.60	1.239	7.85	3.25	3	0.070
1 1/4	1.660	11.5	4.83	1.583	8.13	3.30	3	0.070
1 1/2	1.900	11.5	4.83	1.822	8.32	3.49	3	0.070



ALPHA NUMERIC INDEX

A1	2,7	A65	10	BM100	5	209P	20
A10	3	A6-S	9	BM11	5	216P	22
A100	2,7	A7	9	BM12	6	218P	22
A11	3	A70	10	BM13	6	2200P	21
A12	3	A71	22	BM14	6	2203P	21
A13	3	A72	22	BM2	5	2205P	21
A14	4	A73	22	BM3	5	2214P	20
A15	4	A74-**UN	4	BM31	6	222P	22
A16	9,10	A74	22	BM4	5	244IFH	11
A17	10	A75	22	BM5	5	41FS	9
A18	10	A76	22	BP10	27	41IFF	11
A19	10	A8	9	BP11	27	41IFS	11
A2	2	A8-45	9	BP12	27	421IFHD	11
A20	10	A9	3	BP14	27	42F	10
A24	20	A99	44	BP3	26	46F	10
A25	20	A99-BR	44	BP5	26	48F	9
A25-45	20	A99-BRM	44	BP6	26	639F	10
A26	20	A99-M	44	BP7	27	63NTA-10	44
A27	20	A99-SW	44	BSP3	26	63NTA-12	44
A28	20	A99-YL	44	D24SS	24	63NTA-6	44
A29	20	ABL100	12	D25SS	24	63NTA-8	44
A3	2	ABL103	12	D26SS	24	63PT-10-62	44
A31	4	ABL104	12	D27SS	24	63PT-4-40	44
A31-F	4	ABL105	12	D33SS	24	63PT-5-62	44
A34	21	ABL108	12	D34SS	24	63PT-6-62	44
A34-45	21	ABL110	12	D35SS	24	640F	10
A35	21	ABL111	12	D64SS	24		
A35-**MF	21	ABL112	12	D73SS	25		
A36	10	AY11	8	D74SS	25		
A37	21	AY12	8	D85SS	25		
A38	21	AY13	8	DP3SS	25		
A38-F	21	AY14	8	E04/2.5X	44		
A39	21	AY15	8	E0506/03X	44		
A4	2	AY5	7	E0506/04X	44		
A44	21	AZ10	7	E06/05X	44		
A45	21	AZ2	7	E08/05X	44		
A48	21	AZ3	7	E0810/06X	44		
A5	2,3	AZ31	8	E10/08X	44		
A50	22	AZ4	7	E12/08X	44		
A5-45	3	AZ65	8	E12/09X	44		
A56	10	B25P	23	3101	14		
A58	11	B26P	23	1200P	21		
A58-SL	11	B27P	23	1203P	21		
A58-S	11	B33P	20,23	122HB	27		
A59	11	B33P	23	122HBL	27		
A59-45	11	B34P	23	125HB	26		
A6	9	B35P	23	125HBL	26		
A61	11	B72P	23	129HB	26		
A62	11	B73P	23	144F	10		
A62-W	11	B74P	23	14FSV	10		
A63	11	B85P	23	14FSX	9		
A64	22	B87P	23	155F	10		
A64-**SH	22	BM10	5				

National Customer Service Order Entry

Customer Service - Castle Hill
Parker Hannifin Australia
9 Carrington Road
Castle Hill NSW 2154
Phone: (02) 9842 5150
Fax: (02) 9842 5111
Email: customer.service.au@parker.com

Parker Regional Sales Offices

Parker Head Office

9 Carrington Road
Castle Hill NSW 2154
Phone: (02) 9634 7777
Fax: (02) 9842 5111

Parker South Queensland

Unit 4, 68 Murdoch Circuit
Acacia Ridge QLD 4110
Phone: (07) 3272 8244
Fax: (07) 3272 6699

Parker North Queensland

45-47 John Vella Drive
Paget QLD 4740
Phone: (07) 4952 4890
Fax: (07) 4952 4895

Parker Victoria

305 Frankston-Dandenong Road
Dandenong VIC 3175
Phone: (03) 9768 5555
Fax: (03) 9768 5556

Parker South Australia

Cnr Rosberg & Lafitte Roads
Wingfield SA 5013
Phone: (08) 8168 4300
Fax: (08) 8168 4399

Parker Western Australia

10 Hodgson Way
Kewdale WA 6105
Phone: (08) 9353 4011
Fax: (08) 9353 4088

Parker Distribution Centres

Parker Sydney

9 Carrington Road
Castle Hill NSW 2154

Wodonga

Lot 9 Chapple Street
Wodonga VIC 3690

Parker South Queensland

Unit 4, 68 Murdoch Circuit
Acacia Ridge QLD 4110

Parker North Queensland

7 Bain Street
Currajong QLD 4812

Parker Mackay

45-47 John Vella Drive
Paget QLD 4740

Parker Melbourne

305 Frankston-Dandenong Road
Dandenong VIC 3175

Parker Adelaide

Cnr Rosberg & Lafitte Roads
Wingfield SA 5013

Parker Western Australia

10 Hodgson Way
Kewdale WA 6105



Parker Hannifin (Australia) Pty Limited
9 Carrington Road
Castle Hill NSW 2154
Phone: (02) 9634 7777
Fax: (02) 9634 3749

www.parker.com