



JOB NAME: _____

Date: _____

TYPE: _____

L34 Series 5" 12W LED Anti-Glare Downlight



PRODUCT BENEFITS

- Three light color in one luminaire:30K,40K,50K.
- Easy fast install thanks to innovated design.
- Seperate J-box and wire for easy plug play.
- An IC rated downlight can come into direct contact with, and be abutted by building insulation.
- 5 years warranty.

PRODUCT FEATURES

- 3 CCT light colors selectable via slide switch,located on J-Box.
- Type of protection: Wet Locations.
- Connector box with push wire terminal for tool-free connection.
- Low profile luminaire can be install.



JOB NAME: _____

Date: _____

TYPE: _____

PRODUCT DATASHEET

ELECTRICAL SPECIFICATIONS

Voltage:	AC 120V
Frequency:	50/60Hz
Wattages:	12W
Power Factor:	≥0.9
Lamp Current:	120mA
THD:	≤20%
Ripple Current:	≤5%
Frequency of LED current:	≥120Hz

LIGHTING SPECIFICATIONS

LUMENS:	960 lm
Color:	3000K-4000K-5000K
Efficiency:	80 lm/W
Ra:	≥90
R9:	≥0
SDCM:	≤6
Duv:	≤0.006
Beam Angle:	120°
Dimmable:	Triac dimmable

OPERATION AND INFORMATION

Housing:	Aluminum
Optical-Lens:	PC
Operating Temp:	-4°F ~ + 113°F
Storage Temp:	-22°F ~ + 149°F
IP Rating:	IP44
Environment:	Indoor

SHIPPING

Product Net weight :	0.52kg/1.15lbs
Master Carton Size:	17.52" x 12.20" x16.14"
Quantity/Carton:	30pcs
Gross Weight:	17.5kg/38.58lbs
Pcs / Pallet:	840pcs
Pcs / 20' GP:	14000pcs (No Pallet)/8400(Palletized)
Pcs / 40' HQ:	34000pcs (No Pallet)/16800(Palletized)

CERTIFICATES

Standards:	ETL,ES
Warranty:	5 years



JOB NAME: _____

Date: _____

TYPE: _____

SPECIFICATIONS / ORDER INFO

SKU	Catalog Number	SIZE
LU10089-Z	L34-12W-5CV-ZZK-LR	5"

LAMP CODE DEFINITIONS

Category	Wattage	Size	CV	ZZK	Shape
L34=Series Number	12W	5=5"	CV=120V	ZZ=3 in 1 color	LR=Round

SIZE CHART

