

Prima
Exclusive to Chambers



PRACTICAL

Prima appliances are designed for your everyday needs, and to be easy every time you use them.

Whether it is an oven, a microwave, or a washer dryer, most of us will use a small number of programmes most of the time and so our appliances make it really easy to use these programmes and to get great results every time.

For those who want to be a little more adventurous our new feature rich Prima + ovens have additional programmes and settings to let you experiment.

For all your everyday needs

EFFICIENT

All Prima+ appliances have an A to A+++ energy rating which means that they are better for the environment and also much cheaper to run.

FREE 5 YEAR **GUARANTEE** (5 YR PARTS/2 YR LABOUR)

With our parts & labour guarantee — which can be extended to 2 years (labour) & 5 years (for parts) FREE if you register your product you can have the peace of mind that a Prima appliance will give you easy and reliable everyday use for years to come.





RANGE

The Prima range has everything you need to complete your kitchen, from self cleaning ovens to the kitchen sink.

Whether you prefer a gas hob or the newer induction hob (which can boil a pan of water in under a minute) or if you prefer double ovens to single ovens, with dials or a digital touchscreen; or even if you prefer a 70/30 split fridge freezer to a 50/50 split; our Prima range has a great product to match your preferences.

















VALUE

Prima products are specifically built to combine great features and looks at a price that suits every budget.

Our Prima + products have added functions and style features that make them the ideal alternative to more expensive brands but at a much lower price adding to the value of buying Prima.

High spec products at a much lower price





GUARANTEE

We're so confident in the quality and build of our Prima products that we offer a FREE extended 5 year parts & 2 year labour guarantee as standard on all our products, if you register your product with us within 30 days of purchase.

To register for your extended guarantee please visit www.Prima-Appliances.uk/Guarantee

So with virtually no risk with our extended guarantee, and with such good quality products at highly attractive prices, isn't it time you bought Prima?

5 FREE years of complete peace of mind

FREE 5 YEAR GUARANTEE

(5 YR PARTS/2 YR LABOUR)

With our parts & labour guarantee — which can be extended to 2 years (labour) & 5 years (for parts) FREE if you register your product you can have the peace of mind that a Prima appliance will give you easy and reliable everyday use for years to come.



PRIMA+

Our range of Prima+ products have features and functions usually associated with more expensive brands, but with Prima+ we focus on providing the everyday functions and settings that you will need most of the time.

By avoiding adding extra features that will largely go unused and by offering a more defined range centred around your daily use we can provide you with a product that competes with more expensive brands on achieving great results at a fraction of the price.

And when you factor in our 5 year parts guarantee and 2 years labour, the whole life value of a Prima+ product is hard to beat.

Adding more value for your money





BUILT-IN OVENS

Our range of Prima ovens provides different options to suit your tastes and needs. So if you prefer touchscreen or dials, single or double ovens, with more or fewer features, we have an oven that's right for you.

All of our range are built-in or built-under to fit neat and flush in your fitted kitchen and look great whatever your kitchen style.

A range of optional add-ons such as telescopic rails and complementary products such as our warming drawer, microwaves or hob ranges give you more great ways of achieving a high-end look and finish all at a very attractive price.

Cook, bake or roast your way

FUNCTION GUIDE

Key to function icons for ovens



FNFRGY RATING

All our single ovens come with an A rating, all our double ovens come with an A rating upper cavity and an A rating lower cavity.



CONVENTIONAL COOKING

Combines top & bottom heating.



BOTTOM HEATING COOKING

Bottom heating only.



CONVECTIONAL COOKING WITH FAN ASSISTANCE

Combines top & bottom heating with fan assistance.



FAN WITH LOWER HEAT

Combines bottom heating with fan assistance.



PYROLYTIC CLEANING OVEN

An automatic cleaning function which means no detergents need to be used in the oven cavity. The inside of the oven is heated and reaches 480° at which point any grease stuck to the walls is simply burnt off. You can then wipe with a damp cloth.



CAPACITY

Oven capacity (litres).



GRILLS

Single/single variable/dual variable. Ovens come with a number of different grill models, see individual product page for the type of grill fitted.



GRILL AND FAN

Combination of grill and fan assisted.



ECO GRILL

Energy saving option.



CIRCA FAN COOKING

Our ovens come with a fan behind the back wall of the oven forces air through heating elements, food is cooked quicker and evenly in all parts of the oven.



CIRCA FAN COOKING WITH LOWER HEAT

Adds the lower heat element to the circa fan



ELECTRONIC PROGRAMMER/DISPLAY

Electronic clock with digital timer.



MINUTE MINDER

Mechanical Timer.



DEFROST FUNCTION

Oven fan assists defrost by circulating air around food.



MICROWAVE

Cooking with microwave function.



13AMP SUPPLY

Can operate from a 13amp supply.



DIGITAL TEMPERATURE DISPLAY

Gives accurate oven temperature reading even when warming up.



All ovens come with a grill pan handle as standard. For technical specification and features please see page 56.

Single Electric Ovens

PRIMA+ BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO106





- 1 76 Litre capacity
- ♠ White LED touch control digital display
- Removable glass for easy door cleaning
- Quick-remove door for easy cleaning
- Removable side racks for easy cleaning
- Telescopic rails (optional extra)
- Energy Rating A
- Dimensions: H 595 x W 595 x D 571mm
- Works on 13A supply
- 7 Cooking functions:
 Top heat & bottom heat, fan & half grill, full grill, lower heat, fan & circular heater, fan with top & bottom heat, fan only
- 5 Year parts & 2 year labour

PRIMA+ BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO108





- 1 76 Litre capacity
- Full touch control white LED display
- ♣ Live digital temperature reading
- Removable glass for easy door cleaning
- Quick-remove door for easy cleaning
- ⊕ Removable side racks for easy cleaning
- ♣ Telescopic rails (optional extra)
- Energy Rating A
- Dimensions: H 595 x W 595 x D 571mm
- Works on 13A supply
- 10 Cooking functions: Top & bottom heat, fan & full grill, full grill, bottom heat, eco grill, fan & circular heater, fan plus circular heater & bottom heater, fan & bottom heat, fan with top & bottom heat, fan only
- 5 Year parts & 2 year labour

PRIMA+ BUILT-IN SINGLE ELECTRIC PYROLYTIC FAN OVEN

PRSO110





- ₱ 76 Litre capacity
- Full touch control white LED display
- ♣ Live digital temperature reading
- Quadruple glazed to retain heat
- Quick-remove door for easy cleaning
- ♣ Removable side racks for easy cleaning
- Telescopic rails (optional extra)
- Energy Rating A
- Dimensions: H 595 x W 595 x D 571mm
- 11 Cooking functions: Top & bottom heat, fan & full grill, bottom heat, eco grill, fan & circular heater, fan plus circular heater & bottom heater, fan & bottom heat, fan with top & bottom heat, fan only, Pyrolytic Cleaning
- 5 Year parts & 2 year labour

10 | Electric Ovens Compare our ovens see page 56

BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO102





- 65 Litre capacity
- 4 Cooking functions
- Minute minder
- EasyClean enamel
- Energy Rating A
- Fingerprint proof stainless steel
- Quick-remove glass for easy cleaning
- Removable side racks for easy cleaning
- Dimensions: H 595 x W 595 x D 540mm
- Works on 13A supply
- 5 Year parts & 2 year labour

Additional shelf
PRSH102
(Order separately)



BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO104





- 65 Litre capacity
- 4 Cooking functions
- Digital programmer
- EasyClean enamel
- Energy Rating A
- Fingerprint proof stainless steel
- Quick-remove glass for easy cleaning
- Removable side racks for easy cleaning
- Dimensions: H 595 x W 595 x D 540mm
- Works on 13A supply
- 5 Year parts & 2 year labour

Additional shelf PRSH102 (Order separately)







PRIMA+ BUILT-IN DOUBLE ELECTRIC OVEN

PRDO302







- ♠ White LED touch control digital display
- Quick-remove doors for easy cleaning
- Removable side racks for easy cleaning
- ★ Telescopic rails (optional extra)
- 35 Litre capacity (top cavity)
- 59 Litre capacity (main oven)
- Energy Rating A/A
- Dimensions: H 888 x W 595 x D 545mm
- Top oven functions: 4 functions conventional, grill, eco grill, bottom heat
- Main oven functions: 4 functions fan & full grill, full grill, fan & circular heater, fan
- 5 Year parts & 2 year labour

PRIMA+ BUILT-UNDER DOUBLE ELECTRIC OVEN

PRDO304







- → White LED touch control digital display
- Quick-remove doors for easy cleaning
- Removable side racks for easy cleaning
- 35 Litre capacity (top cavity)
- 50 Litre capacity (main oven)
- Energy Rating A/A
- Dimensions: H 718 x W 595 x D 540mm
- Top oven functions: 4 functions conventional, grill, eco grill, bottom heat
- Main oven functions: 4 functions fan & full grill, full grill, fan & circular heater, fan
- 5 Year parts & 2 year labour

Double Electric Ovens,

Warming Drawers & Telescopic Rails



PRWD002

- 6 Plate settings
- Push/Pull action
- Stainless steel strip
- Ideal to combine with compact oven PRCM333
- Dimensions: H 141 x W 595 x D 580mm
- 5 Year parts & 2 year labour





PRTG001

- 2/3 extension
- Stainless steel
- 12.5kg load capacity
- Fits Prima+ ovens:
 PRSO106/PRSO108/PRSO110
 PRDO302 (main oven)

PRTG002

- Full extension
- Stainless steel
- 12.5kg load capacity
- Fits Prima+ ovens:
 PRSO106/PRSO108/ PRSO110
 PRDO302 (main oven)

12 | Electric Ovens



PRIMA+ BUILT-IN COMPACT COMBINATION MICROWAVE, GRILL & FAN OVEN

PRCM333





Microwave

Microwave + rear

element + fan

Defrost

Top grill



Rear element + fan



Top grill + fan



Top grill + rear element + fan



13amp Supply



⊕ Full touch control white LED display

⊕ Live digital temperature reading

• 900W microwave

• Dimensions: H 454 x W 595 x D 570mm

• Works on 13A supply

• 8 functions: Microwave, microwave & grill, microwave rear heater & fan, fan oven, grill & fan, grill, oven grill & fan, defrost

• 5 Year parts & 2 year labour





BUILT-IN MICROWAVES

Designed to complement our ovens, both in style and functionality, our range of microwaves bring you all the ease and convenience benefits we expect from a microwave, including some built-in models that can fit inside a wall cabinet as well as a housing unit.

As a Prima product our microwaves focus on providing all the right functions you will need for your everyday and at a price that makes the decision to include one in your kitchen that little bit easier.

Quality and convenience

FUNCTION GUIDE

Key to function icons for microwaves



MICROWAVE

Cooking with microwave function.



GRILLS

Single/single variable/dual variable. Ovens come with a number of different grill models, see individual product page for the type of grill fitted.



MINUTE MINDER

Mechanical Timer.



JET DEFROST

Defrosts 7 times faster than a conventional microwave oven with even microwave distribution that works directly on the water molecules inside the food.



DEFROST FUNCTION

Oven fan assists defrost by circulating air around food.



CHILD LOCK

This locks the function, preventing the danger of children altering functions.



ELECTRONIC PROGRAMMER/DISPLAY

Electronic clock with digital timer.

For technical specification and features please see page 57



EXPRESS COOKING

Facilitates cooking at full microwave power for short period.



AUTO PROGRAMMES

Eg: Pizza, meat, pasta, potato, fish, vegetable, popcorn and beverage.



DIGITAL TIMER

Digital clock and timer



CAPACITY

Microwave capacity (litres).

PRIMA+ BUILT-IN 39CM MINI MICROWAVE PRCM111





- Fits in wall cabinets (of min. 300mm depth)
- **⊕** Easy installation Systems
- Jet defrost function
- ♣ Digital timer
- Child safety lock
- 4 Power levels
- 22 Litre capacity
- 750W
- Dimensions: H 382 x W 595 x D 294mm
- 5 Year parts & 2 year labour

BUILT-IN STAINLESS STEEL FRAMELESS MICROWAVE AND GRILL

LCTM251






- 8 Power levels
- 25 Litre capacity
- 900W Microwave
- 1000W Grill
- Digital timer
- Defrost setting
- Automatic cook menus
- Child safety lock
- 3 Functions
- Dimensions: H 388 x W 595 x D 410mm
- 5 Year parts & 2 year labour

BUILT-IN STAINLESS STEEL FRAMED MICROWAVE AND GRILL

LCTM25F





- 5 Power levels
- 25 Litre capacity
- 900W Microwave
- 1000W Grill
- Digital timer
- Defrost setting
- Automatic cook menus
- Child safety lock
- 3 Functions
- Dimensions: H 388 x W 595 x D 410mm
- 5 Year parts & 2 year labour

16 | Microwaves Compare our microwaves see page 57

Microwaves

BUILT-IN STAINLESS STEEL FRAMED MICROWAVE LCTM201





- 5 Power levels
- 20 Litre capacity
- 800W
- Digital timer
- Cooking timer: 0-95 mins
- Defrost setting
- Express cooking
- Child safety lock
- Dimensions: H 382 x W 594 x D 345mm
- 5 Year parts & 2 year labour

BUILT-IN BLACK MICROWAVE PRCM202






- 5 Power levels
- 20 Litre capacity
- 800W
- 35 minute timer
- Defrost setting
- Dimensions: H 384 x W 595 x D 336mm
- 5 Year parts & 2 year labour

For our combination oven and microwave see page 13

Compare our microwaves see page 57 www.Prima-Appliances.uk | 17





HOBS

Choosing your hob type is a very personal decision and whether your preference is gas, electric, induction or ceramic the Prima range has a great solution for you.

Our Prima+ gas on glass hobs are beautifully stylish and complement our Prima+ ovens and hoods to create a consistent and complete look usually associated with more expensive brands.

For technical specifications and features please see page 58

Whatever your preference

Hobs





- ♣ Frameless finish
- Cast iron pan supports
- Auto-ignition control knobs
- 4 Burners
- Auto lock safety device
- Flame failure device
- Cut-out dimensions (mm): 560 x 480
- Dimensions: H 50 x W 580 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

PRIMA+ 70CM GAS ON GLASS HOB PRGH214



- Frameless finish
- Cast iron pan supports
- Auto-ignition control knobs
- 5 Burners
- Auto lock safety device
- Flame failure device
- Cut-out dimensions (mm): 560 x 480
- Dimensions: H 50 x W 680 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

PRIMA+ 90CM GAS ON GLASS HOB PRGH216



- ♣ Frameless finish
- Cast iron pan supports
- Auto-ignition control knobs
- 3.8 kw Wok Burner
- 5 Burners
- Auto lock safety device
- Flame failure device
- Cut-out dimensions (mm): 837 x 477
- Dimensions: H 50 x W 860 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

60CM STAINLESS STEEL GAS HOB

PRGH102

WITH ENAMELLED PAN SUPPORTS



- 4 Burners
- Enamelled pan supports
- Push and turn electric ignition
- Easy clean top plate and control
- 8 Power settings
- Easy grip control knobs
- Flame failure safety device
- Cut-out dimensions (mm): 560 x 480
- Dimensions:
 H 42 x W 580 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

60CM STAINLESS STEEL GAS HOB

PRGH104

WITH **CAST IRON** PAN SUPPORTS



- 4 Burners
- Cast iron pan supports
- Push and turn electric ignition
- Easy clean top plate and control
- 8 Power settings
- Easy grip control knobs
- Flame failure safety device
- Cut-out dimensions (mm): 560 x 480
- Dimensions: H 42 x W 580 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

60CM BLACK GAS HOB

PRGH103



- 4 Burners
- Enamelled pan supports
- Push and turn electric ignition
- Easy clean top plate and control
- 8 Power settings
- Easy grip control knobs
- Flame failure safety device
- Cut-out dimensions (mm): 560 x 480
- Dimensions: H 42 x W 580 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

70CM STAINLESS STEEL GAS HOB

PRGH112

WITH ENAMELLED PAN SUPPORTS



- 5 Burners
- Wok burner
- Push and turn electric ignition
- Enamelled pan supports
- Flame failure safety device
- Cut-out dimensions (mm): 557 x 477
- Dimensions: H 42 x W 680 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

70CM STAINLESS STEEL GAS HOB

PRGH114

WITH **CAST IRON** PAN SUPPORTS



- 5 Burners
- Wok burner
- Push and turn electric ignition
- Cast iron pan supports
- Flame failure safety device
- Cut-out dimensions (mm): 557 x 477
- Dimensions: H 42 x W 680 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

90CM STAINLESS STEEL GAS HOB

PRGH116

WITH **CAST IRON** PAN SUPPORTS



- 5 Burners
- 3.8kw Wok burner
- Push and turn electric ignition
- Cast iron pan supports
- Flame failure safety device
- Cut-out dimensions (mm): 837 x 477
- Dimensions: H 42 x W 860 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

20 | Hobs

Compare our hobs see page 58

Hobs



PRVH001



- Bridging zone
- Touch control
- 4 Cooking zones
- Extraction rate: 680m3/H
- 62dB (A)
- Energy rating: B
- 3 venting speed levels
- Dimensions: H 60 x W 800 x D 520mm
- Cut Out Dimensions (mm): 710 x 500
- 5 Year parts & 2 year labour



PRIH010



- Touch control
- 5 Cooking zones
- Residual heat indicators
- Timer at each zone (1-99 minutes)
- Child safety lock
- Auto shut-off safety mechanism
- Black glass framless finish
- Maximum nominal power: 7.4kW
- Cut Out Dimensions (mm): 830 x 490
- Dimensions: H 62 x W 860 x D 520mm
- 5 Year parts & 2 year labour



PRIH013



- Slider controls
- 5 Cooking zones
- Extra large centre zone
- Residual heat indicators
- Digital timer function
- Child safety lock
- Maximum nominal power: 7.4kW
- Cut Out Dimensions (mm): 720 x 490
- Dimensions: H 62 x W 750 x D 520
- 5 Year parts & 2 year labour

Compare our hobs see page 58 www.Prima-Appliances.uk | 21

Hobs

60CM INDUCTION HOB

PRIH003



- Touch control
- 4 Cooking zones
- Residual heat indicators
- Timer at each zone (1-99 minutes)
- Child safety lock
- Auto shut-off safety mechanism
- Black glass framless finish
- Maximum nominal power: 7.0kW
- Cut-out dimensions (mm): 560 x 490
- Dimensions: H 62 x W 590 x D 520mm
- 5 Year parts & 2 year labour

60CM INDUCTION HOB

Includes 13 amp plug PRIH005



- Touch control
- 4 Cooking zones
- Residual heat indicators
- Timer at each zone (1-99 minutes)
- Child safety lock
- Auto shut-off safety mechanism
- Black glass framless finish
- Maximum nominal power: 3kW
- Cut-out dimensions (mm): 560 x 490
- Dimensions: H 62 x W 590 x D 520mm
- 5 Year parts & 2 year labour

The PR1H005 hob is designed to be 'plug and play' by ensuring the maximum load does not exceed 3kW when in use.
To do this, the hob cleverly balances it's achievable power levels to ensure a combined maximum of 20 is not exceeded.

60CM ELECTRIC HOB


PREH102



- 4 Electric cooking zones
- Easy clean top plate and controls
- Easy grip control knobs
- 6 Position controls
- Stainless steel
- Cut-out dimensions (mm): 560 x 480
- Dimensions: H 46 x W 580 x D 500mm
- 5 Year parts & 2 year labour

60CM CERAMIC HOB


PRCEH104



- 4 Hi-light cooking zones
- Residual heat indicators
- Easy grip control knobs
- Black glass frameless finish
- Auto safety shut off
- Maximum nominal power: 6kW
- Cut-out dimensions (mm): 564 x 494
- Dimensions:
 H 52 x W 580 x D 510mm
- 5 Year parts & 2 year labour

60CM CERAMIC HOB

PRCEH106



- Touch control and digital display
- 4 Hi-light cooking zones
- Residual heat indicators
- Timer at each zone (1-99 minutes)
- Auto safety shut off
- Child safety lock
- Black glass frameless finish
- Maximum nominal power: 6kW
- Cut-out dimensions (mm): 564 x 494
- Dimensions:
 H 52 x W 580 x D 510mm
- 5 Year parts & 2 year labour







HOODS

Our Hoods range has a wide variety of styles and types giving you complete flexibility, whether for use over an island, wall mounted or even our Prima+ downdraft hood which fits into your worktop.

Our Prima+ hoods are highly functional with an excellent extraction rate of 530m³/h or greater and yet are stylish enough to enhance the look of any kitchen.

For technical specifications and features please see page 59

Style and function combined

Hoods

AVAILABLE JANUARY



PRCH301



- Extraction rate 650m³/h
- ♣ Remote control switch
- 3 Speed settings
- 4 x 2W LED bulbs
- 69 dBA
- Dimensions: H 215 x W 900 x D 600mm
- 5 Year parts & 2 year labour
- PRDK150 Prima ducting kit (optional)





- Extraction rate 760m³/h
- ♣ Touch control
- 4 Speed settings and booster function
- 2 x LED bulbs
- 65dBA
- Dimensions: H 300 x W 880 x D 90mm
- Can be recirculated with carbon filter PRF008
- Retracts into worktop when not in use
- PRF008 Filter to suit (optional)
- PRDK150 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

PRIMA+ 60CM ANGLED HOOD

PRAE0030



- ⊕ Extraction rate 550m³/h
- ♣ Touch control
- 3 Speed settings
- ♣ White LED to match Prima+ ovens
- Energy rating B
- 66 dBA
- Dimensions:

H 820 - 1120 x W 600 x D 333mm

- PRF006 Carbon filter to suit (optional)
- PRAE800 Chimney Extension Black (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

PRIMA+ 60/70/90CM STAINLESS STEEL/GLASS ANGLED HOOD

PRAE1002/PRAE1004/PRAE1006



- **⊕** Extraction rate 530m³/h
- → White LED Touch control
- 3 Speed settings
- 15 minute timer
- Anodised aluminium filter
- 2 x LED lights
- 66 dBA
- Energy rating B
- Dimensions: H 780 1080 x W 600 x D 303mm
- Dimensions: H 780 1080 x W 700 x D 303mm
- Dimensions: H 780 1080 x W 900 x D 303mm
- PRF006 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour



PRAE0018 - 60cm PRAE0020 - 70cm PRAE0022 - 90cm



- ♠ Extraction rate 530m³/h
- Push button control
- 3 Speed settings
- Anodised aluminium filter
- 2x LED lights
- Energy rating B
- 66 dBA
- Dimensions 60cm:
 H 780-1080 x W 600 x D 303mm
- Dimensions 70cm:
 H 780-1080 x W 700 x D 303mm
- Dimensions 90cm:
 H 780-1080 x W 900 x D 303mm
- PRF006 Carbon filter to suit (optional)
- PRAE800 Chimney Extension Black (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

PRIMA+ STAINLESS STEEL TOUCH CONTROL BOX HOOD

PRCH026 - 60cm PRCH028 - 70cm PRCH030 - 90cm



- ⊕ Extraction rate 550m³/h
- Touch control black glass panel
- 3 Speed settings
- ⊕ White LED to match Prima+ ovens
- ♣ Digital LED clock
- → Delay timer (1-9 minutes)
- 2x 1W LED lamps
- Energy rating C
- 69 dBA
- Dimensions 60cm:
 H 450-750 x W 600 x D 450mm
- Dimensions 70cm:
 H 450-750 x W 700 x D 450mm
- Dimensions 90cm:
 H 450-750 x W 900 x D 450mm
- PRF007 Carbon filter to suit (optional)
- PRAE800 Chimney Extension Black (ontional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

90CM ISOLA QUADRA ISLAND HOOD

PRCH200



- Extraction rate 756m3/h
- Soft touch push buttons
- 3 Speed settings and booster function
- Aluminium filter saturation alarm
- Carbon filter saturation alarm
- 6 minute timer
- Anodised aluminium filter
- 66 dBA
- 4x 1W LED lights
- Dimensions: H 710 - 1025 x W 900 x D 600mm
- LIA210 Carbon filter to suit (optional)
- 5 Year parts & 2 year labour

90CM STAINLESS STEEL CURVED GLASS ISLAND HOOD

PRCGH100



- Extraction rate 348m3/h
- Push button control
- 3 Speed settings
- Anodised aluminium filter
- 63dBA
- 2x LED lights
- Dimensions: H 830-1050 x W 900 x D 600mm
- PRF006 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

26 | Hoods Compare our hoods see page 59

Hoods

60CM STAINLESS STEEL FLAT GLASS HOOD

PRFH002



- Maximum extraction: 400m³/h
- Push button control
- 3 Speed settings
- 1x LED light
- Aluminium filter
- 58 dBA
- Dimensions: H 540-740 x W 600 x D 450mm
- PRF006 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

STAINLESS STEEL CURVED GLASS CHIMNEY HOOD

PRCGH008 - 60CM PRCGH010 - 70CM PRCGH012 - 90CM



- Maximum extraction: 400m3/h
- Push button control
- 3 Speed settings
- 1x LED light
- Aluminium filter
- 58 dBA
- Dimensions 60cm: H 540-740 x W 600 x D 450mm
- Dimensions 70cm:
 H 540-740 x W 700 x D 450mm
- Dimensions 90cm:
 H 540-740 x W 900 x D 450mm
- PRF006 Carbon filter to suit (optional)
- PRCGH800 Chimney flue extension stainless steel (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

BLACK CURVED GLASS CHIMNEY HOOD

PRCGH009 - 60CM PRCGH011 - 70CM PRCGH013 - 90CM



- Maximum extraction: 400m3/h
- Push button control
- 3 Speed settings
- 1x LED light
- Aluminium filter
- 58 dBA
- Dimensions 60cm:
 H 540-740 x W 600 x D 450mm
- Dimensions 70cm: H 540-740 x W 700 x D 450mm
- Dimensions 90cm:
 H 540-740 x W 900 x D 450mm
- PRF006 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

60CM EDGE LIT CURVED GLASS CHIMNEY HOOD

PRCGH202



- Maximum extraction: 400m3/h
- Push button control
- 3 Speed settings
- 1x LED light
- Aluminium filter
- 58 dBA
- 4 glass lighting options: blue, green, red or unlit
- Dimensions: H 540-740 x W 600 x D 450mm
- PRDK125 ducting kit available (optional)
- PRF006 Carbon filter to suit (optional)
- PRCGH800 Chimney flue extension stainless steel (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

Compare our hoods see page 59 www.Prima-Appliances.uk | 27

STAINLESS STEEL CHIMNEY HOOD

PRCH020 - 60CM PRCH022 - 70CM PRCH024 - 90CM

ALSO AVAILABLE IN BLACK

PRCH021 - 60CM PRCH023 - 90CM

- Maximum extraction: 436m³/h
- 41 dBA
- 2x Anodised aluminium filters
- 2x 2.8W LED lights
- Dimensions 60cm: H 668-898 x W 600 x D 450mm
- Dimensions 70cm: H 668-898 x W 700 x D 450mm
- Dimensions 90cm: H 668-898 x W 900 x D 450mm
- LIA210 Carbon filter to suit (optional)
- PRCH800 Chimney flue extension stainless steel (optional)
- PRCH900 Chimney flue extension black (optional)
- PRDK150 Prima ducting kit (optional)
- 5 Year parts & 2 year labour



GREY INTEGRATED HOOD

PRCH550



- Extraction rate 449m³/h
- Slider buttons
- 3 Speed settings
- Auto-start when opened
- Acrylic filter
- 68 dBA
- 1x 2.8W LED light
- Dimensions: H 400mm x W 600mm D 495mm
- LIA210 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

NEW 60CM TELESCOPIC HOOD

PRCH600



- Extraction rate 273m³/h
- Slider control
- 3 Speed settings
- 2x 2.5W LED bulbs
- 61 dBA
- Dimensions: H 175 x W 598 x D 306 - 456mm
- Stainless steel front panel
- LIA210 filter to suit (optional)
- PRDK150 ducting kit (optional)
- 5 Year parts & 2 year labour

60CM SILVER VISOR HOOD

LIA804



- Extraction rate 320m3/h
- Push buttons
- 3 Speed settings
- Acrylic filter
- Halogen bulb (1 x 28W)
- 63dBA
- Dimensions: H 150 x W 600 x D 520mm
- LIA210 Filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

60CM GREY CANOPY HOODS

PRCH700- 60CM

NEW PRCH701- 73CM



- Extraction rate 273m3/h
- Acrylic filter
- 61 dBA
- 2x 2.8W LED light
- Dimensions:
- H 148 x W 527/707 x D 283mm
- LIA210 filter to suit (optional)
- PRDK150 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

28 | Hoods Compare our hoods see page 59

GLASS SPLASHBACKS

60CM STRAIGHT SPLASHBACK

LES001/LES002/LES003/LES005

60CM CURVED SPLASHBACK

LES101/LES102/LES103/LES105











- Made in UK
- Dimensions: H 750 x W 600 x D 6mm
- Curved splashbacks designed to fit PRCGH008 & PRCGH009

Splashbacks

STAINLESS STEEL SPLASHBACKS

60/70/90/100CM STRAIGHT SPLASHBACK

LCT025/LCT026/LCT027/LCT028



- Made in UK
- Dimensions: H 750 x W 600/750/900/1000 x D 10mm
- Easy-fit design
- Quality 430 brushed stainless steel

60/70/90CM **CURVED SPLASHBACK**

LAA004/LAA005/LAA006



- Made in UK
- Dimensions: H 750 x W 600/700/900 x D 10mm
- Designed to fit PRCGH008 & PRCGH009
- MDF backed
- Quality 430 brushed stainless steel







BUILT-IN COOLING

All Prima fridges, freezers and combined fridge freezers are built-in so that externally they appear as another cabinet or unit in your kitchen.

Our Prima+ fridge freezers also look great on the inside with a silver trim and an optional chrome wine rack.

All Prima+ cooling products have an A+ energy rating and are also frost free making them comparable with products usually associated with more expensive brands.

Looks stylish inside and out

FUNCTION GUIDE

Key to function icons



ENERGY RATING

All our fridges & freezers come with energy rating A+.



FROST FREE

This innovative system eliminates the formation of ice on food and the freezer interior.



AUTO DEFROST

Automatically defrosts the fridge at regular intervals without the need to switch off the appliance or remove the food stored.



The fast freeze function rapidly lowers the temperature ensuring that fresh food is frozen quickly.



STAR RATING

Freezer compartments allow food to be stored below -18°C, so that it can be kept for longer.



LED DISPLAY

To show current and set temperature within the wine cabinet.



CAPACITY

Giving the overall capacity in litres.

PRIMA+ 50/50 FROST FREE FRIDGE FREEZER

PRRF500





- Frost Free
- ➡ Silver trim on shelves and balconies
- ♣ Chrome wine rack (optional extra)
- ★★★★ Freezer rating
- 154 Litre capacity fridge
- 78 Litre capacity freezer
- 3 Adjustable shelves

- 2 Salad crispers
- Reversible doors
- Flame retardant metal back
- Energy Rating A+
- Dimensions:

H: 1773mm W: 555mm D: 540mm

• 5 Year parts & 2 year labour

PRIMA+ 70/30 FROST FREE FRIDGE FREEZER

PRRF700





- Frost Free
- ➡ Silver trim on shelves and balconies
- ♣ Chrome wine rack (optional extra)
- ★★★★ Freezer rating
- 190 Litre capacity fridge
- 56 Litre capacity freezer
- 4 Adjustable shelves

- 2 Salad crispers
- Reversible doors
- Flame retardant metal back
- Energy Rating A+
- Dimensions: H: 1773mm W: 555mm D: 540mm
- 5 Year parts & 2 year labour



PRRF900

Complement your fridge and add a stylish chrome wine rack.



• Fits in PRRF500/502/700/702/208

NEW SILVER PLINTH APPLIANCE VENTILATION GRILL

PRRF901



- Recommended for any integrated refrigeration installation
- W 500mm x H 110mm

32 | Cooling Compare our cooling see page 60

50/50 FRIDGE FREEZER

PRRF502





- 154 Litre capacity fridge
- 90 Litre capacity freezer
- Silver trim on shelves and balconies
- Automatic defrost fridge
- Manual defrost freezer
- 3 Adjustable shelves
- 2 Salad crispers

- Reversible doors
- Flame retardant metal back
- ★★★ Freezer rating
- Energy Rating A+
- Dimensions: H: 1773mm W: 540mm D: 545mm
- 5 Year parts & 2 year labour

70/30 FRIDGE FREEZER

PRRF702





- 190 Litre capacity Fridge
- 70 Litre capacity freezer
- Silver trim on shelves and balconies
- Auto defrost fridge
- Manual defrost freezer
- 4 Adjustable shelves
- 2 Salad crispers

- Reversible doors
- Flame retardant metal back
- *** Freezer rating
- Energy Rating A+
- Dimensions:
- H: 1773mm W: 540mm D: 545mm
- 5 Year parts & 2 year labour

Cooling

UNDER COUNTER LARDER FRIDGE

PRRF100





- 142 Litre capacity fridge
- 3 Glass shelves
- Hettich hinges
- Automatic defrost
- Flame retardant metal back
- Reversible door
- Energy Rating A+
- Dimensions: H 820-870mm W 596mm D 550mm
- Multiple shelf levels to help utilise space
- 2 Salad crispers
- 5 Year parts & 2 year labour

Compare our cooling see page 60 www.Prima-Appliances.uk | 33

UNDER COUNTER FRIDGE WITH ICE BOX

LPR132A1





- 108 Litre capacity fridge
- 20 Litre capacity freezer
- 2 Glass shelves
- Hettich hinges
- Automatic defrost fridge
- Manual defrost freezer
- Flame retardant metal back
- Reversible door
- ★★★★ Freezer rating
- Energy rating A+
- Dimensions: H 820-870mm W 596mm D 550mm
- 5 Year parts & 2 year labour

UNDER COUNTER LARDER FREEZER

PRRF102





- 102 Litre capacity freezer
- Fast freeze function
- Hettich hinges
- Flame retardant metal back
- Manual defrost
- Reversible door
- ★★★★ Freezer rating
- Energy rating A+
- Dimensions: H 820-870mm W 596mm D 550mm
- 5 Year parts & 2 year labour

BUILT-IN LARDER FRIDGE

PRRF208





- 316 Litre capacity fridge
- Automatic defrost
- 5 Glass shelves
- 2 Salad drawers
- Energy Rating A+
- Silver trim on shelves and balconies
- Flame retardant metal back
- Reversible door
- Chrome wine rack (optional extra)
- Dimensions: H: 1770mm W: 540mm D: 540mm
- 5 Year parts & 2 year labour

BUILT-IN LARDER FREEZER

PRRF209





- 226 Litre capacity freezer
- 9 Crystal drawers
- Fast freeze function
- Low noise
- Manual defrost
- Flame retardant metal back
- Reversible door
- ★★★★ Freezer rating
- Energy Rating A+
- Dimensions: H: 1770mm W: 540mm D: 540mm
- 5 Year parts & 2 year labour

34 | Cooling Compare our cooling see page 60

Wine Coolers

150MM WINE COOLER STAINLESS STEEL

PRWC150



- 22 Litre capacity
- 7 Bottle capacity
- 6 Chrome shelves
- White LED light
- Temp range 5-22°C
- Automatic defrost
- Compressor cooling technology
- Adjustable feet
- Dimensions: H: 870-890mm W: 148mm D: 570mm
- 5 Year parts & 2 year labour

300MM WINE COOLER STAINLESS STEEL

PRWC300



- 58 Litre capacity
- 18 Bottle capacity
- 6 Adjustable wooden shelves
- Ambient temperature 16-32°C
- LCD display

- Digital temperature display
- Adjustable feet
- Dimensions: H: 870mm W: 295mm D: 613mm
- 5 Year parts & 2 year labour

300MM WINE COOLER BLACK

PRWC330



- 58 Litre capacity
- 18 Bottle capacity
- 6 Adjustable wooden shelves
- Ambient temperature 16-32°C
- LCD display

- Digital temperature display
- Adjustable feet
- Dimensions: H: 870mm W: 295mm D: 613mm
- 5 Year parts & 2 year labour

Compare our wine coolers see page 60 www.Prima-Appliances.uk | 35







INTEGRATED DISHWASHERS

All Prima dishwashers are integrated into your kitchen ensuring that your kitchen look is seamless.

Our Prima+ dishwasher has space for an impressive 14 place settings, has a separate and convenient adjustable cutlery tray and an "in operation" floor light to show you when the dishwasher cycle is running, all within a product that has an A+++ energy rating.

With so many features and at such an attractive price our Prima+ dishwasher is hard to beat.

For technical specifications and features please see page 61

Practical and efficient

PRIMA+ 60CM INTEGRATED DISHWASHER

PRDW204





- 14 Place settings
- fin Operation" floor light
- Adjustable cutlery drawer
- Turbo dry function
- ♣ Low noise 42dBA
- ♣ Load-sensing "Auto" program
- ♣ Energy Rating A+++
- 7 Programmes
- 30 minute rapid wash
- Height adjustable top basket
- Delay timer option
- 3 Spray levels
- Only uses 10L water on a typical cycle
- Dimensions: H 820-870 x W 595 x D 540mm
- 5 Year parts & 2 year labour

60CM INTEGRATED DISHWASHER

LPR661A





- 14 Place settings
- 7 programmes
- 4 temperature levels
- 11 litre water consumption
- 3 spray levels
- Delay timer option
- 30 minute rapid wash
- 47dBA
- Height adjustable top basket
- Energy Rating A++
- Adjustable feet
- Dimensions:
 H 820-870 x W 595 x D 540mm
- 5 Year parts & 2 year labour

60CM INTEGRATED DISHWASHER

PRDW200





- 12 Place settings
- 4 programmes
- 11 litre water consumption
- Delay timer option
- 30 minute rapid wash
- 49 dBA
- Height adjustable top basket
- Energy Rating A++
- Dimensions: H 820-870 x W 596 x D 550mm
- 5 Year parts & 2 year labour

Dishwashers

45CM INTEGRATED SLIMLINE DISHWASHER

LPR659A





- 10 Place settings
- 6 programmes
- 4 temperature levels
- 9 litre water consumption
- 3 spray levels
- 30 minute rapid wash
- 49dBA
- Energy Rating A++
- Adjustable feet
- Delay timer option
- Dimensions:
 H 820-870 x W 445 x D 540mm
- 5 Year parts & 2 year labour





INTEGRATED LAUNDRY

Our Prima laundry range offers a simple choice of washing machine, sensor tumble dryer or a combined washer dryer.

Every product is integrated so it is hidden away behind your cabinet door even during a wash or drying cycle. With up to 8kg load capacity and a 1400 RPM spin our laundry range offers great specs for its price and comes with our 5 years parts (2 year labour) guarantee.

For technical specifications and features please see page 61

Perfect for your fitted kitchen

Laundry

INTEGRATED WASHING MACHINE

PRLD370





- 7kg Load capacity
- 1400 rpm Spin
- 16 programmes
- 15 minute quick wash function
- Delay start (0-24 hrs)
- Larger port hole for easy loading
- Energy Rating A+++
- Dimensions: H 825 x W 595 x D 540mm
- 5 Year parts & 2 year labour

INTEGRATED WASHER DRYER

PRLD375





- 8kg Load (6kg Dry) capacity
- 1400 rpm Spin
- 16 programmes
- 15 minute quick wash function
- Delay start (0-24 hrs)
- Larger port hole for easy loading
- Energy Rating A
- Dimensions: H 825 x W 595 x D 540mm
- 5 Year parts & 2 year labour

INTEGRATED SENSOR DRYER

PRTD210



- 7kg Load capacity
- Sensor dry
- 2 heat settings
- 6 Drying levels
- Energy Rating C
- Made in UK
- Dimensions: H 865-890 x W 595 x D 530mm
- 5 Year parts & 2 year labour





SINKS & TAPS

To complete your kitchen we offer a range of sinks and taps in various materials and styles to suit your tastes and needs.

All our stainless steel sinks come with a 5 year guarantee and all our granite sinks come with an impressive lifetime guarantee. All our taps come with a 10 year guarantee.

Complete your kitchen

Granite Sinks



CPR310/CPR311/ CPR312/CPR313









- ♠ Extra large bowl
- ♣ Scratch resistant
- **⊕** Stain resistant
- **⊕** Granite
- Waste and over flow included
- Dimensions: W 1000 x D 500 x H 200mm
- Bowl dimensions: W 480 x D 430 x H 200mm
- Cut out depth: 480mm. Cut out width: 980mm
- Minimum cabinet width: 600mm
- Reversible
- Plumbing kit included
- Comes with a lifetime guarantee



CPR314/CPR315/ CPR316/CPR317







- ♠ Scratch resistant
- ⊕ Stain resistant
- **⊕** Granite
- Waste and over flow included
- Dimensions: W 1000 x D 500 x H 200mm
- Main bowl dimensions: W 345 x D 430 x H 200mm
- 1/2 bowl dimensions: W 155 x D 340 x H 146mm
- Cut out depth: 480mm. Cut out width: 980mm
- Minimum cabinet width: 600mm
- Reversible
- Plumbing kit included
- Comes with a lifetime guarantee



CPR340/CPR341/ CPR342/CPR343







- ♣ Scratch resistant
- **⊕** Stain resistant
- **⊕** Granite
- Waste and over flow included
- Dimensions: W 860 x D 500 x H 200mm
- Main bowl dimensions: W 347 x D 430 x H 200mm
- Cut out depth: 480mm. Cut out width: 840mm
- Minimum cabinet width: 450mm
- Reversible
- Plumbing kit included
- Comes with a lifetime guarantee



PRIMA+ GRANITE 1.0 BOWL UNDERMOUNT SINK

CPR350/CPR351/CPR352





White

Light Grey





- ♣ Scratch resistant
- ♣ Stain resistant
- **⊕** Granite
- Can also be installed as inset
- Waste and overflow included
- Dimensions: W 533 x D 457 x H 205mm
- Bowl dimensions: W 469 x D 394 x H 205mm
- Minimum cabinet width: 600mm
- ♣ Comes with a lifetime guarantee

PRIMA+ GRANITE 1.5 BOWL UNDERMOUNT SINK

CPR353/CPR354/CPR355





White

Light Grey



- ♣ Scratch resistant
- ⊕ Stain resistant
- ♣ Granite
- Can also be installed as inset
- Waste and overflow included
- Dimensions: W 555 x D 460 x H 200mm
- Bowl dimensions: W 335 x D 400 x H 200mm
- 1/2 Bowl dimensions: W 155 x D 400 x H 140mm
- Minimum cabinet width: 600mm
- ① Comes with a lifetime guarantee



1.0 BOWL COMPOSITE SINK **BLACK**

CPR304



- Made from durable Synthetic and Coated SMC
- Waste included
- Dimensions: W 970 x D 500 x H 200mm
- Bowl dimensions: W 450 x D 420 x H 200mm
- Cut-out depth: 480mm. Cut-out width: 950mm
- Minimum cabinet width: 600mm
- Reversible
- Matt finish
- CPR106 plumbing kit (optional)
- Comes with a 20 year guarantee

1.5 BOWL COMPOSITE SINK **BLACK**

CPR305



- Made from durable Synthetic and Coated SMC
- Waste included
- Dimensions: W 970 x D 500 x H 200mm
- Main bowl dimensions: W 360 x D 420 x H 200mm
- 1/2 Bowl dimensions: W 150 x D 290 x H 100mm
- Cut-out depth: 480mm. Cut-out width: 950mm
- Minimum cabinet width: 600mm
- Reversible
- Matt finish
- CPR108 plumbing kit (optional)
- Comes with a 20 year guarantee

Composite Sinks





• Dimensions: Depth 450mm Min width (fully folded) 70mm Max width (fully unfolded) 470mm Height when folded 80mm





NEW **TWO BOWL PLUMBING KIT CPR108**



Ceramic Sinks

1.0 BOWL TRADITIONAL CERAMIC SINK

CPR403





- Made from durable ceramic
- Waste included
- Dimensions: W 1015 x D 525 x H 220mm
- Bowl dimensions: W 420 x D 400 x H 220mm
- Cut-out depth: 505mm. Cut-out width: 995mm
- Minimum cabinet width: 600mm
- Reversible
- Gloss finish
- CPR106 plumbing kit (optional)
- Comes with a 5 year guarantee

1.5 BOWL TRADITIONAL **CERAMIC SINK**

CPR404



- Made from durable ceramic
- Waste included
- Dimensions: W 1015 x D 525 x H 225mm
- Main bowl dimensions: W 360 x D 400 x H 225mm
- 1/2 Bowl dimensions: W 130 x D 260 x H 120mm
- Cut-out depth: 505mm. Cut-out width: 995mm
- Minimum cabinet width: 600mm
- Reversible
- Gloss finish
- CPR108 plumbing kit (optional)
- Comes with a 5 year guarantee

1.0 BOWL BELFAST SINK





- Made from fine fireclay material with hygiene glazed surface
- Waste included
- Dimensions: W 595 x D 455 x H 250mm
- Minimum cabinet width: 600mm
- Reversible
- Gloss finish
- CPR106 plumbing kit (optional)
- Comes with a lifetime guarantee

Sinks & Taps Packs

COMPACT 1 BOWL SINK & TAP PACK

CPR040



- Stainless steel
- Contains waste, overflow and single lever tap
- Sink dimensions: W 860 x D 500 x H 170mm
- Minimum cabinet Width: 400mm
- Bowl dimensions: W 380 x D 400 x H 170mm
- Reversible Sink
- Cut-out depth: 482mm. Cut-out width: 842mm
- Made from 0.6mm gauge stainless steel
- Pre-drilled tap holes
- Tap minimum pressure 0.3 bar
- Flow aerator
- Fully WRAS approved tap
- CPR106 plumbing kit (optional)
- Comes with 5 year guarantee (sink) & 10 year guarantee (tap)

1 BOWL SINK & TAP PACK

CPR041



- Stainless steel
- Contains waste, overflow and single lever tap
- Sink dimensions: W 965 x D 500 x H 170mm
- Minimum cabinet Width: 450mm
- Bowl dimensions: W 410 x D 410 x H 170mm
- Reversible Sink
- Cut-out depth: 476mm. Cut-out width: 941mm
- Made from 0.6mm gauge stainless steel
- Pre-drilled tap holes
- Tap minimum pressure 0.3 bar
- Flow aerator
- Fully WRAS approved tap
- CPR106 plumbing kit (optional)
- Comes with 5 year guarantee (sink) & 10 year guarantee (tap)

1.5 BOWL SINK & TAP PACK



- Stainless steel
- Contains waste, overflow and single lever tap
- Sink dimensions: W 965 x D 500 x H 155mm
- Minimum cabinet Width: 600mm
- Main bowl dimensions: W 346 x D 396 x H 155mm
- 1/2 bowl dimensions: W 170 x D 320 x H 80mm
- Reversible Sink
- Cut-out depth: 482mm. Cut-out width: 947mm
- Made from 0.6mm gauge stainless steel
- Pre-drilled tap holes
- Tap minimum pressure 0.3 bar
- Flow aerator
- Fully WRAS approved tap
- CPR108 plumbing kit (optional)
- Comes with 5 year guarantee (sink) & 10 year guarantee (tap)

Polished Stainless Steel Sinks

1.0 BOWL SINK

CPR024



- Stainless steel
- Sink dimensions: W 965 x D 500 x H 170mm
- Minimum cabinet Width: 450mm
- Bowl dimensions: W 410 x D 410 x H 170mm
- Reversible Sink
- Cut-out depth: 476mm. Cut-out width: 941mm
- Made from 0.6mm gauge stainless steel
- Pre-drilled tap holes
- CPR106 plumbing kit (optional)
- Comes with 5 year guarantee

1.5 BOWL SINK



- Stainless steel
- Sink dimensions: W 965 x D 500 x H 155mm
- Minimum cabinet Width: 600mm
- Main bowl dimensions: W 346 x D 396 x H 155mm
- 1/2 Bowl dimensions: W 170 x D 320 x H 80 mm
- Reversible Sink
- Made from 0.6mm gauge stainless steel
- Cut-out depth: 482mm. Cut-out width: 947mm
- Pre-drilled tap holes
- CPR108 plumbing kit (optional)
- Comes with 5 year guarantee



Polished Stainless Steel Sinks

DEEP BOWL 1.0

CPR030



- Made from 0.8mm guage stainless steel
- Dimensions: W 1000 x D 500 x H 200mm
- Bowl dimensions: W 480 x D 400 x H 200mm
- Minimum cabinet width: 600mm
- Reversible
- Waste & overflow included
- CPR106 plumbing kit (optional)
- Comes with a 5 year guarantee

DEEP BOWL 1.5



- Made from 0.8mm guage stainless steel
- Dimensions: W 1000 x D 500 x H 200mm
- Main bowl dimensions: W 350 x D 410 x H 200mm
- 1/2 Bowl dimensions: W 164 x D 300 x H 143mm
- Minimum cabinet width: 600mm
- Reversible
- Waste & overflow included
- CPR108 plumbing kit (optional)
- Comes with a 5 year guarantee



Polished Stainless Steel Sinks

PRIMA+ 1.5 BOWL REVERSIBLE **UNDERMOUNT SINK** CPR510



- 0.8mm SS304 powder coated stainless steel
- Waste & hygienic overflow included
- 180mm deep main bowl
- Dimensions: W 600 x D 450 x H 180mm
- Main bowl dimensions: W 340 x D 400 x H 180mm
- 1/2 Bowl dimensions: W 180 x D 400 x H 120mm
- Includes a cut-out template
- Minimum cabinet width: 600mm
- Reversible
- Waste disposal compatible
- CPR108 plumbing kit (optional)
- Comes with a 5 year guarantee

1.5 BOWL UNDERMOUNT SINK

CPR514 - RIGHT HAND SMALL BOWL CPR512 - LEFT HAND SMALL BOWL



- Made from 0.8mm guage stainless steel
- Waste & overflow included
- Dimensions: W 594 x D 460 x H 190mm
- Main bowl dimensions: W 350 x D 410 x H 190mm
- 1/2 Bowl dimensions: W 164 x D 300 x H 110mm
- Includes a cut-out template
- Minimum cabinet width: 600mm
- Right Handed (Also available in left handed)
- CPR108 plumbing kit (optional)
- Comes with a 5 year guarantee

1.5 BOWL REVERSIBLE **UNDERMOUNT SINK**

CPR506



- Made from 0.8mm guage stainless steel
- Waste & overflow included
- Dimensions: W 595 x D 460 x H 185mm
- Main bowl dimensions: W 350 x D 410 x H 185mm
- 1/2 Bowl dimensions: W 164 x D 300 x H 110mm
- Minimum cabinet width: 600mm
- Reversible
- Waste disposal compatible
- CPR108 plumbing kit (optional)
- Comes with a 5 year guarantee

LARGE BOWL UNDERMOUNT SINK



- Waste & overflow included
- Dimensions: W 530 x D 450 x H 195mm
- Internal dimensions: 480 x 400mm
- Minimum cabinet width: 600mm
- Made from 0.8mm guage stainless steel
- Waste disposal compatible
- CPR106 plumbing kit (optional)
- Comes with a 5 year guarantee

PRIMA+ **3 IN 1 HOT TAP CHROME**

BPR400

NEW & IMPROVED







Hot Tap Tank



BPR401

NEW & IMPROVED





Hot Tap Filter

3 in 1 Hot Taps

- 1 Instantly boiled hot water (max 98°C)
- ♣ Supplied with tank & filter
- Digital touch control boiler display
- 3 temperature options: 98°C, 96°C, 75°C
- Contemporary chrome single flow tap
- Pressure less safety design with a child lock
- Anti-scald safety tap
- 2.4L boiler capacity
- New 'Dry Burn' protection sensor
- UK manufactured water filter
- Tap dimensions: Overall height 352mm, Spout height - 352mm, Spout reach - 192mm
- Operating pressure: 1.5 to 5 bar
- WRAS approved
- Comes with a 10 year guarantee (tap) & 2 year (tank)

PRIMA+ COLOURED COLLECTION

BPR700 - BLACK

BPR702 - GREY

BPR704 - WHITE

BPR706 - GUN METAL



- **⊕** Ideal to co-ordinate with Prima+ Granite Sinks
- Quarter turn operation
- Brushed steel base
- Single flow tap
- Dimensions: Overall height 388mm; Spout reach 210mm
- Minimum pressure: 0.3 bar
- Flow aerator for controlled water delivery
- WRAS approved
- 5 year guarantee

PRIMA+ PROFESSIONAL COPPER MIXER TAP

BPR722



- Brushed Copper finish
- **⊕** BPR790 matching waste available
- Single lever
- Single flow tap
- Dimensions:
 Overall height 338mm, Spout height 237mm
 Spout reach 150mm, Base/Handle width 94mm
- Minimum pressure: 0.5 bar
- 10 year guarantee

Professional Taps

PRIMA+ PROFESSIONAL DUAL LEVER MIXER TAP

BPR318



- Flexi spout
- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions:
 Overall height 502mm, Spout height 161mm,
 Spout reach 195mm, Base/Handle width 147mm
- Minimum pressure: 1.0 bar
- 10 year guarantee

Professional Taps

PRIMA+ **PROFESSIONAL SINGLE LEVER MIXER TAP**

BPR603 - CHROME



- ♣ Flexi spout
- Chrome
- Single flow tap
- Dimensions: Overall height - 389mm, Spout height - 224mm, Spout reach - 220mm, Base/Handle width - 111mm
- Minimum Pressure: 1.0 bar
- 10 year guarantee

PRIMA+ **PROFESSIONAL BLACK SPRAY MIXER TAP** BPR602



- ⊕ Black pull out flexi spout
- ⊕ Multi-function spray nozzle
- Cartridge technology
- Chrome finish
- Dimensions: Overall height - 550mm, Spout height - 230mm, Spout reach - 225mm
- Minimum pressure: 1.0 bar
- 10 year guarantee

PRIMA+ **PROFESSIONAL CONE STYLE MIXER TAP**

BPR606 - CHROME



- ♣ Flexi spout
- Solid brass body with chrome finish
- Cartridge technology
- Dimensions: Overall height - 520mm, Spout height - 186.5mm, Spout reach - 194mm, Base/Handle width - 54mm
- Minimum pressure: 0.1 bar
- 10 year guarantee

Contemporary Taps

ASTORIA SQUARE MIXER TAP

BPR2241 - CHROME



- Quarter turn operation
- Chrome finish
- Ceramic disc valve
- Aerator
- 360 swivel spout
- Dimensions: Overall height 348mm, Spout height 331mm, Spout reach - 190mm, Base/Handle width 147mm
- Minimum pressure: 0.2 bar
- 10 year guarantee

CHELSEA SWAN NECK MIXER TAP

BPR2221 - CHROME BPR2222 - BRUSHED FINISH



- Quarter turn operation
- Chrome or brushed finish
- Ceramic disc valve
- Aerator
- 360 swivel spout
- Dimensions: Overall height 367mm, Spout height 250mm, Spout reach - 213mm, Base/Handle width - 123mm
- Minimum Pressure: 0.2 bar
- 10 year guarantee

RHODE U SPOUT MIXER TAP

BPR2231 - CHROME



- Quarter turn operation
- Chrome finish
- Ceramic disc valve
- Aerator
- 360 swivel spout
- Dimensions: Overall height 325mm, Spout height 255mm, Spout reach - 205mm, Base/Handle width - 145mm
- Minimum pressure: 0.5 bar
- 10 year guarantee

Contemporary Taps

ALBANY MIXER TAP BPR2243



- Quarter turn operation
- Single flow tap
- Chrome finish
- Ceramic disc valve
- Aerator
- Dimensions: Overall height 320mm, Spout reach - 182mm
- WRAS approved
- 10 year guarantee

SOHO SWAN NECK MIXER TAP

BPR2052 - CHROME BPR2053 - BRUSHED FINISH



- Single lever
- Chrome or brushed finish
- Single flow tap
- Dimensions: Overall height 345mm, Spout height - 255mm, Spout reach -172mm, Base/Handle width - 90mm
- Minimum Pressure: 0.5 bar
- 10 year guarantee

VOGUE MIXER TAP

BPR2261 - CHROME



- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions: Overall height 360mm, Spout height - 276mm; Spout reach -193mm, Base/Handle width - 134mm
- Minimum Pressure: 0.5 bar
- 10 year guarantee

STATEN MIXER TAP

BPR2203 - CHROME BPR2204 - BRUSHED FINISH



- Quarter turn operation
- Chrome or brushed finish
- Single flow tap
- Dimensions: Overall height 367mm, Spout height - 258mm, Spout reach -203mm, Base/Handle Width - 148mm
- Minimum Pressure: 0.5 bar
- 10 year guarantee

Essential Taps

SINGLE LEVER MIXER TAP

BPR1063 - CHROME



- WRAS approved
- Chrome finish
- Single flow tap
- Dimensions:
 Overall height 174mm, Spout height 151mm,
 Spout reach 212mm, Base/Handle width 51mm
- Minimum pressure: 0.2 bar
- 10 year guarantee

DUAL LEVER V SHAPE MIXER TAP

BPR1054



- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions:
 Overall height 314mm, Spout height 213mm,
 Spout reach 172mm, Base/Handle width 205mm
- Minimum pressure: 0.2 bar
- 10 year guarantee

QUARTER TURN SWAN NECK MIXER TAP

BPR2152



- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions:
 Overall height 316mm, Spout reach 165mm,
 Base/Handle width 165mm
- Minimum pressure: 0.2 bar
- 10 year guarantee

Essential Taps

BELFAST DUAL LEVER MIXER TAP

BPR1053




- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions: Overall height - 344mm, Spout height - 242mm, Spout reach - 172mm, Base/Handle width - 180mm
- Minimum pressure: 0.5 bar
- 10 year guarantee

CLASSIC DUAL LEVER MIXER TAP

BPR1052



- WRAS certification
- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions:
 Overall height 220mm, Spout height 194mm,
 Spout reach 224mm, Base/Handle width 149mm
- Minimum pressure: 0.5 bar
- 10 year guarantee



TECHNICAL SPECIFICATIONS AND FEATURES...

OVENS			SINGLE	OVENS		BUILT-IN DOUBLE	BUILT-UNDER DOUBLE	COMPACT APPLIANCES
	PRSO108 [€]	PRSO106 [€]	PRSO110 [€]	PRSO104	PRSO102	PRDO302 [€]	PRDO304 [€]	PRCM333 [€]
Controls	Touch	Rotary	Touch	Rotary	Rotary	Rotary	Rotary	Touch
Stainless steel	•	•	•	•	•	•	•	•
Finger print proof finish	_	_	_	•	•	-	_	_
Functions	10	7	11	4	4	4/4	4/4	8
Circa fan cooking	•	•	•	•	•	• (Main)	• (Main)	•
Fan assisted - conventional cooking with fan	•	•	•	_	_	_	_	•
Conventional cooking -top & bottom element	•	•	•	_	_	Upper	Upper	•
Grill with fan	•	•	•	•	•	• (Main)	• (Main)	•
Circa fan with lower heat	•	_	•	_	_	_	_	•
Bottom element	•	•	•	_	_	Upper	Upper	•
Grill	•	•	•	•	•	• (Upper & Main)	• (Upper & Main)	•
Fan with lower heat	•	_	•	_	_	_	_	•
Eco grill	•	_	•	_	_	Upper	Upper	•
Defrost	•	•	•	•	•	• (Main)	• (Main)	•
Manual timer	-	-	_	_	•	-	_	-
Auto programmer	•	•	•	•	_	•	•	•
Display colour	White	White	White	Red	_	White	White	White
Chrome shelf supports	•	•	•	•	•	•	•	•
Optional telecopic rails	•	•	•	_	_	• (Main)	_	_
Easy-remove door	•	•	•	_	_	•	•	_
Easy remove glass for cleaning	•	•	•	•	•	-	_	-
Oven capacity (Litre) - gross (Net)	76 (70)	76 (70)	76 (70)	65 (59)	65 (59)	Upper 35 Main 59	Upper 35 Main 50	45 (40)
Energy rating	А	А	А	А	А	A/A	A/A	n/a
Height (mm)	595	595	595	595	595	888	718	454
Width (mm)	595	595	595	595	595	595	595	595
Depth (mm)	571	571	571	540	540	545	540	570
Maximum connection rating	2.0kw	2.0kw	2.9kw	2.7kw	2.7kw	4.1kw	4.1kw	3.4kw
Fuse rating	13A	13A	18A	13A	13A	18A	18A	13A

MICROWAVES	MICROWAVE	MICROWAVE AND GRILL	MICROWAVE AND GRILL	MICROWAVE	MICROWAVE
Ovens	PRCM111 [₽]	LCTM251	LCTM25F	LCTM201	PRCM202
Height (nominal)	39CM	39CM	39CM	39CM	39CM
Stainless Steel	•	•	•	•	Black
Finger print proof finish	-	_	_	_	_
Functions	1	3	3	1	1
Microwave power - W	750W	900W	900W	800W	800W
Microwave power levels	4	8	5	5	5
Grill	-	1000W	1000W	_	_
Defrost	•	•	•	•	•
Timer	•	•	•	•	•
Digital display	•	•	•	•	_
Child safety lock	•	•	•	•	_
St/Steel inner cavity	-	_	_	_	_
Wall cupboard installation (min depth mm)	300	_	_	320	550
Turntable diameter (cm)	25.5	31.5	31.5	24.5	27
Microwave capacity (Litre) - net	22	25	25	20	20
Height (mm)	382	388	388	382	384
Width (mm)	595	595	595	594	595
Depth (mm)	294	410	410	345	336
Maximum connection rating	1.3kw	2.5kw	2.5kw	1.3kw	0.8kw

HOBS			G	AS			G	AS ON GLAS	SS	ELECTRIC	CERAMIC	ELECTRIC		II	NDUCTION		
	PRGH116	PRGH114	PRGH112	PRGH103	PRGH102	PRGH104	PRGH212 [€]	PRGH214 [€]	PRGH216 [€]	PREH102	PRCEH106	PRCEH104	PRIH013 [⊕]	PRIH003	PRIH005	PRVH001 [€]	PRIH010
Nominal size	90CM	70CM	70CM	60CM	60CM	60CM	60CM	70CM	90CM	60CM	60CM	60CM	75CM	75CM	60CM	80CM	90CM
Colour	St/Steel	St/Steel	St/Steel	Black	St/Steel	St/Steel	Black Glass	Black Glass	Black Glass	St/Steel	Black Glass	Black Glass	Black Glass	Black Glass	Black Glass	Black Glass	Black Glas
Controls	Rotary	Rotary	Rotary	Rotary	Touch	Rotary	Slider	Touch	Touch	Touch	Touch						
Glass edge	-	-	-	_	-	_	Frameless	Frameless	Frameless	_	Frameless	Frameless	Frameless	Frameless	Frameless	Frameless	Frameless
Auto ignition (push and turn)	•	•	•	•	•	•	•	•	•	_	_	_	_	_	_	_	_
Flame failure device	•	•	•	•	•	•	•	•	•	_	_	_	_	_	_	_	_
Cast iron pan supports	•	•	_	_	_	•	•	•	•	_	_	_	_	_	_	_	_
Enamel pan supports	_	_	•	•	•	_	_	_	_	_	_	_	_	_	_	_	_
LPG conversion kit included	•	•	•	•	•	•	•	•	•	-	-	_	_	_	_	_	_
Controls	Front	Front	Front	Side	Side	Side	Front	Front	Front	Side	Side	Side	Front	Front	Front	Front	Front
No of burners / zones	5	5	5	4	4	4	4	5	5	4	4	4	5	4	4	4	5
Output - front left	1000W	1750W	1750W	2800W	2800W	2800W	3000W	1000W	1000W	1500W	1800W	1800W	2000W	2000W	2000W	_	1800W
Output - front right	1750W	1000W	1000W	1000W	1000W	1000W	1000W	1000W	1750W	2000W	1200W	1200W	1500W	1500W	1500W	1500W	1500W
Output - middle/far left/ bridging zone	3800W	3800W	3800W	_	_	_	_	3300W	3800W	_	_	_	2000W	_	_	3000W	2200W
Output - back left	3000W	1750W	1750W	1750W	1750W	1750W	1750W	1750W	3000W	1500W	1200W	1200W	1500W	1500W	1500W	_	1500W
Output - back right	1750W	3000W	3000W	1750W	1750W	1750W	1750W	1750W	1750W	2000W	1800W	1800W	2000W	2000W	2000W	2000W	1800W
Auto safety / over temp shut off	-	_	_	_	_	_	_	_	_	_	•	•	•	•	•	•	•
Residual heat indicators	_	_	_	_	_	_	_	_	_	_	•	•	•	•	•	•	•
Child lock	_	_	_	_	_	_	_	_	_	_	•	•	•	•	•	•	•
Digital display	_	_	_	_	_	_	_	_	_	_	•	•	•	•	•	•	•
Electronic timer	_	_	_	_	_	_	_	_	_	_	-	_	•	•	•	•	•
Other Features:																	
Hood speed levels	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	3	_
Extraction rate (m³/hr)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	680	_
Noise level (dBA)	-	-	_	-	-	_	-	-	_	_	-	_	_	-	_	62	_
Vent dimensions	-	_	_	_	-	_	_	-	_	_	-	-	_	-	_	370 x 39 x 138	-
Hob dimension (mm)	860 x 500	680 x 500	680 x 500	580 x 500	580 x 500	580 x 500	580 x 500	680 x 500	860 x 500	580 x 500	580 x 510	580 x 510	750 x 520	590 x 520	590 x 520	800 x 520	860 x 520
Cut out dimension (mm)	837 x 477	557 x 477	557 x 477	560 x 480	560 x 480	560 x 480	560 x 480	560 x 480	837 x 477	560 x 480	564 x 494	564 x 494	720 x 490	560 x 490	560 x 490	710 x 500	830 x 490
Maximum connection rating	_	_	_	_	_	_	_	_	_	7kw	6.0kw	6.0kw	7.4kw	7kw	3kw	6.7kw	8.8kw

																	ISLAND	HOODS
HOODS	VIS	OR	CAN	ОРҮ	INTEGRATED	CHIN	MNEY	CURVEI CHIM		FLAT GLASS CHIMNEY			ANGL	.ED	DOWNDRAFT	вох	CURVED GLASS ISLAND	ISOLA QUADRA
	PRCH600	LIA804	PRCH700	PRCH701	PRCH550	PRCH020 (60CM) PRCH022 (70CM) PRCH024 (90CM)	PRCH021 (60CM) PRCH023 (90CM)	PRCGH008 (60CM) PRCGH010 (70CM) PRCGH012 (90CM) PRCGH202 (60CM)	PRCGH011 (70CM) PRCGH013	PRFH002 (60CM)	PRCH301 [©] (90CM)	PRAE1002 [©] (60CM) PRAE1004 [©] (70CM) PRAE1006 [©] (90CM)	(60CM) PRAE0020 (70CM)	PRAE0030 6	PRDE0004 [©]	PRCH026 PRCH028 PRCH030	PRCGH100	PRCH200
Nominal size	60cm	60cm	60cm	73cm	60cm	60/70/90cm	60/70/90cm	60/70/90cm	60/70/90cm	60cm	90cm	60/70/90cm	60/70/90cm	60cm	90cm	60/70/90cm	90cm	90cm
Colour	St/Steel	Silver	Grey	Grey	Grey	St/Steel	Black	St/Steel	Black	St/Steel	St/Steel	Glass/Steel	Black	Black/Steel	Glass/Steel	St/Steel	St/Steel	St/Steel
Controls	Slider	Slider	Slider	Slider	Slider	Push Button	Push Button	Push Button	Push Button	Push Button	Remote	T/Control	Push Button	T/Control	T/Control	T/Control	Push Button	Push Button
Speed levels	3	3	3	3	3	3	3	3	3	3	4	3	3	3	4	3	3	4
Extraction rate (m³/hr)	273	320	273	273	449	436	436	400	400	400	650	530	530	550	760	550	348	756
Noise (dB)	61	63	61	61	68	41	41	58	58	58	69	66	66	66	65	69	63	66
Filter (optional)	1xLIA210	1xLIA210	1 x LIA210	1 x LIA210	1 x LIA210	1 x LIA210 (Pk of 2)	1 x LIA210 (Pk of 2)	1xPRF006	1xPRF006	1xPRF006	_	1xPRF006	1xPRF006	1xPRF006	1xPRF008	1xPRF007	1xPRF006	1 x LIA210 (Pk of 2)
Grease filters	Aluminium	Acrylic	Acrylic	Acrylic	Acrylic	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Outlet diameter	150mm	120mm	150mm	150mm	120mm	150mm	150mm	125mm	125mm	125mm	150mm	125mm	125mm	125mm	150mm	125mm	125mm	150mm
Bulbs	2 x 2.8W LED	1 x 28W	1 x 2.8W LED	2 x 2.8W LED	1 x 2.8W LED	2 x 2.8W LED	2 x 2.8W LED	1W LED	1W LED	1W LED	4 x 2W LED	2 x 1W LED	2 x 1W LED	2 x 1W LED	2 x 1W LED	2 x 1W LED	2 x 1W LED	4 x 1W
Height (mm)	175	150	148	148	400	668-898	668-898	540-740	540 - 740	540 - 740	215	780 - 1080	780 - 1080	820 - 1120	300	450 - 750	830 - 1050	710 - 1025
Width (mm)	598	600	527	707	600	600/700/ 900	600/700/ 900	600/700/ 900	600/700/ 900	600	900	600/700/900	600/700/900	600	880	600/700/ 900	900	900
Depth (mm	306-456	520	283	283	495	450	450	450	450	450	600	303	303	333	90	450	600	600
Chimney W x D (mm)	-	-	_	_	-	185 x 175	185 x 175	205 x 230	205 - 230	400 x 330	_	260 x 180	260 x 180	260 x 180	_	185 x 175	277 x 263	328 x 284
Other features							Chimney flue extension available	Chimney flue extension available				15 minute timer		White LED to match Prima Plus Ovens		Adjustable timer digital LED clock		6min Timer, filter saturation alarms
														15 minute timer				

Prima																			
ducting kit (optional)	PRDK150	PRDK125	PRDK150	PRDK150	PRDK125	PRDK150	PRDK150	PRDK125	PRDK125	PRDK125	PRDK150	PRDK125	PRDK125	PRDK125	PRDK150	PRDK125	PRDK125	PRDK150	
(optional)																			

COOLING	BUILT-U	INDER INTE	GRATED		FUL	L HEIGHT II	NTEGRATED)	
	PRRF100	PRRF102	LPR132A1	PRRF208	PRRF209	PRRF500	PRRF700	PRRF502	PRRF702
Nominal height	-	_	-	177cm	177cm	177cm	177cm	177cm	177cm
Larder fridge	•	-	-	•	_	-	-	-	-
Freezer	-	•	-	_	•	-	-	_	-
Fridge with ice box	_	-	•	_	_	-	_	_	_
Fridge freezer - frost free	-	-	-	_	-	•	•	-	_
Fridge freezer - static	-	-	-	_	_	-	-	•	•
Auto defrost fridge	•	-	•	•	_	•	•	•	•
Manual defrost freezer	-	•	•	_	•	-	-	•	•
Door fixing - door on door	•	•	•	_	_	_	_	_	_
Door fixing - slider	-	_	-	•	•	•	•	•	•
		I					T	I	
Reversible doors	•	•	•	•	•	•	•	•	•
Fridge capacity (Litres)	142	-	108	316	_	154	190	154	190
Freezer capacity (Litres)	_	102	20	_	226	78	56	90	70
Shelves	2	-	2	5	_	4	4	4	4
Fridge drawers/ Salad crispers	2	_	2	2	_	2	2	2	2
Freezer drawers	_	3	(Ice Box)	_	9	4	3	4	3
Energy rating	A+	A+	A+	A+	A+	A+	A+	A+	A+
Height (mm)	820-870	820-870	820-870	1770	1770	1773	1773	1773	1773
Width (mm)	596	596	596	540	540	555	555	540	540
Depth (mm)	550	550	550	540	540	540	540	545	545
Flame retardant metal back	•	•	•	•	•	•	•	•	•
Coolant - R600a	•	•	•	•	•	•	•	•	•
Climate Class	SN-ST	SN-ST	N-ST	N-ST	N-ST	SN-T	SN-T	SN-N	SN-N
Omnace Glass	314 31	314 31	14 51	14 31	14 31	514 1	514 1	314 14	314 14
Rated current (A)	1A	1A	1A	1A	1A	1A	1A	1A	1A

WINE COOLERS	BUILT-UNDER						
COCEINS	PRWC150	PRWC300	PRWC330				
Nominal Width	15cm	30cm	30cm				
Capacity (litres)	22	58	58				
No of bottles	7	18	18				
Compressor cooling	•	•	•				
Temp range °C	5-22	5-22	5-22				
Digital temperature display	•	•	•				
Wooden shelves	_	5	5				
Chrome shelves	6	_	_				
Noise level (dBA)	39	39	39				
Refrigerant (R600a)	•	•	•				
Climate class N	•	•	•				
Front & rear levelling feet	•	•	•				
Fitted 3 pin plug	•	•	•				
Rated current (A)	1A	1A	1A				

DISHWASHERS		FULLY IN	TEGRATED	
	PRDW200	LPR661A	LPR659A	PRDW204 [€]
Nominal width	60cm	60cm	45cm	60cm
Place settings	12	14	10	14
No of programs	4	7	6	7
Water usage (litres)	11	11	9	10
Noise level (dBA)	49	47	49	42
Normal wash	•	•	•	•
Intensive wash	•	•	•	•
Economy wash	•	•	•	•
Rapid wash	•	•	•	•
Glass		•	•	•
90 minutes		•	•	•
Auto program (load sensing)				•
Soak	•	_	_	•
Delay timer	1-24 hrs	1-24 hrs	1-24 hrs	1-24 hrs
Low salt display indicator	•	•	•	•
Low rinse aid display indicator	•	•	•	•
End of program display indicator	•	•	•	•
Anti flood	•	•	•	•
Top cutlery drawer	_	_	_	•
Standard cutlery basket	•	•	•	_
Height adjustable top basket	•	•	•	•
"In Operation" floor light	_	_	_	•


Energy rating	A++	A++	A++	A+++
Height (mm)	820-870	820-870	820-870	820-870
Width (mm)	596	595	445	595
Depth (mm)	550	540	540	540

Max rated power	2KW	2KW	2KW	2 1KW
Max rated power	2KW	2KVV	2KW	2.1KW

LAUNDRY	TUMBLE DRYER	WASHING MACHINE	WASHER DRYER
	PRTD210	PRLD370	PRLD375
White	•	•	•
Fully integrated	•	•	•
Spin speed rpm (max)	_	1400	1400
Wash load (max kg)	_	7	8
Drying load (max kg)	7	_	6
Wash performance rating	_	А	Α
Spin efficiency rating	_	Α	В
Energy-efficiency rating	С	A+++	Α
Hot & cold fill	_	Cold	Cold
Quick wash function	_	•	•
Height (mm)	865-890	825	825
Width (mm)	595	595	595
Depth (mm)	530	540	540
Voltage (V)	220-240	220-240	220-240
Connected load (w)	2700	2000	2000
Fuse required (amps)	13	13	13

PRIMA+ **BUILT-IN SINGLE ELECTRIC FAN OVEN**

PRSO106/PRSO108/ PRSO110




PRIMA+ **BUILT-IN COMPACT COMBINATION MICROWAVE, GRILL** & FAN OVEN




BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO102/PRSO104




PRIMA+ **BUILT-IN DOUBLE ELECTRIC OVEN**

PRDO302




PRIMA+ **BUILT-UNDER DOUBLE ELECTRIC OVEN**

PRDO304




PRIMA+ 15CM **WARMING DRAWER** PRWD002





BUILT-IN STAINLESS STEEL FRAMELESS MICROWAVE AND GRILL LCTM251


BUILT-IN STAINLESS STEEL FRAMED MICROWAVE AND GRILL LCTM25F



BUILT-IN STAINLESS STEEL FRAMED MI-CROWAVE

LCTM201 H382 x W594 x D345

BUILT-IN BLACK MICROWAVE PRCM202 H384 x W595 x D336





PRIMA+ 60CM **GAS ON GLASS HOB**

PRGH212

PRIMA+ 70CM **GAS ON GLASS HOB** PRGH214

PRIMA+ 90CM **GAS ON GLASS HOB** PRGH216

70CM 60CM **STAINLESS STEEL GAS HOB** PRGH102/PRGH104

60CM


60CM


PREH102


PRGH103


STAINLESS STEEL GAS HOB PRGH112 PRGH114

90CM **STAINLESS STEEL GAS HOB** PRGH116












ELECTRIC HOB

BLACK GAS HOB






60CM **INDUCTION HOB** PRIH003 PRIH005




PRIMA+ 75CM

INDUCTION HOB






60CM **CERAMIC HOB** PRCEH104/ PRCEH106



PRIMA+ 80CM **VENTING INDUCTION HOB** PRVH001



NEW

PRIH013

NEW PRIMA+ 90CM **CEILING HOOD**

PRCH301


PRIMA+ **ANGLED HOOD**

PRAE0030 PRDE0004

PRIMA+ 90CM **DOWNDRAFT** HOOD


PRIMA+ 60/70/90CM **STAINLESS STEEL** /GLASS **ANGLED HOOD**

PRAE1002/ PRAE1004/ PRAE1006




PRIMA+ 60/70/90CM **ANGLED HOOD**


PRAE0018/ PRAE0020/ PRAE0022



PRIMA+ 60/70/90CM **BOX HOOD**

PRCH026/ PRCH028/ PRCH030






740/ 1044

450-750 600/700/900


90CM **ISOLA QUADRA ISLAND HOOD**

PRCH200




90CM **STAINLESS STEEL CURVED GLASS ISLAND HOOD**

PRCGH100




60CM STAINLESS STEEL FLAT GLASS HOOD PRFH002




60/70/90CM **STAINLESS STEEL CURVED GLASS CHIMNEY HOOD**

PRCGH008/PRCGH010/ PRCGH012/PRCGH202



60/70/90CM **BLACK CURVED GLASS CHIMNEY HOOD**

PRCGH009/PRCGH011 /PRCGH013



60/70/90CM **STAINLESS STEEL CHIMNEY HOOD**

PRCH020/PRCH022/PRCH024

ALSO AVAILABLE IN BLACK

PRCH021/PRCH023


668-898





60CM VISOR HOOD LIA804 (SILVER)


60CM **GREY CANOPY HOOD** PRCH700 PRCH701

60CM **TELESCOPIC HOOD** PRCH600











PRIMA+ 50/50 **FROST FREE FRIDGE FREEZER**

PRRF500




PRIMA+ 70/30 **FROST FREE FRIDGE FREEZER**

PRRF700




50/50 FRIDGE FREEZER

PRRF502




70/30 FRIDGE FREEZER PRRF702




UNDER COUNTER LARDER FRIDGE


PRRF100



UNDER COUNTER FRIDGE WITH ICE BOX LPR132A1



UNDER COUNTER LARDER FREEZER PRRF102




BUILT-IN LARDER FRIDGE

PRRF208

BUILT-IN


LARDER FREEZER

PRRF209




150MM STAINLESS STEEL WINE COOLER

PRWC150



300MM STAINLESS STEEL WINE COOLER

PRWC300/330





PRIMA+ 60CM **INTEGRATED DISHWASHER** PRDW204


60CM **INTEGRATED DISHWASHER** LPR661A


60CM **INTEGRATED DISHWASHER** PRDW200












INTEGRATED WASHING MACHINE PRLD370





INTEGRATED

WASHER DRYER

INTEGRATED SENSOR DRYER PRTD210









PRIMA+ GRANITE **1.0 BOWL**

CPR310/CPR311/CPR312/CPR313




PRIMA+ GRANITE **1.5 BOWL**

CPR314/CPR315/CPR316/CPR317




PRIMA+ COMPACT GRANITE 1.0 BOWL

CPR340/CPR341/CPR342/CPR343




PRIMA+ GRANITE 1.0 BOWL UNDERMOUNT

CPR350/CPR351/CPR352




PRIMA+ GRANITE 1.5 BOWL UNDERMOUNT

CPR353/CPR354/CPR355




1.0 BOWL COMPOSITE SINK

BLACK - CPR304




1.5 BOWL COMPOSITE SINK BLACK

BLACK - CPR305




BELFAST 1.0 BOWL SINK

CPR408




1.0 BOWL TRADITIONAL CERAMIC SINK

CPR403




1.5 BOWL TRADITIONAL **CERAMIC SINK**




COMPACT STAINLESS STEEL 1 BOWL & TAP PACK

CPR040




STAINLESS STEEL 1 BOWL & TAP PACK

CPR041




STAINLESS STEEL 1.5 BOWL & TAP PACK

CPR042




1.0 BOWL SINK

CPR024




1.5 BOWL SINK

CPR026




DEEP BOWL 1.0

CPR030




DEEP BOWL 1.5

CPR032




UNDERMOUNT 1.5 BOWL SINK

CPR514 - RIGHT HANDED CPR512 - LEFT HANDED




1.5 BOWL REVERSIBLE **UNDERMOUNT**

CPR506




LARGE BOWL UNDERMOUNT SINK

CPR508



PRIMA 1.5 BOWL REVERSIBLE UNDERMOUNT



INTRODUCING primacare

Primacare is our aftersales care programme which ensures that your Prima and Prima+ products are working as they should.

Our Primacare team deliver a friendly and efficient service.

Below is an overview of our Primacare service, from registering your product for the extended parts guarantee, to what to do if your product experiences problems.

PRODUCT REGISTRATION

You can register by phone or easily online at http://Prima-Appliances.uk/Guarantee. By registering your product you can extend for free your standard guarantee to a 5 year parts & 2 year labour guarantee. If you do not register your product you will be entitled to the standard 1 year parts and labour guarantee only.

NB: to qualify for the full 5 year parts & 2 year labour guarantee you must register your product within 30 days of purchase.

CONTACTING PRIMACARE

For all Primacare enquiries please call our Primacare hotline on 0344 576 6841 or email care@Prima-Appliances.uk. Opening hours: Mon-Fri 8:00am - 6:00pm

Sat 8:30am - 2:00pm

Sun 10:00am - 2:00pm

The Primacare team are available to give you advice on operating our products and their specifications.

IF YOU EXPERIENCE A PROBLEM WITH YOUR PRIMA OR PRIMA+ PRODUCT

Please call the Primacare hotline on 0344 576 6841 and a Primacare advisor will check your product registration details, log the fault on our Primacare system and if possible will attempt to resolve any operational or installation issues on the phone.

If we are unable to resolve your issue over the phone we will arrange for a Primacare engineer to contact you for a home visit at your convenience.

ENGINEERS VISIT / SPARES

One of our trained service engineers will arrange a suitable appointment with you and attempt to fix your appliance on the first visit, however in the event that additional parts are required he/she will arrange a new appointment to install the new parts at a later date.


ESCALATION PROCESS

If you are not satisfied with any part of the repair process we recommend that you contact the Primacare hotline as soon as possible and we will escalate your problem to our Prima Escalation Management Team.


PRODUCT REPLACEMENT

If we are unable to repair your appliance for any reason we reserve the right to offer you a replacement item to the same specification. If the replaced item is unavailable we reserve the right to offer a suitable alternative of similar specification. Original guarantee dates still apply in the event of a replacement.

Terms & conditions apply.







prima care


If you experience any problems with your appliance please contact our dedicated service line on:


03445766841

UK Call Centre open 7 days a week: Mon-Fri 8:00am - 6:00pm Sat 8:30am - 2:00pm Sun 10:00am - 2:00pm

or you can visit our website:

http://Prima-Appliances.uk/Guarantee







Website www.chambersofdinnington.co.uk

Call 01909 566533

Showrooms
21-25 Barleycroft Lane
Dinnington S25 2LE

E-mail info@chambersofdinnington.co.uk