

NEW IN 2020



RUNPOTEC[®]

STRONGEST CABLE PULLING





PROMOTION-CONTENT:
RUNPOCAM RC2 – 50 M +
PROFI SET FIBERGLASS ROD
Ø 4,5 MM – 50 M

INSTEAD OFF € **908,²⁵**

€ **789,-**

plus tax
 RUNPOCAM RC2 50 m – fiberglass rod 50 m
 RUNPOTEC item no. 11140



PROMOTION-CONTENT:
XB 300 + MULTI-FUNCTION
MANDREL- SET

INSTEAD OFF € **162,⁴⁵**

€ **148,-**

plus tax
 XB 300 – MULTIFUNKTIONSDORN – SET – Aktion
 RUNPOTEC Art.-Nr: 10174



W-BOX® | Sortimo COMPATIBLE

PROMOTION-CONTENT:
XB 300 – COMPLETE-SET
 incl. multi-function mandrel +
 system-case

INSTEAD OFF € **210,⁹⁵**

€ **189,-**

plus tax
 XB 300 – COMPLETE-SET – offer
 RUNPOTEC item no. 10170



W-BOX® | Sortimo COMPATIBLE

PROMOTION-CONTENT:
RUNPO 5 + XB 300 – MULTiset
 incl. multi-function mandrel + system-case

RUNPO 5 – 30 m - 2 x **RUNPO GLIDER®**
 with swivel, triple twisted, tension load 270 Kg,
 optimal for pipe Ø 16 - 40 mm

INSTEAD OFF € **357,⁸⁵**

€ **305,-**

plus tax
 RUNPO 5 – XB 300 – MULTiset – offer
 RUNPOTEC item no. 10171

Quality check

RUNPOTEC products are
checked at several stages
for

- » Breaking load
- » Material quality
- » Material fatigue
- » Mechanical stress
- » Functional ability



SPECIAL OFFER17
page**RUNPOCAM RC2 – 50 M +
PROFI SET FIBERGLASS ROD
Ø 4,5 MM – 50 M**

Recommended tube diameter - Ø 30 mm – 80 mm
 Minimum inner diameter of pipe/conduit - Ø 14 mm
 Ventilation-Pipe, drainage – pipe, sewer - pipe,
 suspended ceilings and many more options...

8-11
page**PROFI-CABLE-ROLLER**

XB 500 For all types of cables and pipes.
XB 300 For all small- to med-sized cable drums.

NEW NOW WITH
CLIP-SYSTEM8-9
page**MULTI-FUNCTION MANDREL**

For XB 300 or XB 500

To rolling of loose cable bundles or individual
 wires up to a max. height of 294 mm and a
 max. diameter of 430 mm.

RUNPOLIFTER 4500

Cable drum lifter

For drums up to 4500 kg and Ø 1600 mm.
 Three different drum shaft available.
 Lengths: 1150 mm, 1350 mm and 1600 mm.

Foldable! Only 22 kg
per lifting support.14
page51
page**CABLE GUIDE ROLLER**

High performance guide roller

For pulling cables gently around corners
 with the least possible resistance.

CABLE PULLING SYSTEMS	
Cable lubricating compound GEL SPRAY FOAM SPRAY	19
RUNPO 5 2 x RUNPOGLIDER with swivel, special plastic tape Ø 5,3 mm, triple twisted	20
RUNPOSTICKS standard and comfort plastic-coated basalt pushrod set	22
RUNPO 1 Special plastic fish tape Ø 4 mm, with RUNPOGLIDER	24
POWER REX Fiberglass rod Ø 3 mm incl. RUNPOGLIDER with swivel	25
RUNPOTEC RT 2008 Tool for pushing in RUNPOGLIDER into conduit	28
RUNPOGLIDER spiral MET Metal spiral Ø 4 mm with RUNPOGLIDER	29
RUNPOFIX Cable pulling loop with protective cap Protects plugs against damage	30
Cable pulling grip Ø 4 – 15 mm	31
Cable pulling grip Ø 9 – 100 mm	32
Cable diameters Summary table - Information page	33
Fiberglass rod Ø 4,5 mm incl. steel cage and the new double-outlet system	34
Fiberglass rod Ø 6 mm incl. steel cage and the new double-outlet system	37
Fiberglass rod Ø 7,5 – 9 mm incl. steel cage and the new double-outlet system	41
Fiberglass rod Ø 11 mm incl. steel cage and the new double-outlet system	44
Fiberglass rod Ø 15 mm incl. steelcage and meter counter	46
Cage-flexible leading head-set RUNPOSTICKS, 13 parts	40
Capstan winch CW 800 E for horizontal cable pulling	48
Polyester towing rope incl. steel cage or drum Ø 8 mm, 10 mm, 12 mm 100 m – 350 m	50
Metal spiral Ø 4 mm Nylon fish tape Ø 3 – 4 mm	53
INSPECTION SYSTEMS RUNPOTEC SYSTEM-CASE	
RUNPOCAM RC 2 Multifunction-inspection-camera 10 m, 30 m, 50 m	16
Laser distance meter RM80	52
RUNPOTEC system-case	10
CABLE ROLLER SYSTEMS	
X-BOARD Profi cable roller XB 300 multi-function mandrel	8
X-BOARD Profi cable roller XB 500	11
Cable drum roller PRO 530 PRO 670	12
Roll-off rails AS 900 In a 2-part set	13
RUNPOLIFTER 4500 cable drum lifter L 1150, L 1350, L 1600	14
Cable drum Summary table - Information page	15
Cable guide roller chain 90 degrees shaft shaft inside edge	51
PRICE LIST GTC	
Price list	54
GTC General terms and conditions	59

Another world
novelty from
RUNPOTEC®
awaits you
here shortly







Profi cable roller XB 300

VIDEO

X-BOARD

300 KG

X-BOARD mandrel
Ø 45 mm
Removable for large drums.

Possible applications

Ø 300 mm

**RUNPOSTICKS
COMPATIBEL**

NEW NOW WITH
CLIP-SYSTEM

The compact X-BOARD – XB 300 is a universal, professional device for winding in/out cables on all small- to mid-sized cable drums. The XB 300 scores highly thanks to its small, lightweight and flat design but is still capable of carrying up to 300 kg. **Ideal for damaged cable drums.** For trouble-free and efficient working without the tangled cables. 6 rubberised feet ensure a non-slip and secure standing position. Ideal for protecting already completed flooring surfaces. The removable pin enables cable drums featuring varying hole sizes to be used. Here also the multi-function mandrel can be attached to unwind loose cable bundles or single wires. (Multi-function mandrel is not included).

Multi-function mandrel

Can only be used in combination with X BOARD XB 300 (and XB 500)

NEW

Telescopic middle mandrel up to max. 294 mm

foldable

Possible applications

The multi-function mandrel has been **specially developed for the X BOARD XB 300 and XB 500 cable rolling systems.** Loose cable bundles or individual wires can also be rolled by attaching them to the stainless steel centre mandrel of the XB 300 and then folding out the 4 side brackets.

Spare part		Item no.	Rec. trade price
	X-BOARD mandrel for X-BOARD XB300 and XB 500	20632	9,14 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Item	Item no.	Rec. trade price
 Multi-function mandrel The multi-function mandrel has been specially developed for the X BOARD XB 300 and XB 500 cable rolling systems.	20696	48,00 €
 X BOARD – Profi cable roller XB 300 – Ø 300 mm Load bearing capacity 300 kg	10137	114,45 €

**PROMOTION-CONTENT:****XB 300 + MULTI-FUNCTION MANDREL- SET**INSTEAD OFF € 162,⁴⁵€ **148,-**
plus taxXB 300 – MULTI-FUNCTION MANDREL – SET – offer
RUNPOTEC Item no. 10174**PROMOTION-CONTENT:****XB 300 – COMPLETE-SET**incl. multi-function mandrel +
system-caseINSTEAD OFF € 210,⁹⁵€ **189,-**
plus taxXB 300 – COMPLETE-SET – offer
RUNPOTEC item no. 10170**PROMOTION-CONTENT:****RUNPO 5 + XB 300 – MULTiset**

incl. multi-function mandrel + system-case

RUNPO 5 – 30 m - 2 x RUNPO GLIDER®
with swivel, triple twisted, tension load 270 Kg,
optimal for pipe Ø 16 - 40 mm

INSTEAD OFF € 357,⁸⁵€ **305,-**
plus taxRUNPO 5 – XB 300 – MULTiset – offer
RUNPOTEC item no. 10171

RUNPOTEC SYSTEM-CASE

W-BOXX® | Sortimo® COMPATIBLE





UNIVERSAL case insert



RUNPOCAM RC2 case insert



RT 2008 case insert



Stackable with click system



RUNPOTEC SYSTEM-CASE

System-case with UNIVERSAL, RUNPOCAM RC 2 or RT 2008 case insert. Perfect for storing and transporting of the previously mentioned RUNPOTEC products.

One advantage is the **fast click system**, which allows the boxes to be connected to each other without effort and disconnected again at the push of a button. The boxes are easily stackable thanks to the **quick click system**. The **W-BOXX** can be seamlessly integrated into the **Sortimo Globelyst system**.

The high-quality and lightweight W-BOXX made of PP plastic is impact and shock resistant and splash-proof.

Accessoires Components		item no.	Rec. trade price
	RUNPOTEC system-case with case insert for RT 2008	20611	49,34 €
	RUNPOTEC system-case with case insert for RUNPOCAM RC2	20612	49,35 €
	RUNPOTEC system-case with UNIVERSAL case insert (For XB 300 + multi-function mandrel + RUNPO 5)	20613	49,35 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.



Profi cable roller XB 500

800 KG

Ø 500 mm

X-BOARD mandrel
Ø 45 mm
Removable for
large drums

**MULTIMANDREL
COMPATIBLE**

**RUNPOSTICKS
COMPATIBLE**

Possible applications

VIDEO

X-BOARD

Possible applications in combination with RUNPOSTICKS

Fix light drums

Helps tilting of large drums on to the X BOARD

Item	Item no.	Rec. trade price
X BOARD – Profi cable roller XB 500 – Ø 500 mm Load bearing capacity 800 kg	10136	239,00 € 219,00 €

The compact X-BOARD – XB 500 is a universal, professional device for winding in/out cable drums featuring all types of cables and pipes (single core lines, cable rings, cable drums, empty conduits, ropes and rope drums).

It enables trouble-free and efficient working without the tangled cables.

The X-BOARD – XB 500 can bear loads of up to 800 kg and is suitable for almost all types of drum.

Especially ideal for damaged cable drums.

12 rubberised feet ensure a non-slip and secure standing position. Ideal for protecting already completed flooring surfaces. The height-adjustable lid is perfectly designed to secure loose cables, cable rings or pipes in the X-BOARD XB 500; this prevents uncontrolled cable winding.

Spare part	Item no.	Rec. trade price
X-BOARD mandrel for X-BOARD XB300 and XB 500	20632	9,14 €

Cable drum roller PRO 530 | PRO 670

VIDEO

cable drum roller
PRO 530
PRO 670

215 KG

Extra strong bearings

Item	Item No.	Rec. trade price
Cable drum roller – pre-assembled, incl. support rollers Load bearing capacity 215 kg PRO 530	10134	186,90 €
PRO 670	10135	219,45 €

RUNPOTEC's innovative, high-quality cable drum roller made from lightweight yet solid pressure-cast and continuous-cast aluminium featuring sturdy, adjustable support rollers is ideal for very high loads in everyday use. The support rollers with spring core axles can be easily adjusted to accommodate a wide range of cable drum sizes up to max. Ø 1000 mm thanks to gap adjustment to 85, 160, 225, 290, 310 and 335 mm. The closed support roller bearings offer protection against dirt and corrosion and thus guarantee maintenance-free operation. The four compact feet made of high-quality plastic ensure the cable drum roller always stands securely without risk of slipping and that already completed floor coverings are protected. The high-quality, functional design featuring sophisticated technology guarantees a long service life. **Cable drum roller PRO 530 and PRO 670 can be retrofitted with castors!**

Accessoires Components		Item no.	Rec. trade price
	Castors in a 4-part set 2 piece with parking brakes 2 piece without parking brakes PU = 4 x castors	20623	89,25 €
	Unwind roll 530 for cable drum roller PRO 530 Roller length 530 mm	20609	26,25 €
	Unwind roll 670 for cable drum roller PRO 670 Roller length 670 mm	20610	28,38 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Roll-off rails AS 900



Possible application



1

Roll-off brake
open



2

Roll-off brake
closed

Item	Item no.	Rec. trade price
Roll-off rails AS 900 In a 2-part set 2 piece max. drum weight 1700 kg (wooden drum)	10142	787,50 €

The AS 900 roll-off rails are designed to safely roll off heavy cabling and cable drums featuring dimensions of 450 mm to 2000 mm.

The robust stainless steel/aluminium construction with high-quality, maintenance-free, ball-bearing-mounted, heavy-duty rollers ensures a long service life.

The roll-off brake ensures that drums can be changed simply and quickly.

Their narrow two-part design means they can easily be used in narrow locations.

The roll-off rails are especially recommended wherever various types of cable need to be processed next to one another in a short space of time.

RUNPOLIFTER 4500 SET drum shaft and centring cones



www

RUNPOLIFTER 4500



4500 KG



SCOPE OF DELIVERY:


- 1 x Lifting support right
- 1 x Lifting support left
- 1 x Drum shaft
- 2 x Centring cones




Foldable
Compact – easy transportation
Only 22 kg per lifting support



Item	Lifter Sets	Shaft lenght	Item no.	Rec. trade price
The RUNPOLIFTER 4500 is a foldable cable drum lifter that is capable of lifting drums with a maximum diameter of 1600 mm and a maximum weight of 4500 kg and a max. width of 1100 mm. The two included centring cones each have a quick-release fastener. Drums with a central hole up to Ø 115 mm can be fixed.	Lifter 1150	1150 mm	10162	2610,00 €
	Lifter 1350	1350 mm	10163	2650,00 €
	Lifter 1600	1600 mm	10164	2690,00 €

Accessoires Components		Item no.	Rec. trade price
	Drum shaft Ø 54 mm High strength hollow shaft, Integrated Heavy duty plain bearing, Stainless steel security mounth, High weight saving		
	Length 1150 mm – 11,00 kg - lifting capacity 4.500 kg	20692	490,00 €
	Length 1350 mm – 12,50 kg - lifting capacity 4.500 kg	20693	530,00 €
	Length 1600 mm – 14,30 kg - lifting capacity 4.500 kg	20694	570,00 €
	Centring cones with quick-release fastener Drum central hole up to Ø 115 mm	10147	123,50 €
	Lifter transport wheels 4 wheels including mounting screws (optionally retrofittable)	20711	126,00 €
	Lifting supports – RUNPOLIFTER 4500 1 piece on the left + 1 piece on the right	10161	2030,00 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.



Application examples: Drum wavelengths for suitable drum widths

Length 1600 mm for drum width up to 1100 mm



Length 1350 mm for drum width up to 900 mm



Length 1150 mm for drum width up to 750 mm



A drum diameter mm	610	710	810	910	1010	1210	1410	1610	1810
B drum width mm	490	520	520	690	710	890	890	1100	1100
cable diameter mm	Cable lengths in m on a drum								
6	1113	2024	2755						
CAT5/6/7	7	845	1481	2340					
Coaxial	8	637	1064	1463	2731				
3 x 1,5 mm ²	9	472	892	1152	2202	2866			
3 x 2,5 mm ²	10	386	677	980	1768	2349			
5 x 2,5 mm ²	11	314	564	761	1404	1912			
1 x 25 mm ²	12	253	468	643	1206	1540			
	13	237	385	542	1032	1339	2727		
1 x 35 mm ²	14		364	454	881	1159	2265	2967	
7 x 2,5 mm ²	15		297	430	749	1000	1991	2479	
1 x 50 mm ²	16		239	358	632	860	1756	2205	
5 x 6 mm ²	17		226	294	603	736	1545	1959	
1 x 95 mm ²	18		218	281	505	705	1355	1737	
3 x 16 mm ²	19		172	228	485	599	1184	1535	2722
10 x 2,5 mm ²	20		165	219	402	576	1139	1352	2435
5 x 10 mm ²	21		159	211	387	485	991	1304	2172
4 x 16 mm ²	22		122	167	315	468	856	1145	1931
	23		117	161	304	389	827	999	1869
5 x 16 mm ²	24		113	156	294	377	709	967	1657
1 x 185 mm ²	25		110	151	285	365	688	639	1608
3 x 35 mm ²	26		80	116	226	299	668	814	1419
3 x 50 mm ²	27		78	113	221	290	567	700	1244
1 x 240 mm ²	28		76	109	215	282	551	681	1211
24 x 2,5 mm ²	29		73	106	209	226	462	663	1180
5 x 35 mm ²	30		71	103	162	220	450	564	1028
4 x 50 mm ²	31			76	157	214	438	550	1003
1 x 300 mm ²	32			74	153	209	428	537	866
40 x 2,5 mm ²	33			72	150	204	352	451	846
	34				146	158	344	441	828
3 x 95 mm ²	35				108	154	336	431	707
5 x 50 mm ²	36				105	151	329	422	692
4 x 70 mm ²	37				103	148	265	348	678
3 x 120 mm ²	38					144	259	341	664
	39					107	254	334	560
4 x 95 mm ²	40					105	249	327	549
5 x 70 mm ²	41					102	244	264	539
3 x 150 mm ²	42					100	190	259	529
4 x 120 mm ²	43						187	254	437
	44						183	249	430
	45						180	245	422
5 x 95 mm ²	46						177	240	415
3 x 185 mm ²	47						174	187	408
	48						129	184	330
4 x 120 mm ²	49						127	181	325
5 x 120 mm ²	50						125	178	319
	51						123	175	314
3 x 240 mm ²	52						121	172	310
	53							170	305
4 x 185 mm ²	54							126	230
	55							124	235
	56							122	232
	57							121	228
	58							119	225
5 x 150 mm ²	59							117	222
3 x 240 mm ²	60								219
	61								216

The cable examples shown correspond to the load capacity of the RUNPOLIFTER (less than 4500 kg).

Source: Leading cable dealers. All information are non-binding.

Multifunction-inspection-camera - compatible with all RUNPOTEC products with RTG Ø 6 mm thread

RUNPOCAM RC2

Multifunction-inspection-camera

10 m, 30 m and 50 m length



INCLUDED ACCESSORIES:

- A RUNPOGLIDER with front thread
- B SYSTEMGLIDER
- C High-performance 320-lumen rechargeable LED lamp
- D Micro memory card 8 GB / adapter
- E Magnet fishing-set
- F Connection thread set, RTG Ø 6 (Blind cap, inside and outside connection thread)
- G Stainless steel fishing hook
- H Dual-USB charging adapter 12 V
- I Flexible attachment 12 cm
- J USB / Micro-USB charging cable 3 m
- K Dual-USB charging adapter 230 V
- L RC 2 thread attachment
- M USB / Micro-USB charging cable 1 m



Item	Length	Item no.	Rec. trade price
RUNPOCAM RC 2 Multifunction-inspection-camera in system-case	10 m	10139	523,95 €
	30 m	10140	565,95 €
	50 m	10141	607,95 €


Application: For pipe inspectionen for long distances up to 50m – but also for bigger pipe diameters (etc.). Minimum inner diameter of the conduit Ø 14 mm.

In combination with the RUNPOSTICKS outstanding for suspended ceilings, shafts, ventilation- and equipment inspection. Evidence gathering, recording function foto-, video- and audio documentation! Operation up to 6 hours.

Multifunction-inspection-camera with 6 integrated LED (**camera probe IP rating IP67**), enclosed in robust stainless steel head (Ø 13 mm) with RTG Ø 6 mm inside connecting thread – compatible to all RUNPOTEC products with RTG Ø 6 mm thread.

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.

Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.



SPECIAL OFFER

1 x Profi-Set fiberglass rod Ø 4,5 mm, 50 m
► description **page 34**

1 x RUNPOCAM RC2, 50 m

INSTEAD OFF € **908,²⁵**

€ **789,-**

plus tax

RUNPOCAM RC2 50 m – fiberglass rod 50 m
RUNPOTEC item no. 11140

Compatible with the following RUNPOTEC products

POWER REX	RUNPOSTICKS	RUNPO 1	PROFI-SET / STANDARD-SET	FIBERGLASS ROD
			Ø 4,5 mm, 6 mm 	Ø 7,5 mm, 9 mm, 11 mm, 15 mm 

Application examples – evidence gathering/recording function – foto, video (HD) and audio



PIPE INSPECTION
for large pipe diameters




PIPE INSPECTION
from - Ø 14 mm and more



IP RATING IP67



VENTILATION INSPECTION AND SERVICING



CAVITY WALL INSPECTION
Locating and capturing



SHAFTS AND UNDERFLOOR DUCTING

Combination version – Compatible with all RUNPOTEC products with RTG Ø 6 mm thread






Cable feed systems RTG Ø 6 mm thread:
RUNPOSTICKS, POWER REX, RUNPO 1,
all fiberglass rods

Item		Item no.	Rec. trade price
 	RC 2 camera probe with cable Ø 13 mm IP 67 RTG Ø 6 mm incl. camera reel 10 m 30 m 50 m camera reel RC 2 (Image 2)	20593	194,25 €
		20560	271,95 €
		20559	312,90 €
		20608	26,25 €
 	High-performance 320-lumen rechargeable LED lamp 2 x RUNPOTEC RTG Ø 6 mm thread (1 x vertical and 1 x horizontal) micro-USB charging socket for battery, IP67	20485	41,90 €
	Systemglider RC2 L 130 mm B 58 mm H 53 mm RUNPOTEC RTG Ø 6 mm front thread	20606	19,95 €
	RUNPOGLIDER with front thread RUNPOTEC RTG Ø 6 mm thread	20460	30,45 €
	Flexibel camera probe 0,8 m Ø 9 mm for RUNPOCAM 300.000 pixel (720 x 576) Field of view 64°, IP rating IP 67 4 x LED (dimmable)	20481	62,48 €
	Flexibel camera probe 1 m Ø 3,9 mm for RUNPOCAM 100.000 pixel (320 x 240) Field of view 54°, IP rating IP 67 2 x LED (dimmable)	20488	124,43 €
	RC2 thread attachment L 101 mm B 16 mm H 19 mm RUNPOTEC RTG Ø 6 mm front thread	20607	15,23 €
	Micro memory card 8 GB incl. card adapter	20483	4,31 €
	Magnet fishing-set 1,5 – 2,9 kg (pipe-Ø 16 – 40 mm)	20475	20,58 €
	Connection thread set RUNPOTEC RTG Ø 6 mm thread (set of 3 = 1 x inside, 1 x outside, 1 x blindcap)	20484	8,51 €
 	Funktionglider with RTG Ø 6 mm (Image 1)	20261	5,99 €
	Stainless steel fishing hook with RTG Ø 6 mm (Image 2)	20261	18,38 €
	Flexible attachment 12 cm stainless steel RUNPOTEC RTG Ø 6 mm thread	20509	7,04 €
	RUNPOTEC system-case with RUNPOCAM RC2 case insert	20612	49,35 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
 Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

	Item	Item no.	Rec. trade price
	Cable lubricating compound GEL 1050 ml Non-inflammable friction-reducing, improved gliding property, non-corrosive, heat-resistant up to 85°C/185°F, non-stick and non-staining, gentle on skin, biodegradable.	30064	8,87 €
	Cable lubricating compound GEL 250 ml Non-inflammable friction-reducing, improved gliding property, non-corrosive, heat-resistant up to 85°C/185°F, non-stick and non-staining, gentle on skin, biodegradable.	30467	4,41 €
 NON-INFLAMMABLE	Cable lubricating compound SPRAY 400 ml Special attachment – spray large areas or open the tube for precise streams. Non-inflammable excellent lubrication, non-stick, non-drying, colourless, odourless.	20523	8,19 €
 NON-INFLAMMABLE	Cable lubricating compound FOAM 400 ml Special attachment – spray large areas or open the tube for precise streams. Non-inflammable excellent lubrication, water-soluble, non-stick, non-drying, VOC-free.	20522	7,14 €
	LIQUID lubricant 1000 ml	30063	7,23 €

RUNPO 5 with box

Triple twisted and 2 x



NEW RUNPOGLIDER[®] NOW WITH SWIVEL!

Triple twisted



Beginning

RUNPOGLIDER with swivel Ø 7 mm
• pressed onto strand •

Achtung!
Strömend
Alternfl.
electric
conductive

Ending

RUNPOGLIDER with swivel Ø 7 mm
• pressed onto strand •

Item	Ø	Length	Item no.	Rec. trade price
RUNPO 5 incl. 2 x RUNPOGLIDER with swivel, triple twisted special plastic tape, outside Ø 5,3 mm, tension load: 270 kg	5,3 mm	20 m	10013	131,15 €
		30 m	10014	146,90 €

Recommended tube diameter, bending radius and tension loads of the RUNPO 5

Ø			
5,3 mm	16–40 mm	15 mm	270 Kg

Advantages of the RUNPO 5

only punctual contact

strand + pressing + RUNPOGLIDER + eyelet

R

50% less friction resistance

270 Kg total tension load

Almost breakproof
even with narrow radius

Advantages over fiberglass rod Ø 3 mm

- ▶ no wrinkles
- ▶ no glue
- ▶ thereby saves time

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.



SPECIAL OFFER

1 x X BOARD XB300 with multi-function mandrel in RUNPOTEC system case,
► description [page 8](#)

1 x RUNPO 5, 30 m

INSTEAD OFF € ~~358,70~~

€ 305,-

plus tax

RUNPO 5 – XB 300 – MULTISSET – offer
RUNPOTEC item no. 10171



SPECIAL OFFER

1 x Profi-Set fiberglass rod Ø 4,5 mm,
60 m incl. steel cage
► description [page 34](#)

1 x RUNPO 5, 30 m

INSTEAD OFF € ~~447,20~~

€ 349,20

plus tax

RUNPO 5 – PROFI-SET 60 m – offer
RUNPOTEC item no. 11120

Item	Item no.	Rec. trade price
	RUNPO 5 without box Ø 5,3 mm	
	2 x RUNPOGLIDER with swivel triple twisted special plastic tape outside Ø 5,3 mm, tension load: 270 kg	
	20 m	99,65 €
	30 m	115,40 €
	40 m	131,15 €
	RUNPOTEC system-case with UNIVERSAL case insert	20613 49,35 €
	RUNPO 5 - empty BOX	30146 31,60 €

Accessories: RUNPO Z, Cable pulling grip with swivel, stainless steel, useful in combination with RUNPO 5

 RUNPO Z-Quick connection compatible with RUNPOGLIDER!		Ø 4 – 6 mm	20272	25,20 €
		Ø 6 – 9 mm	20273	27,83 €
		Ø 9 – 15 mm	20274	32,03 €
 Example. The cap protects the plug from damage.		RUNPOFIX with hook – SET outside Ø 14 17 23 30 mm stainless steel PU = 4 RUNPOFIX	10159	39,80 €

Information



Cable pulling grip range see page 32

RUNPOSTICKS


Comfort (19 parts) / Standard (17 parts)



Item	Ø	Length	Item no.	Rec. trade price
RUNPOSTICKS Comfort (19 parts) 10 x 1 meter RUNPOSTICKS, basalt rods with extreme bending radius, with stainless steel RUNPOTEC RTG Ø 6 mm thread, 5 x red/hard, 3 x black/medium, 2 x yellow/soft, 1 x RUNPOGLIDER, 1 x strong magnet, 1 x ball chain, 1 x eyelet with ring, 1 x fishing hook, 1 x connection thread, 1 x storage bag with shoulder strap for all the accessories. Contains additionally a special sliding hook and shockproof LED-lamp	4,5 mm (yellow) 5,5 mm (black) 7,5 mm (red)	2 x 1m 3 x 1m 5 x 1m	10020	129,15 €
RUNPOSTICKS Standard (17 parts) Content: same as RUNPOSTICKS Comfort (see above) without special sliding hook and shockproof LED-lamp.			10016	108,15 €

Item	Item no.	Rec. trade price
 Stainless steel special sliding hook manages barriers up to 8 cm, many mounting possibilities for cable, excellent gliding behaviour for all surfaces RUNPOTEC RTG Ø 6 mm thread	30239	18,38 €
 Functionglider RUNPOTEC RTG Ø 6 mm thread	20468	18,38 €
 LED-Lamp very high luminosity, shockproof RUNPOTEC RTG Ø 6 mm thread	20059	19,43 €
 High-performance 320-lumen rechargeable LED lamp , micro USB charging socket, IP-rating: IP67 2 x RUNPOTEC RTG Ø 6 mm thread (1 x vertical und 1 x horizontal) Detail: Micro-USB charging socket	20485	41,90 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Item	Item no.	Rec. trade price
	RUNPOSTICKS accessories set fishing hook, strong magnet, ball chain (steel), connection thread, eyelet with ring	10042 21,53 €
  Video about the RUNPOGLIDER 	RUNPOGLIDER with swivel Ø 7 mm, tension load: > 270 kg RUNPOTEC RTG Ø 6 mm thread (only compatible with RUNPOTEC products)	20238 30,45 €
	RUNPOSTICKS yellow (soft) Ø 4,5 mm, 2 x 1 m, basalt rods, stainless steel, RUNPOTEC RTG Ø 6 mm thread	10043 17,33 €
	RUNPOSTICKS black (medium) Ø 5,5 mm, 2 x 1 m, basalt rods stainless steel, RUNPOTEC RTG Ø 6 mm thread	10044 17,85 €
	RUNPOSTICKS red (hard) Ø 7,5 mm, 2 x 1 m, basalt rods stainless steel, RUNPOTEC RTG Ø 6 mm thread	10045 18,38 €
	Fiberglass rod Ø 3 mm set, 2 x 0,5 m stainless steel RUNPOTEC RTG Ø 6 mm thread	20457 10,71 €
	Stainless steel fishing hook RUNPOTEC RTG Ø 6 mm thread	20261 5,99 €
	Stainless steel eyelet with ring RUNPOTEC RTG Ø 6 mm thread	30236 4,83 €
	Strong magnet , holds up to 2.5 kg stainless steel RUNPOTEC RTG Ø 6 mm thread	20260 8,19 €
	Connection thread , stainless steel RUNPOTEC RTG Ø 6 mm thread	30210 3,78 €
	Ball chain length 0.5 m stainless steel and steel chain RUNPOTEC RTG Ø 6 mm thread	20262 8,82 €
	Pull loop , stainless steel rope RUNPOTEC RTG Ø 6 mm thread Ø 1,5 mm (loop length 85 mm) Ø 2 mm (loop length 50 mm)	20428 20427 6,20 € 6,20 €
 Data sheet fish hook set 	Fishing hook Set PU = 4 stainless steel fishing hook RUNPOTEC RTG Ø 6 mm thread	20614 22,05 €
	Drag rope , 0,5 m with magnet and special head stainless steel RUNPOTEC RTG Ø 6 mm thread	20455 15,12 €
	Storage bag for all accessories and shoulder strap	30009 19,95 €

RUNPO 1

Special plastic fish tape ø 4 mm with



VIDEO



PATENTED

RUNPOCAM COMPATIBLE

Achtung!
Stromleitend
Attention!
electric
conductive

Ending		Beginning		
 Eyelet Ø 6 mm, RUNPOTEC RTG Ø 6 mm thread • screwed to strand •		 RUNPOGLIDER with special eyelet Ø 6 mm • pressed onto strand •		
Item	Ø	Length	Item no.	Rec. trade price
RUNPO 1 Special plastic fish tape Ø 4 mm 1 x RUNPOGLIDER with special eyelet Ending: eyelet with RTG Ø 6 mm thread Optimal pipe diameters: Tube Ø 16, 25 and 32 mm	4 mm	5 m	30027	15,12 €
		10 m	30028	16,17 €
		15 m	30029	19,43 €
		20 m	30030	22,68 €
		25 m	30042	26,99 €
		30 m	30043	31,29 €

Recommended tube diameter, bending radius and tension loads of the RUNPO 1

Ø				
4 mm	16-32 mm	15 mm	170 Kg	170 Kg

Accessories: RUNPO Z, Cable pulling grip with swivel, stainless steel, useful in combination with RUNPO 1			
 RUNPO Z-Quick connection compatible with RUNPOGLIDER!	Ø 4 – 6 mm	20272	25,20 €
	Ø 6 – 9 mm	20273	27,83 €
	Ø 9 – 15 mm	20274	32,03 €
	eyelet-set Ø 7 mm	20487	8,51 €



1 x RUNPOGLIDER

Excellent bending and sliding performance, large eyelet with up to 7 x 2.5 mm² cable take-up, perfect workmanship, no impact edges and high traction load.

Also compatible for RUNPOCAM RC2!

RUNPO1 is not suitable for RT 2008!

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

POWERREXFiberglass rod with **RUNPOGLIDER**
PATENTED FLEXIBLE SPEZIAL HEAD**NEW** RUNPOGLIDER[®] NOW
WITH SWIVEL!**RUNPOCAM
COMPATIBLE****INCLUDED ACCESSORIES****Ending**


Endingjoint, stainless steel, RUNPOTEC RTG Ø 6 mm thread

BeginningAchtung!
Stromleitend
Attention!
electric
conductiveRUNPOGLIDER with swivel Ø 7 mm,
RUNPOTEC RTG Ø 6 mm thread, screwed to strand**Included accessories POWER REX / complete set**

- 1 x RUNPOGLIDER with swivel Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread
- 1 x Fiberglass rod Ø 3 mm with 2 pressed stainless steel ending joints RTG Ø 6 mm thread
- 1 x Plastic housing
- 1 x Pulling grip
- 1 x Special glue 3 g
- 1 x Cable pulling grip 6 – 9 mm, with swivel, stainless steel, RUNPOTEC RTG Ø 6 mm thread
- 3 x Coupling joint Ø 6 mm, stainless steel
- 5 x Ending joint Ø 6 mm, stainless steel, RUNPOTEC RTG Ø 6 mm thread
- 2 x Eyelet Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread



Item	Ø	Length	Item no.	Rec. trade price
POWER REX Complete set in a practical box	3 mm	20 m	10087	90,30 €
		30 m	10088	102,90 €
		40 m	10089	113,40 €
		50 m	10090	125,90 €

Item	Item no.	Rec. trade price
 RUNPO Z cable pulling grip with swivel stainless steel Ø 4 – 6 mm Ø 6 – 9 mm Ø 9 – 15 mm RUNPO Z-Quick connection compatible with RUNPOGLIDER!	20272 20273 20274	25,20 € 27,83 € 32,03 €
 Cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread Ø 4 – 6 mm Ø 6 – 9 mm Ø 9 – 13 mm	20365 20366 20367	16,17 € 17,33 € 26,15 €
 Cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread Ø 9 – 15 mm Ø 15 – 19 mm Ø 19 – 25 mm Ø 25 – 31 mm	20266 20267 20268 20269	36,65 € 37,75 € 38,96 € 40,79 €
 Ending joint-set for Ø 3 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread PU = 3 ending joints	20107	6,41 €
 Coupling joint-set for Ø 3 mm stainless steel PU = 3 coupling joints	20108	6,41€
 Eyelet-set Ø 7 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread PU = 3 piece	20411	6,30 €
 Pull loop, stainless steel rope RUNPOTEC RTG Ø 6 mm thread Ø 1,5 mm (loop length 85 mm) Ø 2 mm (loop length 50 mm)	20428 20427	6,20 € 6,20 €
 Pulling grip for Ø 3 – 12 mm	30070	5,67 €
 Special glue 3 g	30050	7,46 €
 SPRAY 400 ml FOAM SPRAY 400 ml Cable lubricating compound Non inflammable GEL 250 ml GEL 1050 ml NON-INFLAMMABLE	20523 20522 30467 30064	8,19 € 7,14 € 4,41 € 8,87 €

RT2008 Mechanical cable pull in tool


incl. RUNPOGLIDER spiral MET

VIDEO

RT 2008 Application

The problem solver for low pipe cross section
Ø 16 – 32 mm

W-BOX® | Sortimo COMPATIBLE



1. Induct

2. Fix

3. Pump

Item / complete set	Item no.	Rec. trade price
RUNPOTEC RT 2008 – tool for pushing RUNPOGLIDER spiral MET into conduits Ø 16 , 20, 25, 32, 40 mm - Flexible attachment: 1 x Ø 20, 1 x Ø 25, 1 x Ø 32, 1 x Ø 40, 1 x attachment neutral, 2 x plug coupling, 1 x beltclip, 1 x RUNPOTEC system case with RT 2008 case insert RUNPOGLIDER spiral MET – 15 m	10000	271,95 €

Item	Item no.	Rec. trade price
	RUNPOTEC RT 2008 incl. clamping element	20004 161,70 €
	Set belt clip + plug coupling	20333 7,56 €
	Flexible attachment Ø 20 mm	20020 7,98 €
	Flexible attachment Ø 25 mm	20025 7,98 €
	Flexible attachment Ø 32 mm	20032 7,98 €
	Flexible attachment Ø 40 mm	20040 7,98 €
	Attachment w/o connector	20010 7,35 €
	Rigid Attachment 90° flush connector (also for pipe Ø 20 mm)	20253 15,65 €
	RUNPOTEC system case with RT 2008 case insert	20611 49,35 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.



RUNPOGLEITER SPIRALE MET

Steel fish tape Ø 4 mm with



Ending		Beginning		
 eyelet Ø 6 mm • pressed onto strand •		 RUNPOTEC with special eyelet Ø 6 mm • pressed onto strand •		
Item	Ø	Length	Item no.	Rec. trade price
RUNPOGLIDER spiral MET (MET = Metal spiral) Tension load: 170 Kg optimum diameter: Tube-Ø: 16, 25 and 32 mm	4 mm	5 m	30054	17,33 €
		10 m	30017	23,73 €
		15 m	30018	30,66 €
		20 m	30019	38,43 €
		25 m	30020	45,47 €
		30 m	30021	49,25 €
		Lengths up to 50 m possible	30031	Price o. r.

Recommended tube diameter, bending radius and tension loads of the RUNPOGLIDER spiral MET

Ø				
4 mm	16–32 mm	25 mm	Ending 170 Kg	Beginning 170 Kg

Accessories: RUNPO Z, Cable pulling grip with swivel, stainless steel, useful in combination with RUNPOGLIDER spiral MET

	Ø 4 – 6 mm	20272	25,20 €
	Ø 6 – 9 mm	20273	27,83 €
	Ø 9 – 15 mm	20274	32,03 €



RUNPOFIX
Cable pulling loop with protective cap

Protects plugs against damage
Minimum inner diameter of the conduits or non-guided lines Ø 14 mm

Example: cable pulling loop with protective cap and cable with plug




RUNPOFIX – pulling force transferred to the cable



RUNPOFIX – protective cap for the plug



RUNPOFIX – in 4 variants for different plug sizes.



Does not happen with protective cap

RUNPOFIX with hook



VIDEO

RUNPOFIX




Item	Protective caps inner Ø	Protective caps outer Ø	Item no.	Rec. trade price
RUNPOFIX with hook – SET stainless steel PU = 4 RUNPOFIX	12 15 20 27 mm	14 17 23 30 mm	10159	39,80 €
RUNPOFIX with hook Cable pulling loop with protective cap stainless steel	12 mm 15 mm 20 mm 27 mm	14 mm 17 mm 23 mm 30 mm	20628 20629 20630 20631	13,55 € 14,07 € 14,60 € 15,12 €

RUNPOFIX with RTG 6 mm thread




VIDEO

RUNPOFIX



Item	Protective caps inner Ø	Protective caps outer Ø	Item no.	Rec. trade price
RUNPOFIX with RTG 6 thread – SET stainless steel RUNPOTEC RTG Ø 6 mm thread PU = 4 RUNPOFIX	12 15 20 27 mm	14 17 23 30 mm	10154	39,80 €
RUNPOFIX with RTG 6 thread stainless steel RUNPOTEC RTG Ø 6 mm thread	12 mm 15 mm 20 mm 27 mm	14 mm 17 mm 23 mm 30 mm	20624 20625 20626 20627	13,55 € 14,07 € 14,60 € 15,12 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

RUNPOZ

RUNPO Z cable pulling grip with swivel and additional quick connection.

Made of high quality stainless steel weave with extended service lifetime!

Tension load 200 Kg.

Connectable with RUNPO 5, RUNPO 1, POWER REX, RUNPOSTICKS, fiberglass rod Ø 4,5 mm and 6 mm.

①



②



Item	Weave length	Ø	Item no.	Rec. trade price
RUNPO Z cable pulling grip with swivel tension load: 200 kg stainless steel	280 mm	Ø 4 – 6 mm	20272	25,20 €
	310 mm	Ø 6 – 9 mm	20273	27,83 €
	460 mm	Ø 9 – 15 mm	20274	32,03 €



Cable pulling grip with RTG Ø 6 mm thread and swivel.

Made of high quality stainless steel weave with extended service lifetime!

Connectable with POWER REX, RUNPOSTICKS and fiberglass rod Ø 4,5 / 6 mm.

Advantage swivel: Cable can rotate in the tube and prevents unintentional screwing of the thread.



Item	Weave length	Ø	Item no.	Rec. trade price
Cable pulling grip with swivel tension load: 120 kg stainless steel, RUNPOTEC RTG Ø 6 mm thread	200 mm	Ø 4 – 6 mm	20365	16,17 €
	220 mm	Ø 6 – 9 mm	20366	17,33 €
	320 mm	Ø 9 – 13 mm	20367	26,15 €



Cable pulling grip with loop and swivel.

Made of high quality stainless steel weave with extended service lifetime!

Connectable with POWER REX, RUNPOSTICKS and fiberglass rod Ø 4,5 / 6 mm.

Advantage swivel: Cable can rotate in the tube and prevents unintentional screwing of the thread.



Item	Weave length	Ø	Item no.	Rec. trade price
Cable pulling grip with loop and swivel loop length 100 mm, tension load: 200 kg stainless steel	270 mm	Ø 4 – 6 mm	30039	18,76 €
	290 mm	Ø 6 – 9 mm	30040	20,65 €
	390 mm	Ø 9 – 13 mm	30041	31,90 €



Cable pulling grip with loop and RTG Ø 6 mm thread incl. swivel. Made of high quality stainless steel weave. High material quality with extended lifetime! **Connectable with POWER REX, RUNPOSTICKS and Fiberglass rod Ø 4,5 mm, Ø 6 mm, Ø 7,5 mm, Ø 9 mm und Ø 11 mm.**
Advantage swivel: Cable can rotate in the tube and prevents unintentional screwing of the thread.



Item	Weave Length	Ø	Item no.	Rec. trade price
Cable pulling grip with loop and thread incl. swivel RUNPOTEC RTG Ø 6 mm thread stainless steel	430 mm	Ø 9 – 15 mm	20266	36,65 €
	480 mm	Ø 15 – 19 mm	20267	37,75 €
	480 mm	Ø 19 – 25 mm	20268	38,96 €
	530 mm	Ø 25 – 31 mm	20269	40,79 €

Accessories	Item no.	Rec. trade price
 RUNPO Z Adapter RUNPOTEC RTG Ø 6 mm thread RUNPO Z Adapter can connect all cable pulling grips with RTG Ø 6 mm to all RUNPOGLIDER eyelets	20388	19,95 €



Cable pulling grip with loop and swivel - preferably combined with fiberglass rod
 Made of high quality stainless steel weave. High material quality with extended service lifetime!
Connectable with RUNPOTEC RTG Ø 12 mm and RTG Ø 6 mm thread.
Advantage swivel: Cable can rotate in the tube and prevents unintentional screwing of the thread.



Item	Weave Length	Ø	Item no.	Rec. trade price
Cable pulling grip with loop and thread incl. swivel RUNPOTEC RTG Ø 12 mm thread and additional thread RTG Ø 6 mm stainless steel	920 mm	Ø 30 – 40 mm	20436	56,18 €
	1020 mm	Ø 40 – 50 mm	20437	59,54 €
	1120 mm	Ø 50 – 60 mm	20438	63,84 €
	1220 mm	Ø 60 – 70 mm	20439	71,40 €
	1320 mm	Ø 70 – 85 mm	20440	84,32 €
	1420 mm	Ø 85 – 100 mm	20441	99,54 €



Cable pulling grip with loop - preferably combined with capstan winch CW 800 E
 Cable grip with loop. Made of flexible, galvanized steel double weave. For permanent pulling it is recommended to work in combination with the connection swirl (Item nr. 10176).




Item	Weave Length	Ø	Item no.	Rec. trade price
Cable pulling grip with loop in combination with capstan winch CW 800 E Information  Capstan winch CW 800 E see Page 48	600 mm	Ø 10 - 15 mm	20661	36,70 €
	600 mm	Ø 15 - 20 mm	20662	37,80 €
	600 mm	Ø 20 - 25 mm	20663	38,90 €
	1000 mm	Ø 25 - 30 mm	20664	43,00 €
	1250 mm	Ø 30 - 40 mm	20665	48,30 €
	1250 mm	Ø 40 - 50 mm	20666	53,60 €
	1500 mm	Ø 50 - 60 mm	20667	62,00 €
	1500 mm	Ø 60 - 70 mm	20668	72,50 €
	1500 mm	Ø 70 - 85 mm	20669	85,00 €
	1500 mm	Ø 85 - 100 mm	20670	96,60 €

Accessories	Item no.	Rec. trade price
 connection swirl with swivel Ø 30 mm L 144 mm stainless steel tension load 1500 kg fork-Ø 12 mm	10176	177,45 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
 Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Cabel examples with diameters

Cabel pulling grip

Cable-symbolphoto	Cable Ø	Cable section	Cable identification	Ø	Item no.
	5 mm	2 x 0,5 mm ²	Loudspeaker	4-6 mm	20272
	5,4 mm	–	Phone	4-6 mm	20365
				4-6 mm	30039
	7 mm	–	CAT5/6/7	6-9 mm	20273
	7 mm	1 x 6 mm ²	NYM-J	6-9 mm	20366
	8 mm	–	Coaxial	6-9 mm	30040
	9 mm	3 x 1,5 mm ²	NYM-O		
	10 mm	3 x 2,5 mm ²	NYM	9-13 mm	20367
	10 mm	1 x 10 mm ²	NYY-O	9-13 mm	30041
	10 mm	1 x 16 mm ²	NYM-O	9-15 mm	20274
	11 mm	7 x 1,5 mm ²	NYM-O	9-15 mm	20266
	11 mm	5 x 2,5 mm ²	NYM	10 - 15 mm	20661
	11 mm	5 x 1,5 mm ²	NYY		
	13 mm	3 x 2,5 mm ²	NYY		
	14 mm	1 x 35 mm ²	NYY-O		
	15 mm	12 x 1,5 mm ²	NYM-JZ		
	15 mm	7 x 2,5 mm ²	NYM		
	15 mm	3 x 6 mm ²	NYM-J		
	15 mm	–	CAT6 duplex		
	17 mm	16 x 1,5 mm ²	NYM-J	15-19 mm	20267
	17 mm	5 x 6 mm ²	NYM-J	15 - 20 mm	20662
	18 mm	4 x 10 mm ²	NYM-J		
	18 mm	1 x 95 mm ²	NYY-O		
	20 mm	10 x 2,5 mm ²	NYCY	19-25 mm	20268
	21 mm	5 x 10 mm ²	NYY-J	20 - 25 mm	20663
	22 mm	12 x 2,5 mm ²	NYCY		
	22 mm	4 x 16 mm ²	NYM-J		
	24 mm	7 x 6 mm ²	NYCY		
	25 mm	1 x 185 mm ²	NYY-O		
	28 mm	3 x 35 mm ²	NYCWY	25-31 mm	20269
	29 mm	24 x 2,5 mm ²	NYCY	25 - 30 mm	20664
	32 mm	1 x 300 mm ²	NYY-O	30-40 mm	20436
	33 mm	40 x 2,5 mm ²	NYY-JZ		20665
	34 mm	5 x 35 mm ²	NYM-J		
	40 mm	3 x 95 mm ²	NYCWY		
	45 mm	3 x 120 mm ²	NYCWY	40-50 mm	20437
	47 mm	3 x 150 mm ²	NYCWY		20666
	52 mm	5 x 95 mm ²	NYY-J	50-60 mm	20438
	54 mm	3 x 185 mm ²	NYCWY		20667
	60 mm	3 x 240 mm ²	NYCWY		
	63 mm	4 x 240 mm ²	NYY-J	60-70 mm	20439
					20668

Fiberglass rod Ø 4,5 mm with steel cage incl. the new double-outlet system

VIDEO



Fiberglass rod
Ø 4,5 mm

Profi-Set

included accessories



incl. Accessories



Standard-Set


without accessories





**RUNPOCAM
COMPATIBLE**



Edning Profi Set and Standard Set				Beginning: Profi-Set and Standard Set			
Ending joint, stainless steel, RUNPOTEC RTG Ø 6 mm thread				RUNPOGLIDER with swivel Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread			
				• screwed to strand • 			

Ø	Length	Profi-Set	Item no.	Rec. trade price	Standard-Set	Item no.	Rec. trade price
4,5 mm	30 m	• double-outlet system	10052	228,90 €	• double-outlet system	10054	168,00 €
	40 m	• extractable standing feet	10055	254,10 €	• robust steel cage	10056	192,15 €
	50 m	• storage compartment	10057	277,20 €	• locking brake	10058	215,25 €
	60 m	• robust steel cage	10047	300,30 €		10048	238,35 €
	80 m	• locking brake	10050	348,60 €		10051	285,60 €
		• extensive asseccories (see below)					

Included accessories - Profi-Set (RUNPOTEC RTG Ø 6 mm thread)			
2 x ending joint	1 x aluminium roller		
1 x coupling joint	1 x RUNPOGLIDER with front thread		
1 x shackle			
1 x special glue			

The **Profi-Set** features extendable standing feet and storage compartment incl. accessories.



extractable standing feet

All steel cages are equipped with a lateral locking brake and **the new double-outlet system** (quick outlet and automatic run-out brake) from RUNPOTEC!



Quick run with rollers



automatic run-out brake

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.



SPECIAL OFFER

1 x Profi-Set fiberglass rod Ø 4,5 mm, 60 m incl. steel cage

1 x RUNPO 5, 30 m
► description [page 16](#)


INSTEAD OFF € **447,20**

€ **349,20**
plus tax

RUNPO 5 – PROFI-SET 60 m – offer
RUNPOTEC item no. 11120

Item	Item no.	Rec. trade price
 Spare fiberglass rod Ø 4,5 mm with ending couplings, RUNPOTEC RTG Ø 6 mm thread	30 m	20311 72,66 €
	40 m	20312 86,31 €
	50 m	20313 99,96 €
	60 m	20314 115,71 €
	80 m	20315 143,01 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 4,5 mm

Ø			
4,5 mm	30 – 80 mm	120 mm	1300 Kg

 Video about the RUNPOGLIDER 	RUNPOGLIDER with swivel Ø 7 mm, tension load: > 270 kg RUNPOTEC RTG Ø 6 mm thread (Only compatible with RUNPOTEC products)	20460	30,45 €
 SYMBOL PICTURE	Flexible starting head stainless steel, RUNPOTEC RTG Ø 6 mm thread Ø 7 mm Ø 10 mm Ø 13 mm	20116 20303 20119	6,83 € 7,14 € 7,35 €
 Information Cable pulling grip range see page 32	Cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread Ø 9 – 15 mm Ø 15 – 19 mm Ø 19 – 25 mm Ø 25 – 31 mm	20266 20267 20268 20269	36,65 € 37,75 € 38,96 € 40,79 €
	Roller Ø 25 mm aluminium/stainless steel RUNPOTEC RTG Ø 6 mm thread	20279	16,28 €
	Shackle stainless steel, RUNPOTEC RTG Ø 6 mm thread	20280	13,55 €

Item	Item no.	Rec. trade price
  Repair manual www.runpotec.com	Repair kit for Ø 4,5 mm 1 x Special glue 3 g 2 x Ending joint, RTG Ø 6 mm 1 x Coupling joint	20250 19,95 €
	Ending joint set for Ø 4,5 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread PU = 3 ending joint	20322 9,87 €
	Coupling joint set for Ø 4,5 mm stainless steel PU = 3 coupling joint	20323 12,50 €
	Eyelet Ø 8 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread	30208 4,31 €
	Eyelet-set Ø 7 mm	20487 8,51 €
	Swivel joint stainless steel, RUNPOTEC RTG Ø 6 mm thread	20251 21,32 €
	Pull loop, stainless steel rope RUNPOTEC RTG Ø 6 mm thread Ø 1,5 mm (loop length 85 mm) Ø 2 mm (loop length 50 mm)	20428 20427 6,20 € 6,20 €
	Special glue 3 g	30050 7,46 €
	2 components special glue 24 ml	30067 19,74 €
	Pulling grip for Ø 3 – 12 mm	30070 5,67 €
	Extendable standing feet and storage compartment PU = 1 piece	20278 37,80 €
	Profi steel cage for Ø 4,5 mm incl. double outlet system with extendable standing feet and storage compartment for accessories galvanized/powder coated Ø 330 mm	20402 161,70 €
	Steel cage for Ø 4,5 mm incl. double outlet system galvanized/powder coated Ø 330 mm	20002 117,60 €

Information

The fiberglass rods Ø 4,5 mm, Ø 6 mm, the RUNPOSTICKS basalt rods and the entire accessories are compatible!

Fiberglass rod Ø 6 mm with steel cage incl. the new double-outlet system

Profi-Set

included accessories



Standard-Set

without accessories



**RUNPOCAM
COMPATIBLE**


Ending: Profi-Set and Standard-Set

 Ending joint, stainless steel,
RUNPOTEC RTG Ø 6 mm thread


Beginning: Profi-Set and Standard-Set

 RUNPOGLIDER with swivel Ø 7 mm,
RUNPOTEC RTG Ø 6 mm thread
• screwed to strand •

 ATTENTION!
conductor
Attention!
electric
conductive


Ø	Length	Profi-Set	Item no.	Rec. trade price	Standard-Set	Item no.	Rec. trade price
6 mm	40 m	• double-outlet system	10059	283,50 €	• double-outlet system	10060	233,10 €
	50 m	• extractable standing feet	10061	307,65 €	• robust steel cage	10062	257,25 €
	60 m	• storage compartment	10063	336,00 €	• locking brake	10064	285,60 €
	80 m	• robust steel cage	10065	394,80 €		10066	344,40 €
		• locking brake					
		• extensive accessories (see below)					

Included accessories - Profi-Set (RUNPOTEC RTG Ø 6 mm thread)

 2 x ending joint
1 x coupling joint
1 x shackle
1 x special glue

 1 x aluminium roller
1 x RUNPOGLIDER with
front thread

 The **Profi-Set** features extendable standing feet and storage compartment incl. accessories.

 All steel cages are equipped with a lateral locking brake and the **new double-outlet system** (quick outlet and automatic run-out brake) from RUNPOTEC!




Quick run with rollers



automatic run-out brake

Item	Item no.	Rec. trade price
 Spare fiberglass rod Ø 6 mm with ending couplings, RUNPOTEC RTG Ø 6 mm thread		
	40 m	20317 93,45 €
	50 m	20318 113,93 €
	60 m	20319 130,41 €
	80 m	20320 165,48 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 6 mm

Ø			
6 mm	40 – 100 mm	168 mm	2200 Kg

 Video about the RUNPOGLIDER 	RUNPOGLIDER with front thread incl. eyelet Ø 7 mm RUNPOTEC RTG Ø 6 mm thread	20460	30,45 €
	Flexible starting head Ø 7 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread	20116	6,83 €
	Flexible starting head Ø 10 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread	20303	7,14 €
	Flexible starting head Ø 13 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread	20119	7,35 €
 Information Cable pulling grip range see page 32	Cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread		
	Ø 9 – 15 mm	20266	36,65 €
	Ø 15 – 19 mm	20267	37,75 €
	Ø 19 – 25 mm	20268	38,96 €
	Ø 25 – 31 mm	20269	40,79 €
	Roller Ø 25 mm , aluminium/stainless steel RUNPOTEC RTG Ø 6 mm thread	20279	16,28 €
	Shackle stainless steel, RUNPOTEC RTG Ø 6 mm thread	20280	13,55 €
	Eyelet Ø 8 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread	30208	4,31 €
	Eyelet-set Ø 7 mm	20487	8,51 €
	Swivel joint stainless steel, RUNPOTEC RTG Ø 6 mm thread	20251	21,32 €

Item	Item no.	Rec. trade price
   Repair manual www.runpotec.com	20252	35,70 €
	20316	11,03 €
	20321	12,50 €
	20428	6,20 €
	20427	6,20 €
	30050	7,46 €
	30067	19,74 €
	30070	5,67 €
	20278	37,80 €
	20403	204,75 €
	20300	150,36 €

Information

The fiberglass rods Ø 4,5 mm, Ø 6 mm, the RUNPOSTICKS basalt rods and the entire accessories are compatible!

Cage-flexible leading head-set – RUNPOSTICKS 13 parts




Item	Item no.	Rec. trade price
Flexible leading head-set – RUNPOSTICKS 13 parts Included accessories of cage-flexible leading head-set with RUNPOTEC RTG Ø 6 mm thread: 2 x RUNPOSTICKS Ø 4,5 mm, 2 x RUNPOSTICKS Ø 5,5 mm, 2 x RUNPOSTICKS Ø 7,5 mm, RUNPOGLIDER w. front thread, roller Ø 25 mm, 3 x coupling joint, blindcap, starting head Ø 20 mm	20442	89,78 €

Flexible leading head-set: can be adapted on roller, shackle, starting head Ø 20 mm, Ø 30 mm



Description



The RUNPOSTICKS can each be extended by 1 m and adapted as flexible leading head-set on fiberglass rods Ø 7,5 / 9 and 11 mm to get **around narrow bends**. It is **additionally possible** to screw on accessories such as the roller or RUNPOGLIDER at the tip with compensation for angular movement.

Application example: flexible leading head-set




Fiberglass rod Ø 7,5 - 9 or 11 mm stops at to narrow radii from of the tube.



Solution with flexible leading head-set

Taper off through the flexible RUNPOSTICKS Ø 4,5 mm (yellow), Ø 5,5 mm (black) or Ø 7,5 mm (red). Thereby it makes it possible to get over the last bend or radii.



Additional manual haul support possible.


Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Fiberglass rod Ø 7,5/9 mm with wheeled steel cage incl. the new double-outlet system

INCLUDES NEW DOUBLE-OUTLET SYSTEM




automatic run-out brake



Quick run with mounted rollers

Additional option:
Flexible leading head - set
see page 40



Adaptable leading heads



METERCOUNTER standard feature for all cages
Ø 730 mm / Ø 1000 mm / Ø 1400 mm with
fiberglass rod Ø 7,5 mm / Ø 9 mm / Ø 11 mm / Ø 15 mm

VIDEO



Fiberglass rod
Ø 7,5 mm, 9 mm
and 11 mm



INCLUSIV ACCESSORIES:

- 1 x Mobile fiberglass rod incl. double-outlet system
- 1 x Metercounter
- 1 x Shackle
- 1 x Rod with ending joint on both sides
(Beginning/Ending)

Ending



Ending joint, stainless steel with RUNPOTEC RTG Ø 12 mm thread

Beginning







Shackle, stainless steel with RUNPOTEC RTG Ø 12 mm thread
• screwed to strand •

Ø	Cage	Length	Item no.	Rec. trade price
7,5 mm	wheeled Ø 730 mm	40 m	10076	401,10 €
		50 m	10077	420,00 €
		60 m	10078	437,85 €
		80 m	10079	474,60 €
		100 m	10080	507,15 €
		120 m	10091	537,60 €
Ø	Cage	Length	Item no.	Rec. trade price
9 mm	wheeled Ø 730 mm	40 m	10081	404,25 €
		50 m	10082	430,50 €
		60 m	10083	457,80 €
		80 m	10084	507,15 €
		100 m	10085	550,20 €
		120 m	10086	578,55 €
		150 m	10110	659,00 €

Item	Item no.	Rec. trade price
	Spare fiberglass rod Ø 7,5 mm with ending couplings, RUNPOTEC RTG Ø 12 mm thread	
	40 m	20368 114,45 €
	50 m	20369 129,15 €
	60 m	20370 145,95 €
	80 m	20371 182,70 €
	100 m	20372 215,25 €
	120 m	20414 247,80 €
	Spare fiberglass rod Ø 9 mm with ending couplings, RUNPOTEC RTG Ø 12 mm thread	
	40 m	20373 128,10 €
	50 m	20374 151,20 €
	60 m	20375 175,35 €
	80 m	20376 218,40 €
	100 m	20377 273,00 €
	120 m	20378 308,70 €
	150 m	20562 368,00 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 7,5 mm/Ø 9 mm

Ø			
7,5 mm	50–120 mm	500 mm	3400 Kg
9 mm	60–200 mm	620 mm	4500 Kg

	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Roller Ø 50 mm - aluminium / stainless steel - RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20382	35,70 €
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Shackle - stainless steel RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20383	24,89 €
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Starting head Ø 30 mm - stainless steel - RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20404	22,68 €
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Starting head Ø 20 mm - stainless steel - RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20409	20,58 €
			Swivel joint stainless steel RUNPOTEC RTG Ø 12 mm thread	20387	31,40 €
			Metercounter for steel cage Ø 730 mm	20461	99,54 €
			Runout rollers - Repair Kit (4 parts) for steel cage Ø 730 mm and 1000 mm	20646	28,30 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
 Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Item	Item no.	Rec. trade price
 Repair manual www.runpotec.com	Complete repair kit 1 x 2K-special glue 24 ml 2 x ending joints, RTG Ø 12 mm 1 x coupling joint for Ø 7,5 mm for Ø 9 mm	20384 42,00 € 20385 46,20 €
	Ending joint stainless steel, RUNPOTEC RTG Ø 12 mm thread for Ø 7,5 mm for Ø 9 mm	20381 9,24 € 20379 9,24 €
	Coupling joint stainless steel for Ø 7,5 mm for Ø 9 mm	20380 12,50 € 20412 12,92 €
	Blind cap set RUNPOTEC RTG Ø 6 mm thread PU = 3 blind cap set	20443 5,25 €
	2 components special glue 24 ml	30067 19,74 €
	Wheeled steel cage incl. double outlet system and metercounter for Ø 7,5 mm and 9 mm galvanized / powder coated Ø 730 mm	20405 290,85 €
	SPRAY 400 ml FOAM SPRAY 400 ml Cable lubricating compound Non inflammable	20523 8,19 € 20522 7,14 €
	GEL 250 ml GEL 1050 ml	30467 4,41 € 30064 8,87 €
	LIQUID lubricant 1000 ml	30063 7,23 €

RUNPOCAM COMPATIBLE

The RUNPOCAM RC2 – Multifunction-inspection-camera is also compatible with fiberglass rod Ø 7,5 mm, Ø 9 mm, Ø 11 mm and Ø 15 mm.

This allows the coupling thread RTG Ø 12 mm to RTG Ø 6 mm thread.



Fiberglass rod Ø 11 mm with wheeled steel cage incl. the new double-outlet system

VIDEO

Fiberglass rod
Ø 7,5 mm, 9 mm
and 11 mm

INCLUDED NEW DOUBLE OUTLET SYSTEM

automatic **run-out brake**

Quick run with mounted rollers

Additional option:
Cage - flexible leading head - set
see page 40

Adaptable leading heads

METERCOUNTER is standard included within all cages
Ø 730 mm / Ø 1000 mm / Ø 1400 mm with
fiberglass rod Ø 7,5 mm / Ø 9 mm / Ø 11 mm / Ø 15 mm

INCLUSIV ACCESSORIES:




- 1 x Mobile fiberglass rod incl. double-outlet system
- 1 x Metercounter
- 1 x Shackle
- 1 x Rod with ending joint on both sides (Beginning/Ending)

Ending	Beginning
Ending joint, stainless steel with RUNPOTEC RTG Ø 12 mm thread	Shackle, stainless steel with RUNPOTEC RTG Ø 12 mm thread • screwed to strand •



Ø	Cage	Length	Item no.	Rec. trade price
11 mm	wheeled Ø 1000 mm	100 m	10092	670,95 €
		120 m	10093	733,95 €
		150 m	10094	828,45 €
		200 m	10095	985,95 €
		250 m	10096	1153,95 €
		300 m	10097	1258,95 €

Item	Item no.	Rec. trade price
	Spare fiberglass Ø 11 mm with ending couplings RUNPOTEC RTG Ø 12 mm thread	
	100 m	20386 460,95 €
	120 m	20417 471,45 €
	150 m	20418 586,95 €
	200 m	20419 733,95 €
	250 m	20420 870,45 €
	300 m	20421 1017,45 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Item			Item no.	Rec. trade price
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Roller Ø 50 mm - aluminium / stainless steel -RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20382 35,70 €
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Shackle - stainless steel RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20383 24,89 €
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Starting head Ø 30 mm -stainless steel RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20404 22,68 €
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Starting head Ø 20 mm - stainless steel RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20409 20,58 €
			Swivel joint stainless steel RUNPOTEC RTG Ø 12 mm thread	20387 31,40 €
		Repair manual www.runpotec.com	Repair kit for Ø 11 mm 1 x 2K-special glue 24 ml 2 x ending joints, RTG Ø 12 mm 1 x coupling joint	20424 53,97 €
			Ending joint for Ø 11 mm stainless steel RUNPOTEC RTG Ø 12 mm thread	20422 10,71 €
			Coupling joint for Ø 11 mm stainless steel	20423 15,12 €
			Blind cap set RUNPOTEC RTG Ø 6 mm thread PU = 3 blind cap set	20443 5,25 €
			2 components special glue 24 ml	30067 19,74 €
			wheeled steel cage inkl. double outlet system and metercounter for Ø 11 mm galvanized / powder coated Ø 1000 mm	20416 362,25 €
			Metercounter for steel cage Ø 1000 mm	20462 104,90 €
			Runout rollers - Repair kit (4 parts) for steel cage Ø 730 mm and 1000 mm	20646 28,30 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 11 mm

Ø			
11 mm	80 – 250 mm	770 mm	6200 Kg

Information




Cable pulling grip range see **page 32**

Fiberglass rod Ø 15 mm with wheeled steel cage – galvanized/powder coated



Symbol picture

Additional option:
Cage - flexible leading head - set
see page 40



Adaptable leading heads






METERCOUNTER is standard included within all cages
Ø 730 mm / Ø 1000 mm / Ø 1400 mm with
fiberglass rod Ø 7,5 mm / Ø 9 mm / Ø 11 mm / Ø 15 mm

INCLUSIV ACCESSORIES:


- 1 x Mobile fiberglass rod incl. double-outlet system
- 1 x Metercounter
- 1 x Shackle
- 1 x Rod with ending joint on both sides (Beginning/Ending)

Ending		Beginning			
					
Ending joint, stainless steel with RUNPOTEC RTG Ø 12 mm thread		Shackle, stainless steel with RUNPOTEC RTG Ø 12 mm thread • screwed to strand •			
Ø	Cage	Length	Item no.	Rec. trade price	
15 mm	wheeled Ø 1400 mm	150 m	10099	2311,05 €	
		200 m	10100	2547,30 €	
		250 m	10101	2806,65 €	
		300 m	10102	3042,90 €	
		350 m	10103	3302,25 €	
		400 m	10104	3567,90 €	
Item			Item no.	Rec. trade price	
 Spare fiberglass Ø 15 mm with ending couplings RUNPOTEC RTG Ø 12 mm thread					
			150 m	20491	934,50 €
			200 m	20492	1153,95 €
			250 m	20493	1401,75 €
			300 m	20494	1646,40 €
			350 m	20495	1887,90 €
400 m	20496	2171,40 €			

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Item			Item no.	Rec. trade price
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Roller Ø 50 mm aluminium / stainless steel RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20382 35,70 €
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Shackle -stainless steel RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20383 24,89 €
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Starting head Ø 30 mm - stainless steel RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20404 22,68 €
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Starting head Ø 20 mm - stainless steel RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20409 20,58 €
			Swivel joint stainless steel RUNPOTEC RTG Ø 12 mm thread	20387 31,40 €
			Repair kit for Ø 15 mm 1 x 2K-special glue 24 ml 2 x ending joints, RTG Ø 12 mm 1 x coupling joint	20489 156,45 €
			Ending joint for Ø 15 mm stainless steel RUNPOTEC RTG Ø 12 mm thread	20490 50,93 €
			Coupling joint for Ø 15 mm stainless steel	20498 51,45 €
			2 components special glue 24 ml	30067 19,74 €
			Wheeled steel cage incl. metercounter for Ø 15 mm galvanized / powder coated Ø 1400 mm	20497 1486,80 €


Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 15 mm

Ø			
15 mm	180 – 450 mm	1200 mm	14500 Kg

Information

 Cable pulling grip range see **page 32**

CAPSTAN WINCH **CW 800 E** – for horizontal cable pulling



Item	Item no.	Rec. trade price
Capstan winch CW 800 E incl. steel trolley mounting rail and strap for horizontal cable pulling Motor connection: 230 V 50 Hz – Motor power: 0.75 KW 5.1 A	10138	2089,50 €

Optimal for pulling one or more cables horizontally. Where in other cases several people are required for higher tensile loads, the Capstan winch CW 800 E can be operated by one person to pull **either 4 m/min | max. 800 kg or 8 m/min | max. 400 kg**. The capstan winch can be fixed in place via the mounting holes, or attached to solid objects using the enclosed strap. The trolley mounting rail is another very convenient fastening option. A special coupling opening enables it to be attached to a car's trailer hitch. It is also possible to mount the rail vertically or horizontally to enable the CW 800 E capstan winch to be suspended with ease and attached via the two fixing bolts.

SAFETY NOTICE:
Not suitable for the vertical cable pull, must not be used to bear/lift loads or people.

Item	Item no.	Rec. trade price
 Capstan winch CW 800 E without trolley incl. strap for horizontal cable pulling Motor connection: 230 V 50 Hz Motor power: 0.75 KW 5.1 A	10148	1984,50 €
 Steel trolley mounting rail	20622	126,00 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

The portable RUNPOTEC capstan winch CW 800 E can be fastened in various ways.




The housing can be screwed to the floor (7), or with a strap and suitable accessories through the attachment eye (8) fixed to a solid object (e.g., tree). You can also fix the housing on the RUNPOTEC trolley (10) by means of locking bolts (6) on the rail. The trolley itself can be screwed down, hung directly on a trailer hitch (12) or fixed with a strap through the attachment eye to a fixed object.

Application of the RUNPOTEC capstan winch CW 800 E



The cable to be pulled is connected, preferably with a **connection swirl with swivel**, with the pull rope.



The towing rope is guided past inside the rope guide pin (4). Wrap the towing rope at least 3 times around the capstan winch (2 or 3) and then lead out through the rope guide (5). Keep the towing rope tight, so that it does not get tangled up.



The operator stands next to the capstan winch with a sufficient safety distance and pulls with little effort at a 90° angle to the pulling direction on the pull rope. The effort should only be so strong until the feed rate is reached. **Very strong pulling does not increase the pulling power of the capstan winch!**

Polyester cable pulling rope incl. steel cage



Item	Rope Ø	Length	Reel basket Ø	Internal reel basket	Total breaking load	Item no.	Rec. trade price
Polyester cable pulling rope incl. steel cage	8 mm	120 m	520 mm	70 mm	1100 kg	10169	334,95 €
	10 mm	120 m	520 mm	70 mm	1640 kg	10167	376,95 €
		200 m	770 mm	98 mm		10168	513,45 €
	12 mm	150 m	770 mm	98 mm	2180 kg	10120	534,45 €
		200 m	770 mm	98 mm		10121	597,45 €
		300 m	770 mm	192 mm		10122	723,45 €
		350 m	770 mm	192 mm		10123	807,45 €

RUNPOTEC recommends the polyester Ø 10mm and Ø 12mm cable pulling rope for the horizontal cable pull in conjunction with the RUNPOTEC capstan winch CW 800 E. RUNPOTEC recommends using the connection swirl with twist compensator for the horizontal cable pull. It reduces frictional resistance and protects the cable and feed system. The steel cage enables the rope to be wound in/out in a controlled manner. It also ensures the rope is optimally stowed and ready for use.

SAFETY NOTICE:

Not suitable for the vertical cable pull, must not be used to bear/lift loads or people.

Item				Reel basket Ø	Internal reel basket	Item no.	Rec. trade price
	Rope reel 514			514 mm	70 mm	20527	227,50 €
	Rope reel 770 narrow			770 mm	98 mm	20526	295,00 €
	Rope reel 770 wide			770 mm	192 mm	20525	299,90 €

Item	Rope Ø	Length	Reel basket Ø	Drum height	Total breaking load	Item no.	Rec. trade price
	8 mm	120 m	230 mm	217 mm	1100 kg	20621	114,45 €
	10 mm	120 m	250 mm	300 mm	1640 kg	20619	156,45 €
		200 m	300 mm	300 mm		20620	229,95 €
	12 mm	150 m	300 mm	345 mm	2180 kg	20615	240,45 €
		200 m	350 mm	330 mm		20616	313,95 €
		300 m	400 mm	380 mm		20617	450,45 €
		350 m	400 mm	430 mm		20618	523,95 €

Item	Weave length	Ø	Item no.	Rec. trade price
← Weave length → Cable pulling grip with loop	600 mm	Ø 10 - 15 mm	20661	36,70 €
	600 mm	Ø 15 - 20 mm	20662	37,80 €
	600 mm	Ø 20 - 25 mm	20663	38,90 €
	1000 mm	Ø 25 - 30 mm	20664	43,00 €
	1250 mm	Ø 30 - 40 mm	20665	48,30 €
	1250 mm	Ø 40 - 50 mm	20666	53,60 €
	1500 mm	Ø 50 - 60 mm	20667	62,00 €
	1500 mm	Ø 60 - 70 mm	20668	72,50 €
	1500 mm	Ø 70 - 85 mm	20669	85,00 €
	1500 mm	Ø 85 - 100 mm	20670	96,60 €

Accessories	Item no.	Rec. trade price
connection swirl with swivel Ø 30 mm L 144 mm stainless steel tension load 1500 kg fork-Ø 12 mm	10176	177,45 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Cable guide roller – chain

 VIDEO  cable guide roller 3-part  1500 KG 				
0 degrees	60 degrees	90 degrees	120 degrees	180 degrees
				
Item			Item no.	Rec. trade price
Cable guide roller – chain – 3-part – roller-Ø 130 mm – max. cable - Ø 100 mm Load capacity 1.500 kg The cable guide roller - chain is extremely versatile and can be used for pulling cables gently around corners with the least possible resistance. The cable guide roller - chain can be optionally expanded with additional rollers or links. The lightweight and highly robust design reduces the effort required. The high-quality, die-cast aluminium rollers with integrated ball bearings and the sturdy powder-coated steel frame guarantee a long service life.			10166	212,00 €

Cable guide rollern – roller diameter Ø 130 mm

Item		Item no.	Rec. trade price
	Cable guide roller - shaft - Load capacity 1.500 kg For insert cables into or out of shafts Roller diameter: Ø 130 mm Max. cable diameter: Ø 100 mm Heavy duty roller: aluminum, Frame: steel	10157	70,50 €
	cable guide roller - shaft inside edge - Load capacity 1.500 kg For shafts, stairways or stages Roller diameter: Ø 130 mm Max. cable diameter: Ø 100 mm Heavy duty roller: aluminum, Frame: steel	10156	70,50 €
	90° cable guide roller - Load capacity 1.500 kg For corners and edges Roller diameter: Ø 130 mm Max. cable diameter: Ø 100 mm Heavy duty roller: aluminum, Frame: steel	10153	138,00 €

Laser distance meter **RM 80** Powerful laser up to 80 m

POWERFUL LASER
▶▶ **UP TO 80m**

2

LASER CLASS

LASER RADIATION
DO NOT STARE INTO
THE BEAM
CLASS 2 LASER PRODUCT
P<1mW λ = 620-690 nm

www

LASER DISTANCE-METER RM 80

Carrying loop

Front laser

Measures from 90° corner

Protective case with belt loop

Item	Item no.	Rec. trade price
Laser distance meter RM 80 ▶ measures up to 80 m distance ▶ incl. angle- and inclination display ▶ extensive calculation functions ▶ storage of 99 measurings ▶ measures from 90° corner ▶ incl. protective case with belt loop	10108	114,45 €

Specifications

Measuring range	0,05 m – 80 m	IP rating	IP 54
MEASURING TOLERANCE	± 1,5 mm	Laser type	620 – 690 nm, < 1mW
Laser class	2	Dimensions (mm)	121 x 45 x 25
Measure range of tilt sensor	360°	Battery	AAA 2 x 1,5 V
Accuracy of tilt sensor	± 0,3 ° *	Battery life	up to 5000 measurings

* This is the typical value. Depending on the enviroment the deviation can rise slighly.

Measurement examples

0.1 – 80 m

$F = a \times b$

$V = a \times b \times h$

$a^2 + b^2 = c^2$

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Metal spiral with special eyelet

3 times offset wound metal spiral




Ending		Beginning	
 End cap • pressed onto strand •		 Special eyelet Ø 6 mm • pressed onto strand •	

Item	Ø	Length	Item no.	Rec. trade price
Metal spiral with special eyelet	4 mm	10 m	30010	12,50 €
		15 m	30011	19,43 €
		20 m	30012	23,94 €
		25 m	30013	29,51 €
		30 m	30014	35,07 €




Nylon fish tape




Ending		Beginning	
 Eyelet Ø 6 mm • pressed onto strand •		 Starting spinner with eyelet head Ø 6 mm • pressed onto strand •	

Item	Ø	Length	Item no.	Rec. trade price
Nylonspirale	4 mm	5 m	20060	6,83 €
		10 m	20061	7,98 €
		15 m	20062	9,87 €
		20 m	20063	11,24 €
		25 m	20064	12,60 €
		30 m	20065	13,97 €

Recommended tube diameter, bending radius and tension loads for the Nylon fish tape

Ø				
4 mm	16 – 25 mm	25 mm	110 Kg	110 Kg

Page	Item no.	EAN-Code	Rec. trade price
28	10000	9120045476163	271,95 €
20	10013	9120045472806	131,15 €
20	10014	9120045472813	146,90 €
22	10016	9120045473094	108,15 €
22	10020	9120045473100	129,15 €
23	10042	9120045473186	21,53 €
23	10043	9120045473179	17,33 €
23	10044	9120045473162	17,85 €
23	10045	9120045473155	18,38 €
34	10047	9120045473520	300,30 €
34	10048	9120045473537	238,35 €
34	10050	9120045473544	348,60 €
34	10051	9120045473551	285,60 €
34	10052	9120045473568	228,90 €
34	10054	9120045473575	168,00 €
34	10055	9120045473582	254,10 €
34	10056	9120045473599	192,15 €
34	10057	9120045473605	277,20 €
34	10058	9120045473612	215,25 €
37	10059	9120045473629	283,50 €
37	10060	9120045473636	233,10 €
37	10061	9120045473643	307,65 €
37	10062	9120045473650	257,25 €
37	10063	9120045473667	336,00 €
37	10064	9120045473674	285,60 €
37	10065	9120045473681	394,80 €
37	10066	9120045473704	344,40 €
41	10076	9120045473858	401,10 €
41	10077	9120045473865	420,00 €
41	10078	9120045473872	437,85 €
41	10079	9120045473889	474,60 €
41	10080	9120045473896	507,15 €
41	10081	9120045473902	404,25 €
41	10082	9120045473919	430,50 €
41	10083	9120045473926	457,80 €
41	10084	9120045473933	507,15 €
41	10085	9120045473940	550,20 €
41	10086	9120045473957	578,55 €
25	10087	9120045473964	90,30 €
25	10088	9120045473971	102,90 €
25	10089	9120045473988	113,40 €
25	10090	9120045473995	125,90 €

Page	Item no.	EAN-Code	Rec. trade price
41	10091	9120045474428	537,60 €
44	10092	9120045474480	670,95 €
44	10093	9120045474497	733,95 €
44	10094	9120045474503	828,45 €
44	10095	9120045474510	985,95 €
44	10096	9120045474527	1153,95 €
44	10097	9120045474534	1258,95 €
46	10099	9120045474749	2311,05 €
46	10100	9120045474756	2547,30 €
46	10101	9120045474763	2806,65 €
46	10102	9120045474770	3042,90 €
46	10103	9120045474787	3302,25 €
46	10104	9120045474794	3567,90 €
52	10108	9120045474893	114,45 €
41	10110	9120045475210	659,00 €
50	10120	9120045475364	534,45 €
50	10121	9120045475371	597,45 €
50	10122	9120045475388	723,45 €
50	10123	9120045475395	807,45 €
12	10134	9120045475647	186,90 €
12	10135	9120045475654	219,45 €
11	10136	9120045475616	219,00 €
8	10137	9120045475623	114,45 €
48	10138	9120045475630	2089,50 €
16	10139	9120045475555	523,95 €
16	10140	9120045475562	565,95 €
16	10141	9120045475579	607,95 €
12	10142	9120045475609	787,50 €
14	10147	9120045475708	123,50 €
48	10148	9120045475715	1984,50 €
51	10153	9120045476361	138,00 €
30	10154	9120045475777	39,80 €
51	10156	9120045476378	70,50 €
51	10157	9120045476385	70,50 €
30	10159	9120045475821	39,80 €
14	10161	9120045476439	2030,00 €
14	10162	9120045476446	2610,00 €
14	10163	9120045476453	2650,00 €
14	10164	9120045476460	2690,00 €
51	10166	9120045476521	212,00 €
50	10167	9120045475906	376,95 €
50	10168	9120045475913	513,45 €

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Page	Item no.	EAN-Code	Rec. trade price
50	10169	9120045475920	334,95 €
9	10170	9120045476545	189,00 €
9	10171	9120045476552	319,00 €
9	10174	9120045475685	148,00 €
32,5	10176	9120045475999	177,45 €
3	11117	9120045476224	168,95 €
21,35	11120	9120045473353	349,20 €
2	11137	9120045475586	695,10 €
2	11138	9120045475593	668,85 €
36	20002	9120045473711	117,60 €
28	20004	9120045472585	161,70 €
28	20010	9120045470161	7,35 €
28	20020	9120045470253	7,98 €
28	20025	9120045470307	7,98 €
28	20032	9120045470376	7,98 €
28	20040	9120045470451	7,98 €
22	20059	9120045473049	19,43 €
53	20060	9120045472523	6,83 €
53	20061	9120045472530	7,98 €
53	20062	9120045472547	9,87 €
53	20063	9120045472554	11,24 €
53	20064	9120045472561	12,60 €
53	20065	9120045472578	13,97 €
26	20104	9120045474015	48,72 €
26	20105	9120045474022	53,55 €
26	20106	9120045474039	59,54 €
27	20107	9120045474046	6,41 €
27	20108	9120045474053	6,41 €
26	20116	9120045474077	6,83 €
26	20119	9120045474091	7,35 €
23,26	20238	9120045473209	30,45 €
21	20240	9120045472820	99,65 €
21	20241	9120045472837	115,40 €
21	20242	9120045472844	131,15 €
36	20250	9120045473384	19,95 €
36	20251	9120045473391	21,32 €
39	20252	9120045473407	35,70 €
28	20253	9120045472868	15,65 €
23	20260	9120045473032	8,19 €
23	20261	9120045473018	5,99 €
23	20262	9120045473001	8,82 €
32	20266	9120045473728	36,65 €

Page	Item no.	EAN-Code	Rec. trade price
32	20267	9120045473735	37,75 €
32	20268	9120045473742	38,96 €
32	20269	9120045473759	40,79 €
31	20272	9120045473292	25,20 €
31	20273	9120045473308	27,83 €
31	20274	9120045473315	32,03 €
36,38	20278	9120045474350	37,80 €
35,38	20279	9120045473230	16,28 €
35,38	20280	9120045474800	13,55 €
39	20300	9120045473766	150,36 €
35,38	20303	9120045474084	7,14 €
35	20311	9120045473438	72,66 €
35	20312	9120045473445	86,31 €
35	20313	9120045473452	99,96 €
35	20314	9120045473469	115,71 €
35	20315	9120045473476	143,01 €
39	20316	9120045473261	11,03 €
38	20317	9120045473483	93,45 €
38	20318	9120045473490	113,93 €
38	20319	9120045473506	130,41 €
38	20320	9120045473513	165,48 €
39	20321	9120045473414	12,50 €
36	20322	9120045473254	9,87 €
36	20323	9120045473421	12,50 €
28	20333	9120045473780	7,56 €
31	20365	9120045474114	16,17 €
31	20366	9120045474121	17,33 €
31	20367	9120045474138	26,15 €
42	20368	9120045474145	114,45 €
42	20369	9120045474152	129,15 €
42	20370	9120045474169	145,95 €
42	20371	9120045474176	182,70 €
42	20372	9120045474183	215,25 €
42	20373	9120045474190	128,10 €
42	20374	9120045474206	151,20 €
42	20375	9120045474213	175,35 €
42	20376	9120045474220	218,40 €
42	20377	9120045474237	273,00 €
42	20378	9120045474244	308,70 €
43	20379	9120045474268	9,24 €
43	20380	9120045474275	12,50 €
43	20381	9120045474282	9,24 €

Page	Item no.	EAN-Code	Rec. trade price
45,47	20382	9120045474299	35,70 €
45,47	20383	9120045474305	24,89 €
43	20384	9120045474312	42,00 €
43	20385	9120045474329	46,20 €
44	20386	9120045474541	460,95 €
45,47	20387	9120045474336	31,40 €
32	20388	9120045474343	19,95 €
36	20402	9120045474374	161,70 €
39	20403	9120045474367	204,75 €
45,47	20404	9120045474398	22,68 €
43	20405	9120045474404	290,85 €
26	20408	9120045474459	20,58 €
45,47	20409	9120045474411	20,58 €
27	20411	9120045474107	6,30 €
43	20412	9120045474251	12,92 €
26	20413	9120045474008	36,75 €
42	20414	9120045474442	247,80 €
45	20416	9120045474473	362,25 €
44	20417	9120045474558	471,45 €
44	20418	9120045474565	586,95 €
44	20419	9120045474572	733,95 €
44	20420	9120045474589	870,45 €
44	20421	9120045474596	1017,45 €
45	20422	9120045474602	10,71 €
45	20423	9120045474985	15,12 €
45	20424	9120045474626	53,97 €
23	20427	9120045474633	6,20 €
23	20428	9120045474640	6,20 €
32	20436	9120045474657	56,18 €
32	20437	9120045474664	59,54 €
32	20438	9120045474671	63,84 €
32	20439	9120045474688	71,40 €
32	20440	9120045474695	84,32 €
32	20441	9120045474701	99,54 €
40	20442	9120045474718	89,78 €
43,45	20443	9120045474725	5,25 €
23	20455	9120045474831	15,12 €
23	20457	9120045474848	10,71 €
26,35	20460	9120045474855	30,45 €
42	20461	9120045474879	99,54 €
45	20462	9120045474886	104,90 €
22	20468	9120045475081	18,38 €

Page	Item no.	EAN-Code	Rec. trade price
26	20475	9120045475098	20,58 €
26	20476	9120045475104	41,69 €
18	20481	9120045475180	62,48 €
18	20483	9120045475197	4,31 €
18	20484	9120045474930	8,51 €
18	20485	9120045474947	41,90 €
24,36	20487	9120045474954	8,51 €
18	20488	9120045474961	124,43 €
47	20489	9120045474978	156,45 €
46	20490	9120045474992	50,93 €
46	20491	9120045475005	934,50 €
46	20492	9120045475012	1153,95 €
46	20493	9120045475029	1401,75 €
46	20494	9120045475036	1646,40 €
46	20495	9120045475043	1887,90 €
46	20496	9120045475050	2171,40 €
47	20497	9120045475067	1486,80 €
47	20498	9120045475203	51,45 €
18	20509	9120045475241	7,04 €
27	20522	9120045475265	7,14 €
27	20523	9120045475272	8,19 €
50	20525	9120045475296	299,90 €
50	20526	9120045475302	295,00 €
50	20527	9120045475319	227,50 €
18	20559	9120045476156	312,90 €
18	20560	9120045476149	271,95 €
42	20562	9120045476194	368,00 €
18	20593	9120045476132	194,25 €
18	20606	9120045476088	19,95 €
18	20607	9120045476064	15,23 €
18	20608	9120045476019	26,25 €
12	20609	9120045475678	26,25 €
12	20610	9120045476095	28,35 €
28	20611	9120045476118	49,35 €
18	20612	9120045476026	49,35 €
21	20613	9120045476002	49,35 €
23	20614	9120045476101	22,05 €
50	20615	9120045475838	240,45 €
50	20616	9120045475845	313,95 €
50	20617	9120045475852	450,45 €
50	20618	9120045475869	523,95 €
50	20619	9120045475876	156,45 €


Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Page	Item no.	EAN-Code	Rec. trade price
50	20620	9120045475883	229,95 €
50	20621	9120045475890	114,45 €
48	20622	9120045475722	126,00 €
12	20623	9120045475661	89,25 €
30	20624	9120045475739	13,55 €
30	20625	9120045475746	14,07 €
30	20626	9120045475753	14,60 €
30	20627	9120045475760	15,12 €
30	20628	9120045475784	13,55 €
30	20629	9120045475791	14,07 €
30	20630	9120045475807	14,60 €
30	20631	9120045475814	15,12 €
8,11	20632	9120045476071	9,14 €
32	20642	9120045475982	96,60 €
42,45	20646	9120045476187	28,30 €
32	20661	9120045476248	36,70 €
32	20662	9120045476255	37,80 €
32	20663	9120045476262	38,90 €
32	20664	9120045476279	43,00 €
32	20665	9120045476286	48,30 €
32	20666	9120045476293	53,60 €
32	20667	9120045476309	62,00 €
32	20668	9120045476316	72,50 €
32	20669	9120045476323	85,00 €
32	20670	9120045476330	96,60 €
14	20692	9120045476484	490,00 €
14	20693	9120045476491	530,00 €
14	20694	9120045476507	570,00 €
9	20696	9120045476538	48,00 €
14	20711	9120045476644	126,00 €
23	30009	9120045473193	19,95 €
53	30010	9120045471977	12,50 €
53	30011	9120045471984	19,43 €
53	30012	9120045471991	23,94 €
53	30013	9120045472004	29,51 €
53	30014	9120045472011	35,07 €
29	30017	9120045472028	23,73 €
29	30018	9120045472035	30,66 €
29	30019	9120045472042	38,43 €
29	30020	9120045472059	45,47 €
29	30021	9120045472066	49,25 €
24	30027	9120045472073	15,12 €

Page	Item no.	EAN-Code	Rec. trade price
24	30028	9120045472080	16,17 €
24	30029	9120045472097	19,43 €
24	30030	9120045472103	22,68 €
31	30039	9120045472158	18,76 €
31	30040	9120045472165	20,65 €
31	30041	9120045472172	31,90 €
24	30042	9120045472189	26,99 €
24	30043	9120045472196	31,29 €
27,36	30050	9120045472240	7,46 €
29	30054	9120045474466	17,33 €
27	30063	9120045472301	7,23 €
27	30064	9120045472318	8,87 €
36,38	30067	9120045472356	19,74 €
27,36	30070	9120045472387	5,67 €
21	30146	9120045473841	31,50 €
35,36	30208	9120045473025	4,31 €
23	30210	9120045473124	3,78 €
23	30236	9120045473056	4,83 €
22	30239	9120045472998	18,38 €
27	30467	9120045474862	4,41 €



The muscle power you use will be optimally converted into performance using the revolutionary RUNPOGLIDER (special glider) with swivel. The perfect mixture of shape, stability and flexibility (based on the conical shape) now enables you to have **even more penetrating power!**



1 SWIVEL The integrated swivel, allows the cable to turn in the pipe and reducing wear an tear and gives the cablepullingsystem and the cable an extended service lifetime.

2 HIGHEST-POSSIBLE BREAKAGE PROTECTION Numerous stable safety reinforcements in the connection between the spiral strand and the RUNPOGLIDER guarantee the highest-possible **breaking load (Ø 6 mm > 200 kg / Ø 7 mm > 300 kg) for RUNPOGLIDER spirals.**

3 NO HEAD CHANGING The universal **special eyelet head** is not only shaped optimally for pushing in the RUNPOGLIDER spirals or the POWER REX, it is also made for pulling in the cable at the same time.

Therefore it is not necessary to change the head!

4 MORE CABLE TAKE-UP The extra-large eyelet in the **special eyelet** head can take up more cable than other spirals. This enables you to **save** valuable time!

Item	Item no.	Rec. trade price
RUNPOGLIDER with SWIVEL Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread Compatible with RUNPOTEC-Products POWER REX, RUNPOSTICKS, fiberglass rods 4,5 mm and 6 mm	20238	30,45 €

Advantage:

Large eyelet hole
up to 7 x 2.5 mm²
cable take-up

Alle Preise verstehen sich ab Werk Thalgau bei Salzburg - zuzügl. gesetzlicher Steuern & Abgaben. Sämtliche Preisangaben stellen unverbindliche Preisempfehlungen dar. Preise Stand 2020.
Alle Abbildungen sind Symbolfotos. Änderungen und Druckfehler vorbehalten.

Version: 04-2010

Area of applicability:

All deliveries and services of Runpotec GmbH, hereinafter referred to as Runpotec in abbreviated form, shall take place on the basis of the general terms and conditions of business at hand. Any deviating terms and conditions of business of the customer shall not become part of the contract, also in case that their validity is named as a condition for the conclusion of the business transaction.

II Offer and order:

1. All offers shall be subject to confirmation and non-binding.
2. The contract shall come into existence either by means of a written order confirmation or by delivery of the goods. In the latter case, the invoice shall also apply as the order confirmation.
3. The details concerning the services of Runpotec contained in price lists, in catalogues on the Internet and other advertising media do not contain any information which defines services as defined in § 922 Paragraph 2 of the Austrian General Civil Code (ABGB).
4. Amendments and additions to the contract, including the general terms and conditions of business, shall require written form to take legal effect. The same shall also apply in respect of deviation from the written form clause itself. Oral ancillary agreements shall not be effective.

III. Prices and payment terms

1. The prices named in catalogues, prospectuses, mailing letters, price lists and illustrations are non-binding and subject to confirmation. The prices are exclusive of value added tax and customs duties, as well as any shipping costs due.
2. As a rule, deliveries shall only be made with payment on delivery or prepayment. Bills of exchange and cheques shall not be considered as payment and shall only be accepted under notice of provisional receipt.
3. In case of payment delay, the Customer shall be obliged to pay default interest of 10% per annum.
4. The Customer shall pay a fee of up to € 20 for each warning to cover the expenses incurred. In addition, the reasonable costs of engaged credit collection agencies or lawyers shall be paid by the Customer.
5. The Customer shall not be entitled to set off with claims of any type, unless these are expressly recognised by Runpotec in writing or have been recognised by declaratory judgement by a court.

IV. Delivery

1. Delivery times shall be complied with as best as possible, but shall be non-binding. Delivery delays shall therefore not entitle the Customer to assert claims, regardless of under which legal title. Circumstances which are independent of and cannot be influenced by Runpotec, such as operational disruptions, interventions by the authorities, delays of subcontractors, labour conflicts etc. shall extend the delivery deadline by the duration of the hindrance and shall entitle Runpotec to rescind the contract, to the exclusion of damages claims, warranty claims and error appeal claims. This shall also apply if the events occur at a time in which Runpotec is already in default.
2. The dispatch or transportation shall take place at the expense and risk of the Customer. In the absence of specific instructions of the Customer, the delivery shall take place at our best discretion and without a guarantee concerning the choice of the best and cheapest shipping. Packaging material will not be accepted for return. The transfer of risk from Runpotec to the Customer will also take place on handover to the shipping company in respect of goods which are delivered free house. Insurance will only be concluded by means of written order by the contracting partner and this shall be at their expense.
3. Regardless of the place of delivery and/or performance and the covering of possible transportation costs, 5303 Thalgau, Austria is hereby agreed as the place of performance on the part of the Customer.
4. Any possible export and customs permits, currency permits or similar permits shall be obtained by the Customer at its own expense. The Customer shall be obliged to hold Runpotec free and harmless from all customs expenses. In case of other liability in respect of tax stipulations, the Customer shall be obliged to return all export and customs papers to Runpotec in the original. Runpotec shall not incur liability in respect of the permissibility of the export of the goods and their conformity with the legal and technical regulations of the importing country, and shall also not be responsible for the goods conforming to the state of technology in the importing country.
5. In case of delay in acceptance on the part of the Customer, Runpotec shall be entitled to either to request performance and the full fee or to rescind the contract and demand a cancellation fee of 50% of the value of the goods. A possible claim for damages which goes beyond this shall not be affected thereby.

VI. Retention of title

1. The goods shall remain the property of Runpotec until full payment of all claims. During the existence of the retention of title, the Customer shall not be entitled to sell, process or pledge the goods or to dispose of them in any other way.
2. The assertion of the retention of title shall not require rescission, shall not be deemed as rescinding the contract and shall not release the Customer from its obligations, in particular that of payment of the purchase price.

3. In order to inspect the goods which are subject to retention of title, the Customer shall grant access to its operations at all times. Should the Customer enter default concerning its payment obligations, should bankruptcy proceedings be opened against its assets or should it breach other contractual duties, Runpotec shall be entitled to demand surrender of the goods subject to retention of title, to collect these and to enter the premises of the Customer during this process.

In case of assertion of the retention of title, the Customer shall be obliged to pay any reduction of value in respect of the goods and to pay Runpotec a reasonable fee for their use.

VII. Guarantee and liability

1. Should the Customer be an entrepreneur, it shall be obliged to immediately make a complaint regarding defects in writing, at the latest within a week of handover, and in case of other lost of claims of any kind giving details of the defect in writing. Defect complaints shall not entitle the Customer to withhold the purchase price in part or in full.
2. The warranty period in relation to consumers shall be two years, and for entrepreneurs, six months.
3. The Customer shall provide Runpotec with the opportunity to check the defect. In case of a defect, Runpotec shall be entitled to defend a possible price reduction claim by means of improvement or a replacement delivery. Runpotec shall be entitled to deal with the defect itself or by a third party on site or to request return of the goods for the purpose of improvement. Dealing with the defect on the part of the customer by means of a third party company shall only be permitted if Runpotec does not deal with the defect within a reasonable deadline, despite a demand note.
4. Warranty claims shall therefore only exist if the device is used in accordance with the operating instructions and in compliance with all intended operating conditions, and the defect arises in normal use. The warranty does not cover the correction of defects which are due to external influences, operating error or use of the device together with other equipment or accessories which are not provided by Runpotec and whose compatibility with the device which forms the subject matter of the contract was not expressly approved in writing.
5. Damages claims for whatever legal reason, in particular due to delay, impossibility, positive breach of obligation, fault at the time of conclusion of the contract, consequential damage caused by defects and error appeal arising out of a defective delivery or service shall be excluded, unless these are caused by intent or gross negligence on the part of Runpotec. In any case, damages claims of the Customer shall be limited to the simple net value of the goods. Liability for lost profit or consequential loss of the Customer of whatever type shall be excluded. The Customer shall provide proof of the presence of fault and causation.
6. The assignment of warranty and damages claims shall not be permitted.
7. The Customer hereby expressly waives the assertion of damages claims for property damage under the title of the Austrian Product Liability Act (Produkthaftungsgesetz) which it suffers within the framework of its company. Should the Customer sell the device to other companies, the Customer shall be obliged to bind its contractual partners and any further commercial contractual partners to this waiver. To the extent that the Customer omits to do this, the Customer shall be obliged to indemnify and hold harmless Runpotec. Should the Customer incur liability due to the Austrian Product Liability Act (Produkthaftungsgesetz), it shall waive any recourse in relation to Runpotec.

In case of the presence of the requirements of § 933 b of the Austrian General Civil Code (ABGB), the Customer shall be entitled to obtain recourse within two months in relation to Runpotec, however only if such an assertion takes place before a court within three years of delivery.

VIII Place of jurisdiction and applicable law:

1. Austrian law shall apply between the contracting parties to the exclusion of the UN Convention on the International Sale of Goods.
2. The general terms and conditions of business shall only apply in relation to consumers to the extent that mandatory provisions of the Austrian Consumer Protection Act (Konsumentenschutzgesetz) do not prevent this.
3. The competent court for 5303 Thalgau, Austria is hereby exclusively agreed as the place of jurisdiction for all legal disputes concerning the concluded contract. However, Runpotec shall also be entitled to bring lawsuits at other courts for which a statutory place of jurisdiction of the Customer is present.

IX General:

1. Runpotec shall be entitled to save and process data of the contracting partner in accordance with the Austrian Data Protection Act (Datenschutzgesetz) within the framework of the business dealings.
2. Should any individual points of these terms and conditions of business or the negotiated contract be ineffective, this shall not affect the validity of the remaining provisions. In place of the ineffective provision, a clause which comes closest to its sense and purpose shall be deemed to be agreed.

NEW

RUNPOLIFTER 4500

Cable drum lifter

For drum up to 4500 kg and Ø 1600 mm.
3 different drum shafts available.
Length: 1150 mm, 1350 mm and 1600 mm.

from € **2610,-**

RUNPOLIFTER 4500 – L 1150 SET
RUNPOTEC item: 10162
see page 14



NEW

XB 300 SET with multi-function mandrel

incl. system case

€ **189,-**

RUNPOTEC
item no. 10170
see page 9



Application examples

RUNPOTEC®
STRONGEST CABLE PULLING

Irlachstrasse 31
5303 Thalgau / Austria

Fon: +43-6235-20335
Fax: +43-6235-20335-35

office@runpotec.com
www.runpotec.com

