

Masport®



an aussie lifestyle

OUTDOOR POWER EQUIPMENT | 2019/2020



We would like to convey a huge thanks to the generations of Aussies who continue to make Masport an award* winning tried and trusted brand.

We are humbled by such loyalty.

*Winner of the 2016 Canstar Blue award for most satisfied customers in the lawnmower category



109 years in the making



With 109 years of innovation, Masport has grown to become a market leader for outdoor garden and lifestyle products. Synonymous with quality and reliability, the brand has been trusted by Aussies for generations.

Due to ongoing success, Masport is sold in over 45 countries worldwide, and continues to develop outstanding products.

EVERY LAWN IS DIFFERENT

Which is why Masport has developed a comprehensive range of lawn and garden equipment. Masport mowers have been designed to meet the needs of the heaviest lawn conditions and the longest mowing times, therefore they are built to last.

EXCEPTIONAL WARRANTIES

We are committed to quality and performance. On offer is a full comprehensive warranty, so you know exactly what is covered with the Masport Silver Series lawnmower range.



Masport push mowers featuring Briggs & Stratton engines receive an industry leading exclusive **5 year comprehensive warranty on the entire mower***. Giving extra confidence and longevity for these lawnmowers.



OUR LAWNMOWER CHASSIS AND PARTS WARRANTIES



We offer you an impressive 10 year warranty on all aluminium chassis. If you prefer a steel chassis you'll enjoy a 5 year warranty*. Both aluminium and steel push options come with a 5 year warranty on ALL parts*.

LIFETIME CATCHER WARRANTY



Masport's HDPE Plastic Catcher comes with a Lifetime Warranty.

BRIGGS & STRATTON STARTING PROMISE



Briggs & Stratton 500, 600, 700 and 800 series engines include a Starting Promise. If they don't start in line with the starting promise, return it to an authorised Briggs & Stratton engine service agent, and they will fix it for free*.

RapidStart™ engines will always start with a maximum of 5 primes and 4 pulls, or it is fixed for free*.

With ReadyStart™, there's no need to manually prime or choke the engine on your mower, even from a cold start. Now even the least experienced lawn mower user can confidently start their mower. This engine should start on one or two pulls, or it is fixed for free*.



*Conditions apply, see www.masport.com.au for more information.

LITHIUM-ION POWERED LAWNMOWERS



M-TECH® POWER MANAGEMENT

Masport has made durable and high-performance lawnmowers for over 80 years and know how to make a lawnmower that can be trusted and relied on to last.

Masport M-TECH® is a new power management system which provides the latest lithium-ion battery technology to power brushless induction electric motors that will match the performance of many domestic petrol powered models.

Load sensing technology adapts the mower to the cutting conditions, sensing grass thickness and optimising power requirements for the best quality of cut, balancing power and maximising runtimes through intelligent and efficient energy use.

The M-TECH® mower range has a model suitable for most residential yard sizes. The 58V model is ideal for small to medium sized lawns and if more power and run time is required, the 84V model is the right choice, perfect for larger lawns and more demanding conditions.

Utilising the same handles, disc system, wheels, catcher and cutting deck which are used as those equipped to our petrol motors, there is no compromise on quality or performance.

The M-TECH® mower range will give you the freedom and convenience that comes with lithium-ion battery technology on a Masport mower that's proven to perform for years to come. Now you can just push a button and mow instantly with emission free power and true mower performance.

ALL M-TECH® MOWERS ADVANTAGES:

- Zero emissions
- Low noise
- Push button starting
- Minimal maintenance requirements
- 5 stage LED battery level gauge
- Long run times

ALL 58V AND 84V LITHIUM-ION LAWNMOWERS ARE BACKED BY OUR 5 YEAR DOMESTIC MOTOR AND BATTERY WARRANTY



SEE PAGES 22-23 FOR MORE DETAILS ON THE LITHIUM-ION POWERED MOWER RANGE



FEATURES

MASPORT BLADE SYSTEMS



Masport Quickcut® 2 Swingback Blade System

For superior cutting, mulching and catching performance, Masport mowers are fitted with unique blade cutting systems. The Masport Quickcut® blade is a top quality, specially designed blade system for cutting and mulching.



Masport 2 & 4 Blade Disc System

This blade system runs 2 or 4 swing back blades suitable for catching and mulching applications and is fitted on selected Masport President® catching and mulching models.



Masport Quadcut® 4 Blade Disc Cutting System

A specially designed four blade disc system, great for catching due to increased airflow.



Masport Quadcut® with Chipper Blade

The additional chipper blade allows your mower to chip branches up to 35mm / 1 3⁄8" into garden mulch, when fed through the mower via the Chipperchute.



Swingback Feature

All these blade systems have a swingback feature, designed to protect the crankshaft from damage should the mower hit a solid object.

WHEELS



Masport's adjustable dual bearing wheels make the mower easy to push and, with a threaded axle and nut, the wheels can easily be adjusted if they become loose after significant use. These wheels are made of polyethylene and designed to last. They have been vigorously tested for 600+ hours to ensure quality and durability.

CUTTING HEIGHTS



Push lawnmowers have a range of cut heights, from 10mm -70mm (3⁄8" - 2 3⁄4"). Height can be adjusted in one simple lever movement which is much faster than systems that require each individual wheel to be adjusted.

COMBO 2'N1
Catch and mulch options on these mowers.

COMBO 3'N1
These mowers have catch, mulch & side discharge options.

GENIUS 4'N1
These mowers have catch, mulch, side discharge & chip options.

MASPORT HANDLE SYSTEMS



PVC Grip

For added comfort during operation



Soft Grip

For superior comfort and less vibration during mowing



One Piece lower handle

Reinforced lower 'U' handle for added strength



Two Piece

Stub handle with no middle bar for easy catcher access

A RANGE OF CHASSIS SIZES TO SUIT YOUR NEEDS

High-arch design

Allows airflow created from the blades to draw the grass upwards for multiple cut cycles before flowing into the catcher, creating enhanced mulching and catching performance.

420MM (16.5") CHASSIS

- Smaller cutting chassis for smaller lawns or tricky grass areas
- Easy to manoeuvre

460MM (18") CHASSIS

- High-arch design
- Single Mowzone (left side)

485MM (19") CHASSIS

- High-arch design
- Wider cutting width
- Dual Mowzone®

540MM (21") CHASSIS

- High-arch design
- Wider cutting width
- Dual Mowzone®

530MM (21") UTILITY CHASSIS

- Wider cut
- Specially designed Side Discharge chassis
- Strong and reliable for demanding conditions



✓ durable steel

✓ durable steel

✓ 1.6mm durable steel

✓ 2mm heavy duty steel

✓ 2mm heavy duty steel



✓

- Corrosion free non-rust aluminium
- 6 year warranty

✓

- Corrosion free non-rust aluminium
- 6 year warranty

✓

- Corrosion free non-rust aluminium
- 6 year warranty

* Please note, not all mowers in our range contain all of these features

THE MASPORT ADVANTAGE

The Masport Silver series offers a range of mowers to suit your needs, lifestyle and budget and will help you achieve that perfect lawn. The models in this range are feature rich, innovative and truly high performance mowers. Look for the icons that represent the features you require throughout the brochure.

HANDLE LIFT SYSTEM

The Handle Lift System allows you to quickly and easily access the catcher (or Smartchute® system). Simply step on the foot pedal and lift the handle, it's that easy! Once the handle is returned to the operating position, it will lock in firmly providing responsive handling. It also reduces storage space.



SELF PROPELLED

Let the mower do the work. These models are fitted with a self drive system. All you need to do is squeeze the self propelled bail to the handle to propel the mower forward. This reduces pushing effort making mowing quicker and easier!



MOWER STARTING

Zone Start
The conveniently positioned starter cord eliminates the need to bend all the way down to pull-start, reducing the risk of back strain.



REAR DISCHARGE

With the rear discharge chute, the mower can be used effectively without a catcher. It is designed to work with Masport's unique 'high-arch' housing and blade systems which generate great airflow. The grass is spread across the full width of the chute and directed downward.



INSTART™

Briggs & Stratton's InStart™ lithium-ion electric start engines take the guessing game out of starting your lawnmower. No more priming, choking or pulling the rope. The first engine to combine the power of petrol and the starting reliability of lithium-ion battery technology.



MASPORT DUAL MOWZONE®

With the blade coverage extending beyond the wheel width on both sides, the mower can cut closer to walls, kerbs and fences, giving a cleaner finish to your lawn.



MULCHING

When you mulch there is less weight to push and no stopping to empty the catcher. The high-arch chassis design and the special blade means it also naturally recycles your grass by re-cutting the clippings and feeding them back into your lawn. You will save on watering and lawn fertilisers, as well as time.



MOW & STOW

Masport and Briggs & Stratton have designed a concept to make storage easier and more efficient. The Masport crafted exclusive handle system folds upright and then back on itself to create a sturdy base. The Briggs & Stratton designed engine tips backwards up to 110° without any fuel or oil leakage and is completely safe. Mow the grass, stow the mower - Save significant shed space!



CHIPPERCHUTE

An innovative development in lawn mowing that means your mower can do more than cut grass. Shred branches up to 35mm in diameter by using the additional chipper blade turning it into useful mulch. As branches are chipped, the chips are fed back into the catcher so you can put the mulch into your compost or garden.



SMARTCHUTE®

Mow without the catcher and avoid messy grass clumps. The Masport patented Smartchute® will side discharge a clean spread of clippings as you mow to leave your lawn looking wonderful. Just engage the unique feature and begin mowing.





100 ST S16.5

CUT, CATCH	STEEL CHASSIS	PUSH	420MM (16.5")	564887
 Limited stock available	  	ENGINE	Powered by Briggs & Stratton 125cc OHV Series 300 Primer 4 stroke engine	
		BUILD	420mm (16.5") steel chassis Masport 2 Blade Disc System Front 175mm (7") and Rear 175mm (7") wheels HDPE Plastic Catcher	
		HANDLE SYSTEM	Comfortable upturned upper handle Two piece lower handle for easy catcher access	
		FEATURES		

100 ST S16.5

CUT, CATCH	STEEL CHASSIS	PUSH	420MM (16.5")	565770
	  	ENGINE	Powered by AL-KO 123cc OHV Auto Choke 4 Stroke engine*	
		BUILD	420mm (16.5") steel chassis Masport 2 Blade Disc System Front 175mm (7") and Rear 175mm (7") wheels HDPE Plastic Catcher	
		HANDLE SYSTEM	Comfortable upturned upper handle Two piece lower handle for easy catcher access	
		FEATURES		

200 ST S16.5 2'N1

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	420MM (16.5")	564885
	  	ENGINE	Powered by Briggs & Stratton 125cc OHV Series 450E Primer 4 stroke engine	
		BUILD	420mm (16.5") steel chassis Masport 2 Blade Disc System Front 175mm (7") and Rear 175mm (7") wheels HDPE Plastic Catcher	
		HANDLE SYSTEM	Comfortable upturned upper handle Two piece lower handle for easy catcher access	
		FEATURES	 	

400 ST S18

CUT, CATCH	STEEL CHASSIS	PUSH	460MM (18")	567752
	  	ENGINE	Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart™ 4 stroke engine	
		BUILD	460mm (18") steel chassis Masport 2 Blade Disc System Front 175mm (7") and Rear 200mm (8") adjustable mono bearing wheels HDPE Plastic Catcher	
		HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Two piece lower handle for easy catcher access	
		FEATURES		



450 ST S18 2'N1

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	460MM (18")	565729
   	ENGINE	Powered by Briggs & Stratton 140cc OHV Series 550E RapidStart™ 4 stroke engine		
	BUILD	460mm (18") steel chassis Masport 4 Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES	  		

620 ST S19 2'N1

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	485MM (19")	565771
   	ENGINE	Powered by AL-KO 159cc OHV IC Auto Choke 4 Stroke engine* Cast iron sleeve in cylinder		
	BUILD	485mm (19") heavy duty steel chassis Masport 4 Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES	   		



620 ST S19 2'N1

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	485MM (19")	578712
   	ENGINE	Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart™ 4 stroke engine		
	BUILD	485mm (19") heavy duty steel chassis Masport 4 Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES	   		

625 ST S19 2'N1

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	485MM (19")	578713
   	ENGINE	Powered by Briggs & Stratton 140cc OHV Series 550EX ReadyStart™ 4 stroke engine		
	BUILD	485mm (19") heavy duty steel chassis Masport 4 Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher with 'full' indicator		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down Handle Lift System for easy catcher removal and storage		
	FEATURES	    		



650 ST S19 2’N1

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	485MM (19")	578714
 5 YEAR WARRANTY BRIGGS & STRATTON ENGINE 5 YEAR WARRANTY STEEL CHASSIS & PARTS LIFETIME WARRANTY HDPE PLASTIC CATCHER	ENGINE	Powered by Briggs & Stratton 150cc OHV Series 625EX ReadyStart™ 4 stroke engine		
	BUILD	485mm (19") heavy duty steel chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher with ‘full’ indicator		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down Handle Lift System for easy catcher removal and storage		
	FEATURES	    		

675 ST S19 2’N1

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	485MM (19")	578715
 5 YEAR WARRANTY BRIGGS & STRATTON ENGINE 5 YEAR WARRANTY STEEL CHASSIS & PARTS LIFETIME WARRANTY HDPE PLASTIC CATCHER	ENGINE	Powered by Briggs & Stratton 163cc OHV Series 725EXi ReadyStart™ 4 stroke engine		
	BUILD	485mm (19") heavy duty steel chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher with ‘full’ indicator		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Ergo camlocks for adjustable handle position Handle Lift System for easy catcher removal and storage		
	FEATURES	     		

700 ST S19 2’N1

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	485MM (19")	565772
 5 YEAR WARRANTY BRIGGS & STRATTON ENGINE 5 YEAR WARRANTY STEEL CHASSIS & PARTS LIFETIME WARRANTY HDPE PLASTIC CATCHER	ENGINE	Powered by Briggs & Stratton 175cc OHV Series 800EX ReadyStart™ 4 stroke engine		
	BUILD	485mm (19") heavy duty steel chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher with ‘full’ indicator		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES	   		

700 ST S19 CHIPPER 3’N1

CUT, CATCH, MULCH, CHIP	STEEL CHASSIS	PUSH	485MM (19")	578716
 5 YEAR WARRANTY BRIGGS & STRATTON ENGINE 5 YEAR WARRANTY STEEL CHASSIS & PARTS LIFETIME WARRANTY HDPE PLASTIC CATCHER	ENGINE	Powered by Briggs & Stratton 175cc OHV Series 800EX ReadyStart™ 4 stroke engine		
	BUILD	485mm (19") heavy duty steel chassis Masport 4 Blade Disc System with Chipper Blade Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher with ‘full’ indicator		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Ergo camlocks for adjustable handle position Handle Lift System for easy catcher removal and storage		
	FEATURES	      		



700 ST S19 2'N1 INSTART®

CUT, CATCH, MULCH





STEEL CHASSIS	PUSH	485MM (19")	567797
ENGINE	Powered by Briggs & Stratton 150cc OHV Series 650iS InStart™ 4 stroke engine		
BUILD	485mm (19") heavy duty steel chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher		
HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
FEATURES	   		



550 AL S18 2'N1 MOW N STOW

CUT, CATCH, MULCH





ALLOY CHASSIS	PUSH	460MM (18")	578719
ENGINE	Powered by Briggs & Stratton 150cc OHV Series 625EXi ReadyStart™ 4 stroke engine		
BUILD	460mm (18") heavy duty aluminium non rust chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher with ‘full’ indicator		
HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down Handle Lift System for easy catcher removal and storage		
FEATURES	     		

750 ST S19 2'N1 IC

CUT, CATCH, MULCH





STEEL CHASSIS	PUSH	485MM (19")	578718
ENGINE	Powered by Briggs & Stratton 190cc OHV Series 850 Professional IC ReadyStart™ 4 Stroke engine Cast iron sleeve in cylinder		
BUILD	485mm (19") heavy duty steel chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher with ‘full’ indicator		
HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down Handle Lift System for easy catcher removal and storage		
FEATURES	    		

575 AL S18 2'N1

CUT, CATCH, MULCH





ALLOY CHASSIS	PUSH	460MM (18")	578720
ENGINE	Powered by Briggs & Stratton 163cc OHV Series 675EXi ReadyStart™ 4 stroke engine		
BUILD	460mm (18") heavy duty aluminium non rust chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher with ‘full’ indicator		
HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down Handle Lift System for easy catcher removal and storage		
FEATURES	     		



750 AL S19 2'N1 IC

CUT, CATCH, MULCH	ALLOY CHASSIS	PUSH	485MM (19")	565730
    	ENGINE	Powered by Briggs & Stratton 190cc OHV Series 850 Professional IC ReadyStart™ 4 Stroke engine Cast iron sleeve in cylinder		
	BUILD	485mm (19") heavy duty aluminium non rust chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher with 'full' indicator		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES	     		

800 AL S21 3'N1

CUT, CATCH, MULCH, REAR DISCHARGE	ALLOY CHASSIS	PUSH	540MM (21")	564896
   	ENGINE	Powered by Briggs & Stratton 190cc OHV Series 875 ReadyStart™ 4 Stroke engine		
	BUILD	540mm (21") heavy duty aluminium non rust chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels Large capacity Commercial Dacron Catcher with dust cover		
	HANDLE SYSTEM	Comfortable upturned upper handle with soft grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES	      		



350 ST S18 2'N1 SP

CUT, CATCH, MULCH	STEEL CHASSIS	SELF-PROPELLED	460MM (18")	564807
   	ENGINE	Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart™ 4 stroke engine		
	BUILD	460mm (18") heavy duty steel chassis Masport 4 Blade Disc System Front 175mm (7") and Rear 200mm (8") adjustable mono bearing wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES	  		

700 ST S19 2'N1 SP

CUT, CATCH, MULCH	STEEL CHASSIS	SELF-PROPELLED	485MM (19")	578929
   	ENGINE	Powered by Briggs & Stratton 150cc OHV Series 625EX ReadyStart™ 4 stroke engine		
	BUILD	485mm (19") heavy duty steel chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 220mm (9") adjustable dual bearing wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES	   		



700 ST S19 2’N1 SP INSTART®

CUT, CATCH, MULCH



5 YEAR WARRANTY
BRIGGS & STRATTON
ENGINE

5 YEAR WARRANTY
STEEL CHASSIS & PARTS

LIFETIME WARRANTY
HDPE PLASTIC CATCHER

STEEL CHASSIS	SELF-PROPELLED	485MM (19")	567798
ENGINE	Powered by Briggs & Stratton 150cc OHV Series 650iS InStart™ 4 stroke engine		
BUILD	485mm (19") heavy duty steel chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 220mm (9") adjustable dual bearing wheels HDPE Plastic Catcher		
HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
FEATURES	   		

750 AL S19 2’N1 IC SP

CUT, CATCH, MULCH




5 YEAR WARRANTY
BRIGGS & STRATTON
ENGINE

5 YEAR WARRANTY
STEEL CHASSIS & PARTS

10 YEAR WARRANTY
ALLOY CHASSIS

LIFETIME WARRANTY
HDPE PLASTIC CATCHER

ALLOY CHASSIS	SELF-PROPELLED	485MM (19")	565731
ENGINE	Powered by Briggs & Stratton 190cc OHV Series 850 Professional IC ReadyStart™ 4 Stroke engine Cast iron sleeve in cylinder		
BUILD	485mm (19") heavy duty aluminium non rust chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 220mm (9") adjustable dual bearing wheels HDPE Plastic Catcher with ‘full’ indicator		
HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
FEATURES	     		



800 AL S21 3’N1 SPV IC

CUT, CATCH, MULCH, REAR DISCHARGE



5 YEAR WARRANTY
BRIGGS & STRATTON
ENGINE

5 YEAR WARRANTY
STEEL CHASSIS & PARTS

10 YEAR WARRANTY
ALLOY CHASSIS

ALLOY CHASSIS	SELF-PROPELLED	540MM (21")	564897
ENGINE	Powered by Briggs & Stratton 190cc OHV Series 850 Professional IC ReadyStart™ 4 Stroke engine Cast iron sleeve in cylinder		
BUILD	540mm (21") heavy duty aluminium non rust chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 220mm (9") deep tread adjustable dual bearing wheels Large capacity Commercial Dacron Catcher with dust cover		
HANDLE SYSTEM	Comfortable upturned upper handle with soft grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
FEATURES	      		

UTILITY 530 ST S21 IC - 850

SIDE DISCHARGE



5 YEAR WARRANTY
BRIGGS & STRATTON
ENGINE

5 YEAR WARRANTY
STEEL CHASSIS & PARTS

STEEL CHASSIS	PUSH	530MM (21")	572836
ENGINE	Powered by Briggs & Stratton 190cc OHV Series 850 Professional IC ReadyStart™ 4 Stroke engine Cast iron sleeve in cylinder		
BUILD	530mm (21") heavy duty steel chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels		
HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
FEATURES	 		

LITHIUM-ION
POWERED
LAWNMOWERS



200 ST 2’N1 ELI 58V 0.75KW

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	420MM (16.5")	567766
   	MOTOR	ELi 58Volt 0.75 kilowatt with load sensing technology Solid steel 7/8" motor drive shaft, no plastic fan required		
	BATTERY	Powered by Masport 58V, 4.3Ah *internal battery *Upgradeable to two batteries providing double the cutting time 1 x 58V Lithium-ion battery Battery charger included - output: 58V, 3A 5 stage LED battery charge status indicator		
	BUILD	420mm (16.5") steel chassis Masport 2 Blade Disc System Front 175mm (7") and Rear 175mm (7") wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle Two piece lower handle for easy catcher access		
	FEATURES	 		

450 ST 2’N1 ELI 58V 0.75KW

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	460MM (18")	578741
   	MOTOR	ELi 58Volt 0.75 kilowatt with load sensing technology Solid steel 7/8" motor drive shaft, no plastic fan required		
	BATTERY	Powered by Masport 58V, 4.3Ah *internal battery *Upgradeable to two batteries providing double the cutting time 1 x 58V Lithium-ion battery Battery charger included - output: 58V, 3A 5 stage LED battery charge status indicator		
	BUILD	460mm (18") heavy duty steel chassis Masport 2 Blade Disc System Front 175mm (7") and Rear 200mm (8") wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Handle Lift System for easy catcher removal and storage Camlocks for quick release handle fold down		
	FEATURES	  		

625 ST S19 2’N1 84V 1.5KW

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	485MM (19")	565722
   	MOTOR	ELi 84Volt 1.5 kilowatt with load sensing technology Solid steel 7/8" motor drive shaft, no plastic fan required		
	BATTERY	Powered by Masport 84V, 4.3Ah internal battery 1 x 84V Lithium-ion battery Battery charger included - output: 84V, 3A 5 stage LED battery charge status indicator		
	BUILD	485mm (19") heavy duty steel chassis Masport 2 Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Handle Lift System for easy catcher removal and storage Camlocks for quick release handle fold down		
	FEATURES	   		

500 ST S18 2’N1 82V 1.5KW

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	460MM (18")	578711
   	MOTOR	ELi 82Volt 1.5 kilowatt with load sensing technology Solid steel 7/8" motor drive shaft, no plastic fan required		
	BATTERY	Powered by Briggs & Stratton 82V, 4Ah removable battery 1 x 82V Lithium-ion battery Battery charger included - output: 82V, 4A LED battery charge status indicator		
	BUILD	460mm (18") heavy duty steel chassis Masport 2 Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Handle Lift System for easy catcher removal and storage Camlocks for quick release handle fold down		
	FEATURES	  		

Limited stock available



MASPORT'S RED SERIES

the general purpose
range of lawnmowers



LAWN MARSHAL ST S18

CUT, CATCH		STEEL CHASSIS	PUSH	460MM (18")	565764
	  	ENGINE	Powered by AL-KO 123cc OHV Auto Choke 4 Stroke engine*		
	BUILD	460mm (18") steel chassis Masport Quickcut® Blade System Front 175mm (7") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher			
	HANDLE SYSTEM	Comfortable upturned upper handle Two piece lower handle for easy catcher access			
	FEATURES 				

LAWN MARSHAL ST S18

CUT, CATCH	STEEL CHASSIS	PUSH	460MM (18")	567782
	  	ENGINE	Powered by AL-KO 139cc OHV Auto Choke 4 Stroke engine*	
	BUILD	460mm (18") steel chassis Masport Quickcut® Blade System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES			

LAWN MARSHAL ST S18 M&C

CUT, CATCH, MULCH		STEEL CHASSIS	PUSH	460MM (18")	565757
	  	ENGINE	Powered by AL-KO 139cc OHV Auto Choke 4 Stroke engine*		
	BUILD	460mm (18") steel chassis Masport Quickcut® Blade System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher			
	HANDLE SYSTEM	Comfortable upturned upper handle Reinforced lower handle for added strength Camlocks for quick release handle fold down			
	FEATURES  				

BOXER ST S18

CUT, CATCH	STEEL CHASSIS	PUSH	460MM (18")	565726
	  	ENGINE	Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart™ 4 stroke engine	
	BUILD	460mm (18") steel chassis Masport 2 Blade Disc System Front 175mm (7") and Rear 175mm (7") wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle Two piece lower handle for easy catcher access		
	FEATURES 			

limited stock available

Limited stock available



550 ST S18

CUT, CATCH	STEEL CHASSIS	PUSH	460MM (18")	578789
   	ENGINE	Powered by Kohler 173cc OHV Series XT775 IC Auto Choke 4 stroke engine Cast iron sleeve in cylinder		
	BUILD	460mm (18") heavy duty steel chassis Masport 4 Blade Disc System Front 175mm (7") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES			

650 ST S19 GENIUS 4'N1

CUT, CATCH, MULCH, SIDE DISCHARGE, CHIP	STEEL CHASSIS	PUSH	485MM (19")	564867
   	ENGINE	Powered by Briggs & Stratton 150cc OHV Series 625EXi ReadyStart™ 4 stroke engine		
	BUILD	485mm (19") heavy duty steel chassis Masport 4 Blade Disc System with Chipper Blade Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher with ‘full’ indicator		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Ergo camlocks for adjustable handle position Handle Lift System for easy catcher removal and storage		
	FEATURES	       		

650 ST S19 2'N1

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	485MM (19")	578700
   	ENGINE	Powered by Kohler 173cc OHV Series XT775 IC Auto Choke 4 stroke engine Cast iron sleeve in cylinder		
	BUILD	485mm (19") heavy duty steel chassis Masport 4 Blade Disc System Front 175mm (7") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES	   		

800 ST S21 3'N1

CUT, CATCH, MULCH, REAR DISCHARGE	STEEL CHASSIS	PUSH	540MM (21")	564868
  	ENGINE	Powered by Briggs & Stratton 190cc OHV Series 875 ReadyStart™ 4 Stroke engine		
	BUILD	540mm (21") heavy duty steel chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels Large capacity Commercial Dacron Catcher with dust cover		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES	    		



800 ST S21 3'N1 SP IC

CUT, CATCH, MULCH, REAR DISCHARGE	STEEL CHASSIS	SELF-PROPELLED	540MM (21")	564869
 	ENGINE	Powered by Briggs & Stratton 190cc OHV Series 850 Professional IC ReadyStart™ 4 Stroke engine Cast iron sleeve in cylinder		
	BUILD	540mm (21") heavy duty steel chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 220mm (9") deep tread adjustable dual bearing wheels Large capacity Commercial Dacron Catcher with dust cover		
	HANDLE SYSTEM	Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down		
	FEATURES	     		

100 ST S16.5 SP

CUT, CATCH	STEEL CHASSIS	SELF-PROPELLED	420MM (16.5")	564988
  	ENGINE	Powered by Briggs & Stratton 125cc OHV Series 300 Primer 4 stroke engine		
	BUILD	420mm (16.5") steel chassis Masport 2 Blade Disc System Front 175mm (7") and Rear 200mm (8") adjustable mono bearing wheels HDPE Plastic Catcher		
	HANDLE SYSTEM	Comfortable upturned upper handle Two piece lower handle for easy catcher access		
	FEATURES	 		

UTILITY 460 ST S18

SIDE DISCHARGE	STEEL CHASSIS	PUSH	460MM (18")	572850
 	ENGINE	Powered by AL-KO 139cc OHV Auto Choke 4 Stroke engine*		
	BUILD	460mm (18") heavy duty steel chassis Masport Quickcut® Blade System Front 175mm (7") and Rear 175mm (7") adjustable dual bearing wheels		
	HANDLE SYSTEM	Flat handle Reinforced lower handle for added strength		
	FEATURES			



UTILITY 460 ST S18 - 625

SIDE DISCHARGE

5 YEAR WARRANTY
BRIGGS & STRATTON
ENGINE

5 YEAR WARRANTY
STEEL CHASSIS & FRAME



ENGINE

POWERED BY BRIGGS & STRATTON 150CC OHV SERIES 625EXI READYSTART™ 4 STROKE ENGINE

BUILD

460MM (18") HEAVY DUTY STEEL CHASSIS
MASPORT QUADCUT® BLADE DISC SYSTEM
FRONT 175MM (7") AND REAR 175MM (7") ADJUSTABLE DUAL BEARING WHEELS

HANDLE SYSTEM

COMFORTABLE UPTURNED UPPER HANDLE WITH PVC GRIP
REINFORCED LOWER HANDLE FOR ADDED STRENGTH

FEATURES



UTILITY 530 IC

SIDE DISCHARGE

2 YEAR WARRANTY
LAWNMOWER
FRAME

5 YEAR WARRANTY
STEEL CHASSIS & FRAME



ENGINE

POWERED BY KOHLER 173CC OHV SERIES XT775 IC AUTO CHOKE 4 STROKE ENGINE
CAST IRON SLEEVE IN CYLINDER

BUILD

530MM (21") HEAVY DUTY STEEL CHASSIS
MASPORT QUADCUT® BLADE DISC SYSTEM
FRONT 200MM (8") AND REAR 200MM (8") ADJUSTABLE DUAL BEARING WHEELS

HANDLE SYSTEM

COMFORTABLE UPTURNED UPPER HANDLE WITH PVC GRIP
REINFORCED LOWER HANDLE FOR ADDED STRENGTH
CAMLOCKS FOR QUICK RELEASE HANDLE FOLD DOWN

FEATURES





HANDMOWER

This premium hand mower, constructed in heavy-duty steel is fully adjustable. The heavy-weight cast alloy wheels fitted with solid rubber tyres provide remarkable traction, unseen on other hand mowers. Heat treated 6 blade alloy-steel cutting cylinder and bottom blade cut the lawn cleanly, much like a pair of scissors, delivering a manicured professional looking finish which will be the envy of your neighbours.



ELECTRIC MOWER

The Masport Electric Mower is an easier way to mow the smaller lawn - no fuel to mix, just plug it in and mow.



CLEVELAND 18"

552803

- FEATURES**
- 13mm - 56mm cutting range
 - 460mm (18") cutting width
 - Heat treated alloy steel 6 blade cutting cylinder and bottom blade.
 - Resharpenable blades ensure continuous and precise cutting and a long working life.
 - Comfortable T-Style handle with cushion grips
 - Robust Fabric Catcher included
 - Strong steel drive pinions
 - 9" Cast Alloy wheels with solid rubber tyres
 - 2 Year Warranty



ELECTRIC MOWER

552800

- FEATURES**
- Powerful 1600 watt motor gives the mower enough power to tackle a small to medium sized lawn
 - 420mm (16.5") cutting width
 - Ergonomic height adjustable upturned handle with PVC grip
 - Large 45 litre catcher
 - Suits small to medium sized lawns with light to medium grass conditions
 - Fan assisted grass catcher
 - Mulch Ready - Mulch Plug available as optional extra
 - 2 Year Warranty



CONTRACTOR SERIES

BUILT TOUGH, MADE TO LAST

Great gardens and professional looking landscapes demand equipment that is hardworking and reliable.

GT AGILITY PRO 3 SPEED COMMERCIAL TRANSMISSION



A commercial grade, all metal, constant mesh, oil lubricated, cone clutch gearbox featuring precision bearings to the shafts. Designed for commercial applications, it provides reliability and durability. Ground speeds at 3200rpm are: 1st - 3.74 km/h, 2nd - 5.11 km/h, 3rd - 6.63 km/h, providing the perfect speed-to-job ratio demanded by contractors and homeowners with large yards.



STEEL REAR DISCHARGE CHUTE

Designed to work without a catcher or mulch plug, the rear discharge chute will spread the grass across the full width of the chute and direct the cut grass toward the ground. This allows the user to mow at any height without the need to stop mowing to empty a catcher, reducing mowing time and running costs, plus recycling the cut grass.



BOLT IN AXLES

The front axle is held firmly in place with steel bearing plates bolted directly to the chassis, which also securely retains the plastic axle pivot bush tight. The rear axle is bolted directly to the chassis through the rear bearing chassis, providing a strong fix to the mower.



ROBUST HANDLES & HEAVY DUTY CONTROLS & CABLES

Large diameter and heavier gauge upper and lower handles withstand the heavy forces applied to provide extra durability. The lower handle has additional bracing, reducing any lateral movement.



The heavy duty control and cables are extremely robust and resilient to breakage and wear, providing greater longevity.

PROFESSIONAL CAST ALUMINIUM WHEELS & PRECISION BEARINGS

Professional grade, heavy duty, cast aluminium 8" front & 9¼" rear wheels with synthetic rubber tyres are extremely tough and are designed to operate under commercial conditions.



Each wheel is complemented by dual 6202 precision sealed bearings, making the mower easy to push, virtually maintenance free and long lasting.

LARGE CAPACITY DACRON CATCHER

The double lined Dacron catcher with dust cover holds 80L. The fabric catcher improves airflow maintaining catching performance, while the dust cover directs airflow downwards, reducing dust updraft for the operator.



BUMPERS

A front bumper and engine guard offer protection to the cutting chassis, front axle and engine. These bumpers also provide a valuable lifting handle and tie down point to secure the mower.



WARRANTY

DOMESTIC

- 5 Year Mower parts & Gearbox
- 5 Year Briggs & Stratton 850 Professional engine
- 3 Year Kawasaki engine
- 3 Year Honda engine

COMMERCIAL

- 1 Year Mower parts & Gearbox
- 2 Year Briggs & Stratton 850 Professional engine
- 3 Year Kawasaki engine
- 3 Year Honda engine



CONTRACTOR® ST S19 2'N1 B&S

CUT, CATCH, MULCH		STEEL CHASSIS	485MM (19")	PUSH	578746
		ENGINE	Powered by Briggs & Stratton 190cc OHV Series 850 Professional IC ReadyStart™ 4 Stroke engine Cast iron sleeve in cylinder		
		BUILD	485mm (19") deep draw heavy duty steel chassis Masport Quadcut® Blade Disc System Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 200mm (8") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings HDPE Plastic Catcher with 'full' indicator		
		HANDLE SYSTEM	Comfortable and sturdy upturned upper handle with soft grip, large diameter and heavier gauge steel tube Robust lower handle with additional bracing for extra durability 3 position handle locking system for different height settings		
		FEATURES	  		

CONTRACTOR® ST S21 3'N1

CUT, CATCH, MULCH, REAR DISCHARGE	STEEL CHASSIS	540MM (21")	PUSH	567758
	ENGINE	Powered by Briggs & Stratton 190cc OHV Series 850 Professional IC ReadyStart™ 4 Stroke engine Cast iron sleeve in cylinder		
	BUILD	540mm (21") deep draw heavy duty steel chassis Masport Quadcut® Blade Disc System Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9¼") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings Large capacity Commercial Dacron Catcher with dust cover		
	HANDLE SYSTEM	Comfortable and sturdy upturned upper handle with soft grip, large diameter and heavier gauge steel tube Robust lower handle with additional bracing for extra durability 3 position handle locking system for different height settings		
	FEATURES			



CONTRACTOR® ST S21 3'N1 SP B&S

CUT, CATCH, MULCH, REAR DISCHARGE	STEEL CHASSIS	540MM (21")	SELF-PROPELLED	564929
-----------------------------------	---------------	-------------	----------------	--------

	ENGINE	Powered by Briggs & Stratton 190cc OHV Series 850 Professional IC ReadyStart™ 4 Stroke engine Cast iron sleeve in cylinder
	BUILD	540mm (21") deep draw heavy duty steel chassis Masport Quadcut® Blade Disc System Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9¼") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings Large capacity Commercial Dacron Catcher with dust cover
	HANDLE SYSTEM	Comfortable and sturdy upturned upper handle with soft grip, large diameter and heavier gauge steel tube Robust lower handle with additional bracing for extra durability 3 position handle locking system for different height settings

FEATURES



CONTRACTOR® ST S21 3'N1 SP K

CUT, CATCH, MULCH, REAR DISCHARGE	STEEL CHASSIS	540MM (21")	SELF-PROPELLED	564953
-----------------------------------	---------------	-------------	----------------	--------

	ENGINE	Powered by Kawasaki 179cc OHV Series FJ 180V IC 4 stroke engine Cast iron sleeve in cylinder
	BUILD	540mm (21") deep draw heavy duty steel chassis Masport Quadcut® Blade Disc System Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9¼") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings Large capacity Commercial Dacron Catcher with dust cover
	HANDLE SYSTEM	Comfortable and sturdy upturned upper handle with soft grip, large diameter and heavier gauge steel tube Robust lower handle with additional bracing for extra durability 3 position handle locking system for different height settings

FEATURES



CONTRACTOR® ST S21 3'N1 SPV BBC HONDA

CUT, CATCH, MULCH, REAR DISCHARGE	STEEL CHASSIS	540MM (21")	SELF-PROPELLED	565735
-----------------------------------	---------------	-------------	----------------	--------

	ENGINE	Powered by Honda 160cc OHV Series GXV160 4 Stroke engine Cast iron sleeve in cylinder
	BUILD	540mm (21") deep draw heavy duty steel chassis Masport Quadcut® Blade Disc System Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9¼") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings Large capacity Commercial Dacron Catcher with dust cover
	HANDLE SYSTEM	Comfortable and sturdy upturned upper handle with soft grip, large diameter and heavier gauge steel tube Robust lower handle with additional bracing for extra durability 3 position handle locking system for different height settings

FEATURES

Blade Brake Control (BBC) allows you to disengage the rotation of the mower blades without having to stop the engine



CYLINDER MOWERS

Great for helping to create a bowling green look to be the envy of the neighborhood.



400 RRR

019108



- FEATURES**
- Powered by Briggs & Stratton 127cc OHV Series 550 IC horizontal shaft engine
 - 405mm (16") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 124 per metre
 - 7 - 30mm cutting height
 - Steel 6 blade cutting reel
 - 50 litre HDPE plastic catcher
 - Single bail drive system
 - 205mm diameter rubber lined split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty

500 RRR

019113



- FEATURES**
- Powered by Briggs & Stratton 163cc OHV 5.0HP engine
 - 505mm (20") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 124 per metre
 - 7 - 30mm cutting height
 - Steel 6 blade cutting reel
 - 70 litre HDPE plastic catcher
 - Single bail drive system
 - 205mm diameter rubber lined split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty

500L RRR

019115



- FEATURES**
- Powered by Loncin 196cc OHV engine
 - 505mm (20") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 124 per metre
 - 7 - 30mm cutting height
 - Steel 6 blade cutting reel
 - 70 litre HDPE plastic catcher
 - Single bail drive system
 - 205mm diameter rubber lined split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty

500 RRR - HONDA GC160

019110



- FEATURES**
- Powered by Honda 160cc GC160 engine
 - 505mm (20") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 124 per metre
 - 7 - 30mm cutting height
 - Steel 6 blade cutting reel
 - 70 litre HDPE plastic catcher
 - Single bail drive system
 - 205mm diameter rubber lined split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty



500 RRR - HONDA GX160

019112



- FEATURES**
- Powered by Honda 163cc GX160 engine
 - 505mm (20") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 124 per metre
 - 7 - 30mm cutting height
 - Steel 6 blade cutting reel
 - 70 litre HDPE plastic catcher
 - Single bail drive system
 - 205mm diameter rubber lined split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty

660 RRR

019114



- FEATURES**
- Powered by Briggs & Stratton 163cc OHV 5.0HP engine
 - 670mm (26") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 124 per metre
 - 7 - 30mm cutting height
 - Steel 6 blade cutting reel
 - 82 litre HDPE plastic catcher
 - Single bail drive system
 - 205mm diameter rubber lined split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty

500 GOLF

019111




- FEATURES**
- Powered by Briggs & Stratton 163cc OHV 5.0HP engine
 - 505mm (20") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 207 per metre
 - 4 - 30mm cutting height
 - Steel 10 blade cutting reel
 - 70 litre HDPE plastic catcher
 - Single bail drive system
 - 195mm diameter split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty

CYLINDERS & BLADES

6 blade cutting cylinder & standard bottom blade with front split steel roller

7-30mm (1/4" - 1 3/16") cutting heights

Standard Cuts:
124 per metre / 113 per yard



10 blade cutting cylinder & shaver bottom blade with one piece front steel roller

Cuts down to 4mm (5/32")

Golf Cuts:
207 per metre / 189 per yard





7 TONNE LOG SPLITTER

552608



4 way splitting attachment

- FEATURES
- 2300W, 230V motor
 - Simple to operate and maintain
 - Electric power means less noise and no fumes
 - Can also be used indoors or in covered areas
 - 320mm (12 1/2") max log diameter
 - 520mm (20") max log length
 - Hydraulic 7 tonne ram
 - The ram return is spring loaded making resetting for the next log fast and easy
 - Splits most logs in less than 12 seconds
 - Rugged wide-stance design provides stability
 - Wheels for portability
 - 4 way splitting attachment included
 - Two-handed operation - keeps operator away from moving parts
 - 2 Year Warranty

8 TONNE LOG SPLITTER, KINETIC

553001



- FEATURES
- 1600W, 240V motor
 - Simple to operate and maintain
 - Electric power means less noise and no fumes
 - Can also be used indoors or in covered areas
 - 350mm (13.75") max log diameter
 - 520mm (20.5") max log length
 - The ram return is spring loaded making resetting for the next log fast and easy
 - Splits most logs in less than 2 seconds
 - Rugged wide-stance design provides stability
 - Wheels for portability
 - Two-handed operation - keeps operator away from moving parts
 - 2 Year Warranty

5 TONNE LOG SPLITTER, KINETIC

552882



- FEATURES
- 1500W, 240V motor
 - Simple to operate and maintain
 - Electric power means less noise and no fumes
 - Can also be used indoors or in covered areas
 - 280mm (11") max log diameter
 - 400mm (16") max log length
 - The ram return is spring loaded making resetting for the next log fast and easy
 - Splits most logs in less than 2 seconds
 - Rugged wide-stance design provides stability
 - Wheels for portability
 - Two-handed operation - keeps operator away from moving parts
 - 2 Year Warranty



PETROL EDGER - 98CC

550917

- FEATURES**
- 98cc horizontal shaft OHV engine
 - Ten position height control and large cutting range allows for different height settings for a variety of purposes
 - Cutting Range: 2cm above ground to 6cm below ground
 - 240mm (9.5") Bar Blade
 - Fold down handles are designed for convenient storage
 - OPC controls for added safety that contains "lockout" feature to prevent accidental operation
 - Height control system adjustable from operating position
 - 150mm (6") front and 200mm (8") rear ball bearing wheels
 - 4 Year Warranty*



PETROL EDGER - B&S

550913

- FEATURES**
- Powered by Briggs & Stratton 127cc OHV Series 550 IC horizontal shaft engine
 - Ten position height control and large cutting range allows for different height settings for a variety of purposes
 - Cutting Range: 2cm above ground to 6cm below ground
 - 240mm (9.5") Bar Blade
 - Fold down handles are designed for convenient storage
 - OPC controls for added safety that contains "lockout" feature to prevent accidental operation
 - Height control system adjustable from operating position
 - 150mm (6") front and 200mm (8") rear ball bearing wheels
 - 4 Year Warranty*



4 WAY HOME GARDENER

550905

- FEATURES**
- Powered by Briggs & Stratton 127cc OHV Series 550 IC horizontal shaft engine
 - Sturdy shaft drive with worm-drive gearbox transmission
 - 280mm (11") tilling width without outside tines
 - 430mm (17") tilling width standard
 - Lightweight - 46.3kg
 - Simple controls and rugged construction
 - Comes with tines, garden aerator, lawn edger and cleaning brush
 - 4 Year Warranty*





5.0HP CHIPPER SHREDDER

BIO2023



- FEATURES
- Powerful 5.0HP 163cc OHV IC Briggs & Stratton engine
 - Double chipper blades
 - Larger branches can be fed through the 50mm x 50mm side chute
 - 9 flail hammer blades
 - Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
 - Large pneumatic wheels and hopper handle for manoeuvrability
 - Bar grate which is designed to avoid clogging with damp leaves and foliage is available as an optional extra
 - V-Belt drive system
 - Safe and reliable
 - 4 Year Warranty*



Bar Grate

6.0HP CHIPPER SHREDDER

BIO2021



- FEATURES
- Powerful 6.0HP 205cc OHV IC Briggs & Stratton engine
 - Double chipper blades
 - Larger branches can be fed through the 50mm x 50mm side chute
 - 9 flail hammer blades
 - Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
 - Large pneumatic wheels and hopper handle for manoeuvrability
 - Bar grate which is designed to avoid clogging with damp leaves and foliage is included
 - V-Belt drive system
 - Safe and reliable
 - 4 Year Warranty*



Bar Grate

CHIPPER SHREDDER - 196CC

BIO2027



- FEATURES
- Powered by Loncin 196cc OHV engine
 - Double chipper blades
 - Larger branches can be fed through the 50mm x 50mm side chute
 - 9 flail hammer blades
 - Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
 - Large pneumatic wheels and hopper handle for manoeuvrability
 - Bar grate which is designed to avoid clogging with damp leaves and foliage is available as an optional extra
 - V-Belt drive system
 - Safe and reliable
 - 4 Year Warranty*



Bar Grate

5.0HP CHIPPER SHREDDER - HONDA

BIO2026



- FEATURES
- Powerful 5.0HP 160cc Honda GX160 engine
 - Double chipper blades
 - Larger branches can be fed through the 50mm x 50mm chipper chute
 - 9 flail hammer blades
 - Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
 - Large pneumatic wheels and hopper handle for manoeuvrability
 - Bar grate which is designed to avoid clogging with damp leaves and foliage is available as an optional extra
 - V-Belt drive system
 - Safe and reliable
 - 4 Year Warranty*



Bar Grate

COMPARISON CHART

	Model	Engine	Chassis	Cutting Width	Flap Type	HandleType	Handle Lock System	Cutting System	Catcher Type	Wheel Type & Size	Wheel Bearing	Starting System	SPECIAL FEATURES						
													Mulch	Masport Dual Mowzone® Feature	Self Propelled	Handle Lift System Feature	Smartchute®	Chipperchute®	Widicut
564887 100 ST S16.5		OHV Series 300	Steel	420mm (16.5")	Plain	Upturned	Knob Locks	Masport 2 Blade Disc System	HDPE Plastic	Cobra Front 175mm (7") and Rear 175mm (7")	Plain Bush	Primer	Ready						
565770 100 ST S16.5		OHV Series	Steel	420mm (16.5")	Plain	Upturned	Knob Locks	Masport 2 Blade Disc System	HDPE Plastic	Cobra Front 175mm (7") and Rear 175mm (7")	Plain Bush	Auto Choke	Ready						
564885 200 ST S16.5 2'n1		OHV Series 450E	Steel	420mm (16.5")	Plain	Upturned	Knob Locks	Masport 2 Blade Disc System	HDPE Plastic	Cobra Front 175mm (7") and Rear 175mm (7")	Plain Bush	Primer	Yes						
567752 400 ST S18		OHV Series 500E	Steel	460mm (18")	Plain	Upturned with PVC grip	Knob Locks	Masport 2 Blade Disc System	HDPE Plastic	Front 175mm (7") and Rear 200mm (8")	Adjustable Mono Ball	RapidStart™	Ready						
565729 450 ST S18 2'n1		OHV Series 550E	Steel	460mm (18")	Plain	Upturned with PVC grip	Camlocks	Masport 4 Blade Disc System	HDPE Plastic	Front 200mm (8") and Rear 200mm (8")	Adjustable Mono Ball	RapidStart™	Yes					Yes	
565771 620 ST S19 2'n1		OHV Series	Steel	485mm (19")	Plain	Upturned with PVC grip	Camlocks	Masport 4 Blade Disc System	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	Auto Choke	Yes					Yes	
578712 620 ST S19 2'n1		OHV Series 500E	Steel	485mm (19")	Plain	Upturned with PVC grip	Camlocks	Masport 4 Blade Disc System	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	RapidStart™	Yes					Yes	
578713 625 ST S19 2'n1		OHV Series 550EX	Steel	485mm (19")	Steel	Upturned with PVC grip and Handle Lift System	Camlocks	Masport 4 Blade Disc System	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™	Yes					Yes	
578714 650 ST S19 2'n1		OHV Series 625EX	Steel	485mm (19")	Steel	Upturned with PVC grip and Handle Lift System	Camlocks	Masport Quadcut® Blade Disc System	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™	Yes					Yes	
578715 675 ST S19 2'n1		OHV Series 725EX	Steel	485mm (19")	Steel	Upturned with PVC grip and Handle Lift System	Ergo Adjustable Camlocks	Masport Quadcut® Blade Disc System	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™	Yes					Yes	
565772 700 ST S19 2'n1		OHV Series 800EX	Steel	485mm (19")	Steel	Upturned with PVC grip	Camlocks	Masport Quadcut® Blade Disc System	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™	Yes					Yes	
578716 700 ST S19 Chipper 3'n1		OHV Series 800EX	Steel	485mm (19")	Steel	Upturned with PVC grip and Handle Lift System	Ergo Adjustable Camlocks	Masport 4 Blade Disc System with Chipper Blade	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™	Yes				Yes		
567797 700 ST S19 2'n1 InStart®		OHV Series 650S	Steel	485mm (19")	Steel	Upturned with PVC grip	Camlocks	Masport Quadcut® Blade Disc System	HDPE Plastic	Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	InStart™	Yes						
578718 750 ST S19 2'n1 IC		OHV Series 850 Professional IC	Steel	485mm (19")	Steel	Upturned with PVC grip and Handle Lift System	Camlocks	Masport Quadcut® Blade Disc System	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™	Yes					Yes	
578719 550 AL S18 2'n1 Mow'n Stow		OHV Series 625EX	Alum	460mm (18")	Steel	Upturned with PVC grip and Handle Lift System	Camlocks	Masport Quadcut® Blade Disc System	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™	Yes					Yes	
578720 575 AL S18 2'n1		OHV Series 675EX	Alum	460mm (18")	Steel	Upturned with PVC grip and Handle Lift System	Camlocks	Masport Quadcut® Blade Disc System	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™	Yes					Yes	
565730 750 AL S19 2'n1 IC		OHV Series 850 Professional IC	Alum	485mm (19")	Steel	Upturned with PVC grip	Camlocks	Masport Quadcut® Blade Disc System	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™	Yes					Yes	
564896 800 AL S21 3'n1		OHV Series 875	Alum	540mm (21")	Dischge	Upturned with soft grip	Camlocks	Masport Quadcut® Blade Disc System	Dacron catcher with dust cover	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™	Yes				Yes	Yes	Yes
564807 350 ST S18 2'n1 SP		OHV Series 500E	Steel	460mm (18")	Plain	Upturned with PVC grip	Camlocks	Masport 4 Blade Disc System	HDPE Plastic	Front 175mm (7") and Rear 200mm (8")	Adjustable Mono Ball	RapidStart™	Yes				Yes		
578929 700 ST S19 2'n1 SP		OHV Series 625EX	Steel	485mm (19")	Steel	Upturned with PVC grip	Camlocks	Masport Quadcut® Blade Disc System	HDPE Plastic	Front 200mm (8") and Rear 220mm (9")	Adjustable Dual Ball	ReadyStart™	Yes				Yes		Yes
567798 700 ST S19 2'n1 SP InStart®		OHV Series 650S	Steel	485mm (19")	Steel	Upturned with PVC grip	Camlocks	Masport Quadcut® Blade Disc System	HDPE Plastic	Front 200mm (8") and Rear 220mm (9")	Adjustable Dual Ball	InStart™	Yes				Yes		
565731 750 AL S19 2'n1 IC SP		OHV Series 850 Professional IC	Alum	485mm (19")	Steel	Upturned with PVC grip	Camlocks	Masport Quadcut® Blade Disc System	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 220mm (9")	Adjustable Dual Ball	ReadyStart™	Yes				Yes		Yes
564897 800 AL S21 3'n1 SPV IC		OHV Series 850 Professional IC	Alum	540mm (21")	Dischge	Upturned with soft grip	Camlocks	Masport Quadcut® Blade Disc System	Dacron catcher with dust cover	MSV® Mag Front 200mm (8") and Rear 220mm (9") deep tread	Adjustable Dual Ball	ReadyStart™	Yes				Yes	Yes	Yes
572836 Utility 530 ST S21 IC - 850		OHV Series 850 Professional IC	Steel	530mm (21")	Side	Upturned with PVC grip	Camlocks	Masport Quadcut® Blade Disc System	Masport Quadcut® Blade Disc System	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™					Yes		
567766 200 ST 2'n1 ELI 58V 0.75kW		Masport M-TECH®	Steel	420mm (16.5")	Plain	Upturned	Knob Locks	Masport 2 Blade Disc System	HDPE Plastic	Cobra Front 175mm (7") and Rear 175mm (7")	Plain Bush		Yes						
578741 450 ST 2'n1 ELI 58V 0.75kW		Masport M-TECH®	Steel	460mm (18")	Plain	Upturned with PVC grip and Handle Lift System	Camlocks	Masport 2 Blade Disc System	HDPE Plastic	Front 175mm (7") and Rear 200mm (8")	Plain Bush	Yes	Yes				Yes	Yes	Yes
565722 625 ST S19 2'n1 84V 1.5kW		Masport M-TECH®	Steel	485mm (19")	Plain	Upturned with PVC grip and Handle Lift System	Camlocks	Masport 2 Blade Disc System	HDPE Plastic	Front 200mm (8") and Rear 200mm (8")	Adjustable Mono Ball		Yes				Yes		Yes
578711 500 ST S18 2'n1 82V 1.5kW		Briggs & Stratton 82Li Series™	Steel	460mm (18")	Plain	Upturned with PVC grip and Handle Lift System	Camlocks	Masport 2 Blade Disc System	HDPE Plastic	Front 200mm (8") and Rear 200mm (8")	Adjustable Mono Ball	Yes	Yes						
565764 Lawn Marshal ST S18		OHV Series	Steel	460mm (18")	Plain	Upturned	Knob Locks	Masport Quickcut® Blade System	HDPE Plastic	Diamond Front 175mm (7") and Rear 200mm (8")	Adjustable Dual Ball	Auto Choke	No						
567782 Lawn Marshal ST S18		OHV Series	Steel	460mm (18")	Plain	Upturned	Camlocks	Masport Quickcut® Blade System	HDPE Plastic	Diamond Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	Auto Choke	No						
565757 Lawn Marshal ST S18 M&C		OHV Series	Steel	460mm (18")	Plain	Upturned	Camlocks	Masport Quickcut® Blade System	HDPE Plastic	Diamond Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	Auto Choke	Yes						
565726 Boxer ST S18		OHV Series 500E	Steel	460mm (18")	Plain	Upturned	Knob Locks	Masport 2 Blade Disc System	HDPE Plastic	Cobra Front 175mm (7") and Rear 175mm (7")	Plain Bush	RapidStart™	No						

COMPARISON CHART

Model	Engine	Chassis	Cutting Width	Flap Type	HandleType	Handle Lock System	Cutting System	Catcher Type	Wheel Type & Size	Wheel Bearing	Starting System	SPECIAL FEATURES								
												Mulch	Masport Dual Mowzone® Feature	Self Propelled	Handle Lift System Feature	Smartchute®	Chipperchute®	Widecut	Rear Discharge	Zone Start®
578700 650 ST S19 2'n1	OHV Series XT775 IC	Steel	485mm (19")	Steel	Upturned with PVC grip	Camlocks	Masport 4 Blade Disc System	HDPE Plastic	Front 175mm (7") and Rear 200mm (8")	Adjustable Dual Ball	Auto Choke	Yes	Yes							
564867 650 ST S19 Genius 4'n1	OHV Series 625EXI	Steel	485mm (19")	Smart	Upturned with PVC grip and Handle Lift System	Ergo Adjustable Camlocks	Masport 4 Blade Disc System with Chipper Blade	HDPE Plastic	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™	Yes	Yes	Yes	Yes					Yes
564868 800 ST S21 3'n1	OHV Series 875	Steel	540mm (21")	Dischge	Upturned with PVC grip	Camlocks	Masport Quadcut® Blade Disc System	Dacron catcher with dust cover	MSV® Mag Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	ReadyStart™	Yes		Yes	Yes	Yes				Yes
564988 100 ST S16.5 SP	OHV Series 300	Steel	420mm (16.5")	Plain	Upturned	Knob Locks	Masport 2 Blade Disc System	HDPE Plastic	Front 175mm (7") and Rear 200mm (8")	Adjustable Mono Ball	Primer	Ready		Yes						
564869 800 ST S21 3'n1 SP IC	OHV Series 850 Professional IC	Steel	540mm (21")	Dischge	Upturned with PVC grip	Camlocks	Masport Quadcut® Blade Disc System	Dacron catcher with dust cover	MSV® Mag Front 200mm (8") and Rear 220mm (9") deep tread	Adjustable Dual Ball	ReadyStart™	Yes	Yes	Yes	Yes	Yes				Yes
572850 Utility 460 ST S18	OHV Series	Steel	460mm (18")	Side	Flat	Knob Locks	Masport Quickcut® Blade System		Front 175mm (7") and Rear 175mm (7")	Adjustable Dual Ball	Auto Choke									
572847 Utility 460 ST S18 - 625	OHV Series 625EXI	Steel	460mm (18")	Side	Upturned with PVC grip	Knob Locks	Masport Quadcut® Blade Disc System		Front 175mm (7") and Rear 175mm (7")	Adjustable Dual Ball	ReadyStart™									
572849 Utility 530 IC	OHV Series XT775 IC	Steel	530mm (21")	Side	Upturned with PVC grip	Camlocks	Masport Quadcut® Blade Disc System		Front 200mm (8") and Rear 200mm (8")	Adjustable Dual Ball	Auto Choke	Yes			Yes					
578746 Contractor® ST S19 2'n1 B&S	OHV Series 850 Professional IC	Steel	485mm (19")	Steel	Upturned with soft grip	3 position handle locking	Masport Quadcut® Blade Disc System	HDPE Plastic	Cast Aluminium Front 200mm (8") and Rear 200mm (8")	Precision 6202 sealed ball bearings	ReadyStart™	Yes								Yes
567758 Contractor® ST S21 3'n1	OHV Series 850 Professional IC	Steel	540mm (21")	Dischge	Upturned with soft grip	3 position handle locking	Masport Quadcut® Blade Disc System	Dacron catcher with dust cover	Cast Aluminium Front 200mm (8") and Rear 225mm (9¼")	Precision 6202 sealed ball bearings	ReadyStart™	Yes	Yes	Yes	Yes	Yes				Yes
564953 Contractor® ST S21 3'n1 SP K	OHV Series FU 180V IC	Steel	540mm (21")	Dischge	Upturned with soft grip	3 position handle locking	Masport Quadcut® Blade Disc System	Dacron catcher with dust cover	Cast Aluminium Front 200mm (8") and Rear 225mm (9¼")	Precision 6202 sealed ball bearings	Heavy duty recoil starter	Yes	Yes	Yes	Yes	Yes				Yes
564929 Contractor® ST S21 3'n1 SP B&S	OHV Series 850 Professional IC	Steel	540mm (21")	Dischge	Upturned with soft grip	3 position handle locking	Masport Quadcut® Blade Disc System	Dacron catcher with dust cover	Cast Aluminium Front 200mm (8") and Rear 225mm (9¼")	Precision 6202 sealed ball bearings	ReadyStart™	Yes	Yes	Yes	Yes	Yes				Yes
565735 Contractor® ST S21 3'n1 SPV BBC Honda	OHV Series GXV 160	Steel	540mm (21")	Dischge	Upturned with soft grip	3 position handle locking	Masport Quadcut® Blade Disc System	Dacron catcher with dust cover	Cast Aluminium Front 200mm (8") and Rear 225mm (9¼")	Precision 6202 sealed ball bearings	Auto Choke	Yes	Yes	Yes	Yes	Yes				Yes

built to last

BATTERY POWERED GARDEN TOOLS

One battery to power the whole range



Masport[®]

WARRANTY AND DISCLAIMER INFORMATION:

All Masport products carry a manufacturer's warranty. Please refer to your warranty card supplied with each product for details and conditions for specific models.

This brochure supersedes all previous Masport Lawn & Garden range brochures. Product specification, colours and prices are subject to change without prior notification. Not all models may be stocked at all stores. Whilst care has been taken in the preparation of this document, Masport is constantly improving and updating its product range, therefore model specifications may vary and should be checked at time of purchase.

Masport products are covered by the following design registrations:

405399, 407916, 407917, 411355, 411354, 417631, 418171, 407915, 407913, 411353, 414788, 414789, 414790, 414791, 414792, and patents: 330634, 570911, 589942/590235, 605098, 605114.

Masport Australia Pty Limited

PO BOX 533, Braeside
Victoria 3195, Australia
P: 1300 366 225
Fax: 1800 035 594
Email: sales@masport.com.au
Web: www.masport.com.au

AVAILABLE FROM:



The '5 Tick' certification applies specifically to petrol powered rotary lawnmowers within this document.