

NORTHWEST CLASSICS LTD

HYDRAULIC CYLINDER BOOT PROFILES & DIMENSIONS

Northwest Classics Ltd



FOR SERVICE PARTS EMAIL. northwestclassic@btinternet.com
FOR HYDRAULIC PARTS EMAIL. hydraulicsales@btinternet.com
www.northwestclassic.co.uk www.northwestautomotivehydraulics.co.uk

| | | | |
|----------------------|--------------|--------------------|----------------|
| CYLINDER BOOT | TYPE. | BELLOWS | PAGE 1 |
| CYLINDER BOOT | TYPE. | BELLOWS | PAGE 2 |
| CYLINDER BOOT | TYPE. | CAP | PAGE 3 |
| CYLINDER BOOT | TYPE. | CAP | PAGE 4 |
| CYLINDER BOOT | TYPE. | CROWN | PAGE 5 |
| CYLINDER BOOT | TYPE. | THIMBLE | PAGE 6 |
| CYLINDER BOOT | TYPE. | DOME | PAGE 7 |
| CYLINDER BOOT | TYPE. | CONE | PAGE 8 |
| CYLINDER BOOT | TYPE. | MUSHROOM | PAGE 9 |
| CYLINDER BOOT | TYPE. | RING | PAGE 10 |
| CYLINDER BOOT | TYPE. | HALF | PAGE 11 |
| CYLINDER BOOT | TYPE. | HANDBRAKE | PAGE 12 |
| CYLINDER BOOT | TYPE. | SPLIT DOME | PAGE 13 |
| CYLINDER BOOT | TYPE. | FLAT WASHER | PAGE 14 |
| CALIPER BOOT | TYPE. | T1 | PAGE 15 |
| CALIPER BOOT | TYPE. | T2 | PAGE 16 |
| CALIPER BOOT | TYPE. | T3 | PAGE 17 |
| CALIPER BOOT | TYPE. | T4 | PAGE 18 |
| CALIPER BOOT | TYPE. | T5 | PAGE 19 |
| CALIPER BOOT | TYPE. | T6 | PAGE 20 |
| CALIPER BOOT | TYPE. | T7 | PAGE 21 |
| CALIPER BOOT | TYPE. | T8 | PAGE 22 |
| CALIPER BOOT | TYPE. | T9 | PAGE 23 |
| CALIPER BOOT | TYPE. | T10 | PAGE 24 |
| CALIPER BOOT | TYPE. | T11 | PAGE 25 |
| CALIPER BOOT | TYPE. | T12 | PAGE 26 |
| CALIPER BOOT | TYPE. | T13 | PAGE 27 |
| CALIPER BOOT | TYPE. | T14 | PAGE 28 |
| CALIPER BOOT | TYPE. | T15 | PAGE 29 |

NORTHWEST CLASSICS LTD

BELLOWS CYLINDER BOOT



| PART NO | DIM A | DIM B | DIM L | INFO |
|------------|--------|---------|---------|---------|
| P6890 | 4.6 MM | 22.9 MM | 31.6 MM | REPCO |
| K2051 | 4.8 MM | 19.7 MM | 38.4 MM | FAG |
| P7891 | 5.0 MM | 20.2 MM | 26.4 MM | REPCO |
| P7198 | 5.0 MM | 20.2 MM | 30.4 MM | REPCO |
| FC485 | 5.0 MM | 20.8 MM | 28.7 MM | SIEKEN |
| 3815-746 | 5.1 MM | 22.7 MM | 45.2 MM | AP |
| SC80554 | 5.1 MM | 25.1 MM | 65.0 MM | SIEKEN |
| 33303-9901 | 5.5 MM | 12.0 MM | 51.2 MM | A.T.E |
| P4449 | 6.5 MM | 32.7 MM | 41.1 MM | REPCO |
| 64676077 | 5.6 MM | 19.2 MM | 58.3 MM | GIRLING |
| P5224 | 6.0 MM | 29.4 MM | 45.3 MM | REPCO |
| 33303-7700 | 6.4 MM | 21.9 MM | 40.1 MM | A.T.E |
| 3815-733 | 6.0 MM | 29.3 MM | 55.1 MM | AP |
| 363509 | 6.5 MM | 28.5 MM | 55.9 MM | GIRLING |
| P24291 | 5.2 MM | 25.5 MM | 61.0 MM | REPCO |
| P7444 | 6.0 MM | 19.5 MM | 46.2 MM | REPCO |
| 30370-3117 | 6.7 MM | 32.3 MM | 89.2 MM | A.T.E |
| P972 | 7.0 MM | 38.3 MM | 45.4 MM | REPCO |
| 33303-0600 | 7.0 MM | 38.7 MM | 43.3 MM | A.T.E |
| P7004 | 7.0 MM | 21.8 MM | 58.4 MM | REPCO |
| 3815-737 | 7.1 MM | 27.8 MM | 76.3 MM | AP |
| 64675139 | 7.5 MM | 22.5 MM | 65.1 MM | GIRLING |
| P5127 | 7.7 MM | 17.5 MM | 33.2 MM | REPCO |
| 2759 | 8.0 MM | 32.3 MM | 46.9 MM | AP |
| P6124 | 8.0 MM | 22.8 MM | 50.6 MM | REPCO |
| SC5176 | 8.1 MM | 17.6 MM | 58.6 MM | SIEKEN |
| 33303-1700 | 8.5 MM | 27.9 MM | 52.9 MM | A.T.E |
| P5172 | 8.0 MM | 29.7 MM | 45.5 MM | REPCO |
| 33303-7300 | 8.7 MM | 22.4 MM | 29.6 MM | A.T.E |
| 33303-7200 | 8.7 MM | 21.7 MM | 36.6 MM | A.T.E |
| P5610 | 8.7 MM | 27.6 MM | 44.4 MM | REPCO |
| 3815-747 | 8.7 MM | 20.0 MM | 62.3 MM | AP |
| 471028 | 9.3 MM | 23.3 MM | 42.2 MM | BENDIX |
| 33303-6000 | 9.5 MM | 23.4 MM | 35.2 MM | A.T.E |

NORTHWEST CLASSICS LTD

BELLOWS CYLINDER BOOT



| PART NO | DIM A | DIM B | DIM L | INFO |
|------------|---------|---------|---------|---------|
| 33303-6000 | 9.5 MM | 23.4 MM | 35.2 MM | A.T.E |
| 363501 | 10.0 MM | 27.1 MM | 53.4 MM | GIRLING |
| 376142 | 10.0 MM | 36.9 MM | 41.5 MM | BENDIX |
| H22500 | 10.0 MM | 28.4 MM | 54.8 MM | FAG |
| 64673621 | 10.1 MM | 29.3 MM | 43.6 MM | GIRLING |
| 363517 | 10.3 MM | 27.1 MM | 63.3 MM | GIRLING |
| 33303-7000 | 10.5 MM | 30.1 MM | 32.1 MM | A.T.E |
| 33303-9800 | 10.8 MM | 27.0 MM | 83.9 MM | A.T.E |
| P11901 | 10.8 MM | 25.5 MM | 58.7 MM | REPCO |
| 25228 | 11.0 MM | 27.0 MM | 44.1 MM | AP |
| P5940 | 11.3 MM | 28.1 MM | 54.8 MM | REPCO |
| P15303 | 11.3 MM | 28.2 MM | 51.3 MM | REPCO |
| 67320933 | 11.5 MM | 12.6 MM | 27.4 MM | GIRLING |
| 363513 | 12.4 MM | 30.5 MM | 68.8 MM | GIRLING |
| 363514 | 12.4 MM | 43.4 MM | 54.1 MM | GIRLING |
| 33303-9400 | 11.7 MM | 32.1 MM | 46.8 MM | A.T.E |
| 31493 | 12.0 MM | 16.9 MM | 58.0 MM | AP |
| 363502 | 12.7 MM | 34.0 MM | 52.6 MM | GIRLING |
| 437 | 12.7 MM | 36.3 MM | 52.2 MM | AP |
| 33303-0500 | 12.7 MM | 32.6 MM | 52.8 MM | A.T.E |
| 64677192 | 12.7 MM | 28.2 MM | 85.7 MM | GIRLING |
| 14388 | 12.8 MM | 44.6 MM | 69.9 MM | AP |
| 33303-0400 | 13.8 MM | 28.4 MM | 53.8 MM | A.T.E |
| 3812-739 | 13.9 MM | 21.9 MM | 66.6 MM | AP |
| 33303-2800 | 14.0 MM | 24.3 MM | 53.7 MM | A.T.E |
| 64673729 | 14.5 MM | 42.9 MM | 72.2 MM | GIRLING |
| 363505 | 15.0 MM | 47.0 MM | 68.6 MM | GIRLING |
| 260 | 18.0 MM | 40.0 MM | 55.3 MM | AP |
| P105 | 18.0 MM | 34.6 MM | 52.0 MM | REPCO |
| 1778 | 19.0 MM | 48.2 MM | 70.5 MM | AP |
| 64677061 | 19.0 MM | 37.6 MM | 46.2 MM | GIRLING |
| 30616 | 20.0 MM | 48.9 MM | 75.7 MM | AP |
| P12300 | 27.6 MM | 26.6 MM | 53.1 MM | REPCO |
| 921 | 36.5 MM | 39.1 MM | 42.1 MM | AP |

NORTHWEST CLASSICS LTD

TYPE CAP

WHEEL CYLINDER BOOT



L
DEPTH

B
INNER DIAMETER

| PART NO | DIM A | DIM B | DIM L | INFO |
|----------------|--------------|--------------|--------------|-------------|
| P5581 | 4.6 MM | 20.6 MM | 11.6 MM | REPCO |
| 376122 | 5.4 MM | 20.0 MM | 8.6 MM | BENDIX |
| P8011 | 5.5 MM | 20.8 MM | 9.3 MM | REPCO |
| 33304-0055 | 5.5 MM | 26.3 MM | 10.2 MM | A.T.E |
| P5529 | 5.5 MM | 18.6 MM | 11.5 MM | REPCO |
| 64673837 | 6.0 MM | 23.6 MM | 10.4 MM | GIRLING |
| SC50314 | 6.0 MM | 22.9 MM | 9.7 MM | SIEKEN |
| 24978 | 6.3 MM | 25.4 MM | 34.7 MM | AP |
| 376162 | 6.4 MM | 25.4 MM | 17.8 MM | BENDIX |
| 376141 | 6.5 MM | 26.8 MM | 14.8 MM | BENDIX |
| 376810 | 6.5 MM | 20.5 MM | 9.3 MM | BENDIX |
| P4707 | 6.5 MM | 22.9 MM | 7.2 MM | REPCO |
| P5211 | 6.7 MM | 21.8 MM | 9.4 MM | REPCO |
| 376140 | 6.7 MM | 24.9 MM | 15.7 MM | BENDIX |
| 376120 | 6.7 MM | 19.7 MM | 8.9 MM | BENDIX |
| 33304-0102 | 6.7 MM | 18.9 MM | 8.4 MM | A.T.E |
| 33304-2600 | 6.9 MM | 20.5 MM | 12.3 MM | A.T.E |
| 376186 | 7.0 MM | 22.1 MM | 10.3 MM | BENDIX |
| P4616 | 7.0 MM | 25.1 MM | 11.82 MM | REPCO |
| 33403-1500 | 7.2 MM | 31.0 MM | 12.3 MM | A.T.E |
| 33403-9300 | 7.2 MM | 31.4 MM | 13.6 MM | A.T.E |
| 376138 | 7.5 MM | 28.6 MM | 28.6 MM | BENDIX |
| 33403-7400 | 7.7 MM | 21.2 MM | 10.1 MM | A.T.E |
| 232 | 7.7 MM | 30.2 MM | 12.3 MM | AP |
| P5212 | 7.7 MM | 23.5 MM | 10.0 MM | REPCO |
| R19507 | 7.9 MM | 21.4 MM | 9.9 MM | FAG |
| P14509 | 8.0 MM | 39.9 MM | 15.9 MM | REPCO |
| P10590 | 8.0 MM | 28.3 MM | 13.0 MM | REPCO |
| R2850 | 8.0 MM | 30.2 MM | 10.8 MM | FAG |
| 64677494 | 8.0 MM | 19.4 MM | 10.2 MM | GIRLING |
| P5583 | 8.0 MM | 18.5 MM | 9.9 MM | REPCO |
| 376154 | 8.1 MM | 26.6 MM | 8.3 MM | BENDIX |
| 3815-733 | 8.1 MM | 18.8 MM | 8.0 MM | AP |

NORTHWEST CLASSICS LTD

TYPE CAP

WHEEL CYLINDER BOOT



L
DEPTH


B
INNER DIAMETER

| PART NO | DIM A | DIM B | DIM L | INFO |
|------------|---------|---------|---------|---------|
| P7055 | 8.2 MM | 24.9 MM | 9.9 MM | REPCO |
| P8535 | 8.3 MM | 20.1 MM | 13.5 MM | REPCO |
| 64677838 | 8.5 MM | 19.5 MM | 10.1 MM | GIRLING |
| 33403-0107 | 8.7 MM | 23.1 MM | 7.4 MM | A.T.E |
| 32660959 | 8.7 MM | 25.2 MM | 9.3 MM | GIRLING |
| 64677186 | 8.8 MM | 23.1 MM | 10.3 MM | GIRLING |
| 363621 | 8.9 MM | 26.8 MM | 12.7 MM | GIRLING |
| 64673406 | 9.2 MM | 21.9 MM | 9.8 MM | GIRLING |
| 33403-0500 | 9.4 MM | 31.9 MM | 12.6 MM | A.T.E |
| F19554 | 10.2 MM | 19.1 MM | 7.9 MM | FAG |
| 363631 | 10.3 MM | 22.7 MM | 4.2 MM | GIRLING |
| 33403-0165 | 10.5 MM | 21.4 MM | 11.6 MM | A.T.E |
| SC40594 | 10.8 MM | 27.0 MM | 19.9 MM | SIEKEN |
| P2991 | 11.0 MM | 31.2 MM | 12.7 MM | REPCO |
| 332 | 12.0 MM | 37.6 MM | 12.1 MM | AP |
| 33403-0900 | 12.0 MM | 37.0 MM | 12.8 MM | A.T.E |
| P4741 | 12.0 MM | 43.9 MM | 13.0 MM | REPCO |
| 3812-433 | 12.0 MM | 22.8 MM | 16.0 MM | AP |
| SC80501 | 12.3 MM | 32.1 MM | 14.2 MM | SIEKEN |
| 363609 | 12.5 MM | 33.5 MM | 9.9 MM | GIRLING |
| 363608 | 12.7 MM | 30.0 MM | 10.9 MM | GIRLING |
| 363610 | 13.5 MM | 35.2 MM | 11.0 MM | GIRLING |
| 64673034 | 13.8 MM | 35.3 MM | 16.1 MM | GIRLING |
| P7549 | 13.8 MM | 24.1 MM | 16.1 MM | REPCO |
| 29578 | 14.5 MM | 49.7 MM | 15.2 MM | AP |
| 93871 | 14.7 MM | 42.6 MM | 14.2 MM | AP |
| 64674470 | 16.0 MM | 38.1 MM | 19.0 MM | GIRLING |
| 64673482 | 16.0 MM | 38.1 MM | 19.0 MM | GIRLING |
| 5632 | 16.3 MM | 29.7 MM | 13.1 MM | AP |
| 64673837 | 17.0 MM | 34.7 MM | 13.5 MM | GIRLING |
| 3812-430 | 19.0 MM | 44.0 MM | 17.4 MM | AP |
| 7166 | 25.5 MM | 32.5 MM | 13.2 MM | AP |

NORTHWEST CLASSICS LTD

TYPE CROWN

CYLINDER BOOT



| PART NO | DIM A | DIM B | DIM L | INFO |
|----------|---------|---------|---------|---------|
| 363602 | 4.0 MM | 26.5 MM | 25.0 MM | GIRLING |
| 3811-420 | 5.7 MM | 17.4 MM | 12.9 MM | AP |
| 64676712 | 6.5 MM | 25.2 MM | 15.6 MM | GIRLING |
| 39994 | 7.6 MM | 21.7 MM | 13.9 MM | AP |
| SD60014 | 7.8 MM | 27.3 MM | 11.9 MM | SIEKEN |
| P5422 | 7.9 MM | 31.5 MM | 14.6 MM | REPCO |
| 64675011 | 8.4 MM | 32.0 MM | 22.0 MM | GIRLING |
| SC445 | 8.4 MM | 25.6 MM | 10.4 MM | SIEKEN |
| 64674022 | 10.0 MM | 37.6 MM | 16.5 MM | GIRLING |
| 82482 | 12.0 MM | 25.8 MM | 15.8 MM | AP |
| SC47606 | 13.9 MM | 25.7 MM | 8.7 MM | SIEKEN |
| 102456 | 14.0 MM | 25.1 MM | 14.9 MM | AP |
| 30632 | 14.5 MM | 33.9 MM | 15.7 MM | AP |
| 363613 | 15.8 MM | 42.2 MM | 31.2 MM | GIRLING |
| 85422 | 16.2 MM | 25.8 MM | 14.6 MM | AP |
| SC7297 | 26.0 MM | 27.0 MM | 10.1 MM | SIEKEN |
| SC50344 | 29.1 MM | 32.6 MM | 17.4 MM | SIEKEN |

NORTHWEST CLASSICS LTD

TYPE THIMBLE

CYLINDER BOOT




| PART NO | DIM A | DIM B | DIM L | INFO |
|------------|---------|---------|---------|--------|
| 87439 | 5.5 MM | 20.3 MM | 41.0 MM | AP |
| 376188 | 6.6 MM | 26.5 MM | 32.8 MM | BENDIX |
| P4206 | 7.0 MM | 26.5 MM | 52.7 MM | REPCO |
| 33303-1203 | 8.0 MM | 27.6 MM | 48.8 MM | A.T.E |
| 33303-1100 | 8.0 MM | 22.1 MM | 46.6 MM | A.T.E |
| 37741 | 8.7 MM | 33.6 MM | 67.6 MM | AP |
| 33403-0122 | 10.1 MM | 17.6 MM | 19.8 MM | A.T.E |
| 22309 | 10.3 MM | 19.8 MM | 40.0 MM | AP |
| 33303-5300 | 11.0 MM | 30.4 MM | 47.5 MM | A.T.E |
| P4391 | 11.0 MM | 23.3 MM | 50.6 MM | REPCO |
| P13501 | 11.0 MM | 35.7 MM | 42.8 MM | REPCO |
| 3812-733 | 11.0 MM | 22.0 MM | 52.9 MM | REPCO |
| 33303-0022 | 12.0 MM | 25.5 MM | 49.3 MM | A.T.E |
| P6011 | 12.7 MM | 35.0 MM | 51.7 MM | REPCO |
| 24995 | 12.7 MM | 34.3 MM | 49.1 MM | AP |

NORTHWEST CLASSICS LTD

TYPE DOME

CYLINDER BOOT




| PART NO | DIM A | DIM B | DIM L | INFO |
|----------------|--------------|--------------|--------------|-------------|
| P6778 | N/A | 23.2 MM | 47.9 MM | REPCO |
| 363605 | 3.9 MM | 23.2 MM | 17.1 MM | GIRLING |
| P5071 | 5.2 MM | 22.7 MM | 18.1 MM | REPCO |
| P7101 | 5.6 MM | 32.4 MM | 29.1 MM | REPCO |
| P6458 | 5.7 MM | 27.1 MM | 24.2 MM | REPCO |
| 363616 | 6.0 MM | 29.1 MM | 15.1 MM | GIRLING |
| 64673398 | 6.0 MM | 28.4 MM | 21.1 MM | GIRLING |
| 3812-742 | 6.0 MM | 25.2 MM | 18.2 MM | AP |
| 3812-763 | 6.3 MM | 25.2 MM | 16.0 MM | AP |
| 33403-4500 | 6.7 MM | 29.2 MM | 13.3 MM | A.T.E |
| 376161 | 6.7 MM | 30.9 MM | 24.7 MM | BENDIX |
| 105671 | 6.9 MM | 29.0 MM | 22.6 MM | AP |
| 363627 | 7.0 MM | 29.1 MM | 20.8 MM | GIRLING |
| 33304-100 | 7.2 MM | 10.4 MM | 11.0 MM | A.T.E |
| P6206 | 7.2 MM | 10.4 MM | 19.2 MM | REPCO |
| P5969 | 7.4 MM | 21.4 MM | 17.8 MM | REPCO |
| 353635 | 7.5 MM | 38.5 MM | 26.1 MM | GIRLING |
| P4622 | 7.5 MM | 22.2 MM | 8.9 MM | REPCO |
| 363628 | 7.5 MM | 45.8 MM | 23.7 MM | GIRLING |
| 3812-749 | 7.6 MM | 25.9 MM | 15.7 MM | AP |
| 376137 | 7.7 MM | 26.5 MM | 37.6 MM | BENDIX |
| P8155 | 7.8 MM | 7.9 MM | 14.1 MM | REPCO |
| P6195 | 8.0 MM | 17.7 MM | 13.3 MM | REPCO |
| 64674948 | 8.5 MM | 43.1 MM | 16.8 MM | GIRLING |
| P4445 | 8.7 MM | 16.2 MM | 12.8 MM | REPCO |
| 109429 | 8.7 MM | 20.5 MM | 14.0 MM | AP |
| B1450 | 9.5 MM | 16.4 MM | 14.0 MM | FAG |
| 2759 | 11.0 MM | 24.0 MM | 14.1 MM | AP |
| 33403-8000 | 11.8 MM | 34.3 MM | 9.6 MM | A.T.E |
| 33403-8100 | 12.0 MM | 22.7 MM | 14.8 MM | A.T.E |
| 33403-0031 | 12.0 MM | 22.0 MM | 24.6 MM | A.T.E |
| 379062 | 12.3 MM | 12.3 MM | 12.3 MM | BENDIX |
| 5107 | 12.7 MM | 27.4 MM | 14.1 MM | AP |
| 33403-0029 | 13.5 MM | 23.8 MM | 23.8 MM | A.T.E |

NORTHWEST CLASSICS LTD

TYPE CONE

CYLINDER BOOT



| PART NO | DIM A | DIM B | DIM L | INFO |
|----------------|--------------|--------------|--------------|-------------|
| 363603 | 6.0 MM | 25.5 MM | 22.0 MM | GIRLING |
| P5186 | 6.5 MM | 31.5 MM | 24.9 MM | REPCO |
| 64675099 | 8.0 MM | 21.2 MM | 16.7 MM | GIRLING |
| 64675490 | 10.0 MM | 41.0 MM | 40.1 MM | GIRLING |

NORTHWEST CLASSICS LTD

TYPE MUSHROOM


CYLINDER BOOT



| PART NO | DIM A | DIM B | DIM L | INFO |
|------------|---------|---------|---------|--------|
| 376120 | 5.0 MM | 8.6 MM | 10.1 MM | BENDIX |
| SC20074 | 6.0 MM | 10.3 MM | 15.3 MM | SIEKEN |
| 84598 | 6.0 MM | 14.8 MM | 21.1 MM | AP |
| 33427 | 6.3 MM | 14.5 MM | 20.3 MM | AP |
| 3813-713 | 6.5 MM | 13.7 MM | 23.9 MM | AP |
| 34859 | 6.7 MM | 12.2 MM | 18.7 MM | AP |
| 3813-716 | 7.0 MM | 17.1 MM | 17.1 MM | AP |
| P5185 | 7.0 MM | 12.1 MM | 11.3 MM | REPCO |
| 26263-0003 | 7.0 MM | 14.3 MM | 13.2 MM | A.T.E |
| P5184 | 8.0 MM | 12.3 MM | 10.7 MM | REPCO |
| P5551 | 8.0 MM | 12.1 MM | 12.0 MM | REPCO |
| P8148 | 8.0 MM | 13.3 MM | 10.7 MM | REPCO |
| P6752 | 8.7 MM | 17.5 MM | 11.6 MM | REPCO |
| 376262 | 8.7 MM | 13.8 MM | 16.6 MM | REPCO |
| P8779 | 10.0 MM | 19.5 MM | 18.3 MM | REPCO |
| 376101 | 10.3 MM | 23.3 MM | 24.4 MM | BENDIX |
| 33403-1000 | 10.4 MM | 20.0 MM | 13.9 MM | A.T.E |
| 33403-3000 | 12.0 MM | 21.4 MM | 16.8 MM | A.T.E |
| 33403-2800 | 12.0 MM | 16.7 MM | 15.6 MM | A.T.E |
| 33403-6900 | 12.7 MM | 16.2 MM | 15.4 MM | A.T.E |
| 33403-4400 | 13.0 MM | 22.7 MM | 18.4 MM | A.T.E |
| 33403-4300 | 14.0 MM | 22.8 MM | 28.2 MM | A.T.E |
| 24975 | 14.0 MM | 24.7 MM | 19.6 MM | AP |

NORTHWEST CLASSICS LTD

TYPE RING CYLINDER BOOT



| PART NO | DIM A | DIM B | INFO |
|----------------|----------------|----------------|---------------|
| P5070 | 22.0 MM | | REPCO |
| 39325 | 37.5 MM | 21.7 MM | AP |
| 83918 | 46.0 MM | | AP |
| SC80502 | 34.1 MM | 15.1 MM | SIEKEN |

NORTHWEST CLASSICS LTD


TYPE HALF CYLINDER BOOT



| PART NO | DIM A | DIM B | INFO |
|----------------|--------------|--------------|-------------|
| 64675994 | 8.0 MM | 26.0 MM | GIRLING |
| 363634 | 9.0 MM | 22.3 MM | GIRLING |
| P5071 | 9.3 MM | 22.7 MM | REPCO |
| 363611 | 10.3 MM | 27.9 MM | GIRLING |
| SC20054 | 11.0 MM | 30.2 MM | SIEKEN |

NORTHWEST CLASSICS LTD


TYPE HANDBRAKE CYLINDER BOOT



| PART NO | DIM A | DIM B | INFO |
|----------------|--------------|--------------|-------------|
| 33743 | 13.0 MM | 67.2 MM | AP |
| 21740 | 14.0 MM | 60.7 MM | AP |
| 34515 | 16.0 MM | 68.8 MM | AP |

NORTHWEST CLASSICS LTD


TYPE SPLIT DOME CYLINDER BOOT



| PART NO | DIM A | DIM B | INFO |
|----------------|---------------|----------------|-------------|
| 33403-8400 | 2.6 X 14.1 MM | 25.3 MM | A.T.E |
| 33403-2400 | 2.7 X 7.6 MM | 21.2 MM | A.T.E |
| 99268 | 3.2 X 15.8 MM | 15.6 X 26.2 MM | AP |
| P4521 | 3.6 X 12.8 MM | 26.1 MM | REPCO |
| 33403-7800 | 4.1 X 14.9 MM | 37.4 MM | A.T.E |
| 33403-4400 | 4.1 X 9.6 MM | 37.4 MM | A.T.E |
| 33403-1600 | 4.2 X 9.5 MM | 26.1 MM | A.T.E |
| P768 | 4.2 X 9.5 MM | 30.0 MM | REPCO |
| 363612 | 4.5 X 12.4 MM | 31.6 MM | GIRLING |
| P5587 | 4.7 X 9.8 MM | 30.8 MM | REPCO |
| 3817-732 | 6.7 X 16.0 MM | 21.8 X 52.1 MM | AP |
| P4842 | 7.1 X 13.4 MM | 37.5 MM | REPCO |
| 22955 | 7.2 X 13.0 MM | 17.8 X 41.6 MM | AP |
| 22424 | 9.6 X 15.2 MM | 21.2 X 46.7 MM | AP |
| 33403-8400 | 3.0 X 15.0 MM | 25.4 MM | A.T.E |

NORTHWEST CLASSICS LTD

TYPE FLAT WASHER MASTER CYLINDER




| PART NO | DIM A | DIM B | INFO |
|----------------|--------------|--------------|-------------|
| 363202 | 5.8 MM | 29.9 MM | GIRLING |
| 363201 | 6.4 MM | 32.4 MM | GIRLING |
| 64677046 | 7.0 MM | 35.7 MM | GIRLING |

NORTHWEST CLASSICS LTD

CALIPER BOOT


TYPE T1.



| PART NO | DIM A | DIM B | FITMENT |
|-------------|---------|---------|---------|
| 64322293 | 17.8 MM | 33.8 MM | GIRLING |
| V4-3738 | 22.7 MM | 42.8 MM | BENDIX |
| 64321393 | 23.5 MM | 37.0 MM | GIRLING |
| 64327480 | 25.8 MM | 41.0 MM | GIRLING |
| 471073 | 27.0 MM | 51.0 MM | BENDIX |
| P8148 | 27.4 MM | 44.4 MM | REPCO |
| 138102-4001 | 27.5 MM | 43.8 MM | A.T.E |
| P4778 | 28.6 MM | 42.0 MM | REPCO |
| 64326916 | 32.6 MM | 47.4 MM | GIRLING |
| 138102-4201 | 32.8 MM | 46.3 MM | A.T.E |
| 64320836 | 36.9 MM | 53.0 MM | GIRLING |
| P6735 | 36.9 MM | 47.5 MM | REPCO |
| 138102-4801 | 37.8 MM | 52.0 MM | A.T.E |
| P6736 | 40.6 MM | 56.3 MM | REPCO |
| P4815 | 40.8 MM | 57.5 MM | REPCO |
| 64320874 | 42.6 MM | 57.5 MM | GIRLING |
| 138102-5701 | 46.5 MM | 61.5 MM | A.T.E |

NORTHWEST CLASSICS LTD

CALIPER BOOT TYPE T2.




| PART NO | DIM A | DIM B | FITMENT |
|----------------|--------------|--------------|----------------|
| P7088 | 11.1 MM | 30.3 MM | REPCO |
| 471013 | 19.3 MM | 39.5 MM | BENDIX |
| 471028 | 19.7 MM | 42.0 MM | BENDIX |
| 471056 | 23.7 MM | 45.5 MM | BENDIX |
| P8522 | 29.0 MM | 55.0 MM | REPCO |
| P6733 | 30.7 MM | 54.5 MM | REPCO |
| 471031 | 31.7 MM | 56.0 MM | BENDIX |
| 471055 | 31.7 MM | 51.9 MM | BENDIX |

NORTHWEST CLASSICS LTD

T3

CALIPER BOOT

TYPE T3



PART NO

DIM A

DIM B

FITMENT

64321935

30.1 MM

51.1 MM

GIRLING

64321998

20.5 MM


48.3 MM

GIRLING

NORTHWEST CLASSICS LTD

TYPE 4


**CALIPER BOOT
TYPE T4**



| PART NO | DIM A | DIM B | FITMENT |
|-----------------|----------------|----------------|----------------|
| P4728 | 36.0 MM | 43.4 MM | REPCO |
| 64325055 | 39.6 MM | 46.5 MM | GIRLING |
| P4707 | 46.5 MM | 52.8 MM | REPCO |
| 64325092 | 48.0 MM | 56.3 MM | GIRLING |
| 64326037 | 49.9 MM | 65.5 MM | GIRLING |
| 64325044 | 52.1 MM | 60.0 MM | GIRLING |

NORTHWEST CLASSICS LTD

**CALIPER BOOT
TYPE T5**



PART NO

DIM A

DIM B

FITMENT

64325707

35.5 MM


47.0 MM

GIRLING

NORTHWEST CLASSICS LTD

TYPE T6


CALIPER BOOT
TYPE 6



| PART NO | DIM A | DIM B | FITMENT |
|----------|---------|----------|---------|
| P4736 | 27.9 MM | 98.4 MM | REPCO |
| 64325854 | 29.9 MM | 109.4 MM | GIRLING |

NORTHWEST CLASSICS LTD

**CALIPER BOOT
TYPE 7**



T7




| PART NO | DIM A | DIM B | FITMENT |
|----------------|--------------|--------------|----------------|
| 64329105 | 18.5 MM | 48.2 MM | GIRLING |
| 64328222 | 18.5 MM | 48.2 MM | GIRLING |
| VBO-4638 | 19.2 MM | 60.0 MM | BENDIX |
| VBO-485 | 20.0 MM | 55.0 MM | BENDIX |
| VBO-7279 | 25.0 MM | 60.0 MM | BENDIX |
| 64328032 | 25.5 MM | 48.0 MM | GIRLING |
| 64328020 | 30.0 MM | 58.0 MM | GIRLING |
| P4790 | 35.0 MM | 47.0 MM | REPCO |
| 64328350 | 42.0 MM | 54.0 MM | GIRLING |
| 64328753 | 45.0 MM | 65.0 MM | GIRLING |

NORTHWEST CLASSICS LTD

T8

CALIPER BOOT

TYPE 8



PART NO

DIM A

DIM B

FITMENT

32321974

28.6 MM

39.5 MM

GIRLING

118102-4806

37.5 MM

50.5 MM

A.T.E

BNP2491

40.5 MM

53.0 MM

ROVER

118102-5408

45.0 MM

58.0 MM

A.T.E

67320354

45.7 MM

54.4 MM


GIRLING

NORTHWEST CLASSICS LTD

T9

CALIPER BOOT

TYPE T9




| PART NO | DIM A | DIM B | FITMENT |
|----------------|--------------|--------------|----------------|
| 471088 | 30.4 MM | 51.6 MM | BENDIX |
| 471070 | 37.0 MM | 58.2 MM | BENDIX |

NORTHWEST CLASSICS LTD

CALIPER BOOT

TYPE T10

T 10



PART NO

DIM A

DIM B

FITMENT


PLEASE EMAIL FOR DETAILS ETC

NORTHWEST CLASSICS LTD

T 11

CALIPER BOOT

TYPE T 11



PART NO

DIM A

DIM B

FITMENT

471098

32.2 MM

47.0 MM

BENDIX

3487211

32.5 MM

62.6 MT

GIRLING

81663

38.0 MM


54.0 MM

AP

NORTHWEST CLASSICS LTD

CALIPER BOOT

TYPE 12



PART NO

DIM A

DIM B

FITMENT

402085


34.8 MM

51.0 MM

BENDIX

NORTHWEST CLASSICS LTD

CALIPER BOOT TYPE T13



PART NO

DIM A

DIM B

FITMENT

260210-0039
P7924


34.0 MM
40.0 MM

54.0 MM
60.4 MM

A.T.E
REPCO

NORTHWEST CLASSICS LTD


CALIPER BOOT TYPE T14



| PART NO | DIM A | DIM B | FITMENT |
|--------------------|----------------|----------------|----------------|
| 118102-3601 | 23.0 MM | 41.0 MM | A.T.E |
| RS54502 | 44.0 MM | 59.0 MM | FAG |

NORTHWEST CLASSICS LTD

**CALIPER BOOT
TYPE 15**



PART NO

DIM A

DIM B

FITMENT

RS42501

30.0 MM

47.0 MM

FAG

SC50501

36.0 MM

56.0 MM

SIEKEN

