## Middleburg Physical Therapy Del Wilson, P.T., O.C.S. ■ Mary Wilson, P.T., O.C.S.

## WRIST/HAND DISABILITY INDEX

NAME:

DATE:

Please read: This questionairre has been designed to give the Physical Therapist information as to how your wrist/hand pain has affected your ability to manage everyday life

| Section 1 – Pain intensity I have no pain in my wrist/hand The pain in my wrist/hand is intermittent or mild The pain in my wrist/hand is mild but constant The pain in my wrist/hand is constant and moderately limits use of the arm The pain in my wrist/hand is constant and severely limits us of that arm The pain in my wrist/hand is constant, and I am unable to use that arm  | Section 6 – Work I can do as much work as I want to without symptoms I can do all of my usual work, but it increases my symptoms I can do most, but not all, of my usual work because of  my symptoms I can do about half of my usual work because of my symptoms I can hardly do any work at all because of my wrist/hand symptoms I can't do any work at all because of my wrist/hand symptoms  |
|---|---|
| Section 2 – Numbness & Tingling I have no numbness or tingling in my wrist/hand The numbness or tingling in my wrist/hand is intermittent The numbness or tingling in my wrist/hand is constant but does not limit use of that arm The numbness or tingling in my wrist/hand is constant and moderately limits use of that arm The numbness or tingling in my wrist/hand is constant and severely limits use of that arm Due to constant numbness or tingling in my wrist/hand, I am unable to use that arm | Section 7 – DrivingI can drive my car without any wrist/hand symptomsI can drive my car as long as I want, but it increases my symptomsI can drive my car for 31-60 minutes before my wrist/hand symptoms increaseI can drive my car for 11-30 minutes before my wrist/hand symptoms increaseI can drive my car for only 10 minutes or less before my wrist/hand symptoms increaseI am unable to use that arm for driving   |
| Section 3 – Personal Care (Washing, Dressing, etc.) I can look after myself normally without any symptomsI can look after myself normally, but it causes increased symptomsIt is uncomfortable to look after myself, and I am slow and carefulI can only partially use my wrist/hand and sometimes use the other side insteadI can only partially use my wrist/hand and mostly use the other sideI am unable to use my wrist/hand for any personal care and always use the other side                       | Section 8 – Sleeping I have no trouble sleeping My sleep is slightly disturbed by wrist/hand symptoms (It wakes me 1 time/night) My sleep is mildly disturbed by wrist/hand symptoms (It wakes me 2 times/night) My sleep is moderately disturbed by wrist/hand symptoms (It wakes me 3-4 times/night) My sleep is greatly disturbed by wrist/hand symptoms (It wakes me 5-6 times/night) My sleep is completely disturbed by wrist/hand symptoms (It wakes me 7-8 times/night or more)   |
| Section 4 – Strength I can lift the heaviest weights I need to without symptomsI can lift heavy weights, but it increases my wrist/hand symptomsMy wrist/hand symptoms prevent me from lifting more than moderate weights (ex: a gallon of milk)My wrist/hand symptoms prevent me from safely lifting more than light weights (ex: a dish or book)I frequently drop even light objects due to weakness in my wrist/handI avoid lifting anything with my involved hand                                       | Section 9 – House & Yard Work I have no wrist/hand limitations with house or yard work I am able to do all house & yard work necessary if I take breaks I am to do all house & yard work necessary, but it increases  my wrist/hand symptoms I am able to do some, but not all, house & yard work; it increases my wrist/hand symptoms I am able to do only the minimum of house & yard work because  of my wrist/hand symptoms I am unable to do any house or yard work because of my symptoms   |
| Section 5 – Writing/Typing tolerance I can write or type as long as I need to without symptoms I can write or type for as long as I want, but it increases my symptoms I can write or type for 31-60 minutes before my wrist/hand symptoms increase I can write or type for 11-30 minutes before my wrist/hand symptoms increase I can write or type for only 10 minutes or less before my wrist/hand symptoms increase I can unable to write or type using my involved hand/wrist                          | Section 10 - Recreation/Sports I am able to engage in all my recreation/sports activities with no wrist/hand symptoms I am able to engage in all my recreation/sports activities with some symptoms in my wrist/hand I am able to engage in most, but not all, of my usual recreation/sports activities because of my symptoms I am able to engage in a few of my usual recreation/sports activities because of symptoms in my wrist/hand I can hardly do any recreation/sports activities because of symptoms in my wrist/hand I am unable to do any recreation/sports activities because of symptoms in my wrist/hand |
| Please mark on the line below the pain you have had in the past 24 hours. the worst   |   |