



ON-SITE TH68 NOVEL CORONAVIRUS COVID-19 TESTING



COVID-19

- On Site testing of TH68 Novel Coronavirus COVID-19 Nasopharynx
- The Swab Recommended by the Center for Disease Control (CDC)
- Packages of 20 Employees at a Time
- Employer and/or Employee Billing Available

CALL TO SCHEDULE: 832.919.8484

(SE HABLA ESPAÑOL)



17376 Northwest Fwy
Houston, Texas 77040



Phone: 832.919.8484
Fax: 832.919.8446
wnh@wellnowhealth.net



SERVING YOUR COMPANY'S
NEED FOR MEDICAL SAFETY

DATE ISSUED
03.31.2020

NOVEL CORONAVIRUS DISEASE: COVID-19

The novel coronavirus disease (COVID-19)

is a new virus of global health significance caused by infection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2). On March 11, 2020, the World Health Organization (WHO) declared COVID-19 a global pandemic.

TRANSMISSION AND SYMPTOMS

According to the U.S. Centers for Disease Control and Prevention (CDC), COVID-19 is thought to spread from person to person in close contact through respiratory droplets. It is also possible that a person can catch COVID-19 by touching a surface or object that has the virus on it.

The CDC reports that the following symptoms may appear 2–14 days after exposure:

- Fever • Cough • Shortness of Breath

DIAGNOSTIC TESTING FOR COVID-19

General testing offers a real-time reverse-transcription polymerase chain reaction (real-time RT-PCR) assay, giving healthcare providers accurate and timely test results to ensure greater access to testing, promote earlier diagnosis and help limit the subsequent spread of infection. The test detects the presence of SARS-CoV-2 and is for use with patients who meet current guidance for evaluation of infection with COVID-19.

The test has been made available pursuant to the US Food and Drug Administration (FDA) Emergency Use Authorization (EUA) for diagnostic testing in CLIA Certified high-complexity laboratories. The test has been validated, and is being performed by Wellnow Health.



STANDARD PROCEDURES FOR NASOPHARYNGEAL COLLECTION

1

Tilt patients head so nasal passages are parallel to the palate.

2

Insert a swab into nostril. Leave the swab in place for several seconds to absorb secretions.

3

Slowly remove swab while rotating it.

DO NOT WAIT! TAKE ACTION TODAY!

CALL TO SCHEDULE: 832.919.8484

(SE HABLA ESPAÑOL)



17376 Northwest Fwy
Houston, Texas 77040



Phone: 832.919.8484
Fax: 832.919.8446
wnh@wellnowhealth.net



SERVING YOUR COMPANY'S
NEED FOR MEDICAL SAFETY

DATE ISSUED
03.31.2020