

Safety Data Sheet

Issue Date: 14-Feb-2011

Revision Date: 16-Dec-2013

Version 1

1. IDENTIFICATION

Product Identifier

Product Name

SaniMaster Carpet Sanitizer

Other means of identification

SDS#

SVM-079

Product Code

23664

Formula code F1126

Recommended use of the chemical and restrictions on use

Recommended Use

Carpet Cleaner.

Details of the supplier of the safety data sheet

Manufacturer Address

ServiceMaster TM Clean 3839 Forest Hill Irene Rd. Memphis, TN, USA. 38125

Emergency Telephone Number

Company Phone Number

Emergency Telephone (24 hr)

1-800-756-5656 (ServiceMasterTM Clean) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear, water thin liquid

Physical State Liquid

Odor Detergent and ammonia

Classification

Serious eye damage/eye irritation

Category 1

Signal Word Danger

Hazard Statements

Causes serious eye damage



Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-90
Urea	57-13-6	3-7
Sodium carbonate	497-19-8	1-5
Tetrapotassium pyrophosphate	7320-34-5	1-5
Tetrasodium EDTA	64-02-8	1-5
Di-n-alkyl Dimethyl Ammonium Chloride	68424-95-3	1-2
Alcohols, C12-15, ethoxylated	68131-39-5	1-5
Ethyl Alcohol	64-17-5	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue

flushing for 15 minutes. Obtain medical attention immediately.

Skin Contact Immediately flush with cool water for 15 minutes while removing contaminated clothing and

shoes. Discard or wash well before reuse. Obtain medical attention if irritation persists.

Inhalation Move victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water then drink one or two glasses of water.

Obtain medical attention. Never give anything by mouth if victim is unconscious, or is

convulsing.

Most important symptoms and effects

Symptoms Eye: May cause chemical burns. May cause permanent damage.

Skin: May cause chemical burns. Harmful contact may not cause immediate pain.

Inhalation: May cause respiratory tract irritation.

Ingestion: Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Hazardous Combustion Products May include and are not limited to oxides of carbon, of nitrogen, of phosphorous, ammonia, hydrogen chloride.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Use personal protective equipment as required.

Environmental Precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Wear protective gloves/protective clothing and eye/face protection. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Store in a closed container away from incompatible materials.

Incompatible Materials

Acids. Oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm
		(vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³

SVM-079 - SaniMaster Carpet Sanitizer

Appropriate engineering controls

Engineering Controls

General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Chemical splash goggles.

Skin and Body Protection

Rubber gloves. Confirm with a reputable supplier first.

Respiratory Protection

Not normally required if good ventilation is maintained.

General Hygiene Considerations Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State

Liquid

Appearance

Clear, water thin liquid

Odor

Detergent and ammonia

Revision Date: 16-Dec-2013

Color

Clear

Odor Threshold

Remarks • Method

Not determined

Property **Values**

рН Melting Point/Freezing Point 12.7-13.0

Not determined

Boiling Point/Boiling Range

Not determined > 100 °C / > 212 °F

Tag Closed Cup

Flash Point **Evaporation Rate**

Not determined Not determined

Flammability (Solid, Gas) **Upper Flammability Limits** Lower Flammability Limit Vapor Pressure **Vapor Density**

Not applicable Not applicable Not determined Not determined 1.065-1.070

Specific Gravity Water Solubility Solubility in other solvents **Partition Coefficient Auto-ignition Temperature Decomposition Temperature** Kinematic Viscosity

Not determined Not determined Not determined Not determined Not determined

Not determined

Dynamic Viscosity Explosive Properties Oxidizing Properties

Water thin Not determined Not determined

Density

Density: pounds per gallon @ 25°C 8.910 +/- 0.02

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

SVM-079 - SaniMaster Carpet Sanitizer

W-079 - Samwaster Carpet Samtizer

Incompatible Materials

Acids. Oxidizers.

Hazardous Decomposition Products

May include and are not limited to oxides of carbon, oxides of nitrogen, ammonia, hydrogen chloride when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

Revision Date: 16-Dec-2013

Information on likely routes of exposure

Product Information

Eye Contact

Causes serious eye damage.

Skin Contact

May cause temporary irritation on skin contact.

Inhalation

May cause irritation if inhaled.

Ingestion

May cause stomach distress, nausea or vomiting.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Urea 57-13-6	= 8471 mg/kg (Rat)	-	-
Sodium carbonate 497-19-8	= 4090 mg/kg (Rat)	-	-
Tetrapotassium pyrophosphate 7320-34-5	·	> 4640 mg/kg (Rabbit)	=
Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat)	-	-
Alcohols, C12-15, ethoxylated 68131-39-5	= 2 g/kg (Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol	A3	Group 1	Known	X
64-17-5			100 100 100 100 100 100 100 100 100 100	

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Chronic toxicity

Prolonged or repeated exposure can cause drying, de-fatting and dermatitis.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Urea 57-13-6		16200 - 18300: 96 h Poecilia reticulata mg/L LC50		10000: 24 h Daphnia magna Straus mg/L EC50 3910: 48 h Daphnia magna mg/L EC50 Static
Sodium carbonate 497-19-8	242: 120 h Nitzschia mg/L EC50	300: 96 h Lepomis macrochirus mg/L LC50 static 310 - 1220: 96 h Pimephales promelas mg/L LC50 static		265: 48 h Daphnia magna mg/L EC50
Tetrapotassium pyrophosphate 7320-34-5		100: 96 h Oncorhynchus mykiss mg/L LC50		100: 48 h water flea mg/L EC50
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static		610: 24 h Daphnia magna mg/L EC50
Ethyl Alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Urea 57-13-6	-1.59
Ethyl Alcohol 64-17-5	-0.32

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Sodium carbonate 497-19-8	Corrosive
Ethyl Alcohol 64-17-5	Toxic Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

<u>DOT</u> Not regulated

IATA Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

TDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA All ingredients are listed or exempt from listing on Chemical Substance Inventory

NDSL Listed Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
---------------	---------------------------

SVM-079 - SaniMaster Carpet Sanitizer

Ethyl Alcohol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol	X	X	X
64-17-5			

16. OTHER INFORMATION

NFPA

Health Hazards

Flammability

Instability

Special Hazards

Cor

HMIS

Health Hazards

Flammability

Physical Hazards

Personal Protection

Revision Date: 16-Dec-2013

Not determined

Not determined

Not determined

Not determined

Issue Date:

14-Feb-2011

Revision Date: Revision Note:

16-Dec-2013 New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet