

# QUICK REFERENCE GUIDE

- **WHOLE HOME FILTRATION "HOW TO SELECT"**
- **WHOLE HOME FILTRATION SYSTEMS**
- **SINK FILTRATION "HOW TO SELECT"**
- **SINK FILTRATION SYSTEMS**
- **SPECIALTY PRODUCT AND WELL WATER**



**ENVIRONMENTAL WATER SYSTEMS®**  
*Quality Water Filtration Crafted in the USA Since 1987.*

[WWW.EWSWATER.COM](http://WWW.EWSWATER.COM)

REVISED 1/1/2020





# Find The Right Product For You

Whether your water is hard or soft, treated with chlorine or chloramine\*\*, Environmental Water Systems has the right appliance to protect you, your family, and your home. Just a few simple questions will help you determine which appliance is best for you. If you need any help at all, please call EWS Customer Service at 702.256.8182 Monday-Friday 8.00 am - 4.30 pm Pacific Time.

## DO YOU HAVE HARD WATER?

YES

Some of us have harder water than others, and EWS generally considers 6 grains (102 ppm or mg/l) of hardness to be on the lower end of hard water. Select **YES** if you have hard water issues such as excessive spotting or mineral build-up in pipes, faucets and water heaters.

NO

### DOES YOUR CITY USE CHLORINE OR CHLORAMINE\*\*?



### DOES YOUR CITY USE CHLORINE OR CHLORAMINE\*\*?

**EWS SERIES** Whole Home Water Filtration and Conditioning for Hardness Minerals.

**CWL SERIES** Whole Home Water Filtration Only for Water Without Hardness Issues.

#### CHLORINE <sup>1</sup>

#### CHLORAMINE\*\*

#### CHLORAMINE\*\*

#### CHLORINE <sup>1</sup>

##### EWS SPECTRUM

**Model #: EWS-SPECTRUM**  
Our most popular EWS system and #1 seller.

Adjustable for 3/4" - 1 1/2" main water line. Up to 37 gpm.

<sup>1</sup> If your city water is treated by chloramine this system can still be very effective for 4 or less people with 4 or less bathrooms.

The only difference may be how long the filtration media may last.

- With Chlorine up to 10 years
- With Chloramine 7 years

Either way you cannot go wrong.

So the choice between the EWS SPECTRUM and the EWS-CC-1465 can be a customer choice based on price point or longevity of filter media.

##### EWS CC 1465

**Model #: EWS-CC-1465**  
For up to 10 years before filter replacement.  
Select this system (or the EWS-SPECTRUM as an alternate choice<sup>1</sup>) if you have all of the following:

- 4 (or less) bathrooms
- 4 (or less) people
- 1-2 water heaters

##### EWS CC 1865

**Model #: EWS-CC-1865**  
For up to 10 years before filter replacement.  
Select this system if you have ANY of the following:

- 5 (or more) bathrooms
- 5 (or more) people
- 2+ water heaters

##### CWL CC 1465

**Model #: CWL-CC-1465**  
For up to 10 years before filter replacement.  
Select this system (or the CWL-SPECTRUM as an alternate choice<sup>1</sup>) if you have all of the following:

- 4 (or less) bathrooms
- 4 (or less) people
- 1-2 water heaters

##### CWL CC 1865

**Model #: CWL-CC-1865**  
For up to 10 years before filter replacement.  
Select this system if you have ANY of the following:

- 5 (or more) bathrooms
- 5 (or more) people
- 2+ water heaters

##### CWL SPECTRUM

**Model #: CWL-SPECTRUM**  
Our most popular CWL system

Adjustable for 3/4" - 1 1/2" main water line. Up to 37 gpm.

<sup>1</sup> If your city water is treated by chloramine this system can still be very effective for 4 or less people with 4 or less bathrooms.

The only difference may be how long the filtration media may last.

- With Chlorine up to 10 years
- With Chloramine 7 years

Either way you cannot go wrong.

So the choice between the CWL SPECTRUM and the CWL-CC-1465 can be a customer choice based on price point or longevity of filter media.

**Need Help? Call Us for Friendly & Helpful Assistance.**

EWS Customer Service at 702.256.8182  
or email us at [customerservice@ewswater.com](mailto:customerservice@ewswater.com)

All systems can be installed at any main water line using our adaptive digital valve that accommodates 3/4" - 1 1/2" water lines up to 37 gpm. All systems self clean and are specified to last up to 10 years before any filter media replacement based on usage and water conditions.

\*\*About 22% of people have tap water treated with chloramine (a corrosive combination of chlorine and ammonia). Chloramine requires more contact time (vs. chlorine) through a specialized filtration media to effectively filter it out of the water. EWS has designed systems specifically for handling chloramine (and does everything else the chlorine systems will do). See the chart above to determine the right system for you, your family and your home.

**STOP**

#### Are You On Well Water?

If you are on private or community well water, you need information to determine any water issues and their solutions. Well water requires complete and independent testing. Call EWS Customer Service at 702.256.8182 or visit [EWSWATER.COM](http://EWSWATER.COM) (see the Well Water Tab) for more information.



**EWS SERIES**

**WHOLE HOME WATER FILTRATION & CONDITIONING**

Quality Filtered Water throughout the Entire Home and the Alternative to a Salt Softener in One Appliance

**Find The Right Product For You**

**MOST COMMON EWS SYSTEMS**

**EWS-SPECTRUM**                      filtration media                      conditioning  
2.5 cubic ft / 85 lbs.                      2 ICNs

#1 Overall Best Seller  
Most Common System for Most Homes & Families

**EWS-CC-1465**                      filtration media                      conditioning  
3.0 cubic ft / 99 lbs.                      2 ICNs

Most Common Upgrade  
See "Find The Right Product For You"

**EWS-CC-1865**                      filtration media                      conditioning  
5.0 cubic ft / 165 lbs.                      3 ICNs

**EWS SPECIALTY SYSTEM SELECTION**

Small Size, Chlorine (chloramine reduction):  
Limited size & usage for condos, townhomes and small spaces

**EWS-1035**                      filtration media                      conditioning  
1.0 cubic ft / 33 lbs.                      1 ICNs

1-1/2" Valve, Chlorine (chloramine reduction):  
For 1-1/2" water lines requiring greater flow rate than the standard EWS-Spectrum at 37 gpm

**EWS-1354-1.5**                      filtration media                      conditioning  
2.5 cubic ft / 85 lbs.                      2 ICNs

2" Valve, Chlorine (chloramine reduction):  
Estate or light commercial system for use on a 2" water line

**EWS-1665-2**                      filtration media                      conditioning  
4.0 cubic ft / 135 lbs.                      3 ICNs

2" Valve, Chloramine  
Estate or light commercial system for use on a 2" water line

**EWS-CC-2472-2**                      filtration media                      conditioning  
10.0 cubic ft / 330 lbs.                      6 ICNs

Larger systems or multiple tank configurations are available.

**CWL SERIES**

**WHOLE HOME WATER FILTRATION ONLY**

Quality Filtered Water throughout the Entire Home where water hardness is not an issue

**Find The Right Product For You**

**MOST COMMON CWL SYSTEMS**

**CWL-SPECTRUM**                      filtration media                      conditioning  
2.5 cubic ft / 85 lbs.                      n/a

Best Seller - Filtration Only  
Where water is softer or where hardness is not an issue

**CWL-CC-1465**                      filtration media                      conditioning  
3.0 cubic ft / 99 lbs.                      n/a

Common Upgrade - Filtration Only  
See "Find The Right Product For You"

**CWL-CC-1865**                      filtration media                      conditioning  
5.0 cubic ft / 165 lbs.                      n/a

**CWL SPECIALTY SYSTEM SELECTION**

Small Size, Chlorine (chloramine reduction):  
Limited size & usage for condos, townhomes and small spaces

**CWL-1035**                      filtration media                      conditioning  
1.0 cubic ft / 33 lbs.                      n/a

1-1/2" Valve, Chlorine (chloramine reduction):  
For 1-1/2" water lines requiring greater flow rate than the standard CWL-Spectrum at 37 gpm

**CWL-1354-1.5**                      filtration media                      conditioning  
2.5 cubic ft / 85 lbs.                      n/a

2" Valve, Chlorine (chloramine reduction):  
Estate or light commercial system for use on a 2" water line

**CWL-1665-2**                      filtration media                      conditioning  
4.0 cubic ft / 135 lbs.                      n/a

2" Valve, Chloramine  
Estate or light commercial system for use on a 2" water line

**CWL-CC-2472-2**                      filtration media                      conditioning  
10.0 cubic ft / 330 lbs.                      n/a

Larger systems or multiple tank configurations are available.

<b>FILTER LIFE:</b>	All systems have filter life of up to 10 years based on proper specification, local water conditions &/or usage.	
<b>FLOW RATES:</b>	All Spectrum, 1465, 1865 up to 37gpm, 1035 up to 15 gpm, 1354-1.5 up to 50 gpm, 1665-2 & 2472-2 up to 100 gpm	
<b>INCLUDED:</b>	All systems come complete with tank, tank wrap, filtration media, ICN riser manifold (EWS Series conditioning only), touch screen valve with integrated bypass, two adaptors (1" & 1 1/2") and complete instruction manual.	
<b>OPTIONAL:</b>	Stainless steel tank cover is available for Spectrum and 1354-1.5 systems only with an upcharge.	
<b>ASSEMBLY:</b>	The following EWS/CWL systems are shipped and delivered fully assembled:	Spectrum, 1035, 1354-1.5, 1465, 1665-2, 1865, 2472-2
	The following EWS/CWL systems need to be assembled on site due to weight:	

# Find The Right Sink Filter For You

Whether your water is treated with chlorine or chloramine, whether you prefer reverse osmosis (RO) or not, Environmental Water Systems has the right drinking water system to protect you and your family. If you need help, please call EWS Customer Service at 702.256.8182 Monday-Friday 8.00 am - 4.30 pm Pacific Time, email us @-customerservice@ewswater.com or visit us at www.ewswater.com.



Max Flow  
Model #: SS-2.5

or

Model #: DWS  
or DWS-UV



Model #: RO3  
or RO3-UV

## DRINKING WATER OPTIONS

Taste does not equal health or quality. If it did, then McDonalds fries and Oreos would be health foods. (LOL) Built in the USA to offer protection from toxic contaminants like chlorine, chloramine, VOCs, THMs, pesticides, pharmaceutical residues, and more.

The result is water that not only tastes good, but is good for you and your family. These systems filter the water at the point of use (usually a kitchen sink) and provide filtered water for cooking, drinking, coffee, tea, ice, etc. EWS has systems to suit all preferences, concerns, water conditions and budget.

Due to its advanced filtration and crisp mineral water taste, about 80% of families choose the Drinking Water Options over reverse osmosis.

**ESSENTIAL MAX FLOW** Best Selling Model #: SS-2.5  
The most versatile and best choice if you cannot or do not want to have a separate dispenser or hole in your sink or counter. Install in 5 minutes and filter chlorine, chloramine, 1,000's of other contaminants, lead and cysts.

**ESSENTIAL DRINKING WATER SYSTEM**  
The DWS removes chlorine, chloramine, and thousands of other contaminants and offers the additional safeguard of reducing lead and removing 99.99% of cysts (cryptosporidium and giardia). **Model #: DWS.**

**ESSENTIAL DRINKING WATER SYSTEM WITH UV**  
Our most popular upgrade provides the same great benefits of the DWS, with an upgrade to our patented 99.99% effective UV safeguard. Kills bacteria, viruses, E.coli and other microorganisms. Ideal for people with compromised immune systems. **Model #: DWS-UV.**

## REVERSE OSMOSIS OPTIONS

Reverse osmosis (RO) is ideal for those who are allergic to the fluoride in city tap water or on water that does not meet EPA limits for heavy metals. RO is generally used in conjunction with salt softeners (takes the salt out the softener puts in) or where there is a preference for a more stripped down or "flatter" or distilled taste to their water.

In about 80% of homes, the ESSENTIAL Drinking Water Systems (see left) is the proper choice, due to its highly advanced filtration, conservation of minerals for a crisp mineral water taste, and no need for a water storage tank or wasted water to the drain.

**ESSENTIAL THREE-STAGE REVERSE OSMOSIS**  
Our ESSENTIAL RO3 uses a high-performance, 50 gallon per day membrane which removes inorganics, heavy metals, fluoride, naturally found minerals, lead, and cysts (cryptosporidium and giardia). **Model #: RO3.**

**ESSENTIAL THREE-STAGE REVERSE OSMOSIS W/UV**  
Our ESSENTIAL RO3-UV is the same system found above which also includes our patented UV upgrade that kills 99.99% of bacteria, viruses, E.coli and other microorganisms. Ideal for people with compromised immune systems. **Model #: RO3-UV.**

Four-stage (RO4) and five-stage (RU500T35) reverse osmosis options (not shown) are available for particulate water and difficult well water applications.



### Are You On Well Water?

If you are on private or community well water, you need information to determine any water issues and their solutions. Well water requires complete and independent testing before any water filtration or treatment systems can be properly specified. Call EWS at 702.256.8182 or visit [EWSWATER.COM](http://EWSWATER.COM) for more information.

**FILTER ALL THE WATER IN YOUR HOME WITH ONE SYSTEM.** Consider EWS Whole Home Water Filtration and every sink, shower, and bath in your home could provide you with chlorine-free & pollutant-free water. No hassle, no maintenance, no salts or chemicals, and trusted by hospitals, health care centers, military, and private homes worldwide. For more information visit us online at [www.ewswater.com](http://www.ewswater.com) or call EWS customer service at 702.256.8182 (Mon.-Fri. 8.00 am - 4.30 pm Pacific Time).





## DRINKING WATER SYSTEMS

Quality Filtered Water at the Sink or any Point of Use

### Find The Right Sink Filter For You

#### SS-2.5 Max Flow

##### #1 Best Selling Drinking Water System

Connects directly to the kitchen (or even a bathroom) faucet in minutes and provides 10,000 gallons of filtered water on the cold side for drinking, cooking, pets, coffee, tea, and even rinse your organic fruits and veggies so they do not absorb chlorine and other toxins that are in our water.

Line Size: 3/8"    Flow Rate: Up to 2.5 gpm  
Space needed: 4" deep x 4" wide x 16" tall  
Filter: One (replace up to once a year)



#### DWS

##### Our Best Selling Drinking Water System Using A Separate Dispenser

More precise filtration using 3 distinct stages at only 1 gpm compared to our Max Flow and with a dedicated dispenser which some prefer. Both the DWS and Max Flow meet the same compliances so the choice is between cost, size, flow rate, ease of install, whether there is a hole in the sink or counter and how you use your filtered water.

Line Size: 1/4"    Flow Rate: Up to 1.0 gpm  
Space needed: 5" deep x 13" wide x 16" tall  
Filters: Three (replace up to once a year)



#### DWS-UV

##### Our Most Popular Upgrade Using Our Unique UV Disinfection

The DWS Drinking Water System with the added safeguard of UV Disinfection

Line Size: 1/4"    Flow Rate: Up to 1.0 gpm  
Space needed: 5" deep x 13" wide x 16" tall  
Filters: Three (replace up to once a year)  
UV Lamp: One (replace up to once a year)

#### SS-1.0

##### In-Line Carbon Block Filter

Great inline filter for multiple purposes. Dispenser optional

Line Size: 1/4"    Flow Rate: Up to 1.0 gpm  
Space needed: 3" deep x 3" wide x 13" tall  
Filter: One (replace up to once a year)



## REVERSE OSMOSIS SYSTEMS

Quality but Stripped Down Water at the Sink or any Point of Use

### Find The Right Sink Filter For You

#### RO3

##### The Common Reverse Osmosis System For Municipal (treated) Water

The Pros & Cons of RO are many. If this is the system of choice based on the customers' preference than this USA made system is superior to any low cost big box, online or offshore product.

Line Size: 1/4"    Flow Rate: Up to 0.9 gpm  
Space needed: 5" deep x 13" wide x 16" tall  
& Storage Tank: 12" deep x 12" wide x 17" tall  
Filters: Two (replace up to once a year)  
Membrane: One (replace up to once a year)



#### RO3-UV

##### Upgrade The RO3 Using Our Unique UV Disinfection

Line Size: 1/4"    Flow Rate: Up to 0.9 gpm  
Space needed: 5" deep x 13" wide x 16" tall  
& Storage Tank: 12" deep x 12" wide x 17" tall  
Filters: Two (replace up to once a year)  
Membrane: One (replace up to once a year)  
UV Lamp: One (replace up to once a year)

#### RO4

##### 4-Stage For Very Particulate Municipal or Well Water

We have added a 5 micron pre-sediment filter to ensure better filtration where the water is more particulate or on common well water that has been tested.

Line Size: 1/4"    Flow Rate: Up to 0.9 gpm  
Space needed: 5" deep x 13" wide x 16" tall  
& Storage Tank: 12" deep x 12" wide x 17" tall  
Filters: Three (replace up to once a year)  
Membrane: One (replace up to once a year)



#### RO4-UV

##### Upgrade The RO4 Using Our Unique UV Disinfection

Line Size: 1/4"    Flow Rate: Up to 0.9 gpm  
Space needed: 5" deep x 13" wide x 16" tall  
& Storage Tank: 12" deep x 12" wide x 17" tall  
Filters: Three (replace up to once a year)  
Membrane: One (replace up to once a year)  
UV Lamp: One (replace up to once a year)

<b>FILTER LIFE:</b>	All filters, membranes (RO systems) and UV lamps (UV only) should be replaced up to once a year based on proper specification, local water conditions &/or usage. Not to exceed 1 year for proper filtration capabilities.
<b>INCLUDED:</b>	All systems come complete with bracket, head, filter(s), chrome dispenser (except SS-2.5 & SS-1.0), tubing, connections and complete instruction manual. Note: RO Systems additionally include: storage tank, drain connections, air gap adaptor and membrane. UV option additionally include: UV lamp, housing and transformer.
<b>OPTIONAL:</b>	Limited dispenser finish options: DWS: brushed nickel RO: brushed nickel (RO compatible) Any dispenser can be purchased separately for the SS-1.0 In-Line.
<b>ASSEMBLY:</b>	All systems come complete and ready to be assembled and installed. Can be cross-connected to other devices.



## SPECIALTY SYSTEMS INHIBIT SCALE TO WATER HEATER OR TO WHOLE HOME

Systems which treat a specific issue and can be installed in conjunction with filtration

### HEATER GUARD

1,000's sold as a value add-on for any tankless water heater

- INHIBIT SCALE BUILD-UP
- OPTIMIZE HEATER PERFORMANCE
- IDEAL FOR ALL WATER HEATERS
- STOP COSTLY REPAIRS



The best economical and direct approach to preventing sediment and scale issues associated with certain water conditions for all water heaters.

Model #	Install on Line	Flow Rate	
EWS-HEATER-GUARD-3/4	3/4" - 1"	9.5 gpm	Common unit installed on the inlet supply side to most water heaters
EWS-HEATER-GUARD-1.5	1 1/4" - 1 1/2"	20 gpm	1-1/2" inlet/outlet for much larger commercial heaters

Pictured:  
EWS-HEATER-GUARD-3/4  
most common ordered

Please Note: Replace all filters up to once a year or as needed or as flow rate diminishes (not to exceed 1 year) based on usage and local water conditions.

### 3 Best Ways To Protect Your Water Heater

- 1. EWS Series.** Inhibits scale formation and filters all the water to the entire home. The benefits to the home, heater, appliances, fixtures and finishes is nothing compared to the health benefits of bathing, steam, showering and using filtered water for all purposes for the family. No longer is the home subject to the side-effects and corrosiveness of chlorine, chloramine, VOCs, THMs, and much more and no longer does the family have to drink, inhale and absorb those same chemicals.
- 2. Heater Guard.** Protects water heaters at the inlet. For additional protection and benefits, combine with an EWS system, it is the perfect application for healthy, hassle-free water to the whole home with water heater protection.
- 3. Softener.** Will inhibit scale formation, however, the water becomes aggressive and may have long-term corrosive effects on your water heater. If the homeowner prefers that slippery feeling or insists on a softener usage for water spotting than this is the system for them. Combine with an EWS system at the main line for whole home filtration and the softener after or on the inlet to the heater for hot water only for the best of both worlds for that customer.

### SOFTENER SERIES

Ion-Exchange Use of Sodium or Potassium Chloride to Salt Soften Water  
Exchange naturally found calcium & magnesium minerals (hardness) for salts. Not a Filtration System

Model #	Installed Main Line Size	Flow Rate	Resin Size	Filtration	Salt Capacity
RT1035	3/4" - 1"	up to 12 gpm	1.0 cu ft /30 lbs	N/A	200 lbs
Cabinet Style "all-in-one" Usually installed on the inlet supply to the water heater only for softening the hot water only					
TT1054	adaptable for 3/4" - 1-1/2"	up to 28 gpm	1.5 cu ft /45 lbs	N/A	300 lbs
Standard unit for most homes and typical municipal water hardness issues. Can be installed for hot water only or whole home (bypass drinking water and ice-making). If coordinated with an EWS Whole Home Water Filtration System, softener should be installed after EWS					
TT1354	adaptable for 3/4" - 1 1/2"	up to 28 gpm	2.5 cu ft /75 lbs	N/A	300 lbs



Pictured:  
TT1054  
most common ordered

Greater water hardness, greater water usage, large home or main line service or light commercial application

Coordinates with the same valve being used with all Whole Home Filtration Systems except programmed for softener use.  
Larger systems or multiple tank configurations are available



## SPECIALTY SYSTEMS

### BUDGET WHOLE HOME FILTER UNIT, PRE-SEDIMENT AND WELL WATER APPLICATIONS

#### POINT OF ENTRY (POE) CARTRIDGE FILTRATION UNIT

Limited Budget Usage &/or Space, Limited Flow Rate and Replacement Filter Cartridges

Model #	Installed Main Line Size	Flow Rate
BB-FUGAC200A-1	3/4" - 1"	10 gpm



Entry level filtration to the whole home will cost more over time after filter cartridge replacement but is a good starter for those on a budget. Filtration does not self clean like EWS systems and therefore results are diminished over time before filter change-out. A good specification if space or other obstacles prohibits an EWS system

Please Note: Replace all filters up to once a year or as needed or as flow rate diminishes (not to exceed 1 year) based on usage and local water conditions.



Pictured:  
BB 1" SETUP  
most common ordered

#### 5-MICRON PRE-SEDIMENT CARTRIDGE UNIT

Pre-sediment treatment only (this is not a cheap whole home filter that others offer)

Model #	Installed Main Line Size	Flow Rate
---------	--------------------------	-----------

BB 1" SETUP	3/4" - 1"	10 gpm
-------------	-----------	--------

BB 1 1/2" SETUP	1 1/4" - 1 1/2"	20 gpm
-----------------	-----------------	--------

Pre- or Post- installation to other systems for capturing of material 5 microns (human hair is 20-100 microns) in order to prevent damage to other systems or in the home or application due to debris or material in the water.

Please Note: Replace all filters up to once a year or as needed or as flow rate diminishes (not to exceed 1 year) based on usage and local water conditions.

#### 3-MICRON SELF-CLEANING PRE-SEDIMENT MEDIA SYSTEM

Pre-sediment treatment only, backwashing self-cleaning valving, long lasting media and greater flow rates

Model #	Installed Main Line Size	Flow Rate
PRESED-1354	adaptable for 3/4" - 1 1/2"	up to 35 gpm

Replace filter media as needed and can be up to every 10 years based on water conditions and usage. Larger systems or multiple tank configurations are available

Pre- or Post- installation to other systems for capturing of material 3 microns (human hair is 20-100 microns) in order to prevent damage to other systems or in the home or application due to debris or material in the water. Coordinates with the same valve being used with all Whole Home Filtration Systems, Iron Systems and Softener Systems (programmed for softener use)



#### IRON SYSTEM FOR THE REMOVAL OF IRON, MANGANESE & THE ROTTEN EGG SMELL OF HYDROGEN SULFIDE

Backwashing self-cleaning valving, long lasting media and greater flow rates

Model #	Installed Main Line Size	Flow Rate
---------	--------------------------	-----------

EWS-IRON-1054-P-A	3/4" - 1 1/4"	up to 25 gpm	
Standard system for most wells with these specific issues			Pictured:

EWS-IRON-1354-P-A	3/4" - 1 1/4"	up to 25 gpm	
Higher capacity system for higher levels or greater water usage			EWS-IRON-1054-P-A most common ordered

Replace filter media as needed and can be up to every 10 years based on water conditions and usage. Larger systems or multiple tank configurations are available



**Systems available for pH Balancing and extreme RO with pump**

**Custom-Made Systems available for commercial applications  
such as breweries, agriculture, hotels, offices, hospitals and restaurants**

The EWS, Inc./Environmental Water System Product available through:

Authorized Kitchen & Bath Showrooms, Appliance Showrooms, Building & Plumbing Wholesale Supply Locations and their building, plumbing, HVAC and service contractors, and Authorized Online Distributors. All Distribution adheres to an EWS, Inc. MAP Policy for published pricing. EWS, Inc. does not sell directly to the retail consumer or directly to building, plumbing, HVAC and service contractors.

**ALL FILTRATION PRODUCT PROUDLY MADE & ASSEMBLED IN THE USA**



Complete Booklets, Sales Sheets, Specifications, Service Guides on All Product are Available (PDF) by e-mail attachment by simply contacting EWS Customer Service

*For distribution only:*

**Place all purchase orders (PO's) via fax or email [ewsorders@ewswater.com](mailto:ewsorders@ewswater.com)**



**ENVIRONMENTAL WATER SYSTEMS<sup>®</sup>**  
*Quality Water Filtration Crafted in the USA Since 1987.*

[WWW.EWSWATER.COM](http://WWW.EWSWATER.COM)

Customer Service Monday–Friday 8:00am–4:30pm PST  
Office: 702-256-8182 Fax: 702-256-3744  
[customerservice@ewswater.com](mailto:customerservice@ewswater.com)

EWS, Inc. Corporate Offices  
5542 S. Ft. Apache Rd, Suite 110  
Las Vegas, NV 89148