
# Seed Guide



2021 Eastern Canada



# Progress. Profits. Prograin. 40 years... and looking to the future The market being mainly American at the SEMENCES PROGRAIN INC time, the Létourneau family made it their mission to understand all of the subtleties of soybean crop management, including the best

growing techniques. All to offer local producers a custom product of exceptional quality.

It all began with a desire to do things differently. Market a value-added soybean that is 100% adapted to our local conditions and realities, and deal directly with Québec's growers... This innovative idea first took root in 1980, in Saint-Césaire, Québec, in the mind of farmer and Prograin founder Clément Létourneau.

#### **Strong human roots**

At Prograin, the human side is not central to the business, it is first and foremost. From the start, the company made sure to surround itself with passionate and competent individuals. People with heart who are completely familiar with the reality of local growers and the challenges they face on a daily basis.

#### Cooperating for even better performance

Cooperation and teamwork can really leverage performance, for us as well as you. For the past 40 years, Prograin has been finetuning a highly advantageous crop buyback program, that has become a must for your profitability.

OURNEAU CARRIER OF THE PARTY OF

# A constantly evolving improvement program


The soybean of the future must possess the specific genetics to meet the challenges of present-day agriculture.

In 1986, Prograin already had a soybean genetics improvement program, which enabled it to develop its own proprietary soybean varieties. Today, that program is among the top performing in Canada.

Research and innovation are core values at Prograin. Over the years, this commitment to constant progress has enabled us to offer you the best of what the market has to offer:

 Nearly 185 specialized varieties, registered in Canada and internationally. • The best genetics for early maturing soybeans with a high protein content.





# FIXX

Set your own pricing objectives



Easily manage the sale of your harvest



Anticipate, track and optimize your revenues in real time



Maximize your profitability anytime, even when you are away from your computer



Ready to make the leap? Visit our website at fixxprograin.ca or speak with one of our marketing agents, at 1 800 817-3732.


# It all starts here

This distinct vision and deep commitment to innovation have, over the years, enabled Prograin to carve itself a choice niche in the soybean production industry, in Canada and internationally.

While our seeds are trending in popularity around the world, our initial mission – to offer Canadian growers seeds specifically adapted to the prevailing conditions in Eastern Canada – is more relevant than ever.

Headquartered in Québec, Prograin remains dedicated to supporting our local agriculture. When you buy local, you are getting products that have been specially developed to meet the local area's agronomic realities and climate conditions.

A sure value that offers you excellent business prospects, no matter what challenges await you in the future.











# The early little guy that plays with the big kids

organic PRODUCTION

High protein

Slender, medium short plant

Robust stem, excellent standability

Variety well adapted to high popu-

Unsurpassed yield potential in its maturity group

Extremely advantageous marketing program

Phytophthora resistance: No

SCN: Sensitive

Hilum colour: Yellow

Pubescence colour: Brown

Protein: 44 %

#### **Management Pointers**

Preferably 15 in spacing or less 30 in row spacing in organic production

Sow in highly fertile soils for optimal


Standability 0000000

Sclerotinia tolerance 000000000

Stability/adaptability 023456789

Vigour for no-till 0 2 3 4 5 6 7 8 9

Slightly slender Medium-short



#### Row spacing (in)




# From a commercial standpoint



Average premiums per acre paid to Hana growers\*



#### Average Yield Comparison\*



that had 50% of the highest yields

#### **Field Performance**



A very profitable soybean for your soil structure; it allows you to sow a fall cereal crop after the soybean harvest in 2700 CHU zones and up.

Mr. Alain Lemaire, a grower in Sainte-Brigided'Iberville (Montérégie, Québec), delivered the first load of Hana soybeans on September 23, 2019 at 14.2% moisture, with an average yield of 1.5 MT / acre. He harvested his soybeans and sowed his winter wheat on September 22.

#### Seeding date:

May 16, 2019

### Spacing:

Seeding rate:

#### hectare Target rotation:

wheat

#### Fall 2018 soil cultivation:

#### Spring tillage: Two passes with the

vibro-cultivator 24 hours apart

#### Soybean fertilizer: None, but added

potassium after the soybean harvest

### Seeding depth:

Well drained soil: yes

Soil type:

# HAKATA



• 2750 CHU (RM 0.9)

# Leading variety on export markets

Good-sized plant, well adapted to 30 in seeding

Good standability and good spring

Profitable yield and marketing program

Ideal variety for growers in regions with over 2700 CHU

Phytophthora resistance: Rps 1c

**SCN:** Sensitive Hilum colour: Yellow Pubescence colour: Grey

Protein: 45 %

#### **Management Pointers**

Sow in fertile well-drained soil for best performance

Sow approximately 1.5 in deep Pay particular attention to seed drill calibration and performance (large seed) Standability

000000000

Sclerotinia tolerance 028486789

Stability/adaptability **0284567**89

Vigour for no-till

000000000

#### Plant

Semi-bushy Medium-tall

Row spacing (in)

### From a commercial standpoint



Average premiums per acre paid to Hakata growers\*

\* Average premiums paid based on deliveries received from the growers' group that had 50% of the highest yields

## **Field Performance**



Winning conditions for Yves Laberge's farm in Sainte-Martine (western Montérégie, Québec, resulted in an average yield of 1.6 MT/acre in Fall 2019.

#### Well-drained soil

Boundary ditches every 200 feet, very good drainage

#### Soil type: Clay

grain-corn

Crop rotation: Sweet corn, grain-

#### corn and soybean Fall tillage: plowing after the

Spring tillage: Two passes of the vibro-cultivator within

a minimum of 24 hours

### Fertilizing:

sulfur-based granular NPK starter

#### Seed depth:

1.5 in to 2 in, depending on soil moisture

### Spacing:

Seeding rate: 375,000 seeds/ hectare

### Seeding date:

# KATANA

• 2475 CHU (RM 00.7)

HIGH PROTEIN

High protein



\* Pending registratio

# Performs well agronomically and financially in its maturity zone

Vigorous plant, offers a great start in spring Robust stem, excellent standability Very profitable marketing program

Standability

0000000 Sclerotinia tolerance

0 2 3 4 5 6 7 8 9

Stability/adaptability 023456789

Vigour for no-till 

**Pubescence** 

Protein:

#### **Management Pointers**

Adapted to all soil types Preferably 15 in spacing


Liaht brown Row spacing (in)

Small seed, generous

maximum profitability

premium... key factors of

# **NEW**



12

Slightly slender Medium-short

# ΚΟΝΔΤΤΟ



2600 CHU (RM 0.3)

Highly valued and in great demand on export markets Excellent plant fertility, very good standability Ripens well for early harvest

Good Sclerotinia tolerance for a Natto type

Standability 0 2 3 4 5 6 7 8 9

Sclerotinia tolerance 0 2 3 4 5 6 7 8 9

Stability/adaptability **123456**789

Vigour for no-till **12345**6789

#### Phytophthora resistance: No

Phytophthora

Hilum colour:

resistance:

SCN:

colour:

SCN: Sensitive

Hilum colour:

**Pubescence** colour:

Protein:

# **Management Pointers**

Sow in fertile, level soil Sow approximately 1 inch

Pay particular attention to seed drill calibration and combine adjustments

Row spacing (in)

Plant Semi-bushy Medium-short

# SAKI

2650 CHU (RM 0.5)



\* Pending registration

## Ideal for developing a new export market

# **NEW**

Small seed destined for the bean sprouts market Very good standability

Good branching capacity for a small grain variety

Standability 028486789 Sclerotinia tolerance

023456789

Stability/adaptability 023453789

Vigour for no-till 

Phytophthora resistance:

SCN: Sensitive

Hilum colour:

**Pubescence** colour: Light brown

Protein:

#### **Management Pointers** Sow in fertile, level soil

Pay particular attention to seed drill calibration and combine adjustments Harvest early for a high germination rate

Row spacing (in)

Plant Semi-bushy Medium-tal

14

# **TAURUS**



2650 CHU (RM 0.5) HIGH PROTEIN

# **Nutritional qualities make** this a great variety for the export market

Tall plant, good spring start

Notable stability over the years

Healthy dark green foliage an asset for superior yields Highly profitable marketing program

Standability 028486989

Sclerotinia tolerance 0 2 3 4 5 6 7 8 9 Stability/adaptability 028456789

Vigour for no-till 000000000 Phutophthora resistance:

SCN:

Hilum colour:

**Pubescence** colour:

Protein:



Slightly slender

#### Plant

# NARA

2700 CHU (RM 0.7) TOFU

premium

Standability

Tofu type destined for export

diseases, including Sclerotinia

Excellent natural tolerance to common soybean

Substantial profitability per acre thanks to improved

Slender, medium-tall plant

Stability/adaptability

Vigour for no-till

023453789

0 2 3 4 5 6 7 8 9

# New alternative for growers **NEW** of tofu type soybeans, with improved premium

Phytophthora resistance: Rps 3a

SCN:

Hilum colour:


Pubescence colour: Grev

Protein:

**Management Pointers** 

Adapted to all soil types Sow in fertile soil for optimal yield Choose 7 in to 15 in seeding for best performance

Row spacing (in)



Slightly slender Medium-tall

# **QUENATTO**



**Unsurpassed** Natto-type yield

• 2700 CHU (RM 0.6)

**Excellent yields for a Natto type** 

Unrivaled return/acre

Medium-tall plant, with good stem and excellent standability

Stable performance since its introduction

Standability

00000000

Sclerotinia tolerance

Stability/adaptability

Vigour for no-till **1234567**89

Phytophthora

No

SCN:

**Pubescence** 

000000000000

**10000 7 8 9** 

resistance:

Black seed coat, green

pulp... a unique variety

Hilum colour:

colour:

Protein:



**Management Pointers** 

Avoid poorly drained soils

15 in spacing is ideal for

Monitor carefully in very

fertile soils (manure, high

Row spacing (in)


this variety


% OM)

Sow approximately 1 in

Pay particular attention to seed drill and combine adjustment

Row spacing (in)





Plant Semi-bushy

# BAKARA

028456789

0 2 3 4 5 6 7 8 9

Sclerotinia tolerance

2850 CHU (RM 1.3)

# Hardy and vigorous, excellent performance in no-till

Remarkable spring vigour, healthy plants

Stable performance, even in adverse conditions

Proven genetic

Ideal variety for maximum profitability in late maturing zone

Standability 0 2 3 4 5 6 7 8 9

Sclerotinia tolerance 00000000

Stability/adaptability 0 2 3 4 5 6 7 8 9

Vigour for no-till

0000000

Phytophthora resistance:

SCN: Sensitive

No

Hilum colour:

**Pubescence** colour:

Protein:

#### **Management Pointers**

Prefers clays and loam Sow in its maturity zone Choose 30 in seeding Monitor carefully in very fertile soils (manure, high % OM)

Row spacing (in)

Plant

Semi-bushy

# **BLACK GOLD**



Medium-tall plant best suited for 15 in rows or less Yield similar to a Natto type

Standability 0 2 3 4 5 6 7 8 9

023453089

Very exciting marketing program

Stability/adaptability 0 2 3 4 5 6 7 8 9 Sclerotinia tolerance Vigour for no-till

#### Phytophthora resistance:

in Canada

SCN:

Sensitive Hilum colour:

**Pubescence** colour:


Protein:


# **Management Pointers**

Sow in loose, well-drained

Monitor seeding depth Pay careful attention to cleaning the seeder and combine

Row spacing (in)





**Plant** Semi-bushy Medium-short

# Quali-Pro®


Stand out from the crowd!

# When you qualify for the Quali-Pro Club, you benefit from numerous privileges:

• \$8/acre\* premium paid to the producer or to the contract harvester of grade No. 1 soybeans

 Priority access to new varieties developed by Prograin, and to certain events

 Technical training, cost-of-production exercise and much more



# **MARULA**



**2700 CHU** (RM 0.6)

# An exponential popularity since its introduction



High yield potential

Healthy plant, with good fertility all season long

Good resistance to common soybean diseases

Agronomically the most complete

Standability 0000000 Sclerotinia tolerance

028486789

Stability/adaptability 028483789

Vigour for no-till

Plant

Phytophthora resistance: Rps 1c

**SCN:** Sensitive Hilum colour: Yellow

Pubescence colour: Brown


Protein: 42 %

#### **Management Pointers**

Sow in all soil types, regardless of crop

Choose 15 in seeding for best performance Seed in 30 in rows only in organic growing


# 0 2 3 4 5 6 7 8 9




#### Row spacing (in)



# From a commercial standpoint



#### Average of premiums per acre paid to Marula growers\*



\* Average of premiums per acre based on deliveries received from the growers group with 150 acres or more for Marula soybeans

# **SIBERIA**



**2375 CHU** (RM 00.2)

N° 1 early variety in Hébertville, according to **RGCQ 2-year summary** 

Performs well in early maturing zone

Slender, medium tall plant

Good standability

Conventional variety offered with a crop buyback

Standability

023456789

Sclerotinia tolerance 0 2 3 4 5 6 7 8 9 Stability/adaptability 028456089

Vigour for no-till

000000000

Phutophthora resistance:

SCN:

Hilum colour:

**Pubescence** colour:

Protein:




**Management Pointers** 

Sow in well-drained soil

Good yield in higher

Prefers seeding in narrow



**Plant** Slender Medium-tall

# **ASANA**

An 8% greater yield potential than Ezra according to

• 2700 CHU (RM 0.6)

the RGCQ 1-year summary

00000000

Five (5) cm shorter than Marula

Above average tolerance to Sclerotinia

# A variety you can trust, for both the grower and international buyers

Rps 1c

Hilum colour:

Stability/adaptability 000000000

008456789

Sclerotinia tolerance Vigour for no-till 023456789 **100000** 8 9 Phytophthora resistance:

SCN:

colour:

Protein:

#### **Management Pointers**

regardless of spacing

**Pubescence** 


**Highest yield** 

as Ontario


in Ouébec as well

#### Adapted to all soil types,

Row spacing (in)



# **NEW**



Plant Semi-bushy

# **EZRA**

Standability





Best overall yield in its group according to RGCQ and OSVT (average 3 years)

Variety slightly later maturing than Marula and Asana (2 to 3 days)

Very vigorous plant, good standability

Good Sclerotinia tolerance

Standability 028486789 Sclerotinia tolerance

000000009

Stability/adaptability 0 2 3 4 5 6 7 8 9 Vigour for no-till

#### Phytophthora resistance:

Rps 3a

SCN: Sensitive

Hilum colour:

**Pubescence** colour:

Protein:

# **Management Pointers**

regardless of crop management system Adapted from 15 in to 30 in rows

Row spacing (in)



Sow in all soil types,



Plant Semi-bushy Medium-tall

# **ACORA**

● 2800 CHU (RM 1.0)

Vigorous healthy plants

Excellent plant fertility for maximum yield

Tall plant, well adapted to no-till systems Stable performance in adverse conditions

Standability 028456789

Sclerotinia tolerance 00000000 Stability/adaptability 028456789

Vigour for no-till 000000000

SCN: Hilum colour:

**Pubescence** colour: Brown

Protein:

#### **Management Pointers**

Sow in all soil types, regardless of crop management system Best suited for 15 in to 30 in rows

Row spacing (in)

30

**Plant** 

Semi-bushy

# ΔΤΕΝΔ

**2825 CHU** (RM 1.2)



**Superior agronomic** performance, surprising nutritional qualities

Widely appreciated for

its remarkably stable

performance

Phytophthora

resistance:

Superior yield potential Remarkable standability Robust plant with good branching capacity

Standability 0000000 Sclerotinia tolerance

0 2 3 4 5 6 7 8 9

Stability/adaptability 023456789 Vigour for no-till 00000000

resistance: Rps 1c/3a SCN: Sensitive

> Hilum colour: **Pubescence**

Phytophthora


colour: Light brown Protein:

# **Management Pointers**

Sow in fertile soils Optimal spacing 15 in to

Prefered spacing at 15 in rows for no-till

Row spacing (in)



Plant Semi-bushy Medium-short

# ZANA



Robust plant, very good standability Bushy variety, performs well at 30 in spacing High productivity under different growing conditions Good plant fertility, stable yield

Standability 00000000 Sclerotinia tolerance 00000000

Stability/adaptability 023456789

Vigour for no-till 

# Late maturing variety with exceptional agronomic performance

Phytophthora resistance: Rps 3a

SCN:

Sensitive Hilum colour:

**Pubescence** colour: Brown

Protein:

# **Management Pointers**

Sow and harvest in all cre management systems Optimal spacing 15 in to

Row spacing (in)

Plant Semi-bushy Medium-tal

# TURBO-N2<sup>MC</sup>



# QualiPro® Our high profitability soybean lines



# Quali-Pro Soybean Quali-Pro®



Highly competitive fixed variety premiums



Quality soybean premium



Paid storage



Transportation allowance



Unparalleled technical service

CLUB

Exclusive privileges

# **IP Soybean**



Superior performance



Competitive fixed variety premiums



Logistics service adapted to your needs



# Organic soybeans, a crop that pays off

Meet rising market demand and opt for our preferred organic varieties. Benefit from numerous advantages, including the option to maximize your crop buyback.

# LIQUID **INOCULANT**

# One of the few inoculants approved for organic production.

Liquid inoculant is packaged in flexible, leakproof containers that can be used right in the seeder box or attached to the gravity box with a grain auger when loading the seed.

#### Application rate

One container of 2L treats 750 kg of seed (±30 bags depending on seed size or the equivalent of a large tote bag of Prograin soybean seeds)

# **PEAT INOCULANT**

# The only inoculant in Canada with a shelf life of two years.

A high-performance inoculant that adheres to the seed and comes in two convenient sizes: 750 g and 2.25 kg.

Once applied to the seed, it has a life span of 24 hours.

#### Application rate

750 g treats 250 kg of seed (±10 bags depending on seed size)

2.25 kg processes 750 kg of seed (±30 bags depending on seed size or the equivalent of a large tote bag of Prograin soybean

# **AC BRIO**

BREAD WHEAT

## **Early-maturing bread** wheat well-established in Eastern Canada

Seeding density: 500 seeds/m<sup>2</sup> Thousand Kernel Weight: 39.7 g 7 in spacing: 198.5 kg/ha

#### Characteristics

Very good standability Average height Early heading and maturity High specific weight Remarkable falling number

Hard red spring wheat, awnless

#### **Management Pointers**

Maximum nitrogen fertilization: 120 to 150 kg/ha including 50 to 70 kg at seeding time

Good soil preparation is important to obtain an even stand

Avoid growing wheat after corn or another grain to reduce risk of Fusarium development

# **FUZION**

BREAD WHEAT

## High yield, medium late maturing bread wheat

Seeding density: 500 seeds/m<sup>2</sup> Thousand Kernel Weight: 39.4 g 7 in spacing: 197 kg/ha

#### Characteristics

Hard red spring wheat, lightly awned Excellent natural Fusarium tolerance

Medium late heading and maturity High specific weight

#### **Management Pointers**

Maximum nitrogen fertilization: 105 to 130 kg/ha including 50 to 70 kg at seeding time

Watch out for lodging in intensive crop management situations or in very rich soil Avoid growing wheat after corn or other grain to reduce risk of Fusarium

# **CHAMBLY**

6-ROW BARLEY

# **Barley recognized** for its excellent resistance to lodging

Seeding density: 330 seeds/m<sup>2</sup> Thousand Kernel Weight: 47.0 g 7 in spacing: 155 kg/ha

#### Characteristics

Superior yield with high straw yield Exceptional standability Medium late maturity Large kernels Medium straw length

#### **Management Pointers**

Good soil preparation is important to obtain an even stand

toughest weeds, by combining three unique modes of action. Enlist E3TM soybeans are tolerant of 2,4–D choline, glyphosate and glufosinate, for expanded control and



# **ENYO E3**

Excellent vigour, emergence and stress tolerance

Good standability, above average Sclerotinia

• 2750 CHU (RM 0.8)

Guaranteed high yield

023456789

Sclerotinia tolerance

tolerance

Standability



Stability/adaptability

Vigour for no-till

00000000

008456789

# A new Enlist E3 variety that has all the desired agronomic traits

#### Phytophthora resistance:

Good natural tolerance

# SCN:

# Hilum colour:

Pubescence colour:

# Protein:


# Row spacing (in)

**Management Pointers** 

Adapted to all soil types

Optimal spacing 15 in

# **NEW**



### **Plant**

Semi-bush\ Medium-tall

# **ELMO E3**



# The earliest maturing Enlist E3 variety on the market

**2475 CHU** (RM 00.7)

Very good yield potential for its maturity group Remarkably vigorous start

Slender, medium tall plant

028456789

0 2 3 4 5 6 7 8 9 Sclerotinia tolerance 00000000000

Standability

Stability/adaptability

Vigour for no-till 0 2 3 4 5 6 7 8 9

Phytophthora resistance:

SCN: Hilum colour:

Liaht brown **Pubescence** colour:

Grev Protein:

#### **Management Pointers**

Sow in all soil types Optimal spacing less than 15 in

**Plant** Slender Medium-short

# Row spacing (in)

# **ENZO E3**



# **Enlist E3 variety offering** even greater flexibility for weed control

**2625 CHU** (RM 0.3)

Yield potential and stable performance Good vigour, excellent spring start Great adaptability to different environments

Standability 028456789

Sclerotinia tolerance 00000000000

Stability/adaptability 023456789

Vigour for no-till 0 2 3 4 5 6 7 8 9 Phytophthora resistance: Ros 1a

Hilum colour:

SCN:

Light brown

**Pubescence** colour:

Protein:

#### **Management Pointers**

Sow in all soil types Prefers 15 inch spacing

Row spacing (in)

Plant

# Slightly slender

# **ECHO E3**

**2825 CHU** (RM 1.1)



# **Promising late-maturing Enlist E3 variety offers** flexibility

Very good natural Phytophthora resistance High tolerance in adverse conditions Rapid and uniform emergence Very high flexibility when choosing a weed control program

Rapid, dense vegetative growth

Standability 028486789

Sclerotinia tolerance 0000000000

Stability/adaptability 023456789

Vigour for no-till 000000000

#### Phytophthora resistance: Rps 1c

SCN:

Hilum colour:

Pubescence colour: Grev

Protein:

#### **Management Pointers** Sow in all types of soil,

regardless of crop manage

Optimal spacing 15 in or more Reduce population density in high yield potential environments


Row spacing (in)



Plant

Semi-bushy

Medium-tal



# **Enlist**



# MIKO R2

**2750 CHU** (RM 0.8)



# Dominant variety with a surprising yield

Vigorous variety, good spring start Excellent yield potential Stocky bushy plant, well suited to 30 in seeding Standability

1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability/adaptability

1 2 3 4 5 6 7 8 9

Vigour for no-till

2 3 4 5 6 7 8 9

Phytophthora resistance: Rps 1c

SCN: Sensitive
Hilum colour: Brown


Pubescence colour: Light brown

Protein: 39 %

#### **Management Pointers**

Adapted to all soil types
Reduce populations in high potential vield environments

#### **Plant** Bushy Medium-tall



#### Row spacing (in)

# From a commercial standpoint



At the top of the leaderboard from the start, in its maturity zone

RGCQ 2019 (2550-2750 CHU) - GMO	<b>2</b> <sup>n</sup>
GoSoy 2019 Groupe Maturité 0 – GMO	<b>4</b> <sup>t</sup>
RGCQ 2018 (2550-2750 CHU) - GMO	<b>1</b> st
GoSoy 2018 Groupe Maturité 0 – GMO	1st
RGCQ 2017 (2550-2750 CHU) - GMO	3 <sup>r</sup>
RGCQ 2016 (2550-2750 CHU) - GMO	<b>1</b> st

# **Field Performance**



Very stable annual performance at 30 in with less vegetative growth.

Miko R2 has positioned itself among the top three performing varieties in 70% of the 2019 demo plots, at 30" spacing.



25 26

# **KENDO R2**



Robust and vigorous plant, offering an excellent spring start

● 2525 CHU (RM 00.8)

**Excellent yield potential** 

Tall slender plant, above-average first pod height Healthy stems to the end of the season, exceptional

Good vigour and aggressive growth all season long

Standability

028456789

Sclerotinia tolerance 00000000 Stability/adaptability 0000000000

Vigour for no-till

000000000

Stability/adaptability

Vigour for no-till

00000000000

Phytophthora resistance:

SCN:

Hilum colour:

**Pubescence** colour:


Protein:

**Management Pointers** 

Sow in all soil types (avoid very rich soils) Prefers narrow spacing Sow in its maturity zone to

Row spacing (in)

maximize yield



**Plant** 

Slender

Medium-tall

# **VERTIGO R2**



# Guaranteed yield and performance stability

**2750 CHU** (RM 0.8)

Very good yield potential

Medium tall plant with excellent standability Healthy plant throughout the growing season

Good Sclerotinia tolerance

Standability

00000000

Sclerotinia tolerance

00000000

Stability/adaptability 00000000

Vigour for no-till

000000000

Phytophthora resistance:

SCN:


Hilum colour:

**Pubescence** colour: Light brown

Protein:

**Management Pointers** 

Adapted to all soil types Optimal spacing 15 in or



Row spacing (in) 30 **Plant** Semi-bushy Medium-tall

# **SALTO R2**



**Tough conditions? Your best** ally for performance

**2625 CHU** (RM 0.4)

High yield potential

Remarkable Sclerotinia tolerance Good tolerance to root diseases

Short plant, very good standability

**Excellent spring vigour** 

Standability

000000000

Sclerotinia tolerance 008456080 resistance:

SCN:

colour:

Protein: 000000000

Phytophthora

Rps 1c

Sensitive

Hilum colour:

Pubescence

**Management Pointers** Sow in fertile soil

Optimal spacing 15 in

Row spacing (in)

Plant Semi-bushy Medium-short

# **MAXO R2**

● 2825 CHU (RM 1.1)

Known for its exceptional performance and stability in the field

Good-sized plant, robust and bushy **Excellent yield potential** 

Variety among the most tolerant to Sclerotinia Very good standability, healthy stem facilitates

harvesting

Standability 00000000

Sclerotinia tolerance 00000000 Stability/adaptability 00000000

Vigour for no-till 000000000 Phytophthora resistance:

SCN: Sensitive

Hilum colour: **Pubescence** 

colour: Brown Protein:

#### **Management Pointers**

Sow in well-drained soil Prioritize no-till at 30 in fo excellent yield Good yield in low-densit


populations



Plant



Bushy Medium-tall





# A dominant performer all season long

High yield potential
Rapid and impressive vegetative growth

Plants slightly taller than average Excellent spring vigour

Standability

1 2 3 4 5 6 7 8 9

Sclerotinia tolerance

1 2 3 4 5 6 7 8 9

Stability/adaptability

1 2 3 4 5 6 7 8 9

Vigour for no-till

1 2 3 4 5 6 7 8 9


Phytophthora resistance: Rps 1c/3a

SCN: Sensitive
Hilum colour: Brown
Pubescence colour: Light brown

Protein: 39 %

#### **Management Pointers**

Sow in all soil types
Optimal spacing 15 in or more
Reduce population density in high
fertility soils



# From a commercial standpoint



#### **Field Performance**



Among the most diseaseresistant; in addition to Sclerotinia tolerance, it possesses two Phytophthora resistance genes.



# FRESCO R2X



Prograin's top-performing early variety in its maturity group

• 2275 CHU (RM 000.9)

Rather short plant, very good standability Excellent yield for its maturity group

Good natural Phytophthora resistance and Sclerotinia

Standability

023456789

Sclerotinia tolerance 00000000 Stability/adaptability 028456089

Vigour for no-till **10000 7 8 9** 

Protein:

colour:

Phutophthora

Hilum colour:

**Pubescence** 


resistance:

SCN:

**Management Pointers** 

Avoid heavy soils Prefers narrow rows Good yield in high density populations

Row spacing (in)



**Plant** 

Slightly slender Medium-short

# **DEVO R2X**



### Surprising adaptability on the agronomic level

**NEW** 

**2350 CHU** (RM 00.2)

Very good yield potential for its maturity zone

Among the earliest varieties on the market, well adapted to regions with short growing seasons

Excellent vigour and good branching capacity for its maturity group

Enhanced performance in reduced tillage management practices

Standability

000000000

Sclerotinia tolerance 023456789

Stability/adaptability 000000000

Vigour for no-till 000000000 Phytophthora resistance:

Good natural tolerance

SCN: Sensitive

Hilum colour:


**Management Pointers** Optimal spacing 15 in or

Very well suited for no-till

Pubescence colour:

Protein:

Row spacing (in)



Plant



New high-performance variety adapted to early maturity zones

**2475 CHU** (RM 00.6)

**KUDO R2X** 

Minimally branching plant, improves field appearance Excellent choice for heavy soils

**Exceptional vigour** 

Standability 0 2 3 4 5 6 7 8 9

Sclerotinia tolerance 0 2 3 4 5 6 7 8 9 Stability/adaptability 0 2 3 4 5 6 7 8 9

Vigour for no-till 000000000 Phytophthora resistance:

Good natural tolerance

SCN:

Hilum colour: Black


Pubescence colour:

Protein:

Optimal spacing 15 in or Good vield in lower density populations


**Management Pointers** 

Row spacing (in)



# **NEW**

Slightly slender



**Plant** Semi-bushy

# **FALCO R2X**



# Its agronomic traits make this a promising variety

● 2550 CHU (RM 0.1)

\* Pending registration

Excellent standability in all growing conditions Very good Sclerotinia tolerance and Phytophthora root rot tolerance

Standability 0000000

Sclerotinia tolerance 0000000

**2575 CHU** (RM 0.1)

Stability/adaptability 023456789

Vigour for no-till 0 2 3 4 5 6 7 8 9 Phytophthora resistance: Rps 1c/6

SCN: Hilum colour:

Imperfect vellov **Pubescence** colour:

Brown Protein:

#### **Management Pointers**

Sow in all soil types Optimal spacing 15 in

Row spacing (in)

Slightly slender

Medium-tall

**NEW** 

# **RICO R2X**



Good resistance and tolerance to common soybean diseases

**Excellent yield potential** Superior standability in the field Very good Sclerotinia tolerance

Standability 028456789 Sclerotinia tolerance

● 2600 CHU (RM 0.2)

Stability/adaptability 023456789

Vigour for no-till 0 2 8 4 5 6 7 8 9

Phytophthora resistance: Rps 1c SCN:


> Hilum colour: Light brown

**Pubescence** colour:

Protein:

#### **Management Pointers** Sow in very fertile fields Sow in rows less than 20 in for best performance

Row spacing (in)



Plant Semi-bushy Medium-tal

# **YOKO R2X**



A sure value with its desirable agronomic qualities

Excellent yield potential for its maturity group Fairly bushy variety, good standability Good spring start

Superior Sclerotinia tolerance

Standability 028486789 Sclerotinia tolerance 00000000

Stability/adaptability 023453789

Vigour for no-till 000000000 Phytophthora resistance: Rps 1k

SCN: Sensitive


**Pubescence** colour:

Hilum colour:

Light brown Protein:

#### **Management Pointers** Sow in all soil types

Optimal spacing 15 in



Row spacing (in)

Semi-bushy Medium-tall

Plant

# DONALDO R2X



# Great adaptability and stable performance are key to this variety's success

**2600 CHU** (RM 0.2)

Very good yield potential Medium tall plant with slightly bushy profile Above average standability Very good Sclerotinia tolerance Variety adapts easily to challenging soil conditions

Standability 023456789

Sclerotinia tolerance 00000000

Stability/adaptability

00000000 Vigour for no-till

00000000

Phytophthora resistance:

SCN:

Hilum colour:

**Pubescence** colour: Light brown

Protein:


**Management Pointers** 


Sow in either heavy or liaht soil texture Optimal spacing 7 in to

Above average spring

Row spacing (in)

vigour





**Plant** Slightly slender **NEO R2X** 

**2825 CHU** (RM 1.1)

better Phytophthora

Phytophthora

Hilum colour:

**Pubescence** 

resistance:

Rps 3a

SCN:

Brown

High yield potential and resistance than Maxo R2

**Management Pointers** 

Choose loamy fertile soils

for improved performance

Optimal spacing 30 in

**NEW** 

Plant Semi-bushy Medium-táll

Good spring start

Above average vegetative growth Excellent Phytophthora resistance

Standability 008060089

Sclerotinia tolerance 008060089

Stability/adaptability 0 2 3 4 5 6 7 8 9

Vigour for no-till 0 2 3 4 5 6 7 8 9 colour: Light brown

Protein:

Row spacing (in)

# **NANO R2X**



# The leader of the pack for its performance and yield potential

**NEW** 

Excellent Phytophthora tolerance Robust variety under adverse conditions Very good spring vigour Rapid canopy closure, vigorous vegetative growth Yield potential superior to Salto R2 with the Xtend

Standability 023456789

0 2 3 4 5 6 7 8 9

resistance:

**Management Pointers** Well adapted to reduced

tillage and no-till Excellent standability

Row spacing (in)

Plant Semi-bushy Medium-short

# **RONDO R2X**



**2900 CHU** (RM 1.5)

# Perfect combination of defensive traits and excellent yield potential

Variety ideally suited for late maturing zone Good standability, good spring start Tall plant with good branching capacity Good resistance to common soybean diseases

Standability 0 2 8 4 5 6 7 8 9

Sclerotinia tolerance 0 2 3 4 5 6 7 8 9 Stability/adaptability 00000000

Vigour for no-till 023453789

Pubescence colour:

Protein:

Phytophthora

Hilum colour:

Light brown

resistance:


Rps 1c/3a

SCN:

#### **Management Pointers** Adapted to all soil types

Optimal spacing 15" or

Row spacing (in)



Plant Bushy Medium-tall

Sclerotinia tolerance

Stability/adaptability 0000000000


Vigour for no-till 0000000 Phytophthora

SCN:

Hilum colour:

**Pubescence** colour:

Protein:



ROUNDUP READY QUALI-PRO

organic

XTEND

ENLIST E3

LEGEND  $\Delta$  = RECOMMENDED ROW SPACING IN INCHES

S = SEEDS

KG = KILOGRAM LIN M = LINEAR METRE

METRIC SYSTEM

**IMPERIAL SYSTEM** LB = POUND LIN FT = LINEAR FOOT SEEDS PER BAG

KATANA, HANA, TAURUS, BAKARA, BLACK GOLD: 1 BAG = 110 000 SEEDS NARA, HAKATA: 1 BAG = 100 000 SEEDS KONATTO, QUENATTO, SAKI: 1 BAG = 260 000 SEEDS

ALL IP VARIETIES: 1 BAG = 110 000 SEEDS

ALL R2, R2X AND E3 VARIETIES: 1 BAG = 140 000 SEEDS

NON-GMO VARIETY	CHU (RM)	Δ	S/ KG	S/ HA	BAGS/ HA	S/ LIN M	Δ	S/ LB	S/ AC	BAGS/ AC	S/ LIN FT
NEW	2,475 (00.7)	7 14	5,300 - 5,900	550,000 500,000	5.00 4.55	9.6 17.5	7 14	2,404-2,676	222,672 202,429	2.02 1.84	2.9 5.3
HANA	2,575 (0.1)	7 14 30 •	5,200 - 5,600	550,000 500,000 500,000	5.00 4.55 4.55	9.6 17.5 37.5	7 14 30 •	2,358-2,540	222,672 202,429 202,429	2.02 1.84 1.84	2.9 5.3 11.4
KONATTO	2,600 (0.3)	7 14	12,000 - 14,000	555,000 525,000	2.13 2.02	9.7 18.4	7 14	5,442 - 6,349	224,696 212,551	0.86 0.82	3.0 5.6
SAKI NEW	2,650 (0.5)	7 14	11,000-13,000	540,000 515,000	2.08 1.98	9.5 18.0	7 14	4,989 - 5,896	218,623 208,502	0.84 0.80	2.9 5.5
TAURUS	2,650 (0.5)	7 14	4,600 - 5,300	490,000 475,000	4.45 4.32	8.6 16.6	7 14	2,086-2,404	198,381 192,308	1.80 1.75	2.6 5.1
QUENATTO	2,700 (0.6)	7 14	9,000 - 11,000	540,000 515,000	2.08 1.98	9.5 18.0	7 14	4,082 - 4,989	218,623 208,502	0.84 0.80	2.9 5.5
BLACK GOLD	2,700 (0.7)	7 14	4,400 - 5,000	490,000 475,000	4.45 4.32	8.6 16.6	7 14	1,995 - 2,268	198,381 192,308	1.80 1.75	2.6 5.1
NARA NEW	2,700 (0.7)	7 14	4,000 - 4,600	490,000 475,000	4.90 4.75	8.6 16.6	7 14	1,814-2,086	198,381 192,308	1.98 1.92	2.6 5.1
<b>HAKATA</b>	2,750 (0.9)	14 30	3,400 - 4,200	475,000 370,000	4.75 3.70	16.6 27.8	14 30	1,542-1,905	192,308 149,798	1.92 1.50	5.1 8.5
BAKARA	2,850 (1.3)	14 30	4,400 - 5,000	475,000 370,000	4.32 3.36	16.6 27.8	14 30	1,995-2,268	192,308 149,798	1.75 1.36	5.1 8.5
SIBERIA	2,375 (00.2)	7 14	5,600 - 6,200	550,000 500,000	5.00 4.55	9.6 17.5	7 14	2,540-2,812	222,672 202,429	2.02 1.84	2.9 5.3
NEW	2,700 (0.6)	7 14 30	4,500 - 5,100	500,000 475,000 370,000	4.55 4.32 3.36	8.8 16.6 27.8	7 14 30	2,041-2,313	202,429 192,308 149,798	1.84 1.75 1.36	2.7 5.1 8.5
MARULA	2,700 (0.6)	7 14 30 •	4,500 - 5,300	500,000 475,000 400,000	4.55 4.32 3.64	8.8 16.6 30.0	7 14 30 •	2,041 - 2,404	202,429 192,308 161,943	1.84 1.75 1.47	2.7 5.1 9.1
EZRA	2,725 (0.8)	14 30	4,600 - 5,200	475,000 370,000	4.32 3.36	16.6 27.8	14 30	2,086 - 2,358	192,308 149,798	1.75 1.36	5.1 8.5
ACORA	2,800 (1.0)	14 30	5,300 - 5,700	475,000 370,000	4.32 3.36	16.6 27.8	14 30	2,404-2,585	192,308 149,798	1.75 1.36	5.1 8.5
ATENA	2,825 (1.2)	14 30 •	4,000 - 4,600	475,000 370,000	4.32 3.36	16.6 27.8	14 30 •	1,814-2,086	192,308 149,798	1.75 1.36	5.1 8.5
ZANA	2,875 (1.4)	14	4,500 - 5,100	475,000 370,000	4.32 3.36	16.6 27.8	14	2,041-2,313	192,308 149,798	1.75 1.36	5.1 8.5

# The right population, guarantee of optimal profitability

110,000 S/BAG

110,000 S/BAG

5,000 S/KG

Not all soybeans cultivars respond in the same way to different populations; that's why it's important to sow the recommended density of each variety.

At Prograin's Research Centre, we conduct rigorous population testing on our different varieties. The tables provided in the seed guide list the recommended populations for 7 in, 14 in and 30 in row spacings in order to obtain an optimal yield.

The number of seeds/ha or seeds/ac allows you to determine the seeding rate in kg/ha or lb/ac according to the seed size indicated on the seed bags, or the weight of your seed bags. You must choose between imperial or metric without mixing the two. Here's an example of the calculation:

#### **EXAMPLE OF SEEDING RATE CALCULATION (MARULA)**

**3** Seed size: . . . . . . . . . . . . 5,000 S/KG 4 Number of seeds per bag:110,000 S/BAG 2 Target population:.....475,000 S/HA METHOD N° 1 METHOD N° 2 475,000 S/HA → 4.32 BAGS/HA 95 KG/HA

**CONVERSION** 

5,000 S/KG

4.32 BAGS/HA X 22 KG/BAG = 95 KG/HA 95 KG/HA X 0.89 =

22 KG/BAG

84.67 LB/AC

GMO VARIETY	CHU (RM)	Δ	S/ KG	S/ HA	BAGS/ HA	S/ LIN M	Δ	S/ LB	S/ AC	BAGS/ AC	S/ LIN FT
● KENDO R2	2,525 (00.8)	7 14	4,800 - 5,500	500,000 465,000	3.57 3.32	8.8 16.3	7 14	2,177 - 2,494	202,429 188,259	1.45 1.34	2.7 5.0
SALTO R2	2,625 (0.4)	7 14	5,800 - 6,400	500,000 465,000	3.57 3.32	8.8 16.3	7 14	2,630 - 2,902	202,429 188,259	1.45 1.34	2.7 5.0
● VERTIGO R2	2,750 (0.8)	7 14 30	4,800 - 5,400	465,000 435,000 380,000	3.32 3.11 2.71	8.1 15.2 28.5	7 14 30	2,177 - 2,449	188,259 176,113 153,846	1.34 1.26 1.10	2.5 4.6 8.7
MIKO R2	2,750 (0.8)	14 30	5,900-6,500	420,000 350,000	3.00 2.50	14.7 26.3	14 30	2,676 - 2,948	170,040 141,700	1.21 1.01	4.5 8.0
MAXO R2	2,825 (1.1)	14 30	5,100 - 5,700	435,000 370,000	3.11 2.64	15.2 27.8	14 30	2,313-2,585	176,113 149,798	1.26 1.07	4.6 8.5
• FRESCO R2X	2,275 (000.9)	7 14	4,200 - 4,800	525,000 495,000	3.75 3.54	9.2 17.3	7 14	1,905 - 2,177	212,551 200,405	1.52 1.43	2.8 5.3
DEVO R2X   NEW	2,350 (00.2)	7 14	5,300 - 5,900	525,000 495,000	3.75 3.54	9.2 17.3	7 14	2,404-2,676	212,551 200,405	1.52 1.43	2.8 5.3
KUDO R2X   NEW	2,475 (00.6)	7 14	5,000 - 5,500	500,000 465,000	3.57 3.32	8.8 16.3	7 14	2,268 - 2,494	202,429 188,259	1.45 1.34	2.7 5.0
FALCO R2X     NEW	2,550 (0.1)	7 14	4,600 - 5,300	500,000 465,000	3.57 3.32	8.8 16.3	7 14	2,086-2,404	202,429 188,259	1.45 1.34	2.7 5.0
RICO R2X	2,575 (0.1)	7 14	5,700 - 6,300	500,000 465,000	3.57 3.32	8.8 16.3	7 14	2,585 - 2,857	202,429 188,259	1.45 1.34	2.7 5.0
• YOKO R2X	2,600 (0.2)	7 14	5,000 - 5,600	500,000 465,000	3.57 3.32	8.8 16.3	7 14	2,268 - 2,540	202,429 188,259	1.45 1.34	2.7 5.0
DONALDO R2X	2,600 (0.2)	7 14	5,700 - 6,300	500,000 465,000	3.57 3.32	8.8 16.3	7 14	2,585 - 2,857	202,429 188,259	1.45 1.34	2.7 5.0
NANO R2X	2,700 (0.6)	14 30	5,200 - 6,200	420,000 350,000	3.00 2.50	14.7 26.3	14 30	2,358-2,812	170,040 141,700	1.21 1.01	4.5 8.0
OSTO R2X	2,800 (1.0)	14 30	5,000 - 5,700	450,000 370,000	3.21 2.64	15.8 27.8	14 30	2,268 - 2,585	182,186 149,798	1.30 1.07	4.8 8.5
NEO R2X     NEW	2,825 (1.1)	14 30	5,200 - 6,200	450,000 370,000	3.21 2.64	15.8 27.8	14 30	2,358-2,812	182,186 149,798	1.30 1.07	4.8 8.5
• RONDO R2X	2,900 (1.5)	14 30	5,000 - 5,700	450,000 370,000	3.21 2.64	15.8 27.8	14 30	2,268 - 2,585	182,186 149,798	1.30 1.07	4.8 8.5
● ELMO E3	2,475 (00.7)	7 14	6,600 - 7,100	525,000 495,000	3.75 3.54	9.2 17.3	7 14	2,993 - 3,220	212,551 200,405	1.52 1.43	2.8 5.3
● ENZO E3	2,625 (0.3)	7 14	6,000 - 6,600	500,000 465,000	3.57 3.32	8.8 16.3	7 14	2,721-2,993	202,429 188,259	1.45 1.34	2.7 5.0
• ENYO E3	2,750 (0.8)	14 30	6,000 - 7,000	450,000 370,000	3.21 2.64	15.8 27.8	14 30	2,721 - 3,175	182,186 149,798	1.30 1.07	4.8 8.5
● ECHO E3	2,825 (1.1)	14 30	6,000 - 6,600	450,000 370,000	3.21 2.64	15.8 27.8	14 30	2,721 - 2,993	182,186 149,798	1.30 1.07	4.8 8.5



# Contact us!

Telephone: 1800 817-3732 Fax: 450 469-4547

prograin@prograin.qc.ca

145, rang du Bas-de-la-Rivière Nord Saint-Césaire (Québec) JOL 1TO Canada

#### Maxime Gratton, agr.

District Sales Manager, Western Québec maxime.gratton@prograin.qc.ca

#### Alexandre Tessier, agr.

District Sales Manager, Eastern Québec alexandre.tessier@prograin.qc.ca

#### Marc Saumure, CCA - ON, DTA

District Sales Manager, Ontario and Maritimes marc.saumure@prograin.qc.ca

#### Philippe Lemaître, agr.

Technical Manager of Seed production philippe.lemaître@prograin.qc.ca

A guarantee of success. A guarantee of progress.



"Enlist E3 and the Enlist E3 logo are trademarks of the Dow Chemical Company ("Dow") or an affiliated company of Dow . Enlist E3 soybeans were jointly developed by Dow Agrosciences and MS technologies.

#### Monsanto Company is a member of Excellence Through Stewardship™ (ETS).

Monsanto products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Monsanto's Policy for Commer-cialization of Biotechnology-Derived Plant Products in Commodity Crops. These products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from these products can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for these products. Excellence Through Stewardship's a registered trademark of Excellence Through Stewardship's a registered trademark of Excellence Through Stewardship's a registered trademark of Excellence Through Stewardship.

#### Always read and follow pesticide label directions.

Roundup Ready 2 Xtend\* soybean varieties contain genes that confer tolerance to glyphosate and dicamba. Agricultural herbicides that contain glyphosate will kill crops that do not tolerate glyphosate and those that contain dicamba will kill crops that do not tolerate may be that contain dicamba will kill crops that do not tolerate dicamba. Contact your Monsanto dealer or call Monsanto Technical Support at 1-800-667-4944 for recommended Roundup Ready Xtend\* crops system weed control programs. Roundup Ready\* technology contains genes that confer tolerance to glyphosate, an active ingredient in Roundup\* brand agricultural herbicides. Agricultural herbicides containing glyphosate will kill crops that are not tolerant to glyphosate. Roundup Ready 2 Xtend\*, Roundup Ready 2 Ytend\*, Roundup Read

Prograin° is a registered trademark of Semences Prograin inc. The Prograin° and Quali-Pro° logos are registered trademarks of Semences Prograin inc. Turbo-N2° is a registered trademark of Semences Prograin inc.

The agronomic content of the 2021 Seed Guide was prepared and verified by agronomists Maxime Gratton, Philippe Lemaître, Alexandre Tessier and Marc Saumure.