






























Your  
Choice

ROCKDOOR



Protecting Britain's homes for 20 years.

| ULTIMATE<br>Series | Thermal Efficiency  |  | Strength  |  | Security   |  | Glazing   |  | Glass Designs  |  | Letterplate  |  | Handle   |  |
|--------------------|---|--|---|--|--|--|---|--|--|--|--|--|--|--|
|                    | <ul style="list-style-type: none"> <li>Largest collection of glazed A++Rated doors available.</li> <li>50mm thick sash.</li> <li>Carbon fibre reinforcement</li> <li>22mm Argon filled units.</li> <li>Soft coat glass.</li> <li>Warm edge spacerbar technology.</li> <li>5 chamber outer profile.</li> <li>Outer profile reinforced thermal rebar.</li> <li>Twin seal weather gasket.</li> </ul>  |  | <ul style="list-style-type: none"> <li>Carbon fibre reinforcing.</li> <li>Made to measure.</li> <li>Unique construction.</li> <li>50mm sash.</li> <li>3mm high impact external skin.</li> <li>3mm high impact internal skin.</li> <li>44mm rigid core.</li> </ul>  |  | <ul style="list-style-type: none"> <li>3 star TS007 Kitemark 'Sold Secure Diamond' cylinder.</li> <li>Secured by Design German engineered hook locks.</li> <li>25mm solid brass hooks (plus 4 hook option).</li> <li>Full length keep.</li> <li>Deadlock.</li> </ul>  |  | <ul style="list-style-type: none"> <li>Crisp edge CNC aperture.</li> <li>S-Glazed technology.</li> <li>High security glazing system.</li> <li>Draft &amp; leak proof seal.</li> </ul>    |  | <ul style="list-style-type: none"> <li>Available from all the series.</li> <li>Gluechip &amp; sandblasted.</li> <li>Beveled designs.</li> <li>Coloured film designs.</li> <li>Crystal bevel designs.</li> </ul>   |  | <ul style="list-style-type: none"> <li>Solid metal surround.</li> <li>Thermal/acoustic seal.</li> <li>Fully sprung closing.</li> <li>180° opening.</li> </ul>          |  | <ul style="list-style-type: none"> <li>Attractive backplates with ergonomic levers.</li> <li>Weight balanced spring cassette for ease of operation.</li> <li>Concealed anti-drill plate.</li> <li>3 security fixings.</li> <li>Bar, Rose and Wrought Iron handle option available.</li> <li>Branded Rockdoor key.</li> </ul>   |  |
|                    | <ul style="list-style-type: none"> <li>44mm thick sash.</li> <li>18mm Argon filled units.</li> <li>Hard coat glass.</li> <li>Warm edge spacerbar technology.</li> <li>5 chamber outer profile.</li> <li>Outer profile reinforced thermal rebar.</li> <li>Twin seal weather gasket.</li> </ul>   |  | <ul style="list-style-type: none"> <li>Aluminium reinforcing.</li> <li>Made to measure.</li> <li>Unique construction.</li> <li>44mm sash.</li> <li>2mm high impact external skin.</li> <li>2mm high impact internal skin.</li> <li>40mm rigid core.</li> </ul>    |  | <ul style="list-style-type: none"> <li>German engineered lock.</li> <li>20mm steel hooks.</li> <li>Individual pocket keeps.</li> <li>Deadlock.</li> <li>3 star cylinder / guard configuration.</li> </ul>    |  | <ul style="list-style-type: none"> <li>Crisp edge CNC aperture.</li> <li>S-Glazed technology.</li> <li>High security glazing system.</li> <li>Draft &amp; leak proof seal.</li> </ul>   |  | <ul style="list-style-type: none"> <li>Available from the Elite &amp; Select series.</li> <li>Sandblasted.</li> <li>Beveled designs.</li> <li>Coloured film designs.</li> <li>Crystal bevel designs.</li> </ul>  |  | <ul style="list-style-type: none"> <li>Minimal plastic surround.</li> <li>Thermal/acoustic seal.</li> <li>Fully sprung closing.</li> <li>180° opening.</li> </ul>   |  | <ul style="list-style-type: none"> <li>Attractive levers &amp; backplates.</li> <li>Spring cassette for ease of operation.</li> <li>2 security fixings.</li> <li>Standard key.</li> </ul>     |  |
|                    | <ul style="list-style-type: none"> <li>44mm thick sash.</li> <li>18mm double glazed units.</li> <li>Warm edge spacerbar technology.</li> <li>5 chamber outer profile.</li> <li>Outer profile reinforced thermal rebar.</li> <li>Twin seal weather gasket.</li> </ul>   |  | <ul style="list-style-type: none"> <li>Aluminium reinforcing.</li> <li>Made to measure.</li> <li>Unique construction.</li> <li>44mm sash.</li> <li>2mm high impact external skin.</li> <li>2mm high impact internal skin.</li> <li>40mm rigid core.</li> </ul>   |  | <ul style="list-style-type: none"> <li>German engineered lock.</li> <li>20mm steel bolts.</li> <li>Individual pocket keeps.</li> <li>Deadlock.</li> </ul>   |  | <ul style="list-style-type: none"> <li>Crisp edge CNC aperture.</li> <li>S-Glazed technology.</li> <li>High security glazing system.</li> <li>Draft &amp; leak proof seal.</li> </ul>  |  | <ul style="list-style-type: none"> <li>Available from the Select series.</li> <li>Coloured film designs.</li> <li>Crystal bevel designs.</li> </ul>   |  | <ul style="list-style-type: none"> <li>Plastic surround.</li> <li>Thermal/acoustic seal.</li> <li>Fully sprung closing.</li> <li>90° opening.</li> </ul>           |  | <ul style="list-style-type: none"> <li>Designed for everyday use levers &amp; backplates.</li> <li>Spring cassette for ease of operation.</li> <li>2 security fixings.</li> <li>Standard key.</li> </ul>     |  |
|                    |   |  |   |  |  |  |   |  |  |  |  |  |  |  |



## ULTIMATE Series

Rockdoors most secure, stylish and thermally efficient composite door, the Ultimate Series provides homeowners everything they could ever need from a top of the range entrance door. If you choose from the Ultimate Series, you can also select a glass design from the Elite or Select Series.



## ELITE Series

Elite Series features a popular range of door styles for homeowners wanting a high quality door, a stylish glass design and good quality furniture. If you choose from the Elite Series, you can also select a glass design from the Select Series.



## SELECT Series



The Select Series provides a simple and affordable solution for homeowners looking for basic glass designs, whilst still wanting an attractive looking secure composite door.



Colour, inside & out

Rockdoors are available in 13 different colours as shown. As Rockdoors are ‘made to order’ all colours shown are available inside & out. Please check colour swatch before ordering.

Visit [rockdoor.com](http://rockdoor.com) and use our innovative ‘door visualiser’ to see a Rockdoor on your own home.



Coloured Drip Bars

Choose a colour matched Drip Bar to complement the colour of your door.



Carolina



Clear Glass Clear Glass Clear Glass

Jacobean



Clear Glass Scorpio Apollo Empire Inspire

Illinois



Clear Glass Trinity Pinnacle Empire

Newark



Clear Glass Lantern Bright Star Citadel Jubilee

Classic



Clear Glass Clear Glass

Vermont



Clear Glass Haze Quadra Grey Shades Trio

Cottage View Light



Clear Glass Clear Glass Clear Glass

Stable Spy View



Clear Glass Clear Glass Clear Glass

Stable View Light




Clear Glass Clear Glass Clear Glass

Kentucky



Clear Glass Diamond Lead Aquarius

All the glass designs from both **Elite** & **Select** Series are available in the **Ultimate** Series.



Cottage Spy View



Clear Glass Clear Glass Clear Glass

Stable Diamond



Clear Glass Clear Glass Clear Glass

Montana



Clear Glass Libra Renaissance





Inspire



Kudos

Indiana



Dakota



Arcacia



Clear Glass



Cosmopolitan

English Cottage



Clear Glass



Clear Glass



Square Lead

Portland



Clear Glass



Beacon



Horizon



Apostle

Windsor



Clear Glass



Triton



Titania



Square Lead

Virginia



Clear Glass



Clear Glass

Vogue



Clear Glass



Ocean



Cube



Abyss

Regency



Clear Glass



Clear Glass



Clear Glass

Georgia



Clear Glass



Constellation



Northern Star

Tennessee



Clear Glass



Clear Glass



Dorado

Colonial



Vogue French Door



Clear Glass



Clear Glass

Classic French Door



Clear Glass



Clear Glass



Clear Glass

Furniture Colours



Polished Chrome



Graphite



Polished Gold



Midnight Black

Furniture

Lever/Lever  
(Standard)



Lever/Pad  
(Exterior only)



Rose Handle



Wrought Iron



Bar Handle  
(Round)



Letterplate



Victorian Centre Knob

Numerals




Stainless steel bar handles (Available in the Dakota, Indiana, Vermont & Vogue)  
Indiana & Vermont door styles have minimum width size restrictions.

Security



2 Hook Lock (Standard)  
4 Hook Lock



Security Mesh



Urn Knocker  
(Standard)



Urn Knocker with spy  
hole (Standard)



Knocker  
(Contemporary)



Vault Laminated Glass  
Key inside only



Security Chain



Night Latch  
With or without finger pull



Push & turn

Start / finish position

Thumbturn  
Document Q Compliant




Secured by Design  
Not available with all glass designs









Rockdoors are not only secure, they're extremely thermally efficient too. A 50mm thick sash, carbon fibre reinforcement, S-glaze technology and a high density core see to that. The chart to the right helps you determine the energy ratings of our Ultimate Series doors.

## Backing Glass

## Threshold (Available in all the Series)









| Arcacia                            |  |  |
|------------------------------------|--|--|
|                                    | PVC-U<br>Threshold   | Aluminium<br>Threshold   |
| No Glass<br>Design                 |  ++ |  ++ |
| Glass Design<br>Clear Backing      |  ++ |  ++ |
| Glass Design<br>Obscure<br>Backing |     |     |


70 Frame With Low Aluminium Threshold

Maximum Size: 1016 x 2172

Minimum Size: 818 x 1837







|                                    | PVC-U<br>Threshold   | Aluminium<br>Threshold   |
|------------------------------------|--|--|
| No Glass Design                    |  ++ |  ++ |
| Glass Design<br>Clear Backing      |  ++ |  ++ |
| Glass Design<br>Obscure<br>Backing |     |     |

70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 877 x 1832







| Classic  |                        |
|--|------------------------|
| PVC-U Threshold  | Aluminium Threshold    |
| No Glass Design<br> | 1.2 w/m <sup>2</sup> k |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 916 x 1873         |                        |

|                    | PVC-U<br>Threshold | Aluminium<br>Threshold |
|--------------------|--------------------|------------------------|
| No Glass<br>Design | <b>A ++</b>        | <b>A ++</b>            |

70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 837 x 1802

|                                 | PVC-U<br>Threshold  | Aluminium<br>Threshold  |
|---------------------------------|---|---|
| No Glass Design                 |  +++ |  +++ |
| Glass Design<br>Clear Backing   |  +++ |  +++ |
| Glass Design<br>Obscure Backing |      |      |

70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 781 x 1822

| Cottage View Light           |  |  |
|------------------------------|--|--|
|                              | PVC-U Threshold  | Aluminium Threshold  |
| No Glass Design              |  ++ |  ++ |
| Glass Design Clear Backing   |  ++ |  ++ |
| Glass Design Obscure Backing |     |     |







70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 816 x 1862

| Dakota             |                    |                        |
|--------------------|--------------------|------------------------|
|                    | PVC-U<br>Threshold | Aluminium<br>Threshold |
| No Glass<br>Design | <b>A</b> ++        | <b>A</b> ++            |







70 Frame With Low Aluminium Threshold

Maximum Size: 908 x 2098

Minimum Size: 675 x 1764

| English Cottage              |  |  |
|------------------------------|--|--|
|                              | PVC-U Threshold  | Aluminium Threshold  |
| No Glass Design              |  ++ |  ++ |
| Glass Design Clear Backing   |  ++ |  ++ |
| Glass Design Obscure Backing |     |     |

70 Frame With Low Aluminium Threshold  
Maximum Size: 1016 x 2172  
Minimum Size: 781 x 1870

|                                    | PVC-U<br>Threshold   | Aluminium<br>Threshold   |
|------------------------------------|--|--|
| No Glass Design                    |  ++ |  ++ |
| Glass Design<br>Clear Backing      |  ++ |  ++ |
| Glass Design<br>Obscure<br>Backing |  A  |  A  |

70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 832 x 1871







|                                    | PVC-U<br>Threshold | Aluminium<br>Threshold |
|------------------------------------|--------------------|------------------------|
| No Glass Design                    | <b>A ++</b>        | <b>A ++</b>            |
| Glass Design<br>Clear Backing      | <b>A ++</b>        | <b>A ++</b>            |
| Glass Design<br>Obscure<br>Backing | <b>A</b>           | <b>A</b>               |

70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 876 x 1909







| Indiana            |                    |                        |
|--------------------|--------------------|------------------------|
|                    | PVC-U<br>Threshold | Aluminium<br>Threshold |
| No Glass<br>Design | <b>A</b> ++        | <b>A</b> ++            |

70 Frame With Low Aluminium Threshold  
Maximum Size: 908 x 2098  
Minimum Size: 768 x 1808







(Bar Handle minimum width 860)

| Jacobean                           |  |  |
|------------------------------------|--|--|
|                                    | PVC-U<br>Threshold   | Aluminium<br>Threshold   |
| No Glass<br>Design                 |  ++   |  ++   |
| Glass Design<br>Clear Backing      |  ++ |  ++ |
| Glass Design<br>Obscure<br>Backing |     |     |







70 Frame With Low Aluminium Threshold  
Maximum Size: 1016 x 2172  
Minimum Size: 861 x 1875

|                                 | PVC-U<br>Threshold   | Aluminium<br>Threshold   |
|---------------------------------|--|--|
| No Glass Design                 |  ++   |  ++   |
| Glass Design<br>Clear Backing   |  ++ |  ++ |
| Glass Design<br>Obscure Backing |     |     |







70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 876 x 1875

|                                    | PVC-U<br>Threshold   | Aluminium<br>Threshold   |
|------------------------------------|--|--|
| No Glass Design                    |  ++   |  ++   |
| Glass Design<br>Clear Backing      |  ++ |  ++ |
| Glass Design<br>Obscure<br>Backing |     |     |







70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 792 x 1871

| Newark                             |  |  |
|------------------------------------|--|--|
|                                    | PVC-U<br>Threshold   | Aluminium<br>Threshold   |
| No Glass<br>Design                 |  ++   |  ++   |
| Glass Design<br>Clear Backing      |  ++ |  ++ |
| Glass Design<br>Obscure<br>Backing |  A  |  A  |


70 Frame With Low Aluminium Threshold  
Maximum Size: 1016 x 2172  
Minimum Size: 877 x 1883

|                                 | PVC-U<br>Threshold   | Aluminium<br>Threshold   |
|---------------------------------|--|--|
| No Glass Design                 |  ++   |  ++   |
| Glass Design<br>Clear Backing   |  ++ |  ++ |
| Glass Design<br>Obscure Backing |     |     |

70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 876 x 1882

| Regency                            |   |   |
|------------------------------------|---|---|
|                                    | PVC-U<br>Threshold  | Aluminium<br>Threshold  |
| No Glass<br>Design                 |  +++   |  +++   |
| Glass Design<br>Clear Backing      |  +++ |  +++ |
| Glass Design<br>Obscure<br>Backing |  A   |  A   |

70 Frame With Low Aluminium Threshold  
Maximum Size: 1016 x 2172  
Minimum Size: 877 x 1802


| Stable Diamond                        |   |                        |
|---------------------------------------|---|------------------------|
|                                       | PVC-U<br>Threshold  | Aluminium<br>Threshold |
| No Glass<br>Design                    |  | 1.1 w/m²k              |
| 70 Frame With Low Aluminium Threshold |   |                        |
| Maximum Size: 1016 x 2092             |   |                        |
| Minimum Size: 804 x 1782              |   |                        |

| Stable Spy View |                     |
|-----------------|---------------------|
| PVC-U Threshold | Aluminium Threshold |
| No Glass Design | 1.1 w/m²k           |

70 Frame With Low Aluminium Threshold

Maximum Size: 1016 x 2092







Minimum Size: 781 x 1742

|                    | PVC-U<br>Threshold  | Aluminium<br>Threshold |
|--------------------|---|------------------------|
| No Glass<br>Design |  | 1.1 w/m <sup>2</sup> k |







70 Frame With Low Aluminium Threshold

Maximum Size: 1016 x 2092







Minimum Size: 816 x 1782

|                                    | PVC-U<br>Threshold  | Aluminium<br>Threshold  |
|------------------------------------|---|---|
| No Glass Design                    |  |  |
| Glass Design<br>Clear Backing      |  |  |
| Glass Design<br>Obscure<br>Backing |  |  |







70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 856 x 1822

|                              | PVC-U Threshold  | Aluminium Threshold  |
|------------------------------|--|--|
| No Glass Design              |  ++ |  ++ |
| Glass Design Clear Backing   |  ++ |  ++ |
| Glass Design Obscure Backing |  +  |  +  |







70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 780 x 1890  
 (Bar Handle minimum width 810)

|                                    | PVC-U<br>Threshold  | Aluminium<br>Threshold  |
|------------------------------------|---|---|
| No Glass<br>Design                 |  |  |
| Glass Design<br>Clear Backing      |  |  |
| Glass Design<br>Obscure<br>Backing |  |  |

70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 836 x 1877

|                                    | PVC-U<br>Threshold   | Aluminium<br>Threshold   |
|------------------------------------|--|--|
| No Glass<br>Design                 |  ++ |  ++ |
| Glass Design<br>Clear Backing      |  ++ |  ++ |
| Glass Design<br>Obscure<br>Backing |     |     |

70 Frame With Low Aluminium Threshold  
 Maximum Size: 1016 x 2172  
 Minimum Size: 783 x 1924

|                                 | PVC-U<br>Threshold   | Aluminium<br>Threshold   |
|---------------------------------|--|--|
| No Glass Design                 |  ++ |  ++ |
| Glass Design<br>Clear Backing   |  ++ |  ++ |
| Glass Design<br>Obscure Backing |     |     |

70 Frame With Low Aluminium Threshold


Maximum Size: 1016 X 2172

Minimum Size: 856 X 1875

| Classic French Door |                        |                        |
|---------------------|------------------------|------------------------|
|                     | PVC-U Threshold        | Aluminium Threshold    |
| No Glass Design     | 1.2 w/m <sup>2</sup> k | 1.3 w/m <sup>2</sup> k |

70 Frame With Low Aluminium Threshold  
 Maximum Size: 1930 x 2172  
 Minimum Size: 1730 x 1873

Secured by Design




Police Preferred Specification

| Vogue French Door |                        |                        |
|-------------------|------------------------|------------------------|
|                   | PVC-U Threshold        | Aluminium Threshold    |
| No Glass Design   | 1.2 w/m <sup>2</sup> k | 1.3 w/m <sup>2</sup> k |

70 Frame With Low Aluminium Threshold  
 Maximum Size: 1930 x 2172  
 Minimum Size: 1464 x 1924

Secured by Design



Police Preferred Specification



Jacobean



Clear Glass



Summit



Ellipse



Linear



Square Lead

Kentucky



Clear Glass



Summit



Ellipse



Linear

Regency



Clear Glass



Clear Glass



Clear Glass

Colonial



Clear Glass



Summit



Linear

Windsor



Clear Glass



Summit



Ellipse



Linear

All the glass designs from **Select Series** are available in the **Elite Series**.



All Colours are available

Tennessee



Clear Glass



Summit



Ellipse



Linear

Arcacia



Clear Glass



Summit



Ellipse

Security Options




2 Hook Locks

Security Chain



Lever/Pad  
(Exterior only)

Lever/Lever  
(Standard)




Letterplate



Victorian  
Centre Knob  
(Chrome only)

Numerals

Furniture Options



Urn Knocker  
with spy hole

Urn Knocker

Colours



Chrome

Gold

Energy Rating

| Arcacia  | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | <b>C</b>        | <b>C</b>            |
| Glass Design Clear Backing   | <b>C</b>        | <b>C</b>            |
| Glass Design Obscure Backing   | <b>D</b>        | <b>D</b>            |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 818 x 1837 |                 |                     |

| Colonial   | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | <b>B</b>        | <b>B</b>            |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 837 x 1802 |                 |                     |

| Jacobean   | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | <b>C</b>        | <b>C</b>            |
| Glass Design Clear Backing   | <b>C</b>        | <b>C</b>            |
| Glass Design Obscure Backing   | <b>D</b>        | <b>D</b>            |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 861 x 1875 |                 |                     |

| Kentucky   | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | <b>C</b>        | <b>C</b>            |
| Glass Design Clear Backing   | <b>C</b>        | <b>C</b>            |
| Glass Design Obscure Backing   | <b>D</b>        | <b>D</b>            |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 876 x 1875 |                 |                     |

| Regency  | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | <b>C</b>        | <b>C</b>            |
| Glass Design Clear Backing   | <b>C</b>        | <b>C</b>            |
| Glass Design Obscure Backing   | <b>D</b>        | <b>D</b>            |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 877 x 1802 |                 |                     |

| Tennessee  | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | <b>C</b>        | <b>C</b>            |
| Glass Design Clear Backing   | <b>C</b>        | <b>C</b>            |
| Glass Design Obscure Backing   | <b>D</b>        | <b>D</b>            |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 856 x 1822 |                 |                     |

| Windsor  | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | <b>C</b>        | <b>C</b>            |
| Glass Design Clear Backing   | <b>C</b>        | <b>C</b>            |
| Glass Design Obscure Backing   | <b>D</b>        | <b>D</b>            |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 X 2172<br>Minimum Size: 856 X 1875 |                 |                     |



Regency



Clear Glass Clear Glass Clear Glass

Colonial



Clear Glass Red Diamond Green Diamond

Tennessee




Clear Glass Black Diamond Green Diamond Crystal Bevel

Jacobean



Clear Glass Green Diamond Crystal Bevel Crystal Bevel

Kentucky



Clear Glass Red Diamond White Diamond Crystal Bevel

Windsor




Clear Glass White Diamond Diamond Lead Crystal Bevel

Arcacia




Clear Glass Red Diamond Crystal Bevel

Design your door at  
Rockdoor.com



Security Options



2 Hook Locks Security Chain



Lever/Pad (Exterior only) Lever/Lever (Standard)




Letterplate



Victorian Centre Knob (Chrome only)

Numerals



Urn Knocker with spy hole

Urn Knocker

Furniture Options

Colours



Chrome Gold

Energy Rating

| Arcacia  | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | D               | D                   |
| Glass Design Clear Backing   | D               | D                   |
| Glass Design Obscure Backing   | D               | D                   |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 818 x 1837 |                 |                     |

| Colonial   | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | B               | B                   |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 837 x 1802 |                 |                     |

| Jacobean   | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | D               | D                   |
| Glass Design Clear Backing   | D               | D                   |
| Glass Design Obscure Backing   | D               | D                   |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 861 x 1875 |                 |                     |

| Kentucky   | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | D               | D                   |
| Glass Design Clear Backing   | D               | D                   |
| Glass Design Obscure Backing   | D               | D                   |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 876 x 1875 |                 |                     |


| Regency  | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | D               | D                   |
| Glass Design Clear Backing   | D               | D                   |
| Glass Design Obscure Backing   | D               | D                   |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 877 x 1802 |                 |                     |

| Tennessee  | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | D               | D                   |
| Glass Design Clear Backing   | D               | D                   |
| Glass Design Obscure Backing   | D               | D                   |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 x 2172<br>Minimum Size: 856 x 1822 |                 |                     |

| Windsor  | PVC-U Threshold | Aluminium Threshold |
|--|-----------------|---------------------|
| No Glass Design  | D               | D                   |
| Glass Design Clear Backing   | D               | D                   |
| Glass Design Obscure Backing   | D               | D                   |
| 70 Frame With Low Aluminium Threshold<br>Maximum Size: 1016 X 2172<br>Minimum Size: 856 X 1875 |                 |                     |

## Obscure Backing Glass (Available in all the Series)

Choosing an obscure backing glass in replacement of clear glass will reduce the Door Energy Ratings - we recommend all designs featuring Gluechip glass are backed using clear glass to enable us to use Soft Coat glass. Alternatively if you would like a different backing glass, the following options are available.




Sandstone



Honeycomb



Woodland



Glacier



Gluechip *(extra cost option)*



Misted *(extra cost option)*

## Additional Designs (Available in all the Series)

We are pleased to offer the following glass options to help you match certain property types or existing window patterns.

*Georgian Bar Only available in Windsor, Jacobean, Kentucky, Portland & Stable View Light. Available in White, Light Oak & Woodgrain. Georgian Bar reduces the energy rating from an A to a B.*



Georgian Bar



9mm Diamond Lead



9mm Square Lead



rockdoor.com



All photographs, colours, and images are to be considered representative of the actual products. We reserve the right to change specifications at any time. Please check energy ratings before ordering. All images copyright to Rockdoor Ltd. Rockdoor is a registered trademark. February 2016