

Revision Date	April. 01. 2011	<b>Material Safety Data Sheet (GOLD ADHESIVE)</b>	Page No.	1/3
---------------	-----------------	---	----------	-----

### 1. Chemical Product and Company Identification

- **Product Name:** Eyelash extension glue
- **Manufacturer:** Lash Stuff 928 W 2300 N Harrisville UT, 84414
- **Emergency Phone Number:** 801-674-7740

### 2. Composition / Information on Ingredients

INGREDIENT	WT(%)	CAS NO.
Cyano Acrylate	84	7085-85-0
Poly Alkyl Methacrylate	5	9011-14-7
Poly Isocyanate	5	9016-87-9
Pigment	5	133-86-4
Water	0.5	7732-18-5
N-methyl pyrrolidone	0.5	872-50-4
<b>TOTAL</b>	<b>100</b>	

### 3. Hazards Identification

This product is a colored, Solvent borne Cyano Methacrylate.

- **Inhalation** : Vapor can cause headache, nausea and irritation of the nose, throat and lungs.
- **Eye** : Contact with vapor or liquid may irritate the eyes.
- **Skin** : Slightly irritating to the skin.
- **Ingestion** : May cause pain, nausea and vomiting .

### 4. First Aid Measures

- **Inhalation** : Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention immediately.
- **Eye Contact** : Immediately flush eyes with running water for at least 15 minutes. If redness, itching or a burning sensation develops, see a physician.
- **Skin Contact** : Remove contaminated clothing/shoes and wipe off excess from skin, Wash exposed area with soap and water. If redness, itching or a burning sensation develops, get medical attention.
- **Ingestion** : Get medical attention immediately.
- **Note to Physicians** : None for this material.

### 5. Fire-Fighting Measures

- **Extinguishing Media** : Use dry chemical, carbon dioxide, foam or spray as appropriate for surrounding fire.
- **Fire-Fighting Instructions** : Do not enter any enclosed or confined fire space without full protective equipment, including self-contained breathing apparatus to protect against the hazardous effects of combustion products and oxygen deficiency.

### 6. Accidental Release Measures

- **Small Spills** : Dike and absorb with inert material such as sand and remove all liquid with the use of a vacuum system. If unable to remove liquid, then begin to absorb with sand, saw dust or commercial absorbent, and scoop up and place in containers for proper disposal. Keep spills and cleaning runoff out of the municipal sewers and open bodies of water. Decontaminate all clothing and the spill area with a detergent and large amounts of water.
- **Large Spills** : Use same procedure as small spill.

Revision Date	April. 01. 2011	<b>Material Safety Data Sheet (GOLD Glue)</b>	Page No.	2/3
---------------	-----------------	---	----------	-----

## 7. Handling and Storage

- **Handling Precautions** : Avoid skin or eye contacts. Avoid prolonged or repeated breathing of vapors and mists. If spilled on clothing, launder before reuse. Do not take internally. Use only in a well ventilated area keep out of the reach of children.

- **Storage Requirements** : Keep refrigerated. Keep container tightly closed when not in use.

Don not get in eyes, on skin or on clothing. Monomer vapors can be evolved with material is heated. Containers, even those that have been emptied, will retain product residue vapors and are subject to proper waste disposal, as above.

## 8. Exposure Controls / Personal Protection

- **Protective Clothing/Equipment** : The use of gloves impermeable to the specific material handled is advised to prevent skin contact and possible irritation. Use Chemical Goggles if splashing may occur.

## 9. Physical and Chemical Properties

- **Physical State** : Liquid

- **pH** : N/A

- **Water Solubility** : N/A

- **Boiling Point** : 100 °C

## 10. Stability and Reactivity

- **Hazardous Decomposition Products** : Thermal decomposition may yield acrylic monomer, carbon monoxide and carbon dioxide. Unidentified organic compounds in fumes and smoke may be formed during combustion.

## 11. Toxicological Information

**LD50/LC50** : Dermal, guinea pig :LD 50 => 5gm/kg;

**Draize test, rabbit, skin** : 400 uL Severe : Inhalation, rat :LC50 =>5100 mg/m<sup>3</sup>/4H;

**Oral, mouse**: LD50 = 1460mg/kg; Oral, rat: LD50=1540 mg/kg.

**Carcinogenicity** : Butyrolactone- IARC: Group 3 carcinogen

**Epidemiology**: No information available.

**Teratogenicity**: No information available.

**Reproductive Effects**: No information available.

**Neurotoxicity**: No information available.

**Mutagenicity**: No information available.

**Other Studies**: None reported.

## 12. Ecological information

No information available.

## 13. Disposal Consideration

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste.

US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3.

Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

**RCRA P-Series**: None listed.

**RCRA U-Series**: None listed.

**14. Transport information** : No information available.

## 15. Regulatory Information

Regulations of the European union (Labelling) / National legislation/Regulations

EC-Number: 202-509-5 as in Annex VI of Directive 67/548/EEC:

Hazard symbol(s)

<b>Revision Date</b>	<b>April. 01. 2011</b>	<b>Material Safety Data Sheet (GOLD Glue)</b>	<b>Page No.</b>	<b>3/3</b>
----------------------	------------------------	---	-----------------	------------

Xn Harmful. R-phrases) R22 Harmful if swallowed.

R41 Risk of serious damage to eyes.

S-phrases) S39 Wear eye/face protection.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

The labelling is based on our own experience.

**Hazard determinant component(s) for labelling:** GAMMA-BUTYROLACTONE Other regulations.

#### **16. Other information**

The information contained herein is based upon data and information available to us, and reflects our best professional judgment, but is offered without guarantee or warranty. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.