

DOMESTIC RANGE

HONDA

GREATNESS

FROM THE GROUND UP

LAWN AND GARDEN RANGE 2018

BUFFALO PRO,
MOW-SAFE TECHNOLOGY,
LIGHTER CONTROLS

HRU19 BUFFALO PREMIUM
HRU196 BUFFALO PRO
HRU216 BUFFALO PRO

WIDE OPEN CHUTE
4 YEAR WARRANTY

ENGINE BRAKE TECHNOLOGY

HONDA



**HRU19
BUFFALO
PREMIUM**
PUSH MOWER

You're looking at the latest in a long line of mowers great enough to wear the Buffalo badge.

The all new Honda Buffalo is the most advanced lawnmower Honda has ever built. It's the product of thousands of hours of development by leading engineers from Australia, America & Japan. It has an all new designed alloy deck which features the best cutting and mulching performance ever seen on a Honda HRU lawnmower.

Like all other Honda HRU mowers, the new HRU continues to be assembled in Australia, helping support the local manufacturing industry. All of this innovation comes with the quality and reliability that Honda is famous for. So if it's true greatness you're after, there's only one question you need to answer. Which all-new Honda Buffalo is right for you?

GREATNESS

FROM THE GROUND UP

**HRU19 BUFFALO
PREMIUM**
PUSH MOWER



**HRU196
BUFFALO PRO
ENGINE BRAKE**
PUSH MOWER



**HRU196
BUFFALO PRO
BLADE BRAKE**
PUSH MOWER



**HRU216
BUFFALO PRO**
SELF PROPELLED



Assembled in Australia.

Honda goes to extraordinary lengths to ensure best-in-market quality. We begin with the highest quality components, with each part individually inspected before entering the production line. We then build each mower, part by part, exceeding Australian industry standards at every stage. This exacting process involves multiple quality checks during and after production, including test-firing, to check ease of starting and the quietness of Honda's legendary 4-stroke engines.



- Medium Lawn
- 19" Cutter Deck
- 54 Litre Catcher
- Mow-Safe Technology
- Swing Back Blade
- 4 Year Warranty*

HRU19 BUFFALO PREMIUM

PUSH MOWER

- GCV170 4-Stroke Engine
- Engine brake technology
- Mulching function
- New height adjust control
- Improved bagging performance with wide open discharge
- Improved front engine brake for comfort

\$899
RRP ^{4-STROKE}

HRU19M2PKU



- Medium Lawn
- 21" Cutter Deck
- 66 Litre Catcher
- Mow-Safe Technology
- Bar Blade
- 2 Year Warranty†

HRR216PKU

PUSH MOWER

- GCV160 4-Stroke Engine
- Engine brake technology
- MicroCut® Twin Blades
- 3-in-1 System with Clip Director®

\$699
RRP ^{4-STROKE}

\$799
RRP ^{4-STROKE}

ALSO AVAILABLE IN SELF PROPELLED

• With variable speed Smart Drive

HRR216K10PKUA

HRR216K10VKUA



- Small to Medium Lawn
- 21" Cutter Deck
- Mow-Safe Technology
- Bar Blade
- 2 Year Warranty†

- Small Lawn
- 14.5" Cutter Deck
- 35 Litre Catcher
- Mow-Safe Technology
- Bar Blade
- 4 Year Warranty†

HRS216PKU

SIDE CHUTE

- GCV160 4-Stroke Engine
- Engine brake technology
- Side discharge chute
- Mulching function

\$699
RRP ^{4-STROKE}

HRS216K6PKUA

HRE370

ELECTRIC

- 1.3kW Electric motor

\$399
RRP ^{4-STROKE}

HRE370A2PLE



- Medium Lawn
- 21" Cutter Deck
- 66 Litre Catcher
- Mow-Safe Technology
- Bar Blade
- 2 Year Warranty†

HRR216VYU

SELF PROPELLED

- GCV160 4-Stroke Engine
- Blade brake technology
- MicroCut® Twin Blades
- 3-in-1 System with Clip Director®
- Variable speed Smart Drive

\$899
RRP ^{4-STROKE}

HRR216K10VYUA



- Medium to Large Lawn
- 21" Cutter Deck
- 88 Litre Catcher
- Mow-Safe Technology
- Bar Blade
- 2 Year Warranty*

HRX217HYU SELF PROPELLED

- GCV190 4-Stroke Engine
- Blade brake technology
- MicroCut® Twin Blades

- 4-in-1 Versamow System™ with Clip Director®
- NeXite® Deck

- Self propelled, hydrostatic cruise control

4-STROKE
RRP **\$1299**

HRX217K5HYUA



- Medium to Large Lawn
- 21" Cutter Deck
- 88 Litre Catcher
- Mow-Safe Technology
- Bar Blade
- 2 Year Warranty*

HRX217HZU ELECTRIC START

- GCV190 4-Stroke Engine
- Blade brake technology
- MicroCut® Twin Blades

- 4-in-1 Versamow System™ with Clip Director®
- NeXite® Deck

- Self-charging electric start
- Self propelled, hydrostatic cruise control

4-STROKE
RRP **\$1499**

HRX217K5HZUA

Battery charger sold separately.



NEXITE® DECK

Extremely tough polymer material that will never rust, resists corrosion and abrasion and is super strong. HRX models only.



STEEL DECK

Rugged, durable steel deck is designed for long life. HRS, HRR and HRC models only.



ELECTRIC START

Effortless self-charging key start, to reduce the need for "plug in" charging. HRX217HZU only.



MOW-SAFE – ENGINE BRAKE

A safety feature that stops the blades and engine within 3 seconds upon release of the handle.



MOW-SAFE – BLADE BRAKE

A safety feature that stops the blades within 3 seconds upon release of the handle, while the engine continues to run.



SIDE CHUTE

Unique to the HRS model, the side chute system means no wasted time emptying a grass catcher. HRS216PKU only.



4-IN-1 VERSAMOW SYSTEM™ WITH CLIP DIRECTOR®

Honda's revolutionary Versamow System™ allows you to mulch, bag, discharge and shred leaves – or even a combination of mulching and bagging! Just slide the convenient Clip Director® knob to choose how much grass is bagged or mulched. No tools or costly attachments needed. HRX models only.



3-IN-1 SYSTEM WITH CLIP DIRECTOR®

Slide the Clip Director® to switch from mulching to bagging or discharge with just one touch. No need for a mulch plug or other attachments. HRR models only.



MICROCUT® TWIN BLADE SYSTEM

Honda's exclusive MicroCut® Twin Blade System uses four cutting surfaces that result in ultra fine clippings for superior mulching and up to 30% more clippings per bag. HRR, HRX and HRC models only.



SMART DRIVE

Easily adjust the mower's speed to your pace by rotating the control. Five position adjustable control for comfort. Variable speed from 0-6.5km/h. HRR216VKU and HRR216VYU models only.



HYDROSTATIC CRUISE CONTROL

Honda's Hydrostatic Cruise Control allows precise speed control that's fully adjustable from 0-6.5km/h. HRX models only.



EASY FOLD HANDLE

Easily adjust the handle to different comfortable mowing positions, or fold over for storage. HRS, HRR and HRX models only.



NEW

- Medium to Large Lawn
- 19" Cutter Deck
- 54 Litre Catcher
- Mow-Safe Technology
- Swing Back Blade
- 4 Year Warranty*

HRU196 BUFFALO PRO
ENGINE BRAKE — PUSH MOWER

- GXV160 4-Stroke Engine
- Engine brake technology
- Improved mulching function
- Wide open discharge

\$1099
RRP

HRU196M2PWUH



Heritage
— HRU196 —

- Medium to Large Lawn
- 19" Cutter Deck
- 54 Litre Catcher
- Mow-Safe Technology
- Swing Back Blade
- 4 Year Warranty*

HRU196 HERITAGE
PUSH MOWER

- GXV160 4-Stroke Engine
- Engine brake technology
- Mulching function
- Snorkel kit

\$1149
RRP

HRU196M1PWUY



NEW

- Medium to Large Lawn
- 19" Cutter Deck
- 54 Litre Catcher
- Mow-Safe Technology
- Swing Back Blade
- 4 Year Warranty*

HRU196 BUFFALO PRO
BLADE BRAKE — PUSH MOWER

- GXV160 4-Stroke Engine
- Blade brake technology
- Improved mulching function
- Wide open discharge

\$1199
RRP

HRU196M2PBUH



- Large Lawn
- 21" Cutter Deck
- 88 Litre Catcher
- Mow-Safe Technology
- Bar Blade
- 2 Year Warranty†

HRC216PDU
PUSH MOWER

- GSV160 4-Stroke Engine
- Engine brake technology
- Large NeXite® wheels
- MicroCut® Twin Blades
- Mulching function

\$1199
RRP

HRU216K3PDUA



NEW

- Large Lawn
- 21" Cutter Deck
- 70 Litre Catcher
- Mow-Safe Technology
- Swing Back Blade
- 4 Year Warranty*

HRU216 BUFFALO PRO
SELF PROPELLED

- GXV160 4-Stroke Engine
- Blade brake technology
- Improved mulching function
- 70 Litre catcher with Dacron dust deflector

\$1749
RRP

HRU216M3TBUH

DOMESTIC RANGE						
Product Code	HRE370	NEW HRU19M2	HRS216PKU	HRR216PKU	HRR216VKU	HRR216VYU
	ELECTRIC	PUSH MOWER	SIDE CHUTE	PUSH MOWER	SELF PROPELLED	SELF PROPELLED
MOW-SAFE TECHNOLOGY	YES	ENGINE BRAKE	ENGINE BRAKE	ENGINE BRAKE	ENGINE BRAKE	BLADE BRAKE
Engine	1.3kW AC	GCV170	GCV160	GCV160	GCV160	GCV160
Engine Spec	Electric	OHV/OHC	OHV/OHC	OHV/OHC	OHV/OHC	OHV/OHC
Auto Choke	–	Yes	Yes	Yes	Yes	Yes
Snorkel	No	No	No	No	No	No
Chassis	Polymer	Cast Aluminium	Solid Steel	Solid Steel	Solid Steel	Solid Steel
Cutting Width	14.5" (368mm)	19" (470mm)	21" (530mm)	21" (530mm)	21" (530mm)	21" (530mm)
Cutting Height Adjustment	1 Lever	1 Lever	4 Wheels	4 Wheels	4 Wheels	4 Wheels
Cutting Height Range	5 Stages 18-65mm	11 Stages 16-80mm	6 Stages 30-100mm	6 Stages 30-100mm	6 Stages 30-100mm	6 Stages 30-100mm
Self Propelled	No	No	No	No	Yes	Yes
Speeds	Push	Push	Push	Push	Variable	Variable
Wheel Diameter (mm)	160	200	200	200	200	200
Grass Catcher	Dacron Bag	Polymer	No	Yes	Yes	Yes
Catcher Capacity	35 Litres	54 Litres	–	66 Litres	66 Litres	66 Litres
Fuel Type	–	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded
Fuel Tank Capacity	240 Volts	0.91 Litres	0.91 Litres	0.93 Litres	0.93 Litres	0.93 Litres
Mulching Capability	–	Yes	Yes	Yes	Yes	Yes
Rear Discharge Capability	–	Yes	No	Yes	Yes	Yes
Wash Port	–	Yes	No	No	No	No
Mower Code	HRE370A2PLE	HRU19M2PKU	HRS216K6PKUA	HRR216K10PKUA	HRR216K10VKUA	HRR216K10VYUA
Blade Type	Bar Blade	Swing Back Blade	Bar Blade	Bar Blade	Bar Blade	Bar Blade
RRP	\$399	\$899	\$699	\$699	\$799	\$899

PREMIUM RANGE		COMMERCIAL RANGE				
HRX217HYU	HRX217HZU	HRU196 HERITAGE	NEW HRU196 BUFFALO PRO	NEW HRU196 BUFFALO PRO	HRC216PDU	NEW HRU216 BUFFALO PRO
SELF PROPELLED	ELECTRIC START	PUSH MOWER	PUSH MOWER	PUSH MOWER	PUSH MOWER	SELF PROPELLED
BLADE BRAKE	BLADE BRAKE	ENGINE BRAKE	ENGINE BRAKE	BLADE BRAKE	ENGINE BRAKE	BLADE BRAKE
GCV190	GCV190	GXV160	GXV160	GXV160	GSV160	GXV160
OHV/OHC	OHV/OHC	OHV with Cast-Iron Bore	OHV with Cast-Iron Bore	OHV with Cast-Iron Bore	OHV/OHC with Cast-Iron Bore	OHV with Cast-Iron Bore
Yes	Yes	Manual	Manual	Manual	Manual	Manual
No	No	Yes	No	No	No	No
NeXite®	NeXite®	Cast Aluminium	Cast Aluminium	Cast Aluminium	Solid Steel	Cast Aluminium
21" (530mm)	21" (530mm)	19" (470mm)	19" (470mm)	19" (470mm)	21" (530mm)	21" (530mm)
4 Wheels	4 Wheels	1 Lever	1 Lever	1 Lever	4 Wheels	1 Lever
7 Stages 19-100mm	7 Stages 19-100mm	11 Stages 16-75mm	11 Stages 16-80mm	11 Stages 16-80mm	8 Stages 19-100mm	11 Stages 16-80mm
Yes	Yes	No	No	No	No	Yes
Variable	Variable	Push	Push	Push	Push	3 Speed
230	230	200	200	200	230	200
Yes	Yes	Polymer	Polymer	Polymer	Yes	Dacron
88 Litres	88 Litres	54 Litres	54 Litres	54 Litres	88 Litres	70 Litres
Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded
0.93 Litres	0.93 Litres	1.5 Litres	1.5 Litres	1.5 Litres	1.1 Litres	1.5 Litres
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
No	No	No	Yes	Yes	Yes	Yes
HRX217K5HYUA	HRX217K5HZUA	HRU196M1PWUY	HRU196M2PWUH	HRU196M2PBUH	HRC216K3PDUA	HRU216M3TBUH
Bar Blade	Bar Blade	Swing Back Blade	Swing Back Blade	Swing Back Blade	Bar Blade	Swing Back Blade
\$1299	\$1499	\$1149	\$1099	\$1199	\$1199	\$1749



UMS425
BENT SHAFT BRUSHCUTTER

4-STROKE
RRP **\$319**

- Easy-to-use 'tap and go' nylon line head
- Includes safety goggles

4 Year Warranty*
 GX25cc Engine
 Contractor Quality
 360° Operation

UMS425ULTUT

WORLD'S BEST SELLING 4-STROKE BRUSHCUTTER

HHB25
BLOWER

4-STROKE
RRP **\$499**

- Unique anti-suction fan cover
- Low emissions and fuel consumption

4 Year Warranty*
 GX25cc Engine
 252km/h Wind Velocity
 360° Operation

HHB25UT

HHH25D
HEDGE CUTTER

4-STROKE
RRP **\$799**

- 2-motion throttle trigger
- 3-way, adjustable rear handle
- Low emissions and fuel consumption

4 Year Warranty*
 GX25cc Engine
 720mm Cutting Blade
 Contractor Quality
 360° Operation

HHH25D75UT

SAFETY GEAR



Honda OIL
Recommended for use in all Honda Power Equipment products.
1L L1002P08001 **\$12.60**
4L L1002P08006 **\$39.30**



FACE SHIELD KIT
Kit includes clear visor AS/NZS 13371:2010, mesh visor and earmuffs AS/NZS 1270:2002.
Part No. L08VE008R **\$67.60**



Honda EARMUFFS
Padded headband, fully adjustable.
Part No. L08EM006R **\$30.00**



BRUTILITY GARDENING GLOVES
Comfortable and versatile gloves for all your gardening work. Part No. L08GL020 **\$19.75**



SAFETY CHAPS
Tough polyester outer with comfortable poly cotton lining; provides the ultimate leg protection.
Part No. L08BC007B **\$61.05**



- 4 Year Warranty*
- GX25cc Engine
- Contractor Quality
- 360° Operation

- 4 Year Warranty*
- GX25cc Engine
- Contractor Quality
- 360° Operation

UMK425
LOOP HANDLE BRUSHCUTTER

4-STROKE RRP **\$499**

- Optional blade kit available
- Anti-vibration engine mount
- Safety goggles and single operator harness included
- Easy-to-use 'tap and go' nylon line head

UMK425ULTUT

UMK425
BIKE HANDLE BRUSHCUTTER

4-STROKE RRP **\$699**

- Safety goggles and single operator harness included
- Easy-to-use 'tap and go' nylon line head
- Anti-vibration engine mount
- Includes 4-tooth blade & kit

UMK425UUGUT

ALSO AVAILABLE IN GX35CC ENGINE
UMK435

4-STROKE RRP **\$749**

Includes free 4-tooth blade & kit & full operator harness

UMK435ULGUT

ALSO AVAILABLE IN GX35CC ENGINE
UMK435

4-STROKE RRP **\$799**

Includes free 4-tooth blade & kit & full operator harness

UMK435UUGUT

ATTACHMENTS FOR UMK425/UMK435



HEDGETRIMMER ATTACHMENT

RRP **\$345**

The hedgetrimmer attachment is purposely designed to attach to Honda's straight shaft (UMK425/UMK435) brushcutter.

Part No. 06260VL6000AU

PRUNER ATTACHMENT

RRP **\$345**

The pruner attachment is designed for trimming and cutting high branches in commercial and domestic applications. It is purposely designed to attach to Honda's straight shaft (UMK425/UMK435) brushcutter.

Part No. 06250VL6000AU

NEW TRIMMER LINE

Round Trimmer Line	Silent Trimmer Line
2.4x125G L1024UMK125RD \$9.90	2.4x125G L1024UMK125ST \$9.90
2.4x225G L1024UMK225RD \$15.40	2.4x225G L1024UMK225ST \$15.40
Star Trimmer Line	
2.4x125G L1024UMK125SR \$9.90	
2.4x225G L1024UMK225SR 15.40	

1 SELECT POWERHEAD



UMC425 POWER HEAD

4 Year Warranty* GX25cc Engine Contractor Quality 360° Operation

4-STROKE RRP **\$489**

UMC425ULAUT

ALSO AVAILABLE IN GX35CC ENGINE
UMK435

4-STROKE RRP **\$589**

UMK435ULAUT

2 SELECT ATTACHMENTS



BRUSHCUTTER

RRP **\$199**

- Designed for cutting and clearing, making lawn maintenance easy
- Ergonomically designed easy-grip loop handle
- Durable 'tap and go' nylon head

SSBCU



CULTIVATOR

RRP **\$399**

- Makes tilling, aerating and cultivating of soil easy
- 170mm width makes the cultivation of garden beds and lawns simple and stress-free

SSCLU



HEDGETRIMMER (SHORT SHAFT)

RRP **\$379**

- A lighter, more compact version of the Hedgetrimmer (Long Shaft)
- Perfect for the domestic operator
- Features a 550mm double-sided blade with a 90mm shaft length

SSHHSU



BLOWER

RRP **\$199**

- One of the most compact and lightweight blower attachments available
- Easily keeps garden paths, driveways, lawns and verandas free of leaves and debris

SSBLU



HEDGETRIMMER (LONG SHAFT)

RRP **\$399**

- Longer attachment designed for trimming foliage and tall hedges
- Perfect for the commercial contractor
- Features a 550mm double-sided blade with a 600mm shaft length

SSHHLU



EDGER

RRP **\$239**

- The perfect tool to keep unsightly weeds and grass from popping up
- Easy-to-use adjustable height mechanism

SSETU



PRUNER

RRP **\$379**

- Designed for trimming, pruning and cutting high branches
- Features a 12" bar length with a 3/8" Oregon saw chain
- Suitable for domestic and commercial settings
- Overall Pruner Length 1065mm

SSPPU



EXTENSION POLE

RRP **\$129**

- Lightweight extension pole allows for more reach with an extra 1085mm length
- Suitable for the Pruner and Hedgetrimmer (Short Shaft) attachments

SSESLU



FG110 OPTIONAL ACCESSORIES



FG110
• Fold over handles for convenience

4 Year Warranty*
GX25cc Engine

Tilling Width 230mm
Tilling Depth 203mm

\$799 4-STROKE RRP

FG110K1UT

F220
• Multi-step adjustable handles

4 Year Warranty*
GXV57 Engine

Tilling Width 545mm
Tilling Depth 280mm

\$1499 4-STROKE RRP

F220UT2

F501
• 2 forward gears and 1 reverse

4 Year Warranty*
GX160 Engine

Tilling Width 914mm
Tilling Depth 280mm

\$2179 4-STROKE RRP

F501K8UH

Counter Rotating Tines

FR750
• 2 forward gears and 1 reverse
• Diff Lock Option - Improves traction

4 Year Warranty*
GX200 Engine

Tilling Width 600mm
Tilling Depth 120mm

\$4369 4-STROKE RRP

FR750K3U

FRC800
• 3 forward gears and 1 reverse

4 Year Warranty*
GX240 Engine

Tilling Width 508mm
Tilling Depth 100mm

\$3829 4-STROKE RRP

FRC800K1U

VOLUME PUMPS



WX10 **\$499** 4-STROKE RRP

- Economical 1" volume pump
- Maximum total head 37m
- Maximum suction head 8m
- Delivers 120L/min capacity

WX10TU



WX15 **\$699** 4-STROKE RRP

- Economical 1.5" volume pump
- Maximum total head 37m
- Maximum suction head 8m
- Delivers 280L/min capacity

WX15TU



WB20 **\$799** 4-STROKE RRP

- Portable 2" volume pump
- Maximum total head 32m
- Maximum suction head 8m
- Delivers 620L/min capacity

WB20XT3DRXU



WB30 **\$999** 4-STROKE RRP

- Portable 3" volume pump
- Maximum total head 28m
- Maximum suction head 8m
- Delivers 1100L/min capacity

WB30XT3DRXU

TRASH PUMPS



WT20 **\$1999** 4-STROKE RRP

- Portable 2" trash pump
- Maximum total head 30m
- Maximum suction head 8m
- Delivers 710L/min capacity

WT20XK4UD



WT30 **\$2299** 4-STROKE RRP

- Portable 3" trash pump
- Maximum total head 27m
- Maximum suction head 8m
- Delivers a massive 1210L/min capacity

WT30XK4UD

ENGINES



GX MINI 4-STROKE

- 25cc, 35cc & 50cc models available
- Fully inclinable OHC engine
- 360° operation



GC & GCV SERIES

- Three variants available (horizontal and vertical shaft)
- OHC domestic engine



GX SERIES

- More than 70 model variants to choose from
- Horizontal shaft
- OHV commercial engine



GXV SERIES

- Three horsepower models available
- Vertical shaft engines
- OHV commercial engine



GX V-TWIN SERIES

- New generation V-twins
- Three horsepower choices, seven models
- OHV commercial engine



GP SERIES

- 160cc & 200cc
- Perfect for light use and domestic applications



GP SERIES

- 160cc & 200cc
- Perfect for light use and domestic applications

3-STEP PROCESS TO ENSURE YOU GET THE RIGHT GENERATOR

1. WHAT DO YOU WANT TO POWER?

Whether you have a small caravan or something a little more substantial, knowing your appliance ratings is going to help you in the long run. Write a list of all the appliances you want to have running at one time. Then find out the ratings of each appliance. You need to take into account start-up power.

2. FACTOR IN START-UP POWER

Start-up power is simply the power an appliance needs to begin operating. Appliances that run an electric motor (air conditioners and water pumps) can require 3 times the operating load but this is usually only needed for a very short period. Check the compliance plate on the unit for specifications.

3. PICK THE GENERATOR THAT SUITS YOUR NEEDS

If you look at your list, there's a high chance you're not going to need everything running at once. A kettle draws a lot of power but only runs for a minute or so, it won't hurt to turn off some appliances while the kettle boils. Just make sure you have the essentials covered. Let's say your total running power requirement is 1500W, with a start-up power requirement of 1900W, then the Honda EU22i Generator will be the right fit.

If you are unsure, consult your Authorised Honda Dealer.



EU22i 4 Year Warranty* 3000W Max Output Inverter Technology 8 Operating Hours* Contractor Quality **\$2099** ^{4-STROKE} RRP

- Greater fuel efficiency via Built-in Eco-Throttle
- Engine protected by low oil alert system
- Increased diameter of oil filter for improved draining and catching of oil
- Improved recoil starter handle with new metal guard
- Improved run dry switch allows the engine to continue running until majority of fuel is consumed before engine shuts off. This prevents stale fuel and is useful for storing.

EU22iTU



4 Year Warranty* 1000W Max Output Inverter Technology 8 Operating Hours* Contractor Quality

EU10i

\$1499 ^{4-STROKE} RRP

- Greater fuel efficiency via Built-in Eco-Throttle
- Engine protected by low oil alert system
- Our lightest inverter generator

EU10i1U



4 Year Warranty* 3000W Max Output Inverter Technology 7.7 Operating Hours* Contractor Quality

EU30iu

HANDY

\$3369 ^{4-STROKE} RRP

- Greater fuel efficiency via Built-in Eco-Throttle
- Easy use handle and high mobility tyres
- Engine protected by low oil alert system

EU30i1U



4 Year Warranty* 3000W Max Output Inverter Technology 20 Operating Hours* Contractor Quality

EU30is

ELECTRIC START

\$4199 ^{4-STROKE} RRP

- Greater fuel efficiency via Built-in Eco-Throttle
- Engine protected by low oil alert system
- Hassle-free Key Start

EU30i1U



4 Year Warranty* 7000W Max Output Inverter Technology 18 Operating Hours* Contractor Quality

EU70is

ELECTRIC START

\$6599 ^{4-STROKE} RRP

- Greater fuel efficiency via Built-in Eco-Throttle
- Better than commercial quality electricity thanks to microcomputer controlled Sine-Wave inverter
- Engine protected by low oil alert system
- Easy storage and transport with a fold down handle and large diameter wheels
- Hassle-free Push Button Electric Start

Lifting kit: 06531Z1E00ZA
Wired remote control cable:
10m - 32380Z37800ZA
30m - 32380Z37820ZA

EU70i1U4



- 4 Year Warranty*
- 2200W Max Output
- 12.8 Operating Hours
- Contractor Quality

EP2200CX 4-STROKE RRP \$1099

- Features 15 amp sockets, 8.3 amp battery charger and circuit breaker
- Extended operating time with large capacity 14.5 litre fuel tank featuring a fuel gauge
- Stable power source via Honda's Automatic Voltage Regulator (AVR System)
- Easy-to-use control panel featuring 15 amp sockets, 8.3 amp battery charger and circuit breaker

EP2200CXUH



- 4 Year Warranty*
- 3000W Max Output
- 6 Operating Hours
- Contractor Quality

EM30 4-STROKE RRP \$1999

- Engine protected by low oil alert system
- High quality electricity is generated via the built in Cyclo-converter

HONDA CYCLO-CONVERTER TECHNOLOGY
Honda's Cyclo-Converter Generator model offers power that is equal in quality to AVR (Automatic Voltage Regulator) generators but is dramatically lighter. This lighter weight is achieved by reducing the number of traditional parts with a CPU (Central Processing Unit). Honda Cyclo-Converter Technology offers the best power-to-weight ratio available anywhere.

EM30K3U



- 4 Year Warranty*
- 3600W Max Output
- 11.9 Operating Hours
- Contractor Quality

EG3600CX 4-STROKE RRP \$1939

- Features 15 amp sockets, 8.3 amp battery charger and circuit breaker
- Strengthened electric performance with D-AVR (digital auto voltage regulator)

Wheel kit:
06710Z22A30

EG3600CXUH



- 4 Year Warranty*
- 4500W Max Output
- 9.5 Operating Hours
- Contractor Quality

EG4500CX 4-STROKE RRP \$2099

- Features 15 amp sockets, 8.3 amp battery charger and circuit breaker
- Strengthened electric performance with D-AVR (digital auto voltage regulator)
- Easy and reliable starting via the mechanical decompression system

Wheel kit:
06710Z22A30
Lifting parts:
Hanger 53150Z22E30ZA x 1
Bracket 53154Z22E30ZA x 2
Bolts 957010801607 x 4

EG4500CXUH



- 4 Year Warranty*
- 5500W Max Output
- 8.1 Operating Hours
- Contractor Quality

EG5500CX 4-STROKE RRP \$2399

- Features 15 amp sockets, 8.3 amp battery charger and circuit breaker
- Strengthened electric performance with D-AVR (digital auto voltage regulator)
- Easy and reliable starting via the mechanical decompression system*
- Reduce noise and vibration levels

with large silent muffler and anti-vibration engine mounts

- Added equipment and engine protection with AC/DC circuit breakers and oil alert

Wheel kit: 06710Z22A30
Lifting parts: Hanger 53150Z22E30ZA x 1
Bracket 53154Z22E30ZA x 2
Bolts 957010801607 x 4

EG5500CXUH



- 4 Year Warranty*
- 9000W Max Output
- 6.5 Operating Hours
- Contractor Quality

EM10000 4-STROKE RRP \$5990

- Engine protected by low oil alert system
- Self diagnosis with 'i-Monitor' feature that protects your investment
- Strengthened electric performance with D-AVR (digital auto voltage regulator)
- Enhanced product competitiveness with V-Twin engine that offers more fuel economy and less noise
- 3 x 15 amp 240 volt outlets, 1 x 32 amp 240 volt outlet

EM10000K1UH

ALSO AVAILABLE IN ELECTRIC START 4-STROKE RRP \$2799

EG5500CXSUH

SUPER QUIET GENERATORS

MODEL	EU10i	EU22i	EU30iu Handy	EU30is	EU70is
Full Model Code	EU10i1U	EU22i1U	EU30iK1U	EU30iS1U	EU70iSUT
Engine	GXH50T	GXR120	GX160K1	GX200	GX390
Fuel Tank Capacity	2.1 Litres	3.6 Litres	5.9 Litres	13 Litres	19.2 Litres
Continuous Operating Hours	8hr/4hr	8hr/4hr	7.7hr/3.5hr	20hr/7.1hr	18hr/6.5hr
dB Sound Pressure (at 7m)**	52dB(A)*/58dB(A)**	.	57dB(A)*/65dB(A)**	52dB(A)*/65dB(A)**	.
LwA Sound Power (at 4m)**	.	LwA 91dB(A)**	.	.	LwA 90dB(A)**
GENERATOR					
Max. AC Output (power factor 1.0)	1000VA	2200VA	3000VA	3000VA	7000VA
Rated AC Output	900VA	1800VA	2600VA	2800VA	5500VA
DC Rated Output for Charging Automotive Batteries Only	8A	8.3A	8.3A	12A	N/A
DIMENSIONS					
LxWxH (mm)	451 x 242 x 379	511 x 290 x 425	622 x 379 x 489	658 x 447 x 558	848 x 700 x 721
Dry Weight	13kg	21kg	35.2kg	59kg (w/battery)	118kg (w/battery)
FEATURES					
Electric Starter	No	No	No	Yes	Yes
Voltage Regulation	Inverter	Inverter	Inverter	Inverter	Inverter
Voltmeter	No	No	No	No	Yes
AC Circuit Protector	Yes	Yes	Yes	Yes	Yes
DC Circuit Protector	Yes	Yes	Yes	Yes	Yes
Pilot Lamp	Yes	Yes	Yes	Yes	Yes
Fuel Gauge	No	No	No	Yes	Yes
Oil Alert	Yes	Yes	Yes	Yes	Yes
Auto Throttle	Eco-Throttle	Eco-Throttle	Eco-Throttle	Eco-Throttle	Eco-Throttle
Auto Choke	No	No	No	No	Fuel Injected
Large Capacity Air Cleaner	Yes	Yes	Yes	Yes	Yes
Large Capacity Fuel Tank	Yes	Yes	Yes	Yes	Yes
Large Capacity Muffler	Yes	Yes	Yes	Yes	Yes
4 Year Domestic Warranty*	Yes	Yes	Yes	Yes	Yes

OPERATING NOISE LEVEL CALCULATION

**LwA refers to sound power level and is measured at rated load, which is standardised by EU noise regulation. It is measured from 6 directions by a microphone placed 4 metres from the product in a closed anechoic room.

This room is not affected by environmental conditions.

**dB refers to sound pressure level and is measured from 4 directions (front, back, right and left) by a microphone that is placed 7 metres from the product and 1.5 metres from the lawn ground.

It is not measured in a closed room. Therefore, the data is affected by environmental conditions such as temperature.

INDUSTRIAL GENERATORS


MODEL	EM30	EP2200CX	EG3600CX	EG4500CX	EG5500CX/CXS	EM10000
Full Model Code	EM30K3U	EP2200CXUH	EG3600CXUH	EG4500CXUH	EG5500CXUH/ EG5500CXSUH	EM10000K1UH
Engine	GX200	GX160	GX270	GX340	GX390	GX630
Fuel Tank Capacity	10.2 Litres	14.5 Litres	24 Litres	24 Litres	24 Litres	31 Litres
Continuous Operating Hours	6hr	12.8hr	11.9hr	9.5hr	8.1hr	6.5hr
dB Sound Pressure (at 7m)**	68dB(A)**	66dB(A)**
LwA Sound Power at (at 4m)**	.	.	LwA 97dB(A)**	LwA 98dB(A)**	LwA 99dB(A)**	LwA 99.3dB(A)**
GENERATOR						
Max. AC Output (power factor 1.0)	3000VA	2200VA	3600VA	4500VA	5500VA	9000VA
Rated AC Output	2600VA	2000VA	3200VA	4000VA	5000VA	8000VA
DC Rated Output for Charging Automotive Batteries Only	12A	8.3A	8.3A	8.3A	8.3A	N/A
DIMENSIONS						
LxWxH (mm)	440 x 400 x 480	597 x 435 x 437	681 x 530 x 571	681 x 530 x 571	844 x 530 x 571 CXS	973 x 552 x 965
Dry Weight	31kg	45kg	71kg	83kg	84kg CX/87kg CXS	162kg
FEATURES						
Electric Starter	No	No	No	No	CXS Only (Battery Not Included)	Yes
Voltage Regulation	Cyclo-Converter	AVR	D-AVR†	D-AVR†	D-AVR†	D-AVR†
Voltmeter	No	No	No	No	No	i-Monitor
AC Circuit Protector	Yes	Yes	Yes	Yes	Yes	Yes
DC Circuit Protector	Yes	Yes	Yes	Yes	Yes	No
Pilot Lamp	Yes	No	No	No	No	i-Monitor
Fuel Gauge	Yes	Yes	Yes	Yes	Yes	Yes
Oil Alert	Yes	Yes	Yes	Yes	Yes	Yes
Auto Throttle	N/A	N/A	N/A	N/A	N/A	N/A
Auto Choke	No	No	No	No	No	No
Large Capacity Air Cleaner	Yes	Yes	Yes	Yes	Yes	Yes
Large Capacity Fuel Tank	Yes	Yes	Yes	Yes	Yes	Yes
Large Capacity Muffler	Yes	Yes	Yes	Yes	Yes	Yes
4 Year Domestic Warranty*	Yes	Yes	Yes	Yes	Yes	Yes

*4 Year warranty applies to domestic use and does not apply to engines sold as separate units.

**With Eco-Throttle switched on when rated at 1/4 output. Usage applications are recommendations only. †D-AVR: Digital Auto Voltage Regulator.

THE WORLD'S LARGEST & MOST TRUSTED ENGINE MAKER

With over 60 manufacturing facilities across the globe, Honda produces more automotive, power equipment and marine engines than any other brand. More people put their trust in Honda to power their products, whether land, sea or air.



“We have one future and it will be made of our dreams, if we have the courage to challenge convention.” **Soichiro Honda**

We have lived by this philosophy since 1948, when the Honda Motor Corporation was formed. Big dreams produced a massive future. Today, Honda produces innovative and reliable products for almost every application – from lawnmowers to corporate jets. Every product is designed to make life more joyful for you and less impactful to the planet.

Honda Motor Co., Ltd. was established September 24 1948 in Hamamatsu, Shizuoka Prefecture, Japan. With 1 million yen in capital and 34 associates.

In 1953 Honda began manufacturing power products with the desire to apply engine technologies in ways useful for people's daily lives and work situations. With the first general-purpose engine developed for agricultural equipment, the Type H. Honda has since produced a multitude of power products including tillers, generators, outboard engines and lawnmowers.

Honda has been producing lawnmowers globally since 1978 when the HR21 was released. On February 17 1988 the first lawnmower in Australia was produced, the Honda HRU194PU. Today, Honda continues to develop and produce innovative products which deliver new value, such as the Miimo robotic lawnmower, and the LiB-AID E500 new era portable power source.

Honda will continue to provide customers around the world with power products that are familiar and useful, spreading the “joy of usefulness” by maximising and pursuing the possibilities of its engines and technologies.



4-STROKE TECHNOLOGY

Honda has always been dedicated to developing human and environmentally friendly engines of the highest quality. It's why the company has been focused on 4-stroke technology for over five decades.



LEGENDARY F1 AND MOTOR-RACING PEDIGREE

Innovations such as the VTEC™ system (optimising power and efficiency at all engine speeds) were borne out of Honda F1 technology. A challenging spirit and never-ending passion for racing fuels the development of technologies found in every Honda product.



BLUE SKIES FOR OUR CHILDREN

As pioneers of environmental technologies, our engineers have been exploring ways for our children to enjoy a sustainable future since the company's inception. Today, sustainability is still top of our agenda. In June 2011, Honda pledged to cut CO₂ emissions from all our global products, equipment and corporate activities by 30% by the end of 2020 compared to 2000 levels. We're also firmly committed to powering our vehicles with innovative renewable technologies wherever we can.



INSPIRED BY ASIMO, HONDAJET AND THE NSX

Soichiro Honda's willingness to challenge convention and dream big can be found today in each of our gardening products. The same innovation used for advanced applications like robotics, corporate jets and supercars, also goes into manufacturing Honda Power Equipment products.




POWERED BY WORLD CLASS RESEARCH & DEVELOPMENT

Global state-of-the-art R&D facilities are dedicated to researching, designing and developing cutting-edge products. Honda continues to challenge the way the world thinks by looking to the future through technology and innovation.



ONLY GENUINE PARTS AND ACCESSORIES

Every engine has been manufactured to uphold Honda's strict quality standards. So the purchase of a Honda is an investment in a product that's made to last. This ensures that when it comes to repairs or replacement, genuine parts will keep it functioning at the optimum performance level that's expected.



A DEDICATED NATION-WIDE DEALER NETWORK

All of our dealers share the same level of commitment to the Honda brand as they do their relationship with customers. When it comes to sales, service and parts, you can always rely on a Honda Power Equipment specialist for knowledge and advice.

BUYER BEWARE!

Honda has always been a market leader in producing quality, innovative and environmentally friendly products. Unfortunately, there are unscrupulous Australian retailers and individuals who want to take advantage of the Honda brand.

Some of these retailers and individuals are knowingly importing Honda-branded products that aren't designed for Australian consumers or Australian conditions.

These products are often sold without after sales support and warranties that only a genuine Honda product can offer.

ASK YOUR AUTHORISED HONDA DEALER WHAT TO LOOK OUT FOR.



All products purchased from an Authorised Honda Dealer are fully assembled and ready to go.

AUTHORISED HONDA DEALERS

400+ National Dealer Network – providing the best advice and after sales service that is only available through specialist service dealers.



Disclaimer: All prices listed include GST and are recommended retail prices only, there is no obligation to comply with the recommendation. Not all products listed in the brochure are available from every Authorised Power Equipment Dealership. Honda MPE reserves the right to change specifications and price at any time. *4 Year warranty applies to domestic use and does not apply to engines sold as separate units. Full Terms and Conditions available at authorised Honda Power Equipment dealerships. †2 Year warranty applies to domestic use of HRS, HRR, HRX and HRC models only.

VISIT [HONDA.COM.AU](https://www.honda.com.au) OR JOIN THE CONVERSATION



[/HondaPowerEquipmentAU](https://www.facebook.com/HondaPowerEquipmentAU)



[/HondaPowerEquipmentAU](https://www.instagram.com/HondaPowerEquipmentAU)



[/HondaPowerEquipment](https://www.youtube.com/HondaPowerEquipment)

YOUR LOCAL AUTHORISED HONDA DEALER: